


THE 2016 COUNTER BOOK

Central Supply & Rubber Company

109 North 9th Street * Omaha, Nebraska 68102

Telephone (402) 341-6977 or Fax (402) 341-0860

Wholesale Farm & Industrial Parts & Supplies Since 1944!



REVISED

6/10/2021

We Ship Over 98% Of Our Orders The Same Day!

**To Order Call Toll-Free
1-800-444-8666**

Or Fax Toll-Free 1-800-342-7252

Visit Our Web Site at: www.centralsupplyandrubber.com

The Policy of **Central Supply & Rubber Company**

is to conduct our business in an honest straight forward manner, distribute well known quality merchandise at legitimate prices and render the best possible service at all times.

You can expedite shipment of your order by using the order number and description of merchandise shown on the pages of this book. Avoid delays and shortages by checking your bills against merchandise received at the time the carrier makes delivery. Insist that the carrier's representative makes a notation on the freight bill of all shortages at time of delivery.

There will be a handling charge made against all goods returned for credit when order for the same has been filled correctly by us. We will not accept merchandise returned for credit without first obtaining our consent. All merchandise sold by us is guaranteed to the degree as specified in the manufacture's warranty. We do not assume responsibility for merchandise damaged by accident or misuse.

For open account customers, payment on standard invoices is due by the tenth of the following month. A discount may be allowed for early payment when noted on your invoice. Invoices not paid by the twentieth of the following month are subject to finance charges of 1-1/2% per month (18% per annum), with a \$2.00 minumum charge. A fee of \$25.00 will be charged for any check submitted for payment that is returned to us due to insufficient funds.

Unless otherwise noted all items are shipped FOB Omaha, Nebraska. Due to market conditions all prices in this catalog and otherwise published by our company are subject to change without notice.

Centralize your buying with *Central Supply & Rubber Company* and you'll see why we've been in business serving agriculture and industry since 1944. Your business is appreciated.

Yours Truly,

Jack Swanson

Jack Swanson II
President



In memory of
Jack William Swanson, Sr.
1913 - 1998
We All Miss You Greatly!

Central Supply & Rubber Company was founded by E.E. Thomas, Orville Goecker, Harry Goecker, George McPherson, Victor Enholm, Harry Schropp, and Jack Swanson, on June 30, 1944.

How To Get To Central Supply

**109 North 9th St.
Omaha, Ne. 68102**

From I-480 East Bound: Take the 14th Street exit and turn left at the first set of traffic lights (Capitol Ave.). Go 5 Blocks to 9th Street and turn right.

From I-480 West Bound: Take the Dodge Street exit (1st exit after crossing the Missouri River). Turn right at the first set of traffic lights (10th Street). Go 1 block to Capitol Ave. and turn right. Go 1 block to 9th Street and turn right.

We are directly south across the street from the Century Link Arena.

If you need further directions
feel free to call us at:

(402) 341-6977 or Toll-Free: 1-800-444-8666

**Accepting
MasterCard & Visa**

Catalog Index**A**

ABM Milo Guards	47-49
Abrasive - - Discs	140
Roll	141
Ace Centrifugal Pump	263
Acme - - Nuts	142
Threaded Rod	142
Acreage Counter	50-51
Adapter - - Hydraulic	67-86
PTO	173-176
Pump	175-177, 262
Spline	173-177
Swivel - Hydraulic	80-86
Aetna - - Belt Idler	221
Adapter Bearings	221
Idler Sprocket	220
Agitator	266
Air - - Chuck	242
Coupler	242
Filter - Furnace	261
Hose	242
Air Craft Cable	163
Allen Wrenches	155
Anti - - Seize Compound	238
Spatter (Welder's)	236
Attachment Links	168-172
Auger - - Bearing	98, 221
Hopper Straps	51
Automotive U-Joint Kits	181
Aviation Snips	136

B

Back-Up Washers	87
Bags - - Brown Kraft	240
Poly	241
Bait - Gopher	52
Baler - Chain	171
Ball Bearings	92-110
Ball Sockets - - 3 Pt.	116-117
Trailer	125
Valves	269
Band Saw Blades	128
Bandana - Cool Care	129
Banjo Fittings	274
Barrel Pumps	244, 246
Batteries - Fencer	249
Flashlight	139
Battery - - Bolt	148, 232
Cable	232
Clamp	232
Cleaner	232-233
Heater	254
Sealant	233
Terminal	232
Bead Breaker - Tire	259
Beal - Flail Shredder Components ..	46
Bearing - - Adapter	221
Angular, Ball, Bronze, Disc, Flange, Housing, Pillow Block, Radial, Tapered	92-110
Gage Wheel/Water Pump	11, 95
Kit - - U-Joint	181-196, 200
Packer	108

B (continued)

Bearing (continued)	
Shield Kit	181-196, 199
Belt - - Dressing	223
Pulley-V	221-226
V	227-229
Bent Pins	120
Big Orange	121-122
Bin - - Boxes	240-241
Parts	240-241
Bits - Drill	130-132
Black Pipe Fittings	90-91
Blades - - Band Saw	127
Hacksaw	127
Sawzall	126
Blow Guns	242
Bolster Hoist	62
Bolt Cutter	136
Bolts	142-148
Guard - Kondex	32
Bolt-On - - Section Bolts-Kondex	32
Sickles-Kondex	12-40
Sickle Tool	41
Booster Cables	232
Boxes - - Bin	240
Mail	261
Parts	240-241
Tool	242
Brake Cleaner	237
Breakaway Couplings	67-72
Breakout Punch	139
Breather Filter	66
Bronze Bushings	98
Brush - - Parts	141
Scratch	140
Wire	140-141
Buchanan - - Guards	42-44
Buggy Tops	247-248
Bull Dog Jacks	124
Bushings - - Bronze	98
Machinery	152
Stock	198
Three Point	116, 118
Weld-A-Joint	207-208

C

C-Clamp	135
Vise Grip	133
Cable - - Aircraft	163
Booster	232
Clamp	163
Farm	163
Loom	232
Thimbles	163
Ties	233
Wire Rope	163
Cabinets - - Parts	240-241
Cab Heaters	253
Calipers	129
Canopy - - Buggy	247-248
Cap - - Screws - Hex Hd.	145-147
Screws - Socket Hd.	155
Weather	246
Carriage Bolts	148
Castle Nuts	150
Centrifugal Pumps	263
Chain - - Attachment Links	168-172
Baler	171
Binder	166
Breaker	167
Coupler	211
Detacher	167, 169
Drives	168
Feed Wagon	171
Hi-Test	165
Hooks - - Grab	164-165
Implement	170
Log	166
Lubricant	169
Missing Links	164
Pintle	172
Proof Coil	165
Quick Tach	171
Repair Tool	167
Roller	168-170
Roller Links	168-170
Side	260
Spreader Conveyor	171-172
Steel Detachable	170
T Bar	171
Tighteners	166
Tire	258-260
Tool	167
Tow	165-166
Twist Link	260
Wrench	133
Check Valve	266
Chisel	137-138
Chuck-Air	242
Clamps - - C	133, 136
Cable	163
Hose	253
Welders	133-134
Cleaner - - Brake	237
General Purpose	237
Mean Green	239
Parts	237
Sprayer-Golden Rod	242
Clevis	121-122
Cylinder	65
Pins	66, 156
Coiled Spring Pins	156
Cold Shuts	164
Collars - - Bearing	96
Hexagon	208
Solid Shaft	153
Split Shaft	153
Combination Wrenches	135
Compression - - Springs	160-161
Stop Valve	269
Connecting Links	168-170
Contact Cleaner - Spray-On	233
Control - - Sprayer-Electric	264
Conversion System - 3 Point	115
Conveyor Chain	172

Catalog Index

C (continued)

Cool Gel	238
CoolCare Bandana	129
Corn Picker Pins	156
Cotter - - Hair Pin	159
Keys	159
Coupler - - Air	242
Hubs	216
Hydraulic	67-72
Overrunning	174
Shaft	209
Coupling-Air-Water-Steam	91
Flexible-G & G	209-211
Hydraulic	67-72
Jaw	210
Nuts	142
Sprayer - Nylon	272
Sprockets	211
Cross & Bearing Kits	181-196, 200
Cross Chains-Tractor Tire	258-260
CTC Pliers	135
Cultivator - - Gauge Wheel	11
Shovels	47
Spring Devil	10-11
Sweeps	47
Cup Brush	140
Cutter - Hose	275
Cutting - - Oil	128-129
Wheel.....	140
Cylinders-Hydraulic	62, 64-65
Pins	66
Repair Kit	62, 65-66

D

Dare Fencing Products	250-252
Degreaser Compound	237, 239
Delevan - - Pump	263
Relief Valve.....	265
Spray Valve	265
Depressed Center Wheel	140
Detacher -Chain	167, 169
Detent Pins	120
Diaphragm - - Hand Pump	246
Check Valve	266
Directo Valve	265
Disc - - Abrasive	140
Bearings.....	92-95, 108
Sanding	140
Drawbar - - Lock	116
Three Point	117
Pins	118
Drill - - Bits	130, 132
Cases.....	130, 132
Grinder	130
Driveline Components	173-208
Drives Chain	168
Duct Tape	239
Dust - - Cap	69, 71
Plug.....	72, 74
Dye Bearings	98

E

E Rings	157
Elbows - - Nylon	272
Pipe	90
Electrical - - Cleaner-Lubricant	233
Tape	239
Terminals	231-232
Elevator Bolts	148
Elliptic Head Bolt	47, 144
Elston Gopher Getter	52-55
Emblems-Vehicle	234
Emery Cloth	141
End Section	33
Engine - - Degreaser	237, 239
Heaters	253-254
Hour Meter	234
EVA Tubing	274
Exhaust - - Caps	246
Clamps.....	246
Expan Pins	156-157
Extension Springs	160-161
Extractor - Screw & Pipe	130

F

Farm - - Cable	163
Jacks.....	123-125
Feed Wagon Lift Chain	171
Femco Weatherbrake	255-257
Fence - Controller-Electric	249-252
Pliers	251-252
Post.....	248
Stretcher	248
Wire	248
Fender Washers	151
Filter - - Breather-Hydraulic	66
Fuel	246
Furnace-Purolator	261
Fittings - - Grease	243
Hydraulic	73-86
Nylon.....	272-273
Pipe	90-91
Flail Shredder Components	46
Flange - - Bolts	146
Nuts	150
Flanges-Bearing	102-105
Flashlights & Batteries	139
Float Valves	252
Flood - - Jet Nozzles	268
Tip Adapter	268
Fuel - - Filter	246
Nozzle	245
Furnace Filters	261

G

Gage - - Wheel Bearings	11, 95
Wheels & Tires	11
Galvanizing Compound	235
Gasket - - Compound	238
Remover	235
Gasoline - - Filters	246
Hose	245
Nozzles	245

G (continued)

Gate - - Grain	51
Handles - Dare	251
Valves	269
Gauge - - Bolt & Nut	151
Rain	261
Screw Pitch	129
Sprayer	263
Thread	129, 151
G & G Merchandise	123, 177, 197-223
Gib Keys	160
Glasses - Safety	129
Goggles	129
Golden Rod - - Blow Gun	242
Fuel Filter	246
Oil Cans	245
Spray Cleaner	242
Winches	125
Gopher - - Bait	52
Getter-Elston	52-55
Grab Hooks	122, 164-165
Grader Tire Chains	259
Grain - - Gate	51
Guards	42-44
Hopper Straps	51
Thermometer	51
Graphite - Powdered	235
Spray	235
Grass Boards	45
Grease - - Cartridge	244
Coupler	244
Fittings	243
Guns	244
Gun Fillers	244
Gun Holders	245
Hose	244
Loader Nipple	244
Needle	244
Packer	108
Pipe-Curved	244
Grinding Wheels	140
Guard - - Bolts	34
Buchanan	42-44
Kondex	34
Milo	47-49
Trash - John Deere	45
Guide Coulter	11
Guns - - Blow	242
Grease	244
Grease Gun Holders	245
Spray	276

H

Hack Saw - - Blades	127
Frames	127
Hair Pin Cotters	159
Halogen Lights	230-231
Hammers	132
Hand Gun - Sprayer	276
Handy Roll	141
Hanger Housing - Bearing	102
Harrow - - Kovar -Teeth	9
Midwest - Parts	62

Catalog Index**H (continued)**

Heat - - Barrier Spray	238
Magnet	254
Pad	254
Heater - - Battery	254
Engine.....	253-254
Hose	253
Tractor Cab	253
Hex - - Bearings	99
Bolts	143, 145-147
Keys	155
Nuts	144-145, 149-150
Shaft	199
Hi Lift Jack	125
Hinges	162
Hinson - Buggy Top & Umbrella	248
Weatherbrakes	255-257
Hitch - - Balls	125
Pins	120-122
Quick-Speeco	115
Shock	124
Hobbs - Lights	230-231
Hoists-Midwest	62
Hold Down - - Clips	41
Straps	126
Hook - - Grab	122, 164-165
Slip	164-165
Hook & Pick Set	137
Hopper Straps-Grain	51
Hornet Killer	236
Hose - - Air	242
Air Fittings	242
Barbs - Nylon	272-273
Clamps	253
Coupling - Hydraulic	67-79
Cutter	275
EVA	274
Fuel Line	89
Gasoline	245
Grease Gun	244
Heater	253
Holder-Hydraulic	88
Hydraulic	88-89
PVC	274
Return - Hydraulic	88
Sprayer	274
Suction	88
Whip	244
Hot Pad Heater	254
Hour Meter	234
Howse Mower U-Joint Kit	181
Hub City	63, 173-176
Hubs - - Caps	61
Coupler	216
Weld-On	215-216, 222
Wheel	56-59
Hydraulic - - Adapters	67-72, 81-86
Couplers-Pioneer	67-72
Cylinders	64-65
Hoist Parts-Midwest	62
Hose	88-89
Hose Couplings	73-80
Multiplier	72
Hypro Pumps	262

I

Idler - - Hubs	219
Pulleys	221-222
Sprockets	219-220
Implement Chain	170
Incorporators	9
Insect Spray	236
Insulators - Electric Fence	250-251
Inverter - Electric Power	233
IPTCI Bearings	99-103

J

Jacks - - Bull Dog	124
Farm	123-125
G&G	123
Hi-Lift	125
Ratchet	119
Jam Nuts	149
Jaw Coupling	210
J-B Weld	238
Jet Agitator	266
Journal Assemblies	178-196, 200
Jumper Cables	232

K

Kan-Am Chain Breaker - Parts	167
Kats Engine Heater	253-254
Keys - - Allen Hex	155
Cotter	159
Gib	160
Woodruff	158
Key Stock	153
Keyed Shafting	199
Klik Pins	118
Knifebacks-Kondex	35
Knife - - Clips-Kondex	33
Utility	127
Knock 'er Loose	238
Kondex - - Big Tooth Section	31
Lickity Split Repair Kit	31
Sickle Sections	12-39
Kosch - Grass Boards	45
Kovar - - Harrow Teeth	9
Incorporators	9

L

Lag Screws	143
Lap Repair Links	164
Layout Fluid	237
Ledger Plates-Kondex	34
Lift Arm Parts	117-119
Lights - Flash	139
Safety	231
Tractor	230-231
Warning	231, 233
Line Strainer	275
Links - - Implement Chain	170
Lap	164
Missing	164
Quick	164
Roller Chain	168-171

L (continued)

Load Binders	166
Lock Nuts	149-150
Lock Washers	151
Locking - - Collars-Eccentric	96
Hitch Pins	120
Log Chain	166
Lubricant - Compounds	235-236
Chain	169
Electrical	233
Wire Rope	162
Lubricating Graphite	235
Lynch Pins	118

M

Machine Screws	144-145
Machinery Bushings	152
Magnetic - - Heater	254
Light	231
Pick-Up Tool	139
Mail Box	261
Makita Cutting Wheel	140
Mankato Stroke Control Set	63
Marking - - Paint	237
Pen	141
Mayhew	137-138, 156
Mean Green Cleaner	238
Measuring Wheel-Meter Man	51
Meter Man - Acre Counter	50-51
Measuring Wheel	51
Metric - Calipers	129
Cap Screws	145
Drive Line Components	182-196
Hex Nuts	145
Kay Stock	152
Washers	145
Zerks	243
Mid Links	122
Midstates Cultivator	10-11
Midwest - - Harrow Parts	62
Hydraulic Hoists	62
MIG Welding Pliers	134
Mildew Destroyer	238
Miller Hitch Pins	120
Milo Guards	47-49
Missing Links	164
Mower - End Sections	33
Muffler Clamps	246

N

National Oil Seals	111-114
Neapco	178-196
Needle - Grease Injector	244
Nipple - - Loader	244
Pipe	91
Nozzle - - Gasoline	245
Tee Jet Spray	266-271
Nuts	144-145, 149-150
Lock	149-150
Nylon Fittings-Sprayer	272-273

Catalog Index

<p>N (continued)</p> <p>Nuts 144-145, 149-150 Lock 149-150 Nylon Fittings-Sprayer 272-273</p> <p>O</p> <p>Offset Links 168-170 Oil - - Cans 245 Cutting 128-129 Seals 111-114</p> <p>O Rings 87</p> <p>Over Running Couplers 174</p> <p>Over Size Load Sign 234</p> <p>P</p> <p>Packaging Tape 239 Paint- - Marker 141 Remover 235 Spray On 237</p> <p>Pans - Utility 245</p> <p>Paper - Sacks 240</p> <p>Parmak - - Electric Fencer 249 Warning Light 233</p> <p>Parts - - Bags 241 Brush 141 Bins 240-241 Cabinet 241 Cleaner 237</p> <p>PB Blaster 238</p> <p>Penetrating Oil 236, 238</p> <p>Permatex 238</p> <p>Pick & Hook Set 137</p> <p>Pillow Blocks 97, 103, 105</p> <p>Pinch Bar 137</p> <p>Pins - - Bent 120 Clevis 66, 121, 156 Coiled 156 Corn Picker 156 Cotter 159 Detent 120 Expan 157 Hair 159 Hitch 120, 122 Klik 118 Three Point Linkage 116-119</p> <p>Pintle Chain 172</p> <p>Pioneer 67-72</p> <p>Pipe - - Extractors 130 Fittings 90-91 Wrench 134</p> <p>Pitman-Wood 33</p> <p>Plastic - - Ties 233 Tubing 274</p> <p>Pliers - - Fence 251-252 Locking 133-134 Multi-Groove 136 Slip Joint 135 Snap Ring 158 Tire Chain 260 Vise-Grip 133-134 Welding 134</p> <p>Plow Screws 144</p>	<p>P (continued)</p> <p>Polar Starting Fluid 245 Pressure - - Gauge 263 Relief Valve 265</p> <p>Prince Cylinder Repair Kits 66</p> <p>Proof Coil Chain 165</p> <p>Pry Bar 138</p> <p>PTO - - Adatpers 173-177 Cross Reference 200</p> <p>Displays 197</p> <p>Shaft 198-199, 202</p> <p>Shields 181, 199</p> <p>Pulley - - Cast Iron 223-226 Hubs-Double 222 Idler 221-222 Steel 222-223 V-Belt 222-226 Weld On 222</p> <p>Pump - - Ace 263 Adapter 177, 262 Barrel 244, 246</p> <p>Bearings-Water 11, 95</p> <p>Centrifugal 263</p> <p>Delevan 263</p> <p>Diaphragm - Hand 246</p> <p>Hand Pump 244, 246</p> <p>Hypro 262</p> <p>Oiler 245</p> <p>Sprayer 262-263</p> <p>Punch 137-138, 156 Pilot 156</p> <p>PVC - - Hose Cutter 275</p> <p>Tubing 274</p> <p>Q</p> <p>Quick - - Couplers-Air 242 Couplers-Hydraulic 67-72 Hitch-Speeco 115</p> <p>Links 164 Repair Washers 151</p> <p>Quick Grip Welding Clamp 134</p> <p>Quick Stick Marker 141</p> <p>Quick Tach Chain 171</p> <p>R</p> <p>Radial Bearings 109-110</p> <p>Rags In A Box 239</p> <p>Rain - - Caps 246 Gauge 261</p> <p>Rake Teeth-Rubber 45</p> <p>Rapid Tap Cutting Oil 128</p> <p>Ratchet - - Jack 119 Screwdriver 139</p> <p>Redi-Bolt 142 Coupler Nut 142</p> <p>Reel Tine-Flexible 35</p> <p>Relief Valve 265</p> <p>Repair - - Lap Links 164 Kits - Hydraulic Cylinder 65-66 Washers 151-152</p> <p>Retaining Ring Plier 158</p>	<p>R (continued)</p> <p>Rings - Wheel Reinforcing 61</p> <p>Rivet - - Buster 137 Flat Head 170 Set 137 Sickle Section 32</p> <p>Tool 41</p> <p>Rockford Hydraulic Cylinders 65</p> <p>Roll Pins 156-157 Pin Punch 156</p> <p>Roller - - Bearings 106-108 Chain 168-170 Chain Detacher 169</p> <p>Rope - - Lubricant 162 Wire 163</p> <p>Row Crop Sweeps 47</p> <p>Rubber Reel Teeth 45</p> <p>Rust Preventative 236</p> <p>S</p> <p>Sacks-Paper 240</p> <p>Safety - - Glasses 129 Light 231 Shield-PTO 181, 199 Warning Reflector Kit 234</p> <p>Satchel Case 241</p> <p>Sanding - - Discs 140 Roll 141</p> <p>Saw - - Blades 126-128 Combination-Jack 127 Frames 127</p> <p>Sawzall Blades 126</p> <p>Scratch Brush 140</p> <p>Screw - - Driver 139 Extractor 130 Pitch Gauge 129</p> <p>Screws - - Cap 145-147, 155 Carriage 148 Lag 143</p> <p>Machine 144, 145</p> <p>Plow 144</p> <p>Set 154-155</p> <p>Sheet Metal 143 Tek 143</p> <p>Seals - - Oil 111-114 O-Ring 87</p> <p>Section - - Kondex 12-40 Replacement Tool 41</p> <p>Rivets 32</p> <p>Sickle 12-42</p> <p>Set Screws 154-155</p> <p>Set Screw Keys 155</p> <p>Shaft - - Collars 153, 208 Couplers 209 Keyed 199 PTO 202 Splined 176-177</p> <p>Shafting 198-199</p> <p>Sheaves - V-Belt 221-226</p> <p>Sheet Metal Screws 143</p> <p>Shield - PTO 181, 199</p> <p>Shim - Kondex 33</p> <p>Shock Hitch 124</p>
---	--	---

Catalog Index**S (continued)**

- Shop -- Cloth 141
 Rags 239
 Shovels-Cultivator 47
 Shredder Components - Flail 46
 Sickle -- Sections 12-40
 Twin Point 35
 Side -- Chain Fasteners 260
 Chain-Tire 260
 Silicon Spray Lubricant 236
 Slic-Tite Paste 91
 Slip -- Hooks 164-165
 Plate 235
 Sleeve 203
 Slotted Nuts 150
 Slow Moving Vehicle Emblem 234
 Snap -- Hitch Repair Kit 201-202
 Hitch Yoke 178-196, 204-205
 Hitch Adapters .. 175, 177, 204, 262
 Rings 158
 Snips -Tin 136
 Snowco -- Buggy Top 247
 Umbrella 247
 Socket Head -- Cap Screws 155
 Set Screws 154-155
 Solar Panel 249
 Solenoid Valve-Electric 264
 Speeco -- Quick Hitch 115
 3-Point Conversion 115
 3-Point Linkage 115-119
 Spindles-Wheel 60
 Spinner-Wheel 125
 Splined -- Adapter 173-177
 Bore Yoke 204-206
 Couplings 173-177
 Shaft 176-177
 Spray On Products . 129, 162, 169, 223
 233, 235-237
 Sprayer - Cleaner-Golden Rod 242
 Control Valve 265
 Fittings-Nylon 272-273
 Guns 276
 Hose 274
 Monitor 264
 Nozzles 266-271
 Pumps 262-263
 Spreader Conveyor Chain 172
 Spring Pins 156-157
 Spring - Devil Cultivators 10-11
 Tooth Harrow-Kovar 9
 Springs 160-161
 Sprocket -- Aetna 220
 Coupling 211
 Finished Bore 217-218
 G & G 211-219, 222
 Idler 219-220
 Weld-A 212-214
 Stabilizer Kit 119
 Starting Fluid 245
 Stay Strap - 3-Point 119
 Stern Hold Down Clip 41
 Stove Bolts 144
 Strainer-Line 275
 Strapping Tape 239

S (continued)

- Straps -- Hold Down 126
 Ratchet 126
 Stroke Control Segments 63
 Suction -- Gun 245
 Hose 88
 Strainer 275
 Sun Shade 247-248
 S/V Tools 41, 167
 Sweeps -- Cultivator 47
 Swivel Adapter-Hydraulic 81-85
 Jacks 123-124
- T
- T Bar Chain 171
 Tachometer 234
 Take-Up Housings - Bearing 102
 Talc 235
 Tape -- Duct 239
 Electrical 239
 Gummed Packaging 239
 Measure 136
 Strapping 239
 Thread 91
 Tapered Bearings 106-108
 Taps -Thread 131-132
 Tarps 126
 Straps 126
 Tee Jet -- Nozzles & Tips 266-271
 Valves 265
 Teeth -- Harrow - Kovar 9
 Rubber Rake 45
 Tek Screws 143
 Tep Tape 91
 Thermometer-Grain 51
 Thimbles-Wire Rope 163
 Thread - Cutting Oil 128-129
 Gauge 129, 151
 Locker Gel 238
 Sealant 91
 Tape 91
 Threaded Rod 142
 Three Point -- Conversion 115
 Linkage Equipment 115-119
 Tie Down - Straps 126
 Ties-Plastic 233
 Tightener -- Chain 166
 Tines -- Cultivator 9-10
 Flexible Reel 35
 Tire -- Cleaner 239
 Chains 258-259
 Gage Wheel 11
 Tool Box 242
 Top Link 116-118
 Ball Sockets 116
 Bushing 116, 118
 Pins 117
 Repair Ends 116
 Tow Chain 165-166
 Tractor Chains-Laclede 258-260
 Trailer -- Hitch Ball 125
 Trash Guard - John Deere 45
 Tubing -- Clear PVC 274

T (continued)

- Tubing (continued)
 Metal Repair 198-199
 Plastic EVA 274
 Torque 199
 Turnbuckles 162
 Jack 119
 Turbo 90 Pump 263
 Twin Point - Sickle Sections 35
 Twist Clip 121
 Twist Link Chain 260

U

- Unions -- Pipe 91
 U-Joints 206-207
 Kits-Howse Mower 181
 Repair Kits 181-196, 200
 Umbrellas 247-248
 Utility -- Box 240-241
 Knife 127
 Pans 245

V

- V-Belts 227-229
 Pulleys 221-226
 Valves- - Ball 269
 Check 266
 Compression Stop 269
 Directo 265
 Float 252
 Gate 269
 Relief 265
 Solinoid-Electric 264
 Sprayer Control 264-265
 Tee 265
 Vehicle Emblems 234
 Lights 230-231, 233
 Vise Grip Tools 133-134

W

- Wagon Hoists-Midwest 62
 Warning -- Light 231, 233
 Reflector Kit 234
 Washers -- Back Up 87
 Fender 151
 Lock 151
 Machinery 152
 Quick Repair 151
 S.A.E. 151
 Wrought 151
 Wasp & Hornet Killer 236
 Water Pump Bearings 11, 95
 Wear Plate - Kondex 33
 Weather -- Brake 255-257
 Cap 246
 Station 261
 Weld-A-Bushing 207-208
 Weld-A-Hub 215-216
 Weld-A-Joint 206
 Weld-A-Sprocket 212-214
 Weld-A-Pulley 222

Catalog Index

W (continued)

Weld-On Ball Socket	116-117
Welding - Clamp	133-134
Compound	238
Pliers	134
Wheel - Bearings	105-107
Bolts	60-61
Bolt Nuts	60-61
Gage	11
Hubs	56-59
Hub Caps	61
Reinforcing Rings	61
Spindles	60
Spinners	125
Whip Hose	244
Whiz - Bolts	146
Nuts	150
Wide - Load Signs	234

W (continued)

Winches	125
Windbreakers	255-257
Wing Nuts	150
Wire - - Brush	140
Loom	232
Rope Clamps	163
Rope-Farm Cable	163
Rope Lubricant	162
Rope Thimbles	163
Stretcher	134, 248
Stripper	231
Terminals	231-232
Woodruff Keys	158
Work Bench - Flambeau	241
Wrench - - Adjustable	136
Chain	134
Combination	135

W (continued)

Wrench (continued)	
Pipe	134
Sets	135
Vise Grip	133-134
Wrought Washers	151

Y

Yokes - PTO	178-197, 202-207
Yoke & Bar Assemblies	202
Yoke & Tube Assemblies	202

Z

Zerk - - Drive In Tool	243
Grease Fittings	243


DUE TO MARKET CONDITIONS ALL PRICES IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE.

CALL 1-800-444-8666 or FAX 1-800-342-5272


Visit our website at: www.centralsupplyandrubber.com

Fraction/Decimal/Metric Chart

Fraction	Decimal	Millimeter									
1/64 -----	.015625 -----	0.397	11/64 -----	.171875 -----	4.366	29/64 -----	.453125 -----	11.509	47/64 -----	.734375 -----	18.653
1/32 -----	.03125 -----	0.794	3/16 -----	.1875 -----	4.763	15/32 -----	.46875 -----	11.906	-----	.7480 -----	19.
-----	.0394 -----	1.000	-----	.1969 -----	5.	-----	.4724 -----	12.	3/4 -----	.75 -----	19.053
3/64 -----	.046875 -----	1.191	13/64 -----	.203125 -----	5.159	31/64 -----	.484375 -----	12.3b3	49/64 -----	.765625 -----	19.447
1/16 -----	.0625 -----	1.587	7/32 -----	.21875 -----	5.556	1/2 -----	.5 -----	12.700	25/32 -----	.78125 -----	19.844
5/64 -----	.078125 -----	1.984	15/64 -----	.234375 -----	5.953	-----	.5118 -----	13.	-----	.7874 -----	20.
-----	.0787 -----	2.000	-----	.2362 -----	6.	33/64 -----	.515625 -----	13.097	51/64 -----	.796875 -----	20.241
3/32 -----	.09375 -----	2.381	1/4 -----	.25 -----	6.350	17/32 -----	.53125 -----	13.494	13/16 -----	.8125 -----	20.638
7/64 -----	.109375 -----	2.778	17/64 -----	.265625 -----	6.747	35/64 -----	.546875 -----	13.891	-----	.8268 -----	21.
-----	.1181 -----	3.000	-----	.2756 -----	7.	-----	.5512 -----	14.	53/64 -----	.828125 -----	21.034
1/8 -----	.125 -----	3.175	9/32 -----	.28125 -----	7.144	9/16 -----	.5625 -----	14.288	27/32 -----	.84375 -----	21.431
1/64 -----	.015625 -----	0.397	19/64 -----	.296875 -----	7.541	37/64 -----	.578125 -----	14.684	55/64 -----	.859-75 -----	21.828
1/3 2 -----	.03125 -----	0.794	5/16 -----	.3125 -----	7.938	-----	.5906 -----	15.	-----	.8661 -----	22.
-----	.0394 -----	1.	-----	.3150 -----	8.	19/32 -----	.59375 -----	15.081	7/8 -----	.875 -----	22.225
3/64 -----	.046875 -----	1.191	29/64 -----	.328125 -----	8.334	39/64 -----	.609375 -----	15.478	57/64 -----	.890625 -----	22.622
1/16 -----	.0625 -----	1.587	11/32 -----	.34375 -----	8.731	5/8 -----	.625 -----	15.875	-----	.9055 -----	23.
5/6 4 -----	.078125 -----	1.984	-----	.3543 -----	9.	-----	.6299 -----	16.	29/32 -----	.90625 -----	23.019
-----	.0787 -----	2.	23/64 -----	.359375 -----	9.128	41/64 -----	.640625 -----	16.272	59/64 -----	.921875 -----	23.416
3/32 -----	.09375 -----	2.381	3/8 -----	.375 -----	9.525	21/32 -----	.65625 -----	16.669	15/16 -----	.9375 -----	23.813
7/64 -----	.109375 -----	2.778	25/64 -----	.390625 -----	9.922	-----	.6693 -----	17.	-----	.9449 -----	24.
-----	.1181 -----	3.	-----	.3937 -----	10.	43/64 -----	.671875 -----	17.066	61/64 -----	.953125 -----	24.209
1/8 -----	.125 -----	3.175	13/32 -----	.40625 -----	10.319	11/16 -----	.6875 -----	17.463	31/32 -----	.96875 -----	24.6
9/6 4 -----	.140625 -----	3.572	27/64 -----	.421875 -----	10.716	45/64 -----	.703125 -----	17.859	-----	.9843 -----	25.
5/3 2 -----	.15625 -----	3.969	-----	.4331 -----	11.	-----	.7087 -----	18.	63/64 -----	.94375 -----	25.003
-----	.1575 -----	4.	7/16 -----	.4375 -----	11.113	23/32 -----	.71875 -----	18.256	1 -----	1. -----	25.4

IHC - 27" CABLES - 15" WIDE
WHITE - 33" CABLES - 15" WIDE

LIFT CHAINS FASTEN TO #1 ABOVE



JD 7000 - 7100 PLANTER

DESIGNED TO FIT MOST PLANTERS
17" CABLES - 12" WIDE

KOVAR PLANTER INCORPORATOR

DESIGNED TO FIT MOST PLANTERS

1/2" cables allow teeth to follow contour without digging in. Spring teeth allow mixing action in the field. Chain lift depth control and transporting. All cables have a "Fiber Core Center". This lets you put pressure on teeth. All bolts and chains plated.

Model	Type	Color	Wt.	Price
JKWHI	For Older White 5100, 33" Cables, 15" Wide	Red	7 lbs.	\$39.00
JKINC72	Repair Teeth			1.20

REPAIR PARTS - DEERE

JKCAD	Cable Complete	9.50
JKLCD	Lift Chain	1.95
JKEBD	Eye Bolt w/nut	.85

Centralize with Central
Call Toll-Free:
1-800-444-8666
or Fax Toll-Free:
1-800-342-7252



KOVAR SPIKE TEETH & PARTS

SPIKE TEETH

Heat Treated - - - 5/8" x 7/8" Diamond

Model	Type	Price
JKSP8	7/16" x 2" Neck For Regular 1-3/8" Tube	\$4.20
JKSP8L	7/16" x 2-1/2" Neck Where Clamp Is OnTube	5.00
JKSP9	1/2" x 2-1/4" Neck for Heavy Duty 1-5/8"Tube	4.20
JKSP9L	1/2" x 2-3/4" Neck Where Clamp Is OnTube	5.00

DEALER SCHEDULE.....102

ALL ARE PRICES SUBJECT TO CHANGE WITHOUT NOTICE!


You Can *Rely On*
Central Supply!

Over 95% Of All Orders Ship The Same Day!



Spring Devil CULTIVATOR

1978 And After

ASSEMBLY DIAGRAM FOR
SPRING TINE CULTIVATOR

PLEASE NOTE: BEFORE MOUNTING STABILIZER CULTIVATOR
REVERSE GAUGE WHEEL BRACKET TO REAR (SOLID ARROW)

No.	Ref.	Description	Quantity Required Per Model				Price
			C-2A	C-4A	C-6-30A C-6-40A	C-8-30A C-8-30A-H	
SD-03	3	Center Gang	1	3	5	7	\$117.39
SD-13	13	Outside Mounting Angle (Threaded)	2	4	6	8	10.45
SD-13A	13A	Outside Mounting Angle (No Threads)	2	4	6	8	9.87
SD-14	14	Center Mounting Angle (Threaded)	1	1	1	1	12.18
SD-14A	14A	Center Mounting Angle (No Threads)	1	1	1	1	11.50
SD-16	16	Gauge Wheel Bracket	3	5	7	9	13.86
SD-20	20	7/16"x3-1/4" Carriage Bolt	11	21	31	41	1.05
SD-30	30	Adjustment Bolt (7/8" S.A.E.)	12	20	28	36	6.72
SD-34	34	U-Clamp (5/8") Plated	4	8	12	16	4.99
SD-35	35	Tine Clamp	11	21	31	41	3.26
SD-36	36	Hold Plate	3	5	7	9	2.84
SD-45	45	Center Front Bar Clamp	1	3	5	7	9.87
SD-48	48	1"x1" Bushing (Prior to 1980)					2.42
SD-49	49	U-Clamp (3/4") For Hitch Pin Bracket					8.82




Spring Devil CULTIVATOR



SPRING LOADED GUIDE COULTER ASSEMBLY

Part No.	Ref.	Description	Qty.	Price
SD-COL001	6	Collar with Set Screw	4	\$2.00
SD-SHUA001	13	Hub Assembly (Complete)	1	59.22
SD-SPC001		Spacer	2	1.42
SD-SAXL001		Axle (3/4"x8")	1	4.73



STANDARD RIGID GUIDE COULTER ASSEMBLY

Part No.	Ref.	Description	Qty.	Price
SD-SPC001		Spacer	4	\$1.42

SDGW GAUGE WHEEL WITH 15 INCH RIM


Part No.	Ref.	Description	Qty.	Price
SD-HUB002	9	Hub w/Inner & Outer Bearing Cup Pressed In	1	\$32.76
SD-DCA001	14	Dust Cap	1	1.94

Dealer Schedule.....102

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

CULTIVATOR GAGE WHEELS, TIRES, AND BEARINGS

SMOOTH CROWN GAGE TIRE (4" X 12")




No.	Description	Each
4005-17	4" x 12" Smooth Cultivator Gage Tire	\$21.50

GAGE WHEEL HALF (4" X 12") (Sold In Pairs Only)



Order No.	Description	Pair
GW412-10-2	Standard White 4" x 12" Gage Wheel Half. Center Hole Extruded for No. 885154B and No. 203001 Water Pump Bearing	\$16.00

Dealer Schedule.....152




GAGE WHEEL/WATER PUMP BEARINGS

No.	Description	Price
203001	(885154B) Water Pump Bearing with under-cut shaft. For A.C., J.D, MF, Nobel and Spring Devil	\$18.93
203002	(1B0732RSP) Water Pump Bearing with Cross-Hole. For J.D. & Kinze	20.52
201003	Powdered Metal Sleeve for 4x16 gage wheel, fits 203001 & 203002 Brgs.	2.88
203003	(885151B0S2) Water Pump Bearing with Double End Shaft. for Noble H.D. and Lilliston	20.08
885151-E	IHC #526769R91 Water Pump Brg. with Long Shaft	20.52

Dealer Schedule.....152


NEW PRICES AS OF 4/15/2020

(NOTE: FOR AGCO-GLEANER, SEE DEUTZ-ALLIS)

KONDEX
CASE/IH
 (Formerly IHC)
**SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-003	826723C1	Shape #2	US	R		Mowers,	9/16 OH
212-063	457606R2	Shape #2	US	R	PL	Mower/Conditioners,	9/16 OH
211-011	826724C1	Shape #2	SM	XH			5/8 OH
212-131	457605R2	Shape #2	SM	XH	PL	Windrowers	5/8 OH
211-001	826722C1	Shape #2	US	XH			5/8 OH
212-061	457607R2	Shape #2	US	XH	PL		5/8 OH
211-211	826720C2	Shape #2	TS	XH			5/8 OH
212-001	596321R3, 700705300	Shape #2	TS	XH	PL		5/8 OH
NOTE: M22831 - Order 211-001, ME333 - Order 211-003, M333-1/2 - Order 211-011							
612-140	148200C1	End Section	TS	XH	PL	Right Hand - 2 Hole	5/8 OH
612-050	700705463	End Section	TS	XH	PL	Right Hand - 3 Hole	5/8 OH
612-090	700705462	End Section	TS	XH	PL	Left Hand - 3 Hole	5/8 OH
411-091	634793R2	Shape #10	TS	XH		Combines except H-C Header	5/8 OH
412-071	634794R2	Shape #10	TS	XH	PL	and #820 Floating Header	5/8 OH
112-001	179736C2	Shape #9	TS	XH	PL	Combines w/H-C Floating Bar	5/8 CTSK
211-211	826720C2	Shape #2	TS	XH		820 Header, 1010, 1020 w/3" Cut (2 Holes)	5/8 OH
622-251	1970390C1, 1305239C1	Twin Point	TS	XH	PL	1010, 1020 w/1-1/2" Cut (3 Slotted Holes)	Bolt w/Oval Neck

Note: For Overlap Sections see page 34

SICKLE ASSEMBLIES**Mowers, Series "100", Balanced Head, New Idea #521, 522, Ford #505, Case/IH #1100, 1300**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-066	462380R93		7 FT.	28	826722C1	XH US	5/8 OH	56692C91
800-067	463159R93		9 FT.	36	826722C1	XH US	5/8 OH	56692C91

**Combines #810 Floating Header, Serial #19000 and below (H-C GEN I)**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-325	179761C92		13 FT.	52	179736C2	XH TS PL	5/8 CTSK	179765C1

Continued On Next Page.


See Page 36-37 For Abbreviation Explanations.

See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex


KONDEX SICKLE ASSEMBLIES

CASE/IH
(Formerly IHC)



Combines #810 Floating Header, Serial #26001 and above (H-C GEN III)

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-127	180853C92		13 FT.	52	179736C2	XH TS PL	5/8 CTSK	180859C91
800-131	180857C92		20 FT.	80	179736C2	XH TS PL	5/8 CTSK	180859C91



Combines/Model 810 Header, Non-Floating Bar

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-425	176718C92		15 FT.	58	634794R2	XH TS PL	5/8 OH	178466C91

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

**You Can Rely On
Central Supply!
Call: 1-800-444-8666**

*Centralize
with
Central Supply!*

Call Toll-Free
1-800-444-8666
Fax Toll-Free
1-800-342-7252

CASE/IH

(Formerly IHC)

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
901-041	197230C91	Sickle Head	Combine/Model 830
920-223	176699C91	Bearing	Models 810, 820
529-056	MC468	Wear Plate	All Mowers, Windrowers, Combines
	179759C1		
920-126	455634R1 MA990	Ledger Plate	Mowers
920-127	MA330	Outer Shoe Plate	Mowers
920-343	458965R1	Inner Shoe Plate	Mowers
920-128	MA1577	Pitman Strap (front)	Mowers
920-129	M1578	Pitman Strap (rear)	Mowers
901-012	MA999	Sickle Head	Mowers
920-130	458971R1	Bronze Bushing	
920-136	458972R1	Head Plug	
920-314	458973R4	Knifehead Pin	
901-042	824594C91	Sickle Head	Windrowers #4000, 5000
920-146	MC465	Inner Sole	Mowers
920-152	M22184	Pitman Wood	Mowers

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
920-159	MB22863	Head Wear Plate	Mowers
515-046	MA812	Malleable Low Knife Clip for Riveted Sickles Only	All Mowers
515-026	MB812	Malleable High Knife Clip for Riveted Sickles Only	All Mowers
515-126	611759R1 595648R1	Extra High for Knifehead Area for Bolted or Riveted Sickles	Mower/Conditioners
			Windrowers
515-016	179757C1	Low Knife Clip	Floating Headers Gen II & III H-C
515-066	176722C1 544274R1	Low Knife Clip for Bolted or Riveted Sickles	Mower/Conditioner Windrowers Combines/820
515-116	613842R2 1307280C1	Low Knife Clip for Bolted or Riveted Sickles	810 Header - Non-Floating
904-526	1970505C1 1970507C1	17/32" Bolt & Nut (50 pcs.)	#1010, 1020 Headers (TJ50BN)
904-527	1970506C1	1-1/8" Bolt & Nut (25 pcs.)	#1010, 1020 Headers (TJ60BN)




515-016



515-026




515-046



515-066




515-116




515-126




904-526



529-056




920-126



920-130




920-128




920-129




920-152




920-146



920-343



920-159



901-041



920-136




920-314

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

*Centralize
with
Central Supply!*


Call Toll-Free
1-800-444-8666
Fax Toll-Free
1-800-342-7252

KONDEX**JOHN DEERE****SICKLE SECTIONS**


Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-203	Z7029H	Shape #1	US	R		All Mowers,	9/16 OH
212-073	H21529	Shape #1	US	R	PL		9/16 OH
211-102	Z6451H	Shape #1	SM	H		Mower/	9/16 OH
212-152	H21525	Shape #1	SM	H	PL	Conditioners	9/16 OH
211-022	Z7030H	Shape #1	US	H			9/16 OH
212-082	H21530	Shape #1	US	H	PL	Windrowers	9/16 OH
212-242	E45996	Shape #1	TS	H	PL		9/16 OH
211-021	E76373	Shape #1	US	XH		Dura Cut replacement	5/8 OH
212-081	E76371	Shape #1	US	XH	PL	Dura Cut replacement	5/8 OH
212-241	E76370	Shape #1	TS	XH	PL	Dura Cut replacement	5/8 OH

NOTE: For Overlap Sections for #300 Drive, see page 34

211-223	W30344	Shape #3	US	R		Windrower #580, 590	9/16 OH
411-042	P49650	3"x3-1/4"	TS	H		Combines #30-105	1/4x5/8 OH
412-042	H21527, E130477	3"x3-1/4"	TS	H	PL		1/4x5/8 OH
411-022	H84413	Shape #13	TS	H		Combines #3300-8820	5/8 OH
412-022	H84415	Shape #13	TS	H	PL		5/8 OH
412-021	H130478	Shape #13	TS	XH	PL	Dura Cut replacement	5/8 OH
412-001	H125893	Shape #13	TS (CTSK)	XH	PL	#900 Series Headers	5/8 Bolt
412-321	H136807	Shape #13	TS (CTSK)	XH	PL	Dura-Lite Replacement	5/8 Bolt
612-220	H81499	Half Section				Combines #3300-8820	5/8 OH

SICKLE ASSEMBLIES**Mowers #5, 8, 9, 11, 37, 38, 39, 39N**


Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-292	AZ958H		7 FT.	28	Z6451H	H SM	9/16 OH	H28076H
800-294	AZ1299H		7 FT.	28	Z7030H	H US	9/16 OH	H28076H
800-296	AZ3987H		9 FT.	36	Z6451H	H SM	9/16 OH	H28076H
800-298	AZ3988H		9 FT.	36	Z7030H	H US	9/16 OH	H28076H

**Mower/Conditioner #1209 up to S/N 285000 (9'), 480, 483, 485 (9'), 1214 (12'+14')****Windrowers #780, 800, 830, 880, 2250, 2270 (12'-21') Platforms #88, 120, 188, 220**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-282	AE28073		14 FT.	56	E45996	H TS PL	9/16 OH	AE24247

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.


(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

JOHN DEERE**SICKLE ASSEMBLIES**

Mower/Conditioners #1209 after S/N 285001, 1217 (7'), 1219 (9'), Mid-Pivot #1380, 1424 (12'+14'), Windrowers #2280, 2320, 2420, Auger Platforms #230, 240 (12', 14', 16'), Draper Platforms #130, 135 (15', 18', 21', 25')

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-387		AE35846	16 FT.	64	E76370	XH TS PL	5/8 OH	AE47798


NOTE: Head #AE47798 Replaces #AE34328



Mower/Conditioners #1525 with #300 Twin Knife Drive & 1600 Mower/Conditioner prior to S/N 880,001, Platform (12', 14'). Windrowers #3430, 3830 with #300 Twin Knife Drive (12'-16') prior to S/N 880,000.

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
801-590		AE48134 (RH)	8 FT. (AE43510)	31	E76370	XH TS PL	9/16 OH	AE48126
801-591		AE48130 (LH)	8 FT. (AE43519)	32	E76370	XH TS PL	9/16 OH	AE48125


NOTE: Above sickles have new knifehead with NEEDLE BEARING and must be used with knifehead pin #920-378 (E77840)



Combines, 200 SERIES HEADERS #3300, 4400, 4420, 6600, 6620, 7700, 7720, 8820 Platforms #213-230

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-312		AH125751(215)	15 FT.	58	H130478	XH TS PL	5/8 OH	AH89498
801-314	800-314	AH125753(218)	18 FT.	70	H130478	XH TS PL	5/8 OH	AH89498

NOTE: For AH88845, order #800-312. For AH88846, order #800-313. For AH88847, order #800-314. For AH88848, order #800-315



Combines, 900 SERIES HEADERS, #9400, 9500, 9600

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Bolt Length	OEM Head Number
801-314	N/A	AH121079(918)	18 FT.	70	H125893	XH TS PL	5/8 Bolt	AH121075

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.




(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

KONDEX**JOHN DEERE****MISCELLANEOUS ITEMS**

Order No.	Replacement For OEM No.	Description	Machine
901-036	H28076H	Sickle Head	Mowers
901-039	AE24247	Sickle Head	Mower/Conditioner Windrower (Older)
920-332	H62221	Knifehead Pin	
920-333	E57632	Bushing	
920-334	E78721	Seal	
920-379	AE48137	Needle Bearing	
901-044	AH89498 AH121075	Sickle Head	Combine/200 Series Combine/900 Series
920-119	Z5110H	Ledger Plate	Most Mowers
920-144	H24076H	Inner Sole	Mowers
529-056	E47954 H101200 H84414	Wear Plate-6"	Mower, Mower/Conditioner Windrowers, Combines

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
920-154	H28286	Pitman Wood -37"	Mower #8W, 9W
920-155	Z9298H	Pitman Wood -34"	Mower #5
920-329	Z9913H	Pitman Wood -27"	Mower #8, 9
920-193	Z6010H	Front Guide	Mowers
515-006	E47955	Low Knife Clip for Riveted Sickles	Mowers Mower/Conditioner
515-066	E47955	Low Knife Clip for Riveted or Bolted Sickles	Mower/Conditioner Windrowers
515-116	H84412 H127081	Low Knife Clip for Riveted or Bolted Sickles	Combines
904-500	H125891 H125892	Section Bolt (50 pcs.) Section Nut (50 pcs.)	Combines with #900 Series Headers
904-504	H125889	Head Bolt & Nut (25 pcs.)	




920-329

920-148

920-119

515-116

904-500

**DEUTZ-ALLIS**
(Formerly Allis-Chalmers)

71353125 70802541

SICKLE SECTIONS


Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-102	70802535	Shape #1	SM	H		All Mowers,	9/16 OH
211-022	70802541	Shape #1	US	H			9/16 OH
422-003	71122784	Shape #14	TS	R	PL	"Gleaner"	9/16 OH
412-051	71135135	Shape #14	TS	XH	PL	Series 3 Header	5/8 OH
411-051	71351135(CTSK)	Shape #14	TS	XH			5/8 Bolt
412-061	71348175(CTSK)	Shape #14	TS	XH	PL		5/8 Bolt
112-001	71176531	Shape #9	TS	XH	PL	Combine Floating Bar - Hart-Carter	5/8 CTSK
612-173	71122802	Half Section	SM	R	PL	"Gleaner"	9/16 OH
622-041	71353125	Twin Pt. Shape #8	TS	XH		All D-A "Clean-Cut"	5/8 Bolt

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex


DEUTZ-ALLIS

(Formerly Allis-Chalmers)


SICKLE ASSEMBLIES**Combines #A, C, E, F, G, K, L, M, F2, K2, L2, M2 "Gleaner"**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-221	71188415		15 FT.	59	71122784	R TS PL	9/16 OH	71351136
800-224	71188420		20 FT.	79	71122784	R TS PL	9/16 OH	71351136
800-225	71188422		22 FT.	87	71122784	R TS PL	9/16 OH	71351136
800-226	71188424		24 FT.	95	71122784	R TS PL	9/16 OH	71351136
	800-229	71188313	13 FT.	51	71135135	XH TS PL	5/8 OH	71351136
	800-231	71188315	15 FT.	59	71135135	XH TS PL	5/8 OH	71351136
	800-232	71188316	16 FT.	63	71135135	XH TS PL	5/8 OH	71351136
	800-233	71188318	18 FT.	71	71135135	XH TS PL	5/8 OH	71351136
801-234	800-234	71188320	20 FT.	79	71135135	XH TS PL	5/8 OH	71351136
	800-235	71188322	22 FT.	87	71135135	XH TS PL	5/8 OH	71351136
	800-236	71188324	24 FT.	95	71135135	XH TS PL	5/8 OH	71351136

NOTE: Above sickles have new 9-hole knifehead.

**Combines "Gleaner" N Series, Double Sickles**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-637	71316139(LH)		10 FT.	36	71122784	R TS PL	9/16 OH	71186226

**Combines Floating Cutter Bars, Hart-Carter Generation III, Series 2**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-134	71307333		13 FT.	53	71176531	XH TS PL	5/8 CTSK	71307323
800-136	71307335		16 FT.	65	71176531	XH TS PL	5/8 CTSK	71307323

NOTE: These sickles are ONE section longer than Hart-Carter sickles, so for D-A headers, only order above part numbers.


Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

Centralize with Central Supply & Rubber Co.
Our Representatives Receive Full Credit On All Phone & Fax Orders!

DEUTZ-ALLIS

(Formerly Allis-Chalmers)

KONDEX**SICKLE ASSEMBLIES****Combines Flex Cutter Bars - Series 3 Flexhead (13" - 20') Series 300 Rigid Head (20' - 30') (1984)**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-514	71328414		20 FT.	79	71135135	XH TS PL	5/8 OH	71315990

NOTE: For Bolts & Nuts, see page 34

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
901-025	71351136	Sickle Head	"Gleaner" Combines
901-118	71342809	Sickle Head	Series 3 Headers (Newer)
901-016	71307323	Sickle Head	Series 2 Headers
529-056	71116532 71176537	Wear Plate	All Combines
515-116	71189684 71346158	Low Knife Clip for Bolted or Riveted Sickles	All Combines Except Hart-Carter Floating Headers
515-016	71176540	Low Knife Clip	Hart-Carter Floating Header Only




901-118




529-056



515-116



515-016

KONDEX**FORD****SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-203	141113	Shape #1	US	R		Mower	9/16 OH
211-102	141197	Shape #1	SM	H			9/16 OH
211-022	141198	Shape #1	US	H			9/16 OH

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex


Call 1-800-444-8666

KONDEX**FORD****MISCELLANEOUS ITEMS**

Order No.	Replacement For OEM No.	Description	Machine
901-071	142670	Sickle Head	Mowers #14-15
529-056	141021 242046	Wear Plate	Mowers
920-151	149198	Pitman Wood - 46"	Mowers, all current models
515-036	142726	Low Knife Clip for Riveted Sickles Only	Mowers
515-026	141008	High Knife Clip	Mowers
920-128	143575	Pitman Strap (front)	Mowers
920-129	143576	Pitman Strap (rear)	Mowers
920-118	142570	Ledger Plate	Mowers



515-036




920-118



529-056



515-026

FORD NEW HOLLAND**SICKLE SECTIONS**



Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-003	67630	Shape #2	US	R		Mowers,	9/16 OH
212-063	604800	Shape #2	US	R	PL	Mower/	9/16 OH
212-003	604921	Shape #2	TS	R	PL	Conditioners	9/16 OH
212-012	604921H	Shape #2	TS	H	PL	Windrowers	9/16 OH
211-211	TS29875	Shape #2	TS	XH			
211-011	26622	Shape #2	SM	XH			5/8 OH
211-001	29875	Shape #2	US	XH			5/8 OH
212-061	706226	Shape #2	US	XH	PL		5/8 OH
212-262	706424	Overlap	TS	H	PL	(CTSK) Bottom 10/box	5/8 CTSK
NOTE: For Overlap Sections on cards see page 34							
412-021	134104	Shape #13	TS	XH	PL	Combines w/Rigid Headers	5/8 OH
211-261	271981	Shape #11	TS	XH		Combines w/J.E. Love	5/8 CTSK
212-121	271981CR	Shape #11	TS	XH	PL	Floating Headers	5/8 CTSK
622-031	848093	Twin Point (7)	TS	XH	PL	Combines w/Twin Cut	5/8 Bolt

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

Fax 1-800-342-7252

DUE TO MARKET CONDITIONS ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE!

KONDEX**FORD NEW HOLLAND****SICKLE ASSEMBLIES****Mowers #451, 456**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-362	228435		7 FT.	29	29875	XH US	5/8 OH	143603
800-363	228434		9 FT.	35	29875	XH US	5/8 OH	143603

NOTE: For Ford N-H #858744, Order 801-362 For Ford N-H #858745, Order 801-363



LEFT HAND (LH)



RIGHT HAND (RH)

Windrower #907, 909, 910, 912

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
801-012		TS139185(LH)	7 FT.	25	604921H	H TS PL	9/16 OH	135822
	800-015	139184(RH)	7 FT.	27	604800	R US PL	9/16 OH	137635
	800-016	139185(LH)	7 FT.	25	604800	R US PL	9/16 OH	135822

SICKLE ASSEMBLIES

LEFT HAND (LH)



RIGHT HAND (RH)

Windrowers #1100 w/High Perform Header, 1112, 1114, 1116, 1118, 116 (14'+16') Pivot Tongue

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-027	TS264985(RH)		8 FT.	31	604921H	H TS PL	9/16 OH	247990
800-028	TS264987(LH)		8 FT.	29	604921H	H TS PL	9/16 OH	247989
800-019	247988CR(RH)		7 FT.	27	604800	R US PL	9/16 OH	247990
800-020	247987CR(LH)		7 FT.	25	604800	R US PL	9/16 OH	247989
800-029	264985CR(RH)		8 FT.	31	604800	R US PL	9/16 OH	247990
800-030	264987CR(LH)		8 FT.	29	604800	R US PL	9/16 OH	247989

NOTE: For Ford N-H #858725, order 801-017. For Ford N-H #858720, order 801-019. For Ford N-H #858724, order 801-018.


For Ford N-H #858719, order 801-020. For Ford N-H #858723, order 801-027. For Ford N-H #858718, order 801-029.

For Ford N-H #858722, order 801-028. For Ford N-H #858717, order 801-030.

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.


(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

Call 1-800-444-8666

FORD NEW HOLLAND**KONDEX****Headless Sickles for #907, 909, 912, 1112, 1114, 1116, 116**


Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-013		706418(RH)	7 FT.	27	604921H	H TS PL	9/16 OH	Headless
800-014		706417(LH)	7 FT.	25	604921H	H TS PL	9/16 OH	Headless

NOTE: These sickles are supplied less head, but with enough sections and rivets to assemble head.

**Combines #TR75, TR85, TR95 w/Header #970, 972, 971, 973 with Twin Points**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-430		605661	16 FT.	63	694723	XH TS PL	9/16 OH	605038


MISCELLANEOUS ITEMS

Order Number	Replaces OEM No.	Description	Machine	
920-433	127610	Bushing	Mowers #450-456, 499, 1496	
920-434	134182	Bushing	Mower/Cond. #460-469	
920-437	254132	Bushing	Mower/Cond. #472-479, 488, 495, 1495	
901-003	247990	Sickle Head (RH)	Windrower #1112-1116	
901-004	247989	Sickle Head (LH)	Windrower #1112-1116	
920-436	76417	Bushing	Windrower #907-1116, 114	
903-001	139180	Extension/Knifeback	All Twin Sickle Machines	
529-056	26616 271967	Wear Plate	Mowers Combines	
515-066	67357 137651	Low Knife Clip for Riveted or Bolted Sickles	Mower/Cond. and Windrowers	 515-066
				 920-437
				 529-056
				 920-436


Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

Call 1-800-444-8666

KONDEX**GEHL/OWATONNA****SICKLE SECTIONS**


Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
212-061	060635	Shape #2	US	XH	PL	Mowers/Conditioners	5/8 OH
211-002	340-32049	Shape #2	US	H			9/16 OH
211-232	340-32015	Shape #2	TS	H			9/16 OH
411-132	340-32041	Shape #6	TS	H		Windrowers	5/8 OH

SICKLE ASSEMBLIES

Mower/Conditioner #208, 216, 217 (9'), 235 Swing-Tongue (12'+14'), Owat #229 (9-1/2')

Windrowers #260, 265, 270, 275, 280, 281, 282, 285, 800, 900 (10'-20'), Ford #536 (9')

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-350	340-32018		10 FT.	40	340-32015	H TS	9/16 OH	Headless
800-352	340-32020		14 FT.	56	340-32015	H TS	9/16 OH	Headless





Windrower/Self Propelled #2650 (14'+16')

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-352	340-32020		14 FT.	56	340-32015	H TS	9/16 OH	Headless

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
529-056	H7543 110-10645	Wear Plate	Mower/Conditioners
515-066	H7542	Low Knife Clip	(For 7/16" Guard Bolts older Gehl machines)
515-186	110-10157 110-10734	Low Knife Clip	(For 1/2" Guard Bolts Owatonna machines newer Gehl machines)




Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

FAX 1-800-342-7252

HART-CARTER

(HCC. Inc.)




KONDEX

SICKLE SECTIONS


Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
112-001	277444	Shape #9	TS	XH	PL	All Floating Bars	5/8 CTSK

SICKLE ASSEMBLIES




Floating Bars Generation I, Old Style

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-325	880083		13 FT.	52	277444	XH TS PL	5/8 CTSK	880010



Floating Bars Generation II, Bolted Head

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-094	880469		13 FT.	52	277444	XH TS PL	5/8 CTSK	580442





Floating Bars Generation III, Wobble Drive

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-127	880666		13 FT.	52	277444	XH TS PL	5/8 CTSK	880662
800-131	880670		20 FT.	80	277444	XH TS PL	5/8 CTSK	880662

Note: For Duetz-Allis headers, do not order above part numbers. Order in Duetz-Allis listing, because sickles are one section longer.

MISCELLANEOUS ITEMS


Order No.	Replacement For OEM No.	Description	Machine
529-056	234140	Wear Plate	All Headers
515-016	232125	Low Knife Clip	All Headers
920-223	243660	Bearing	Head #880662
904-525	-	5/8" Bolt & Lock Nut for Sections (50 pcs. includes wrench)	
904-528	-	1" Bolt & Lock Nut for Knifehead (25 pcs. includes wrench)	




Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

Call Toll-Free: 1-800-444-8666

KONDEX**HESSTON****SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
212-133	048108	Shape #2	SM	R	PL	Mower/Conditioners	9/16 OH
212-063	048009	Shape #2	US	R	PL	Windrowers	9/16 OH
212-003	049213	Shape #2	TS	R	PL	All Models	9/16 OH
212-012	049254	Shape #2	TS	H	PL		9/16 OH
212-001	700705300	Shape #2	TS	XH	PL		9/16 OH
211-232	700702966	Shpae #2	TS	H			9/16 OH
212-262	748210	Overlap	TS	H	PL	Countersunk Botton - Overlap	9/16 CTSK
519-002	748152	Overlap	Sawtooth			Overlap Area	9/16 CTSK
Note: For Overlap Sections on cards see page 34.							
612-050	700705463, 748137	End Section (RH)					5/8 OH
612-090	700705462, 748145	End Section (LH)					5/8 OH



SICKLE ASSEMBLIES**Windrowers #520, 620, 1014, 6200, 6400, 6450, 6465 Header, 6600, 6610 Gehl 2230 (12'), Case 1275**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
801-397	800-397	6497119	14 FT.	56	049254	H TS PL	9/16 OH	6497416

NOTE: Knifehead #6193577 Has 11 Holes, #6497416 Has 21 Holes.

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
901-055	6497416	Sickle Head	"Long Head" (21 holes)
515-066	241216	Low Knife Clip for Riveted or Bolted Sickles	Mower/Conditioners Windrowers
515-126	142984	High Knife Clip for over the Knifehead	




901-055

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

FAX 1-800-342-7252

KOSCH

K-165

KONDEX**SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-002	K-165	Shape #2	US	H		All Mowers	9/16 OH

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
920-152	K-120	Pitman Wood	Mowers
529-056	K-162	Wear Plate	Mowers
920-128	K-133	Pitman Strap (front)	Mowers
920-129	K-137	Pitman Strap (rear)	Mowers
515-036	K-188B	Low Knife Clip for Riveted Sickles Only	Mowers








MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
515-026	K-179B K-065, K-067	High Knife Clip	Mowers
920-127	K-163	Outer Shoe Plate	Mowers
920-126	K-1918	Ledger Plate	Mowers
920-140	K-170	Rear Guide, Upper	Mowers

J. E. LOVE


L192D L193

SICKLE SECTIONS

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-022	L191	Shape #1	US	H		Green Pea	9/16 OH
211-261	L192D	Shape #11	TS	XH		All Floating Headers	5/8 CTSK
212-121	L192DCR	Shape #11	TS	XH	PL		5/8 CTSK
211-321	L193	Shape #11	TS	XH			5/8 OH
212-291	L193CR	Shape #11	TS	XH	PL		5/8 OH
622-041	L212A	Twin Pt. Shape #8	TS	XH		King Kut	5/8 Bolt

MISCELLANEOUS ITEMS


Order No.	Replacement For OEM No.	Description	Machine
529-056	L220	Wear Plate	All Floating Headers
515-016	L221	Low Knife Clip	All Floating Headers
904-525	5/8" Bolt & Lock Nut for sections (50 pcs., Allen wrench included)		
904-528	1" Bolts & Lock Nut for knifehead (25 pcs., Allen wrench included)		




Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

**Centralize with Central Supply & Rubber Co.
Our Representatives Receive Full Credit On All Phone & Fax Orders!**

KONDEX**MASSEY-FERGUSON****SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
112-001	1053209M1	Shape #9	TS	XH	PL	H-C Floating Headers	5/8 CTSK
211-201	130356M1	Shape #3	US	XH		Mowers #30, 31, 32, 51, 52,	5/8 OH
212-091	669807M1	Shape #3	US	XH	PL	71, 135, MH #5, 6, 40	5/8 OH
NOTE: L1262, Order #211-223 (See Below)							
211-022	668010M1	Shape #1	US	H		Mower #AEO, PEO, FEO, #41, 60	5/8 OH
211-223	1041472M1	Shape #3	US	R		Windrower #35, 655, 775	9/16 OH
212-103	160262M1	Shape #3	US	R	PL		9/16 OH
212-412	1046776M1	Shape #3	TS	H	PL		5/8 OH
412-003	261431M1	Shape #12	TS	R	PL	All Combines	9/16 OH
412-032	146503M2	Shape #12	TS	H	PL	Windrower #34, 36, 44	5/8 OH
612-062	264994M2	Half Section (RH)				All Combines	5/8 OH
612-072	264993M2	Half Section (LH)					5/8 OH
NOTE: For 160254M1 & 160255M2, Order 412-003. For 261431M1H, Order 412-032							
622-011	1904914M2	Twin Point Shape #8 TS		XH	PL	Power Cut	5/8 Bolt

SICKLE ASSEMBLIES**Windrower #34, 36, 44**


Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
801-403	800-403	146459M91	14 FT.	55	261431M1	R TS PL	9/16 OH	144306M91

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.






(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

**We Ship
Over 95%
Of Our Orders
The Same Day!**


Centralize
your parts orders with
Central Supply
Order Via Fax Toll-Free:
1-800-342-7252

MASSEY-FERGUSON**KONDEX****SICKLE ASSEMBLIES****Combines #410, 510, 540, 550, 750, 760 with Rigid Header #1859**

Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-338	260611M94		13 FT.	51	146503M2	H TS PL	5/8 OH	239481M92

**MISCELLANEOUS ITEMS**



Order Number	Replaces 143015M1	Description Bushing	Machine	Order Number	Replaces 206196M1 231303M1 1039627M1	Description Wear Plate	Machine
920-222	1043844M91	Sickle Head	Windrower #655, 775, 785 w/Draper Header	529-056	130431M1 1041469M1 1055108M1	Low Knife Clip for Riveted or Bolted Sickles	Mowers Windrowers Combines
901-054	1041478M91	Bushing		515-066	206195M1 143241M1	Low Knife Clip for Riveted or Bolted Sickles	Mower/Cond. Windrower
901-095	148357M91	Spring/Knifehead	Combines	515-116	1053175M1	Low Knife Clip	Combines with Rigid Headers
901-093	147522M2	Spring/Knifehead	Combines	515-016	1053175M1	Low Knife Clip	Combine w/1859 Floating Header

NEW IDEA**SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-002	OU577HS	Shape #2	US	H		Mowers, Mower/ Conditioners, Combines	9/16 OH

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
529-056	290815	Wear Plate	Mower, Mower/Cond. Combines
515-066	0145HS 290816	Low Knife Clip for Riveted or Bolted Sickles	Mowers
920-330	W20HSA	Pitman Wood	Mowers




Continued On Next Page.


See Page 36-37 For Abbreviation Explanations.

See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

KONDEX**OWATONNA****SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-002	340-32049	Shape #2	US	H		Mower/Conditioners	9/16 OH
211-232	340-32015	Shape #2	TS	H		Windrowers	9/16 OH
212-133	340-16456	Shape #2	SM	R	PL		9/16 OH
411-132	340-32041	Shape #6	TS	H		Windrowers	9/16 OH

SICKLE ASSEMBLIES

Mower/Conditioner #208, 216, 217, (9'), 235 Swing-Tongue (12'+14') Model #229 (9-1/2')
Windrowers #260, 265, 275, 280, 281, 282, 285, 800, 900 (10'-20'), Ford #536 (9')



Bolt-On Order No.	Riveted Order No.	Replacement For OEM No.	Sickle Length	Number Of Sections	OEM Section Part Number	Type Of Section	Rivet Size	OEM Head Number
800-350		340-32018	10 FT.	40	340-32015	H TS	9/16 OH	Headless
800-352		340-32020	14 FT.	56	340-32015	H TS	9/16 OH	Headless

NOTE: For #340-32056 (9') & 34018927 (9'), order 340-32016. For 340-19605 (14'), order 340-32020.

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
529-056	110-10645	Wear Plate	Windrowers
515-186	110-10157	Low Knife Clip	Windrower with
	110-10734	for Riveted or Bolted Sickles	1/2" Guard Bolts


NOTE: Above knife clip has 1/2" bolt holes

**TRIUMPH****SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-022	646	Shape #1	US	H		Mowers	9/16 OH


MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
920-128	1911	Pitman Strap (front)	Mowers
920-129	1912	Pitman Strap (rear)	Mowers
515-046	1887	Low Knife Clip for Riveted Sickles only	Mowers
515-026	127	High Knife Clip	Mowers



Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.


(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

KONDEX**VERSATILE****SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
212-213	SW1616CR	Shape #4	TS	R (Low-Rise Shoulder)	PL	#10 - #4400	9/16 CTSK
411-083	SW1776	Shape #5	TS	R	PL	#10 - #4400	9/16 CTSK
412-063	SW1776CR	Shape #5	TS	R (High-Rise Shoulder)	PL	#10 - #4400	9/16 CTSK

MISCELLANEOUS ITEMS

Order No.	Replacement For OEM No.	Description	Machine
515-076	SW202	Low Knife Clip for Rivets and Bolts	All Windrowers
904-529		9/16" Bolt & Lock Nut for sections (50 pcs., Allen wrench included)	
904-528		1" Bolts & Lock Nut for knifehead (25 pcs., Allen wrench included)	

**WHITE FARM****SICKLE SECTIONS**

Order No.	Replacement For OEM No.	Section Size	Section Type	Section Thickness	Section Finish	Machine	Rivet Size
211-223	875785L	Shape #3	US	R		Windrowers	9/16 OH
212-412	31-7970650	Shape #3	TS	H	PL		5/8 OH
621-022	31-1714750	4-1/2x3-5/16	TS	H	(3-Point)	Kwik-Cut 20/box	1/4x5/8 Bolts

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

Call Toll-Free: 1-800-444-8666


We Ship Over 95% Of Our Orders The Same Day!

"BIG TOOTH" SICKLE SECTIONS**KONDEX**

Designed and built to last much longer and stay sharper than ordinary sickle sections.


This unique coined, top serrated (10 serrations per inch) section, is the ideal specialized tool for coarser, dryer stem crops. (Not recommended for fine stemmed native grasses or similar crops.)

Order No.	Replacement For OEM No.	Section Size	Description
CASE/IH			
231-211	826720C2BT	Shape #2	XH-TS Black Big Tooth Section - 2 hole
232-001	596321R3BT	Shape #2	XH-TS Chrome Big Tooth Section
432-071	634794RZBT	Shape #10	XH-TS Chrome Big Tooth Section
632-031	Swathers (TJ7000)	Shape #7	XH-TS Chrome Big Tooth Section - CTSK
JOHN DEERE			
232-242	E45996BT	Shape #1	H-TS Chrome Big Tooth Section
232-241	E76370BT	Shape #1	XH-TS Chrome Big Tooth Section
432-021	H84415	Shape #13	XH-TS Chrome Big Tooth Section - CTSK
432-001	H125893BT	Shape #13	XH-TS Chrome Big Tooth Section
632-011	Swathers (DC6000)	Shape #8	XH-TS Chrome Big Tooth Section - CTSK
DEUTZ-ALLIS (AGCO)			
432-051	71135135BT	Shape #14	XH-TS Chrome Big Tooth Section
HART-CARTER			
132-001	277444BT	Shape #9	XH-TS Chrome Big Tooth Section - CTSK
HESSTON			
632-031	Swathers	Shape #7	XH-TS Chrome Big Tooth Section - CTSK
LOVE			
232-121	L192DCRBT	Shape #11	XH-TS Chrome Big Tooth Section - CTSK
231-261	L192DBT	Shape #11	XH-TS Black Big Tooth Section - CTSK
231-321	L193BT	Shape #11	XH-TS Black Big Tooth Section
632-041	King Cut	Shape #8	XH-TS Black Big Tooth Section - CTSK
MASSEY-FERGUSON			
232-412	1046776M1BT	Shape #3	H-TS Chrome Big Tooth Section
231-411	1071707M1BT	Shape #3	XH-TS Black Big Tooth Section
632-011	Power Cut (TJ6000)	Shape #8	XH-TS Chrome Big Tooth Section - CTSK
432-032	146503M2BT	Shape #12	XH-TS Chrome Big Tooth Section
NEW HOLLAND			
632-051	Combines	Shape #7	XH-TS Black Big Tooth Section - CTSK
632-031	Swathers (DC7000)	Shape #7	XH-TS Chrome Big Tooth Section - CTSK
VERSATILE			
231-053	SW166BT	Shape #4	XH-TS Black Big Tooth Section
431-083	SW1776BT	Shape #5	XH-TS Black Big Tooth Section

KONDEX LICKITY-SPLIT™ REPAIR KITS

Order No.	Description	
711-012	2" hole spacing repair kit	Nuts/Bolts/Splices
711-010	2-1/16" hole spacing repair kit	in Poly Bag
711-011	2-1/8" hole spacing repair kit	

NOTE: Air tools not recommended for assembly of splice kit.



Lickity-split will mend most broken sickles.

For the strongest joint possible using Lickity-split, follow the recommended instructions.

Breaks near the head of the sickle can be moved to the tail end with Lickity-split. Some drilling may be required to mount the knifehead in new positions.

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.


(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

SECTION RIVETS




OVAL HEAD RIVETS - One Pound Plastic Packages (For use in Straight Hole Sections, Not Countersunk Sections)

Order No.	Diameter	Length	Rivet Application
904-020	#5-1/2 (.211)	1/2"	
904-021	#5-1/2 (.211)	9/16"	For Reg. & Hvy. Sections
904-022	#5-1/2 (.211)	5/8"	For X-Hvy. Sections
904-023	#5-1/2 (.211)	11/16"	
904-024	#5-1/2 (.211)	3/4"	
904-025	#5-1/2 (.211)	7/8"	
904-026	#5-1/2 (.211)	15/16"	For Knifeheads
904-027	#5-1/2 (.211)	1"	
904-028	#5-1/2 (.211)	1-1/16"	
904-030	#5-1/2 (.211)	1-1/4"	For Knifeheads
904-031	#5-1/2 (.211)	1-3/8"	
904-040	1/4" (.250)	5/8"	For Sections on J-D 55, 95, 105 & W-F Combines
904-041	1/4" (.250)	7/8"	
904-042	1/4" (.250)	1"	For Knifeheads on C/IH, J-D 55, 95, 105 & W-F Combines



OVAL HEAD RIVET ASSORTMENTS

Order No.	Replaces	Description of Assortment
904-109	KON-700 100H	Designed for most 7' Assemblies, Consists of 56 pcs. 9/16" OH Rivet, 10 pcs. 15/16" OH Rivet
904-110	KON-900 200H	Designed for most 9' Assemblies Consists of 70 pcs. 5/8" OH Rivet, 7 pcs. 15/16" OH Rivet, 5 pcs. 1-1/4" OH Rivet



COUNTERSUNK RIVETS - One Pound Plastic Packages (For use in Countersunk Hole Sections, Not Straight Sections)

Order No.	Diameter	Length	Rivet Application
904-002	#5-1/2 (.211)	9/16"	For Reg. & Hvy. Sections
904-003	#5-1/2 (.211)	5/8"	For X-Hvy. Sections
904-004	#5-1/2 (.211)	7/8"	
904-005	#5-1/2 (.211)	15/16"	
904-006	#5-1/2 (.211)	1"	For Knifeheads
904-007	#5-1/2 (.211)	1-1/16"	
904-008	#5-1/2 (.211)	1-1/8"	
904-009	#5-1/2 (.211)	1-1/4"	Ledger Plate in DM700 & FD800 Guard
904-010	#5-1/2 (.211)	1-3/8"	For Ledger Plate in M-F Guard

Continued On Next Page.


See Page 36-37 For Abbreviation Explanations.

See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex


KONDEX

BOLT-ON FASTENERS



7/32" Dia. Bolt-On Fasteners


Order No.	Lgth.	Pkg. Qty.	Bolt-On Fastener Application
904-500	5/8"	50 pcs.	Bolt & Lock Nut for Std. Straight Hole Sections
904-501	1"	25 pcs.	Bolt & Lock Nut for use in Knifeheads
904-504	1-1/4"	25 pcs.	Bolt & Lock Nut for use in Knifeheads
904-513	1"	15 pcs.	Bolts & Lock Nuts } Knifehead
	1-1/4"	10 pcs.	Bolts & Lock Nuts } Assortment
904-502	N/A	100 pcs.	Replacement Std. Lock Nuts
904-508	5/8"	50 pcs.	Bolts & Lock Nuts }
	1"	5 pcs.	Bolts & Lock Nuts }
	1-1/4"	5 pcs.	60 Piece Standard Bolts & Lock Nuts Assortment



904-510

1/4" Dia. Bolt-On Fasteners

Order No.	Lgth.	Pkg. Qty.	Bolt-On Fastener Application
904-510	5/8"	50 pcs.	Bolts & Lock Nuts for use in Sections
NOTE: 5/8" Length bolt is as shown with Knifehead Shoulder			
904-511	1-1/4"	25 pcs.	Bolts & Lock Nuts for use in Knifeheads
NOTE: 1-1/4" Length bolt is Gr.8 Cap Screw without ribbed shoulder. Use in J-D #95-105, some Case/IH Knifeheads, and White Kwik Kut Headers.			




New Bolt-On Fasteners

for J.E. Love, Hart-Carter, & Versatile Assemblies


Order No.	Lgth.	Pkg. Qty.	Bolt-On Fastener Application
904-529	9/16"	50 pcs.	Bolts & Lock Nuts for Versatile
904-525	5/8"	50 pcs.	Bolts & Lock Nuts for J.E. Love & Hart-Carter
904-528	1"	25 pcs.	Bolts & Lock Nuts for Versatile, J.E. Love & Hart-Carter Knifeheads.

NOTE: Allen Wrench included with each of the above part numbers.



New Fasteners For The Case/IH 1010/1020 1-1/2" Cut System

Order No.	Lgth.	Pkg. Qty.	Bolt-On Fastener Application
904-526	17/32"	50 pcs.	Oval Shoulder Bolt & Jam Nut for Case/IH 1010/1020 3-Hole Sections
904-527	1-1/8"	25 pcs.	Oval Shoulder Bolt & Jam Nut for Case/IH 1010/1020 3-Hole Sections



New Bolts & Lock Nuts

For Ford New Holland Twin Sickle Bolted Assemblies - 82° CTSK

Order No.	Lgth.	Pkg. Qty.	Bolt-On Fastener Application
904-534	1/2"	25 pcs.	Ford New Holland Overlap

KONDEX

UNIVERSAL WEAR PLATE


No.	Description	Replacement For
529-056	Wear Plate 6"	A-C #1116532, 1176537 Deere #E47954, Z5926H Ford #141021 Gehl #H7543 H-C #MC468 IHC #MC468, 179759C1 Kosch #K162 Love #L220 M-F #206196M1, 231303M1 N-H #26616, 271967 N-I #290815 OMC #110-10645 White #501015E



 529-056


KNIFE CLIPS

UNIVERSAL KNIFE CLIPS

No.	Application
515-126	Knifehead Clip - for all knifeheads except H-C, Love, Versatile For Bolts or Rivets
515-066	Low Knife Clip - for Mowers, Mower/Cond., & Windrowers except Versatile For Bolts or Rivets
515-116	Low Knife Clip - for all Combines except those w/H-C & Love headers For Bolts or Rivets


 515-126


 515-066


 515-116

UNIVERSAL SHIMS

No.	Description
920-386	.010 Shim
920-387	.024 Shim


 920-386

KNIFE CLIPS FOR HART-CARTER & J.E. LOVE

No.	Application
515-016	Low Knife Clip - for combines with H-C & Love headers


 515-016

UNIVERSAL PITMAN WOODS

No.	Description
920-150	UPW375 Pitman Wood


 920-150

NOTE: This universal Pitman Wood has been designed to replace most Pitman Woods.

Drilled Pitman Woods for specific applications are listed in Miscellaneous Section for each O.E.M.

KNIFE CLIPS FOR VERSATILE

No.	Application
515-076	Low Knife Clip - for Versatile Sickle Assemblies For Bolts or Rivets




 515-076

NOTE: Kondex Versatile Knife Clip has been redesigned and improved as follows:

- Heavier than OEM clip
- Wider wear pads for longer life
- Higher arch for bolted sickles

H & S END SECTIONS

The H & S End Sections are designed to replace the half-sections on most sickles. See mounting instructions.



H & S END SECTIONS - 10 PER BOX PLUS RIVETS

No.	Replaces	Description
612-130	1-S 2-US - - - (SUB. #612-140)	Smooth - (RH)
612-140	3-TS	TopSerrated - (RH)
612-150	LH-TS	TopSerrated - (LH) (For use in Twin Sickle Applications)

H & S END SECTIONS - 2 PER CARD PLUS RIVETS

No.	Description
712-730	Card of 2 (3-TS) End Sections Plus Rivets
712-750	Card of 2 (LH-TS) End Sections Plus Rivets (For use in Twin Sickle Applications)

Continued On Next Page.




See Page 36-37 For Abbreviation Explanations.

See Page 39 For Complete Price List.


(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

KONDEX**MALLEABLE GUARDS**


No.	Description	Replacement For
920-103	Center Guard - 7/16" Bar DM-700, N-13, EZU-41	A-C #802495 J-D #AZ3441H, #AZ2131H IHC #M2041 (MA, MB, MC) N-H #34885, #39653 N-I #50HS4A, #143HSA
920-104	Outer Guard - 7/16" Bar DM-700-R, N-13-A	Above Listing
920-105	Inner Guard - 7/16" Bar DM-700-L, N-13-A	Above Listing
920-118	Ledger Plate DF780	Replaces Ledger Plate in above Guards (Use #904-009 CTSK Rivet)
920-277	Center Guard	M-F 679837M91, M-F 668593M91 M-F 668597M91, M-F 668613M91

**GUARD BOLTS**

No.	Description	Application
904-515	7/16x1-1/2 Plow Bolt (12 pcs.), 7/16x1-3/4 Plow Bolt (18 pcs.), 7/16 Conical Nut (30 pcs.)	Assortment for 7' Hay Mowers
904-518	3/8x1-1/4 Carriage Bolt (25 pcs.), 3/8 Hex Nut (50 pcs.), 3/8x1-1/2 Carriage Bolt (25 pcs.)	Assortment for 12' Bar Using 3/8 Carr. Bolts
904-519	7/16" Conical Nut (25 pcs. in Clear Plastic Box)	Hay Mower Applications

OVERLAP SECTIONS - 10 PER BOX

No.	CTSK Top or Bottom	Section Description And Applications	OEM Part No.
212-262	Bottom	(RH) for Hesston & Case/IH Machines (LH) for New Holland Machines	748210 706424
519-002	Top	(LH) for Hesston & Case/IH Machines Sawtooth Design	748152
212-232	Top	(RH) for New Holland Machines	706423

OVERLAP SECTION SETS - CARDED

No.	Package Quantity	Application
711-001	3 - 212-262 2 - 519-002 10 - CTSK Rivets	For Hesston & Case/IH Machines one complete set for left & right hand sickles
711-002	2 - 212-232 3 - 212-262 10 - CTSK Rivets	For New Holland Machines, one complete set for left & right hand sickles
711-003	3 - 212-342 1 - 212-352 8 - CTSK Rivets	For John Deere Machines, one complete set for left & right hand sickles
711-018	3 - 212-262 2 - 519-002 10 - CTSK Bolts & Nuts	Hesston Mower/Conditioner

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.


(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

*Centralize
with
Central Supply!*

**Call Toll-Free
1-800-444-8666
Fax Toll-Free
1-800-342-7252**

KONDEX**FLEX TINES****FLEX TINES FOR COMBINE REELS WITH WOOD BATS**

No.	Qty. Per Box	Description
920-246	50 pcs.	Flex Tines for Wood Bats Includes Hardware for Mounting

**FLEX TINES FOR COMBINE REELS WITH TEAR DROP STYLE BATS ON THESE COMBINES**


Case/IH Combines w/1010, 1020 Header
(where tine is mounted on backside of bat)

Deutz-Allis

John Deere Combines w/900 Series Header

Massey-Ferguson - New Holland


Combines with Headers and Reels by Hart-Carter



Design Features
3 Mounting Holes On Wood Bat Tines
5/8" Longer Than Old Design - 8-1/4"
Patented Bottom which makes Tines more durable
Reduces Downtime
Easy To Install
Prevents Crop Wrapping
Heavier than competitive Tines

No.	Qty. Per Box	Description
920-366	50 pcs.	Flex Tines for Tear Drop Bats in Above Listing Includes Hardware & Mounting

ORDERING INFORMATION
To Determine the Approximate Quantity Required. Multiply the Header Length in Feet by Fifteen Pieces. (Example: Deutz-Allis 13 Ft. x 15 = 192 pcs.)

DRILLED KNIFEBACK







Order No.	O.E.M.	Replacement For OEM No.	Length	Knifeback Size	Machine	Hole Spacing
902-025	Case/IH	M537C	7 FT.	1/4 x 3/4		
902-021	Case/IH	458970R1	7 FT.	1/4 x 3/4	Mowers, Series #100	2-1/16"
902-022	Case/IH	463184R1	9 FT.	1/4 x 3/4	#1100, 1300	
902-108	Deere	JD-9	9 FT.	1/4 x 3/4	47, 50, 250-350, 450, 3700	2"
902-116	Deere	JD-7	7 FT.	1/4 x 3/4	Mowers #5 - #39	2"
902-117	Deere	JD-9	9 FT.	1/4 x 3/4		
902-092	Hesston	429506	12 FT.	1/4 x 3/4	All Case/IH, Hesston and New Holland Mowers with Single Sickles	2-1/6"
902-079	Triumph	1873	6 FT.	1/4 x 3/4	Mowers #2500, 3500	

TWIN POINT SICKLE SECTIONS

Special Heat Treat.	Standard Section	Section Size	Type of Section	Holes	Machine
N/A	622-101	Shape #8	TS XH PL	Straight	H-C Gen I, II, III (TJ5000)
N/A	622-041	Shape #8	TS XH	CTSK	Love King Kut
N/A	622-011	Shape #8	TS XH PL	CTSK	M-F Power Cut (TJ6000) J-D Swathers (DC6000)
N/A	622-091	Shape #7	TS XH	Straight	Case/IH #820
N/A	622-021	Shape #7	TS XH PL	Straight	J-D Combines (DC890C)
N/A	622-051	Shape #7	TS XH	CTSK	N-H Combines
N/A	622-031	Shape #7	TS XH PL	CTSK	Case/IH Swathers (TJ7000) N-H Swathers (DC7000) Hess Swathers
N/A	622-251	3 x 3	TS XH PL	3 Slotted	Case/IH #1970390C1PL
					(Not Shown)

Continued On Next Page. See Page 36-37 For Abbreviation Explanations. See Page 39 For Complete Price List.

(NOTE: Items not shown are available on a special order basis, Non-Stock Dealer Schedule - 202 F.O.B. Factory) Copyright 1994 Kondex

HAY EQUIPMENT**KONDEX****MATCH YOUR SECTION HERE****SHAPE #1**

ORDER NUMBER	TYPE OF* SECTION	RIVET** SIZE	REPLACEMENT FOR	
211-102	H SM	9/16 OH	FORD	141197
211-022	H US	9/16 OH	J-D FORD	141198
212-082	H US PL	9/16 OH	J-D	H21530
212-242	H TS PL	9/16 OH	J-D	E45996
211-021	XH US	5/8 OH	J-D	E76373
212-081	XH US PL	5/8 OH	J-D	E76371
212-241	XH TS PL	5/8 OH	J-D	E76370

SHAPE #3

ORDER NUMBER	TYPE OF* SECTION	RIVET** SIZE	REPLACEMENT FOR	
211-223	R US	9/16 OH	M-F	1041472M1
212-103	R US PL	9/16 OH	M-F	160262M1
			N-H	276617
			MACDON	K-7253-1
			WHITE	895268L
212-412	H TS PL	5/8 OH	M-F	1046776M1
			N-H	275521
			MACDON	K-22268-1
212-091	XH US PL	5/8 OH	M-F	669807M1
211-411	XH TS	5/8 OH	MACDON	-K-34390-1

SHAPE #2

ORDER NUMBER	TYPE OF* SECTION	RIVET** SIZE	REPLACEMENT FOR	
211-003	R US	9/16 OH	CO-OP CASE/IH	1145 826723C1
			N-H	67630
212-063	R US PL	9/16 OH	CO-OP CASE/IH	1471 457606R2
			N-H	604800
212-003	R TS PL	9/16 OH	HESSTON	049213
			N-H	604921
212-012	H TS PL	9/16 OH	HESSTON	049254
			N-H	604921H
211-011	XH SM	5/8 OH	CASE/IH	826724C1
			N-H	26622
211-001	XH US	5/8 OH	CASE/IH	826722C1
			N-H	29875
			N-I	OU577HS
			GEHL/OWAT	340-32049
212-061	XH US PL	5/8 OH	GEHL	060635
			CASE/IH	457607R2
			N-H	706226
211-211	XH TS	5/8 OH	CASE/IH	826720C2
			GEHL/OWAT	340-32015
212-001	XH TS PL	5/8 OH	CASE/IH	596321R3
			HESSTON	700705300

SHAPE #4



ORDER NUMBER	TYPE OF* SECTION	RIVET** SIZE	REPLACEMENT FOR	
211-053	R TS	9/16 CTSK	VERSATILE	SW1616
212-213	R TS PL	9/16 CTSK	VERSATILE	SW1616CR






SHAPE #5

ORDER NUMBER	TYPE OF* SECTION	RIVET** SIZE	REPLACEMENT FOR	
411-083	R TS	9/16 CTSK	VERSATILE	SW1776
412-063	R TS PL	9/16 CTSK	VERSATILE	SW1776CR

SHAPE #6

ORDER NUMBER	TYPE OF* SECTION	RIVET** SIZE	REPLACEMENT FOR	
411-132	H TS	9/16 OH	GEHL/OWAT	340-32041
412-011	XH TS PL	5/8 OH	N-H	694723

**-SICKLE SECTIONS-**



COMBINE -SICKLE SECTIONS-

MATCH YOUR SECTION HERE

SHAPE #7			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
622091	XH TS	5/8 OH	CASE/IH, HESS N-H.
622021	XH TS PL	5/8 OH	HAY EQUIPMENT
622051	XH TS	5/8 BOLT	N-H 846092
622031	XH TS PL	5/8 BOLT	N-H 846093
			UNV DC7000

SHAPE #8			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
622241	XH TS	5/8 OH	J-D HAY EQUIPMENT
622101	XH TS PL	5/8 OH	M-F 1904915M2
622041	XH TS	5/8 BOLT	D/ALL 71353125
622011	XH TS PL	5/8 BOLT	LOVE L212A
			LOVE L212C
			M-F 1904914M2
			UNV DC6000

SHAPE #9			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
112-001	XH TS PL	5/8 CTSK	D/ALL 71176531
			CASE/IH 179736C1
			M-F 1053209M1
			HCC 277444

SHAPE #10			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
412-071	XH TS PL	5/8 OH	CASE/IH 634794R2

SHAPE #11			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
212-121	XH TS PL	5/8 CTSK	N-H 271981CR
			LOVE L192DCR

SHAPE #12			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
412-032	H TS PL	5/8 OH	M-F 146503M2

SHAPE #13			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
411-022	H TS	5/8 OH	J-O HB4413
412-021	XH TS PL	5/8 OH	J-D H130478
			N-H 134104

SHAPE #14			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
411-073	R TS	5/8 BOLT	D/ALL 71116939
422-003	R TS PL	9/16 OH	D/ALL 71122784
411-051	XH TS	5/8 BOLT	D/ALL 71351135
412-051	XH TS PL	5/8 OH	D/ALL 71135135

SHAPE #2			
ORDER NUMBER	TYPE OF SECTION	RIVET** SIZE	REPLACEMENT FOR
212-012	H TS PL	9/16 OH	N-H 604921H
211-211	XH TS	5/8 OH	CASE/IH 828720C2
212-001	XH TS PL	5/8 OH	CASE/IH 598321R3

KONDEX





EXPLANATION OF ABBREVIATIONS

SICKLE SECTIONS		FASTENERS	
H	US	9/16	OH
			RIVET HEAD
			OH - OVAL OR ROUND HEAD
			CTS - COUNTERSUNK OR FLAT
			HEAD
			BOLT - SPECIAL GRADE 8
			KNURLED HEAD
SECTION FINISH			
PL		LENGTH OF RIVET OR BOLT IN INCHES	
		NOTE: ALL RIVETS ARE #5-1/2 DIAMETER UNLESS MARKED	
		OTHERWISE, #5-1/2 DIAMETER IS 7/32 (.218). BOLTS ARE	
		7/32 DIAMETER, UNLESS MARKED OTHERWISE, AND ARE	
		INTERCHANGEABLE WITH THE RIVETS (KNIFECLIPS	
		USUALLY NEED TO BE CHANGED)	
SECTION THICKNESS			
R	- REGULAR, 14 GAUGE (.075/.090)		
H	- HEAVY, 12 GAUGE (.095/.110)		
XH	- EXTRA HEAVY, 11 GAUGE (.106/.121)		

KONDEX**GLOSSARY**

For Part Identification Only!

See previous pages for Order No. & Application.

**PITMAN ASSEMBLY**

Kondex Cutting Parts Price List

See Pages 14 thru 40 For Applications & Specifications

Number	Units	List	Number	Units	List	Number	Units	List	Number	Units	List
112-001	C ..	\$128.67	412-021	C ..	\$172.48	711-003	E	\$17.41	800-397	E ..	\$351.32
132-001	C ..	\$173.86	412-022	C ..	\$196.96	711-010*	E	\$29.56	800-403	E ..	\$281.00
211-001	C ..	\$118.46	412-032	C ..	\$171.22	711-011*	E	\$35.52	800-425	E ..	\$422.00
211-002	C ..	\$112.89	412-042	C ..	\$193.62	711-012*	E	\$30.70	800-430	E ..	\$395.00
211-003	C ..	\$113.03	412-051	C ..	\$191.20	711-018	E	\$24.97	800-514	E ..	\$449.50
211-011	C ..	\$122.45	412-061	C ..	\$201.35	711-056	E ..	\$9.53	800-637	E ..	\$197.20
211-021	C ..	\$137.16	412-063	C ..	\$209.32	711-116	E ..	\$11.50	801-011*	E ..	\$255.80
211-022	C ..	\$112.95	412-071	C ..	\$371.76	712-730	E ..	\$12.82	801-012*	E ..	\$233.97
211-102	C ..	\$119.31	412-321	C ..	\$245.38	712-750	E ..	\$15.57	801-234	E ..	\$351.00
211-203	C ..	\$185.09	422-003	C ..	\$194.94	800-013	E ..	\$121.91	801-314	E ..	\$541.58
211-211	C ..	\$101.57	431-083*	C ..	\$215.78	800-014	E ..	\$102.76	801-397	E ..	\$585.58
211-223	C ..	\$125.60	432-001*	C ..	\$178.33	800-015	E ..	\$251.60	801-403	E ..	\$500.21
211-232	C ..	\$118.60	432-021*	C ..	\$175.41	800-016	E ..	\$235.83	801-486	E ..	\$257.84
211-261	C ..	\$140.43	432-032*	C ..	\$185.02	800-019	E ..	\$142.44	801-487	E ..	\$315.47
211-321	C ..	\$155.31	432-051*	C ..	\$179.80	800-020	E ..	\$152.93	801-590	E ..	\$286.53
212-001	C ..	\$167.03	432-071*	C ..	\$181.28	800-027	E ..	\$253.72	801-591	E ..	\$343.26
212-003	C ..	\$147.34	515-006	E ..	\$2.80	800-028	E ..	\$228.80	901-003	E ..	\$82.10
212-012	C ..	\$143.29	515-016	E ..	\$16.20	800-029	E ..	\$263.50	901-004	E ..	\$82.10
212-061	C ..	\$165.79	515-026	E ..	\$15.40	800-030	E ..	\$225.00	901-012	E ..	\$171.14
212-063	C ..	\$147.37	515-036	E ..	\$6.65	800-066	E ..	\$102.46	901-023	E ..	\$97.44
212-073	C ..	\$233.93	515-046	E ..	\$9.49	800-067	E ..	\$122.45	901-025	E ..	\$82.10
212-081	C ..	\$179.18	515-066	E ..	\$4.25	800-094	E ..	\$304.55	901-036	E ..	\$101.68
212-082	C ..	\$188.16	515-076	E ..	\$4.00	800-127	E ..	\$468.48	901-039	E ..	\$219.11
212-091	C ..	\$183.38	515-116	E ..	\$4.68	800-131	E ..	\$589.22	901-041	E ..	\$213.44
212-103	C ..	\$195.70	515-126	E ..	\$5.96	800-134	E ..	\$472.31	901-042	E ..	\$203.84
212-121	C ..	\$185.87	515-186*	E ..	\$10.27	800-136	E ..	\$399.60	901-045	E ..	\$210.66
212-131	C ..	\$223.79	519-002	E ..	\$6.65	800-221	E ..	\$233.20	901-054	E ..	\$24.27
212-133	C ..	\$218.53	529-056	E ..	\$3.95	800-224	E ..	\$435.02	901-055	E ..	\$356.16
212-213	C ..	\$177.18	612-050	E ..	\$6.02	800-225	E ..	\$478.00	901-057	E ..	\$103.50
212-241	C ..	\$170.36	612-062*	E ..	\$6.28	800-226	E ..	\$510.10	901-071	E ..	\$131.36
212-242	C ..	\$171.03	612-072*	E ..	\$5.00	800-229	E ..	\$312.92	901-093	E ..	\$170.84
212-262*	C ..	\$284.26	612-090*	E ..	\$7.54	800-231	E ..	\$357.38	901-095	E ..	\$155.72
212-291	C ..	\$210.99	612-130	E ..	\$6.78	800-232	E ..	\$255.00	901-118	E ..	\$122.30
212-412	C ..	\$174.15	612-140	E ..	\$6.28	800-233	E ..	\$281.00	901-235	E ..	\$103.18
231-053*	C ..	\$135.21	612-150	E ..	\$7.54	800-234	E ..	\$311.00	902-021	E ..	\$31.50
231-211*	C ..	\$119.10	612-173	E ..	\$4.03	800-235	E ..	\$331.00	902-022	E ..	\$57.35
231-261*	C ..	\$293.03	612-220	E ..	\$5.76	800-236	E ..	\$432.00	902-025	E ..	\$45.76
231-321*	C ..	\$163.47	621-022	E ..	\$7.34	800-282	E ..	\$450.92	902-079	E ..	\$28.60
231-411*	C ..	\$139.41	622-011	C ..	\$271.00	800-292	E ..	\$145.80	902-092	E ..	\$77.32
232-001	C ..	\$171.03	622-021	C ..	\$267.00	800-294	E ..	\$144.72	902-108	E ..	\$57.35
232-121*	C ..	\$206.81	622-031	C ..	\$274.00	800-296	E ..	\$169.93	902-116	E ..	\$45.76
232-241	C ..	\$177.18	622-041	C ..	\$262.00	800-298*	E ..	\$168.93	902-117	E ..	\$58.40
232-242*	C ..	\$175.82	622-051	C ..	\$264.00	800-300	E ..	\$337.00	903-001	E ..	\$24.63
232-412*	C ..	\$175.62	622-091	C ..	\$286.00	800-312	E ..	\$446.32	904-002	E ..	\$10.29
411-022	C ..	\$132.91	622-101	C ..	\$371.00	800-314	E ..	\$502.70	904-003	E ..	\$9.29
411-042	C ..	\$151.76	622-251	C ..	\$418.00	800-325	E ..	\$562.50	904-004	E ..	\$13.00
411-051	C ..	\$163.06	632-011	C ..	\$306.00	800-338	E ..	\$449.50	904-005	E ..	\$21.65
411-083	C ..	\$129.54	632-031	C ..	\$311.60	800-350	E ..	\$126.15	904-006	E ..	\$22.00
411-091	C ..	\$192.56	632-041	C ..	\$284.84	800-352	E ..	\$298.92	904-007	E ..	\$15.80
411-132	C ..	\$220.20	632-051*	C ..	\$348.82	800-362	E ..	\$123.90	904-008*	E ..	\$9.29
412-001	C ..	\$196.41	711-001	E ..	\$18.06	800-363	E ..	\$147.95	904-009	E ..	\$18.89
412-003	C ..	\$194.55	711-002	E ..	\$16.09	800-387	E ..	\$313.25			

Kondex Cutting Parts Price List (CONTINUED)

See Pages 14 thru 40 For Applications & Specifications

Number	Units	List	Number	Units	List	Number	Units	List	Number	Units	List
904-010E	\$37.70	904-501E	\$10.94	920-118E	\$3.40	920-222E	\$26.92
904-020E	\$12.06	904-502E	\$16.57	920-119E	\$4.18	920-223E	\$66.60
904-021E	\$9.55	904-504E	\$14.32	920-126E	\$3.50	920-246E	\$3.35
904-022E	\$9.30	904-508E	\$20.34	920-127E	\$4.76	920-314E	\$42.34
904-023E	\$9.30	904-510E	\$21.85	920-128E	\$45.15	920-329E	\$39.27
904-024E	\$22.48	904-511E	\$19.84	920-129E	\$46.80	920-330*E	\$40.74
904-025E	\$11.80	904-513E	\$13.30	920-130E	\$6.54	920-333E	\$21.20
904-026E	\$9.29	904-515E	\$80.70	920-136E	\$4.11	920-334E	\$5.50
904-027E	\$9.29	904-518E	\$37.63	920-144E	\$75.80	920-335E	\$1.80
904-028E	\$27.02	904-519E	\$44.68	920-145E	\$53.55	920-343E	\$8.20
904-030E	\$10.14	904-525E	\$15.33	920-146E	\$62.37	920-366E	\$3.55
904-031E	\$9.30	904-526E	\$15.33	920-150E	\$38.83	920-386E	\$1.25
904-040E	\$20.72	904-527E	\$12.30	920-151E	\$66.25	920-387E	\$1.25
904-041E	\$10.61	904-528E	\$14.08	920-152E	\$46.37	920-433E	\$33.22
904-042E	\$35.40	904-529E	\$14.79	920-154E	\$63.05	920-434E	\$31.70
904-109E	\$5.30	904-534E	\$13.82	920-155E	\$44.27	920-436E	\$28.37
904-110E	\$6.53	920-103E	\$12.54	920-193E	\$22.25	920-437E	\$40.46
904-500E	\$14.19	920-105E	\$15.00						

* Denotes Non-Stock Item

DEALER SCHEDULE THIS PAGE.....152


Prices Subject To Change Without Notice.

You Can *Rely On*
Central Supply!

Over 95% Of All Orders Ship The Same Day!

Call 1-800-444-8666

STERN HOLD-DOWN CLIPS



Fits mowers, combines and all sickle bar applications. Field tested for four years.

Save on breakage and wear on sickle blades. Save sharpening 50% with Stern Hold-Down Clips.

Comes with a replaceable plastic wear strip that takes all the wear (A). This clip has a 3 year field test.

Not to be confused with other clips without the proper means to control the pressure on blades and to conserve excess wear on plastic by means of a bolt setting (B).

Also is the method to release tension on sickle section for quick removal of sickle section by turning bolt 1/4 turn R or L.

1000 SERIES FOR MOWERS, COMBINES, WINDROWERS

No.	Each
1016 Low Arch with 7/16" Bolt Hole	\$21.75
1026 High Arch with 7/16" Bolt Hole	22.30
1048 High Arch with 3/8" Bolt Hole	22.90
1050 Plastic Wear Strip for Above	1.85

PARTS FOR 1000 OR 2000 SERIES

1052 Adjustment Bolt	2.35
1061 T Nut for 1052 Adjustable Bolt	1.50
1063 Tension Spring	1.75

Note --- Use 1026 or 2026 to provide high clearance on the sickle bar section next to headend drive.

Dealer Schedule.....152

*Centralize with
Central Supply*


Call Toll-Free:

1-800-444-8666


or Fax Toll-Free:

1-800-342-7252

S/V RIVET TOOL



Removes and replaces **BOTH** standard round-head AND countersunk rivets.



New 2-way reversible anvil insert gives this tool the capability of replacing both types of rivets quickly and easily. Ideal tool for the operator who has several machines with varying sickle section fasteners. Narrow body design fits all sickles including new Tiger Tooth sections. Packed in clamshell complete with instructions.

No.	Each
R-3030 Rivet Tool	\$140.10

REPAIR PARTS FOR S/V RIVET TOOLS

Part No.	Ref.	Description	Price
R-3033	1	Body Casting	\$165.20
R-1623	2	Riveter Screw	15.49
R-1813	3	Riveter Sleeve	15.49
R-1816	4	Punch Sleeve	18.59
R-1817	5	Punch Screw	11.36
R-5002	6	Punch (5/16" Diameter)	11.36
R-3035		Anvil w/O-Ring (R-3030) ..	5.14
Dealer Schedule	Tools	203	
	Parts	152	

S/V BOLT-ON TOOL



Compact, Heavy Duty tool designed specifically to press bolts into knife backs.

No.	Description	Price
S-2008	Bolt-On Tool	\$68.15
S-2003	Drive Screw	9.50
Dealer Schedule:	Tools	203
	Parts	152




Crop-Saver Guards

Heavy-Duty Case-Hardened One-Piece Construction

BT-260 Two Piece

Universal Mower Guard



Buchanan Number	O.E.M. Number	Herschel Number	Wt.	Price Each
ALLIS CHALMERS				
BC-225	All Combines-Gleaner 1955 & After	1116504/71341601	FC-68-2	1.06
BU-231	All Floating Bars	1176532/1320143	FC-89-2	1.81
BU-226	All Combines w/Flex Head	1341601		1.06
CASE				
BT-260*	Windrower	FH049270	FT-77-2	1.38
BT-261	Low Plate	F38123/F35005	FT-78-250
BT-262	High Plate	F35006	FT-79-250
BC-266	Case/IH Combine #1020	1305195C1	FC-60-4	1.40
BU-245*	Windrowers # 950, 955, 1050	FH049239	FS-66-2	1.69
BU-245H ³	Windrowers # 950, 955, 1050	FH049239	FS-66-DH	1.69
COCKSHUTT				
BU-235*	Windrower 501, 502, 503	895744L	FS-73-2	1.63
JOHN DEERE				
BC-240A ⁴	All Combines (2-Prong)	75386/61954	FC-62-2A	1.13
BC-340	All Combines (3 Prong)	H25603	FC-62-3	1.50
BU-220*	Windrower, Mower 250 & 350	E48093, E52667	FS-82-2	1.63
BU-221*	Mower Conditioners (X-Heavy Substitution)	E62000	FS-84-2A	1.76
FERGUSON				
BU-295*	Mowers		FS-64-2	1.81
FORD				
BU-295*	All Ford Mowers - - - All 2 Prong Except 505		FS-64-2	1.75
BU-280*	Mower Conditioner 535	290385	FS-72-2	1.63
BU-205*	Mower Conditioner 536	110-10657	FS-80-2	1.75
BU-206*		110-32327/110-32342	FS-92-2	1.78
BU-210	Mower Conditioner 538 (1979)	483500R3	FS-85-2	1.80
GEHL				
BU-220*	Mowers 770, 880, 1070, 1090	072057/059827	FS-82-2	1.63
BU-250*	Mower Conditioner Stub Guard 770, 880, 1070, 1090	049312	FS-86-2	1.16
BU-270*	Mower Conditioner MA206A, HK108, HK440	044779	FS-65-2	1.81
HART CARTER				
BU-231	Floating Header	234006/232155	FC-89-2	1.44
HESSTON				
BU-245*	All Windrowers	049239/748178	FS-66-2	1.69
BU-245H ³	All Windrowers	700700845	FS-66-DH	1.69

(Hesston Continued On Next Page)

NOTE: * Raised Trash Bar, ³ "H" Induction Hardened

Dealer Schedule This Page.....152




Crop-Saver Guards

Heavy-Duty Case-Hardened One-Piece Construction

BT-260 Two Piece

Universal Mower Guard



Buchanan Number	O.E.M. Number	Herschel Number	Wt.	Price Each
--------------------	---------------	--------------------	-----	---------------

HESSTON (Continued From Preceding Page)

BU-250*	Windrowers & Mower Conditioners Stub Guard	049312	FS-86-2	1.16	\$12.50
BU-215A*	All Windrowers 1970 & After	049239/049270	FS-81-2	1.75	12.65
BU-215H ³	All Windrowers 1970 & After	049239/049270	FS-81-DH	1.75	14.50
BT-260*	All Windrowers 1970 & After	049270	FT-77-2	1.38	14.05
BT-261	Low Plate	6213789/6108500	FT-78-2	.50	8.20
BT-262	High Plate	6108518	FT-79-2	.50	12.65

INTERNATIONAL HARVESTER

BC-266	IH/Case Combine #1020	1305195C1	FC-60-4	1.40	9.65
BU-231	All Floating Bars	179775C1	FC-89-2	1.41	14.85
BU-299	Floating 810 Flex	1307299C1, 1307299C2		1.81	14.80
BC-265	All Combines	633098R1	FC-69-2	1.38	13.80
BU-210*	Mowers, 1000-Series; Swathers, 230 & 210; Forage Harvester 650 & 655; Mower Conditioner 990	483500R3	FS-85-2	1.80	12.50
BU-250*	Windrowers - - - Stub Guard	Optional	FS-86-2	1.16	12.50
BU-270*	Windrower 175 & 200, 820 & 1010 Flex Headers	613838R1	FS-65-2	1.81	13.55
BU-235*	Windrower 75	K8420S	FS-73-2	1.63	13.45
BT-260*	Windrower (Except 75)	823025C1	FT-77-2	1.38	14.05
BT-261	Low Plate	823026C1	FT-78-2	.50	8.20
BT-262	High Plate	823027C1	FT-79-2	.50	12.65

KOSCH

BU-270*	Mowers	All	FS-65-2	1.81	13.55
\					

LOVE

BU-275	Floating Header	LB208/LB214	FC-90-2	1.31	12.60
--------	-----------------	-------------	---------	------	-------

MASSEY-FERGUSON

BU-280*	Hay Tender 81	1036339M1	FS-72-2	1.63	14.75
BC-240A	All Combines (Ridgid Bar)	228392M1 & M2	FC-62-2A	1.13	10.75
BC-340	All Combines (3 Prong)		FC-62-3	1.13	18.00
BU-231	Combines - - - Floating Bar 540, 550, 750, 760	105317M1	FC-89-2	1.44	14.85
BU-255*	All Windrowers 34, 36, 44	143240M1	FS-83-2	1.38	16.10
BU-235*	All Windrowers 655	1041468M1	FS-73-2	1.63	13.45
BU-215A*	Mower Conditioners 725, 825, 925	683184M1/683476M1	FS-81-2	1.75	12.65
BU-215H ³	Mower Conditioners 725, 825, 925	683184M1/683476M1	FS-81-DH	1.75	14.50

MINNEAPOLIS MOLINE

BU-235*	Windrowers 100 & 101	895744L	FS-73-2	1.63	13.45
---------	----------------------	---------	---------	------	-------

(Crop-Saver Guards Continued On Next Page)

NOTE: * Raised Trash Bar, ³ "H" Induction Hardened

Dealer Schedule This Page.....152

Call Central Supply & Rubber Co. TOLL-FREE 1-800-444-8666




Crop-Saver Guards

Heavy-Duty Case-Hardened One-Piece Construction

BT-260 Two Piece

Universal Mower Guard



Buchanan Number	O.E.M. Number	Herschel Number	Wt.	Price Each
NEW HOLLAND				
BU-245* All Windrowers	65327	FS-66-2	1.69	\$13.00
BU-245H ³ All Windrowers	65327	FS-66-DH	1.69	15.30
BU-250* Windrowers & Mower Conditioners- Stub Guard	257634	FS-86-2	1.16	12.50
BU-275* Combines - - - Floating Bars	271971/273846	FC-90-2	1.81	12.60
BU-215A* All Windrowers	653327	FS-81-2	1.75	12.65
BU-215H ³ All Windrowers	858778/219191/653327	FS-81-DH	1.75	14.50
BT-260* Tie Guard	FT-77-2	1.38	14.05
BT-261 Low Plate	FT-78-250	8.20
BT-262 High Plate	FT-79-250	12.65
BC-240A All Combines (Ridgid Head)	134024	FC-62-2A	1.13	10.75
BU-218* All Mowers	219190	FS-93-2	1.72	13.95
NEW IDEA				
BU-280* Mow/Ditioner 290	290385	FS-72-2	1.63	14.75
BC-240A Combine Platform 711, 713, 715	714611	FC-62-2A	1.13	10.75
OLIVER				
BU-235* Windrowers 501, 502, 503	895744L	FS-73-2	1.63	13.45
OWATONNA				
BU-205* All Windrowers Prior To 1979	110-10657	FS-80-2	1.75	14.60
BU-206* Windrowers & Mower Conditioners 1979 & After	110-32342/110-32327	FS-92-2	1.78	15.20
VERSATILE				
BU-290* All Windrowers	SW1605	FS-67-2	1.44	11.95
WHITE				
BC-310A Combines (3/8" Bolt) 7300, 8600, 8700, 8800, 8900 & 9700	31-1713400	FC-94-4	1.23	13.60
BC-310B Combines (7/16" Bolt) 7300, 8600, 8700, 8800, 8900 & 9700	31-1713400	FC-94-4	1.23	13.60
BC-311 Combines 7300, 8600, 8700, 8800, 8900, 9700 Top Plate	31-1794160	FC-95-2	1.00	12.50
BU-231 Combine (Floating Bar)	31-2749417	FC-89-2	1.81	14.85
BU-235 Windrowers 501, 502, 503	895744L	FS-73-2	1.63	13.45
UNIVERSAL GUARDS FOR ALL MOWERS EXCEPT FORD				
BU-270* Two Prong	FS-65-2	1.81	13.55
BT-260* Tie Guard	FT-77-2	1.38	14.05
BT-261 Low Plate	FT-78-250	8.20
BT-262 High Plate	FT-79-250	12.65


NOTE: * Raised Trash Bar, ³ "H" Induction Hardened

Dealer Schedule This Page.....152

DUE TO MARKET CONDITIONS ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Kosch

"Clean Sweep" All Steel Grassboard



- * No Welding
- * Replaceable Rods
- * Replaceable Runner

No.	Description	Price
KA161	Kosch Grassboard	\$36.00

Dealer Schedule: Less Than 5	152
5 or more	203


*Centralize
Your Buying With
Central Supply!*

We Ship
Over 95%
Of Our Orders
The Same Day!

To Order Call Toll-Free:
1-800-444-8666

Fax Toll-Free **1-800-342-7252**

RUBBER RAKE TEETH



Model 50 - The Ribbed Headed Single is designed for round bar parallel bar rakes. To replace Allis Chalmers, IHC, John Deere, New Idea and others.

Model 52 (Left, to replace #65668-L) and **Model 53** (Right, to replace #139041-R) are New Holland brands, ribbed and headed.

Model 55, Ribbed Headed Teeth for Wheel Rakes. Replaces Darf, Rola-Rake, Farmhand, New Idea and others.

Model 65 Fits Vermeer Baler #27997-001


No.	Description	Each
RT-50	Rubber Rake Tooth	\$3.00
RT-52L	Rubber Rake Tooth	4.05
RT-53R....	Rubber Rake Tooth	4.05
RT-55	Rubber Rake Tooth	10.35
RT-65	Rubber Rake Tooth	7.91

Dealer Schedule.....152

Central Trash Guards

For Deere, Kinze, & White Planters

Prevents corn stalks, lumps and other trash from plugging press wheels and slowing down planting.



**Fits: John Deere 7000 & 1700 series,
Kinze Planters, White 6000 series.**

Guard can be easily mounted to the front of the press wheels on corn planters. The John Deere 7200 and 7300 models need a 1/2" hole drilled exactly 1-1/4" ahead of the slot. 7/16"x1-1/2" Gr.5 Carriage Bolt w/Nut, Flat Washer & Lock Washer Required. (NOT FURNISHED)


Order No.	Price
YQ14	Trash Guard..... \$14.30
Dealer Schedule.....	233

BEAL FLAIL SHREDDER COMPONENTS

Heat-Treated - Manufactured To OEM Specifications - High Quality



Adapter
6024-710-30



D-Ring
6023-705-30



Knife
(2-Required)
6021-604-30

Adapter
6024-710-30

Square Ring
6901-502-30

Cup Knife
6022-718-30


U-Bar*
6024-743-30

*For some older models Brady Cup Knife Assemblies require #6024-699-30 U-Bar instead of #6024-743-30 Adapter shown above



U-Bar
6024-737-30

D-Ring
6023-704-30



Knife (2-Required)
6021-875-30

BRADY
Sideslicer Knives

BLAZER, BRADY
Cup Knife

LUNDELL
Cup Knife

SUNMASTER/ARTSWAY
Cup Knife


JOHN DEERE
Sideslicer Knife

Order No.	OEM No.	Description	Dimensions	Wt.	Price
John Deere					
6021-875-30	E48308	Sideslicer Knife (2-Required)	5/16"x2-1/2"x5-1/4" 3/4" hole	.17	\$11.05
6023-704-30	E48307	D-Ring	9/16"	.62	6.60
6024-737-30	E48305	U-Bar	1/4"x2"x2-1/2"	.66	8.30
Balzer					
6021-604-30	12357	Sideslicer Knife (2-Required)	1/4"x2"x5-3/8" 1/2" hole	.73	10.85
6023-705-30	12356	D-Ring	17/32" material	.39	4.50
6024-710-30	12355	Pivot	1/4"x1-5/8"x2" 1/2" hole	.52	5.75
6022-718-30	12297	Cup Knife 4-1/2"	1/4"x2-1/2"x4-1/2" 1/2" hole	.81	10.55
6024-743-30	12296	U-Bar	1/4"x1-1/2"x2-3/4" 1/2" hole	.52	7.45
6901-502-30	12295	Square Ring	17/32" material	.41	4.90
Bush Hog					
6021-701-30	4725130273	Sideslicer Knife (2-Required)	1/4"x2"x4-1/2" 3/4" hole	.61	10.30
6023-700-55	4725130272	D-Ring	17/32" material	.61	5.66
6024-700-30	4725130271	U-Bar	1/4"x2"x3-1/4" 1/2" hole	.86	9.55
Brady/Fox					
6021-604-30	65143	Sideslicer Knife (2-Required)	1/4"x2"x5-3/8" 1/2" hole	.73	10.85
6023-705-30	65142	D-Ring	17/32" material	.39	4.50
6024-710-30	65141	Pivot (Newer Models)	1/4"x1-5/8"x2" 1/2" hole	.52	5.75
6022-718-30	1694	Cup Knife 4-1/2"	1/4"x2-1/2"x4-1/2" 1/2" hole	.81	10.55
6024-743-30	65227	U-Bar	1/4"x1-1/2"x2-3/4" 1/2" hole	.52	7.45
6901-502-30	65144	Square Ring	17/32"	.42	4.90
6024-699-30	65317	U-Bar Adapter (Older Models)	1/4"x1-1/2"x2-3/4" 1/2" hole	.52	7.30
Sunmaster/Artsway 88					
6022-708-97**	18205-0	Cup Knife 5" Curled Eye Dura Face	1/4"x2-1/2"x5"	1.60	30.10
Lundell					
6022-710-30	21076A	Cup Knife	1/4"x2-1/2"x4-1/2" 3/8" hole	.83	10.65
6022-710-97	219761	Cup Knife 4-1/2" Dura Face	1/4"x2-1/2"x4-1/2" 3/8" hole	.81	20.60

** 5" & 6" Artsway Knives also fit Case/IH Model 50 Flair Shredders.

Dealer Schedule.....152

1-800-444-8666



Flexo Guard ABM-D-3F

This is a special 3-Point bolt on guard to be used on John Deere Flex Heads only with 4" center.

This Flexo Guard will fit on O.E.M. guard #H213398JD, #H213507JD, H229538JD, and #H229537JD

Installation Instructions

1. Start with one exposed guard at the left of your platform.
2. Place the 3 point guard on the next 3 guard points and bolt in into place and continue to cover the exposed points at the end of the platform.
3. Take one of the 3 point guard sections and saw it into 3 pieces. Placing the left piece on the left side of the platform and the right side on the right side of the platform to cover the exposed points at the end of the platform.
4. This completes the assembly as needed to cover all guard points.
5. Install the tine wires in each of the flexo guard points tapping in each until flush with the end. Then spread the wires approximately 4" to 5" at the extreme points.

** You may need longer bolts to compensate for the thickness of the tab on the guard. **

Note: Use 1 #ABM-D-3F per 1 foot.

Order No.	Description	Price
ABM-D-3F	ABM 3 pt. Flexo Guard	\$57.80
	Priced with #11X-3202F Ex-Long Wire	

Dealer Schedule.....203

Need it FAST? Over 95% of all orders Ship The Same Day!

ELLIPTIC HEAD PLOW SCREWS For Danish Tine Sweeps




Order No.	Size	Wt./C	Ctn.	Per C
PSEL-06-0108	3/8"x1-1/2"	4.85 lbs.	100 ... \$41.04

Dealer Schedule:
Full Carton.....204 Broken Carton.....202

**Centralize
Your Buying With
Central Supply!**

Sweeps for Danish Style "S" Tine Cultivators




Order No.	Size	Wt. Lbs.	Bundle	Price
6021-849-38	4" x 3/16"75	10	\$6.12
6021-983-38	2-3/4" x 1/4"73	10	4.86
6021-984-38	4" x 1/4"79	10	6.15

Dealer Schedule.....152

TOLL-FREE FAX 1-800-342-7252


ABM Flexo Guards



Explanation of FLEXO GUARD set composition

FLEXO GUARD	FG	69	7
# of guard points			
Style of guard used			

Grain Saver Boot Attachment



The Grain Saver Boot attaches to the Flexo Guard Point Section and is designed to catch crop loss that is caused by shatter and drop. The crop that is normally lost, is recovered in the Boot and transferred to the Platform.

Save more bushels of sorghum, soybeans, sunflowers and many other crops. Also designed to work with all Bolt On Sickle Sections to prevent Tine wire problems.

Flexo Guard Application Guide

DUETZ / ALLIS CHALMERS / GLEANER

Set No.	Width	Lbs	Set No.	Width	Lbs
FG-387	10'	33	FG-747	19'	55
FG-467	12'	35	FG-787	20'	58
FG-507	13'	38	FG-867	22'	63
FG-547	14'	41	FG-907	23'	66
FG-587	15'	44	FG-947	24'	69
FG-627	16'	46	FG-1127	27'	81
FG-667	17'	49	FG-1207	30'	88
FG-707	18'	52			

NOTE --- Series 3 Integral Flex Header has no fit available. For guard #71341601 use C-clasp & H-4 clip. For guard #1116504 use C-clasp & H-3 clip. Most other Allis Chalmers guard sections use C Clasp & H Clips. Bolt on sections must use Grain Boot Attachment.

JOHN DEERE

Set No.	Width	Lbs	Set No.	Width	Lbs
FG-457	12'	34	FG-737	19'	54
FG-497	13'	37	FG-777	20'	58
FG-537	14'	40	FG-857	22'	63
FG-577	15'	43	FG-937	24'	68
FG-617	16'	46	FG-997	25'	75
FG-697	18'	51	FG-1177	30'	86

NOTE --- Headers equipped w/guard #H-75386, H-113571 or H-145791 use C-clasps and H-3 clips. Headers equipped w/guard #H-61954 & H-153719 use C-2 clasps and H-3 clips. Most other John Deere guard sections use C clasp and H clips. Bolt on sections must use Grain Boot.

CASE IH / INTERNATIONAL HARVESTER

Set No.	Width	Lbs	Set No.	Width	Lbs
FG-477	12'	41	FG-717	18 & 18-1/2'	53
FG-497	13'	37	FG-797	20 & 20-1/2'	58
FG-537	14'	40	FG-877	22 & 22-1/2'	68
FG-597	15 & 15-1/2'	44	FG-937	24'	68
FG-637	16 & 16-1/2'	47	FG-1007	25'	73
FG-677	17 & 17-1/2'	50	FG-1207	30'	88

NOTE --- Headers equipped w/guard #633098 or #633240R1 use C-2 clasps and H-3 clips. For guard #1307299 use C-2 clasp & H-4 clip. Model 820 headers w/guard #613838R2 use C-2 clasps and H-3 clips and for every C-2 clasp you will need (1) IHC part #22999 washer and a standard 7/16" bolt. Model 1010 Header will work with C-2 clasps and H-4 clips. Flexo Guards will work on Flex Header ONLY if locked rigid. Bolt on sections must use Grain Boot. Model #1020 has no fit.

MASSEY-FERGUSON

Set No.	Width	Lbs	Set No.	Width	Lbs
FG-447	11'	38	FG-627	16'	46
FG-467	12'	41	FG-707	18'	52
FG-507	13'	38	FG-787	20'	58
FG-547	14'	41	FG-947	24'	69
FG-587	15'	44	FG-1167	30'	86

NOTE --- Flexo Guards will work on Model 9100 Flex Header ONLY if locked rigid. Headers equipped w/guard #BC258AC or #BC240AC use C clasp and H-3 clip. Most other Massey-Ferguson guard sections use C clasp and H clip. Bolt on sections must use Grain Boot Attachment.

FORD / NEW HOLLAND

Set No.	Width	Lbs	Set No.	Width	Lbs
FG-517	13'	39	FG-757	19'	56
FG-537	14'	40	FG-797	20'	58
FG-597	15'	44	FG-877	22'	68
FG-617	16'	46	FG-937	24'	79
FG-677	17'	50	FG-977	25'	69
FG-697	18'	51	FG-1167	30'	85

NOTE --- Headers w/guard #65327 use C-2 clasp and H-3 clip. Header w/guard #134024 use C clasp and H-3 clip. Headers w/guard #695501, #858778, #8653340DS or #219191 use C-2 clasp and H-4 clip. Series 971 will work if locked rigid. Most other New Holland guard sections use C clasp and H clips. Bolt on sections must use Grain Boot.

WHITE

Set No.	Width	Lbs	Set No.	Width	Lbs
FG-437	11'	41	FG-797	20'	58
FG-517	13'	39	FG-877	22'	68
FG-597	15'	44	FG-957	24'	70
FG-717	18'	53			

NOTE --- Direct cut headers w/guard #9510220 use C clasps and H-3 clips. Flexo Guards will NOT fit Kwik Cut Headers w/guard #31-1713400. Most other White guard sections use C clasps and H clips. Bolt on sections must use Grain Boot.

MACDON

Set No.	Width	Lbs	Set No.	Width	Lbs
FG-1207	30'	86	FG-1447	36'	102

NOTE --- Most Macdon guard sections use C-2 clasp and H-4 clips. Bolt on sections must use Grain Boot.

For any header width not listed you need only to count the number of active guard points and come up with a combination of 7 and 8 point Flexo Guard sections to match. (2) Clips and (2) Clasps per section will be required.

If ordering by Set Number
be sure to specify which clips and clasps
are needed for your application.

Call Toll-Free
1-800-444-8666

ABM Flexo Guard Sets



No. of 8 Set No.	No. of 7 Pt. Sect. FG-087	No. of Clips	No. of Clasps
FG-387	3	2	10
FG-437	1	5	12
FG-447	2	4	12
FG-457	3	3	12
FG-467	4	2	12
FG-477	5	1	12
FG-497	0	7	14
FG-507	1	6	14
FG-517	2	5	14
FG-537	4	3	14
FG-547	5	2	14
FG-577	1	7	16
FG-587	2	6	16
FG-597	3	5	16
FG-617	5	3	16
FG-627	6	2	16
FG-637	7	1	16
FG-667	3	6	18
FG-677	4	5	18
FG-697	6	3	18
FG-707	7	2	18

No. of 8 Set No.	No. of 7 Pt. Sect. FG-077	No. of Clips	No. of Clasps
FG-717	8	1	18
FG-737	3	7	20
FG-747	4	6	20
FG-757	5	5	20
FG-777	7	3	20
FG-787	8	2	20
FG-797	9	1	20
FG-857	8	3	22
FG-867	9	2	22
FG-877	10	1	22
FG-907	6	6	24
FG-937	9	3	24
FG-947	10	2	24
FG-957	11	1	24
FG-977	6	7	26
FG-997	8	5	26
FG-1007	9	4	26
FG-1127	0	16	32
FG-1177	5	11	32
FG-1167	11	4	30
FG-1207	15	0	30


If ordering by Set Number be sure to specify which clips and clasps are needed for your application.




ABM-2005 Grain Saver Boot




WND-002 H Clip




WND-103 H-4 Clip




Guard Point Clip 11G-1401 Tine Clip 11G-1301




WND-004 H-3 Clip



11X-1308 Z Clip



JDF-010 C Clasp



K11-001 C-2 Clasp

GRAIN SAVER BOOT ATTACHMENT


No.	Description	Price
ABM-2005 ...	Grain Saver Boot	\$5.95

OLD STYLE 9 PARTS

No.	Description	Price
11X-1308 ...	Z Clip	\$3.05

No.	Description	Price
FG-077	7 pt. Section with Tines (19" Wide) ..	\$56.30
FG-087	8 pt. Section with Tines (22" Wide) ..	61.90
JDF-010	C Clasp	1.80
K11-001	C-2 Clasp	1.80
WND-002	H Clip (Universal)	2.15
WND-004	H-3 Clip	2.15
WND-103	H-4 Clip	2.15
11G-1301	Tine Clip80
11G-1401	Guard Point Clip	1.00
11X-3202	Tine	1.75
11X-3202F ..	Tine, Extra Long	3.35

NEW PRICES AS OF 1/30/2018



Mechanical Gear Drive Acreage Counter

B&L Manufacturing has introduced a new line of mechanical Acreage Counters for corn and soybean planters. The line features a new aluminum mounting bracket and redesigned counter. The bracket provides constant gear meshing, but allows the counter to count only when the planter is planting. The improved counter displays to 1/1000th of an acre and allows the counter gear to be secured to the counter with a locknut, preventing gear spin-off. The Acreage Counter is now available for more than 150 models of planters.

* The Acreage Counter is a must for accurate calibration of application rate. Registers in exact acres - only when planter is planting. An inexpensive and dependable system. Constant meshing gears for positive accuracy. Full one year warranty.

Meter-Man ACREAGE COUNTERS

Order No.	Description	Price
AC-(Series #)	Acreage Counter (Complete)	\$96.50
AC-1238	Counter Only	59.00
AC-(7T to 35T) ..	Counter Gear	3.00
AC-1201	48 Strap Gear	18.00
AC-1203	78CL Cluster Gear	18.00
AC-1204	48 Hex Strap Gear	21.50
AC-1207	34 Strap Gear	18.00
AC-1208	38 Hex Strap Gear	18.00
AC-1241	4-1/2" Nylon Leaf Bracket	21.50
AC-1242	6-1/2" Nylon Leaf Bracket	21.50
AC-1243	8-1/4" Nylon Leaf Bracket	21.50
AC-1248	Heavy Spring90
AC-1249	Regular Spring90
AC-1264	Metal Brkt. (JD 7000, 7100, 7200, 7300)	18.00
AC-1265	Metal Brkt. (IHC 800)	18.00
AC-1266	Metal Brkt. (Case-IH 900)	18.00
AC-1274	Metal Brkt. (Kinze II, Hiniker, Kinze - Folding Mtd, Dbl. Frame)	18.00
Dealer Schedule.....	152	

Mechanical Acreage Counter Application Guide:

Case-IHC

Series#	Description	Counter Gears	Strap/Cluster Gear	Nylon Brkt.	Metal Brkt.
AC-2000	IHC 455, 456, 466, 658, 56, 58	18, 19, 23, 24, 27, 28, 34, 35	1203	1242	
AC-2001	IHC 400	13 thru 28	1201, 1203	1243	
AC-2004	IHC-800, Case/IH 900, 950	7 thru 32	1204		1266
AC-2005	Black Land Planter	33, 34, 35	1207		1265

Deutz-Allis

Series#	Description	Counter Gears	Strap/Cluster Gear	Nylon Brkt.	Metal Brkt.
AC-2100	DA385	23, 24, 25, 26, 27, 28, 30, 31, 32, 33, 34, 35	1207T, 1204T		1263

White


Series#	Description	Counter Gears	Strap/Cluster Gear	Nylon Brkt.	Metal Brkt.
AC-2200	White 5400, 3400	8, 9, 10, 12, 13, 14, 16, 17, 18, 19, 20, 21, 24, 25, 26, 28	1201	1242	1270

John Deere

Series#	Description	Counter Gears	Strap/Cluster Gear	Nylon Brkt.	Metal Brkt.
AC-2300	JD493, 493A, 494, 494A, 495, 495A, 1240	24, 25, 31, 32	1203	1241	
AC-2301	JD494AN, 694AN, 694, 695, 694A, 695A, 894A, 1250, 1260, 1280, 1290	13, 14, 15, 17, 18, 19, 20, 21, 22, 26, 27, 30, 31, 32	1201	1241	
AC-2302	JD1300	24, 25, 26, 27, 28, 29, 30, 31	1201	1242	
AC-2305	JD7000, 7100, 7200 & 7300	7 thru 35	1208	shim 1292	1264

Kinze & New Idea

Series#	Description	Counter Gears	Strap/Cluster Gear	Nylon Brkt.	Metal Brkt.
AC-2502	Kinze II, 4, 6, 8, & 12-row Kinze 2000, 2100, 2200, 2300, 2400, 2500, 2600	18 thru 23, 25 thru 32, 34, 35	1204		1274



Mini Hopper

Flex-A-Hopper Straps

Straps grip auger securely.

No.	Description	Price
SMV-ST41	41" Strap f/Square & Mini Hopper ..	\$4.12
SMV-ST82	82" Strap f/Round Hopper	5.77
Dealer Schedule.....102		

*Centralize your buying
with Central Supply!*

**Need it FAST?
We Ship
Over 95%
Of Our Orders
The Same Day!**

To Order Call Toll-Free:
1-800-444-8666

TOLL-FREE FAX 1-800-342-7252

Grain Gate




NEW PRICES AS OF 1/10/2018

No.	Description	Price
SMV-0909	Grain Gate, 9"x9"	\$50.50
SMV-0918	Grain Gate, 9"x18"	59.20
SMV-1221	Grain Gate, 12"x21"	65.45

Dealer Schedule.....102

Meter-Man Measuring Wheel



These land measuring wheels make it ideal for easy computation of acreage. The size and the strength of the polystyrene wheel make it a perfect match for rough terrain. Its rugged construction allows for accurate measuring outdoors. The counter reads up to 1000 before resetting.

Order No.	Price
AC-6012 .. 19" Dia. (Feet & Inches)	\$106.25



Dealer Schedule.....152

*Centralize
Your Buying With
Central Supply!*

All Prices Are Subject To Change Without Notice

ELSTON GOPHER GETTER

EASY, QUICK, LOW COST METHOD FOR POCKET GOPHER CONTROL!



- * Adjustable depth torpedo (6 to 12") forms artificial runway that intercepts and connects natural pocket gopher runway.
- * Bait distributor meters bait in pre-set quantities.
- * Safe - - Bait is underground, out of reach of animals and wildlife.
- * Economical - - Bait costs are a few cents per acre.
- * One pound of bait treats one acre.
- * Replaceable hardened steel torpedo point.
- * Bait hopper has 40 lb. capacity.

The Elston Gopher Getter builds and baits artificial gopher runways in one fast operation. Users claim the effectiveness of the kill.....The sturdy design and construction of the machine.....And the easy, low cost method to get rid of this rodent.

3-POINT HITCH GOPHER GETTER

Order No.	Description	Price
GA-400-18.....	Equipped with 18" coulter ass'y, single 9.50 x 18 pneumatic wheel, chain drive seeder, pre-set plate, tempered steel replaceable point, reinforced steel construction, width 32", length 38", fits all 3 point hydraulic equipped tractors. Wt. 372 lbs.	\$2159.00
GA-400-22.....	Same as above, but with 22" coulter ass'y. Wt. 382 lbs.	2258.80
GA-700	Extreme Duty Gopher-Getter, Features: Larger H-D Frame, Cat. 1 & 2 Hitch, Spring Loaded Coulter, 15" Packer Wheel, Large Divided Bait Box (2 bait mixers), Easy Adjust Depth Control,Wt. 500 lbs.	3339.00

TRAIL TYPE GOPHER GETTER

GA-500-18.....	Equipped with 18" coulter ass'y, 6 x 12 pneumatic tires, single 9.50 x 18 pneumatic wheel, high speed bearings, chain drive seeder, pre-set seeder plate, tempered steel replaceable point, shear pin, width 48", length 8'. HYDRAULIC CYLINDER AND HOSE NOT INCLUDED. Wt. 465 lbs.	3292.35
GA-500-22.....	Same as above, but with 22" coulter ass'y. Wt. 475 lbs.	3325.80

DEALER SCHEDULE.....102

ABOVE SUBJECT TO ADVANCE FREIGHT

KAPUT-D Pocket Gopher Poison Bait

NOTE:

Licenses & permits required in some states governing sale of bait.

Please check with U.S. Dept. of Agriculture-Environmental Protection Agency or your State Dept. of Agriculture



Bait Type - Red Grain

50# bags are Milo based

5# pails are Wheat based

Bait Active - Diphacinone

No.

KD-09131-GM* ... KAPUT Gopher Bait, 50# Bag \$184.80


KD-091105 KAPUT Gopher Bait, 5# Pail 38.25

**Central requires a copy of your Pesticide Applicators License for sales of 50# bags of gopher bait.*

Dealer Schedule.....152

Call Toll-Free 1-800-444-8666

PARTS LIST FOR GA-400 & GA-500 GOPHER GETTER




KNIFE ASSEMBLY

Ref.	Part	Ref.	Part	Price
No.	No.	No.	Description	
1	G1-103	1	Knife	\$335.75
2	G1-104	1	Torpedo Tube	113.90
3	G1-105	1	Torpedo Point	39.30
4	G1-143	2	3/8" Set Screw	.59
5	G1-193	1	Seeder Tube	17.65
1-5,				
12-15	G1-100	1	Knife Assembly Complete	479.05
6	G1-146	1	1" x 3-1/2" Cap Screw	4.30
7	G1-147	1	1" Lock Washer	.98
8	G1-148	1	1" Hex Nut	1.97
9	G1-000	1	1/2" x 3-1/2" Shear Bolt	1.29



COULTER ASSEMBLY

Ref.	Part	Ref.	Part	Price
No.	No.	No.	Description	
1	G2-326	1	Coulter Shank	\$45.15
2	G2-370-18	1	Coulter Blade - 18"	131.55
2	G2-370-20	1	Coulter Blade - 20"	166.90
2	G2-370-22	1	Coulter Blade - 22"	229.70
	G2-375	1	Coulter Clamp & Screw	12.60
4	G2-380-18	1	Coulter Sides f/18" Blade	78.55
	G2-380-22	1	Coulter Sides f/22" Blade	106.10
2-5,				
9-14	G2-100-18	1	Coulter Assembly, 18"	375.00
	G2-100-22	1	Coulter Assembly, 22"	481.00
12	G2-371	1	7/16"x4-1/2" Cap Screw Lockwasher & Nut	1.62



COULTER BLADE HUB ASSEMBLY

Ref.	Part	Ref.	Part	Price
No.	No.	No.	Description	
1	G2-381	1	Blade Flange with Hub	\$89.50
2	G2-382	1	Blade Flange	23.55
3	G2-383	1	Inner Bearing	19.63
4	G2-384	2	Bearing Cap	15.70



PACKER WHEEL ASSEMBLY

Ref.	Part	Ref.	Part	Price
No.	No.	No.	Description	
1	G3-292	1	Packer Wheel Bracket	\$104.05
2	G3-283	1	36 Tooth Sprocket	41.25
3	G3-324	2	Axle Bushing	3.95
5	G3-125	2	Packer Wheel Tire ONLY	43.19
6	G3-177	1	Axle for Packer Wheel	29.45
7	G3-321	1	Chain (Not Shown)	29.45
3,4,5	G3-120	1	Packer Wheels w/Tires	216.00
3,4	G3-121	1	Packer Wheels LESS Tires ..	178.70


DEALER SCHEDULE THIS PAGE.....102

PARTS BREAKDOWNS CONTINUED ON NEXT PAGE

(Continued From Preceding Page)


**PARTS LIST FOR
GA-400 & GA-500 GOPHER GETTER**

Old Metal Seeder Box



**PARTS LIST FOR
GA-400 & GA-500 GOPHER GETTER**

New Poly Seeder Box



SEEDER ASSEMBLY - Metal Box

Ref.	Part	No.	No.	Qty.	Description	Price
1	G4-230	1	Seeder Box Only	\$ N.A.
2	G4-231	1	Seeder Box Cover, Metal	20.93
3	G4-286	1	Poison Guide Plate	5.90
5	G4-278	2	Spring Holder Clips	2.41
6	G4-215	2	Springs	3.95
7	G4-208	1	Seeder Slide - 5/8" Hole	21.60
	G4-208A	1	Seeder Slide - 7/8" Hole	21.60
8	G4-200	1	Seeder Casting	109.95
9	G4-221	1	Drain Cap, Metal	8.33
10	G4-269	1	Tripper	5.90
11	G4-164	2	10-24 Internal Lockwasher ..	.15
12	G4-206	2	10-24 x 1/2" Allen Screws43
13	G4-201	1	Seeder Axle	35.35
14	G4-225	1	Key83
15	G4-203	1	Drive Gear	29.45
16	G4-232	1	Snap Hook w/Chain	5.20
17	G4-133	1	Elston Decal	1.27
18	G4-134	1	Poison Decal99
19	G4-122	1	Plastic Hose	5.35

SEEDER ASSEMBLY - Poly Box

Ref.	Part	No.	No.	Qty.	Description	Price
1	G4-200	1	Seeder Casting	\$109.95
2	G4-201	1	Seeder Axle	35.35
3	G4-203	1	Drive Gear	29.45
4	G4-269	1	Tripper	5.90
5	G4-208	1	Seeder Slide - 5/8" Hole	21.60
	G4-208A	1	Seeder Slide - 7/8" Hole	21.60
6	G4-215	2	Seeder Slide Spring	3.95
7	G4-278	1	Spring Holder Clip	2.41
8	G4-286	1	Poison Guide Plate	5.90
9	G4-230P	..	1	Seeder Box - Poly	210.00
10	G4-234P	..	1	Seeder Box Lid - Poly	N.A.
*	G4-233P	..	2	Lid Retaining Strap	3.95
10-12	G4-231P	..	1	Seeder Box Lid Assembly	49.10
13	G4-221P	..	1	Drain Cap	5.90
14	G4-122	1	Plastic Hose	5.35
9-13, 17	G4-235P	..	1	Seeder Box Assembly	265.00
1-20	G4-100P	..	1	Seeder Assembly	433.90


*Not Shown

DEALER SCHEDULE THIS PAGE.....102


All Prices Are Subject To Change Without Notice

Call Toll-Free 1-800-444-8666

**PARTS LIST FOR
GA-600 GOPHER GETTER JR.**



**GA-600
GOPHER
GETTER JR.**



JG 600 10-2011-11



Comes with empty bait jar. Bait NOT included.

NEW PRICES AS OF 1/10/2018

Ref.	Part	No.	No.	Qty.	Description	Price
1	G-601	1	Outside Casing	\$88.35
2	G-602	1	Rod Assembly	43.20
3	G-603	1	Casting	68.75
4	G-604	2	Washers	N.A.
5	G-605	1	Tripper	N.A.
6	G-606	1	Tripper Head	26.30
7	G-607	1	Spring	1.00
8	G-608	2	Handle Grip	N.A.
9	G-609	1	Handle	20.25
10	G-610	1	Cover Bait	N.A.
11	G-611	1	Bait Jar, 2" Threads	4.07
...	G-611-2-5/8	1	Bait Jar, 2-5/8" Threads	4.07
12	G-614	1	1" Spacer	1.55
13	G-616	1	Handle Spring	N.A.
14	G-617	4	832 1/4" Screws	N.A.
15	G-619	1	7/16" Nut	N.A.
16	G-620	1	7/16" Washer	N.A.
17	G-621	2	1/4" Screws	N.A.
18	G-622	1	Casing Poison Label	N.A.
19	G-623	1	Jar Poison Label	N.A.
20	G-624	1	Rivet	N.A.
N.A.		G-625	1	Bottle Clamp	15.25

Dealer Schedule.....102



**We Ship
Over 95%
Of Our Orders
The Same Day!**

No.	Description	Price
GA-600	Gopher Getter Jr.	\$253.85

DEALER SCHEDULE.....152

4 BOLT WHEEL HUBS

4 BOLT, 5" BOLT CIRCLE, 3.62 PILOT



504-0669


504-0633

Hub No.	Inner Cup	Outer Cup	Inner Cone	Bore	Outer Cone	Bore	Wheel Bolt	Wheel Nut	Hub Cap	Grease Seal	A	B	C	D	Lbs. Cap.	Spindle No.	Ass'y No.
504-0669	LM67010	LM11910	LM67048	1.25	LM11949	.75	54000820		56102211	513-0558	1.16	.94	.88	.38	1250*	1	G-669
504-0633	LM67010	LM11910	LM67048	1.25	LM11949	.75	54000820		56102211	513-0558	2.00	1.00	1.12	.38	1500*	5	G-633

*Wheel Hub Capacities as stated are in relation to static gross capacity on a free rolling wheel at normal tractor speeds not exceeding 20 MPH. Stated hub capacities are based on 20,000 mile, B-120 bearing life and 14,000 PSI maximum fiber stress on the spindle in the bearing and seal area.

5 BOLT WHEEL HUBS

5 BOLT, 4.5" BOLT CIRCLE, 2.62 PILOT



505-3181 50503181


Hub No.	Inner Cup	Outer Cup	Inner Cone	Bore	Outer Cone	Bore	Wheel Bolt	Wheel Nut	Hub Cap	Grease Seal	A	B	C	D	Lbs. Cap.	Spindle No.	Ass'y No.
505-3181	L68111	LM12711	L68149	1.38	LM12749	.87	54000820		56102211	513-0608	1.88	.90	.97	.92	1750*	2	G-3181
50503181+	L68111	LM12711	L68149	1.38	LM12749	.87	54000820		56102211	513-0608	1.88	.90	.97	.92	1750*	2A	G-3181A

*Wheel Hub Capacities as stated are in relation to static gross capacity on a free rolling wheel at normal tractor speeds not exceeding 20 MPH. Stated hub capacities are based on 20,000 mile, B-120 bearing life and 14,000 PSI maximum fiber stress on the spindle in the bearing and seal area.

Hubs are complete with all components except spindle.


Hub No.	Each	Inner Cone	Each	Grease Seal	Each
504-0626	\$97.50	4T-LM67048	\$6.75	513-0558	\$6.66
504-0633	90.12	4T-L68149	7.75	513-0608	9.76
504-0669	99.32	Outer Cone		Spindle Series	
505-3181	89.82	4T-LM11949	5.60	521-0163 1	37.81
50503181	89.82	4T-LM12749	16.68	522-0150 2	40.87
Inner Cup		Wheel Bolt		522-0175 2A	54.26
4T-LM67010	3.45	54000820	1.26	525-0163 5	40.68
4T-L68111	3.50	Hub Cap		Dealer Schedule.....152	
Outer Cup		56102211	3.38		
4T-LM11910	3.00				
4T-LM12711	6.40				

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

5 BOLT, 5.5" BOLT CIRCLE, 4.00 PILOT



50510736

50510719

5 BOLT WHEEL HUBS

Hub No.	Inner Cup	Outer Cup	Inner Cone	Bore	Outer Cone	Bore	Wheel Bolt	Wheel Nut	Hub Cap	Grease Seal	A	B	C	D	Lbs. Cap.	Spindle No.	Ass'y No.
50510736	LM67010	LM11910	LM67048	1.25	LM11949	.75	540-0820	550-0820	561-2209	513-0558	2.00	1.00	.94	.62	1650*	5	G-736
50510719	LM48510	LM67010	LM48548	1.38	LM67048	1.25	54100820	55000820	560-2008	513-0574	1.56	1.25	1.06	.22	2760*	3	G-719

*Wheel Hub Capacities as stated are in relation to static gross capacity on a free rolling wheel at normal tractor speeds not exceeding 20 MPH.
Stated hub capacities are based on 20,000 mile, B-120 bearing life and 14,000 PSI maximum fiber stress on the spindle in the bearing and seal area.

6 BOLT, 5.5" BOLT CIRCLE, 3.37 PILOT506-3192
50603192**6 BOLT WHEEL HUBS**

Hub No.	Inner Cup	Outer Cup	Inner Cone	Bore	Outer Cone	Bore	Wheel Bolt	Wheel Nut	Hub Cap	Grease Seal	A	B	C	D	Lbs. Cap.	Spindle No.	Ass'y No.
506-3192*	LM501310	LM67010	LM501349	1.63	LM67048	1.25	540-0820		560-2008	513-0616	2.16	1.00	.97	.62	2600*	6	G-3192
50603192*	LM501310	LM67010	LM501349	1.63	LM67048	1.25	540-0820		560-2008	513-0616	2.16	1.00	.97	.62	2600*	6A	G-3192A


*Wheel Hub Capacities as stated are in relation to static gross capacity on a free rolling wheel at normal tractor speeds not exceeding 20 MPH.
Stated hub capacities are based on 20,000 mile, B-120 bearing life and 14,000 PSI maximum fiber stress on the spindle in the bearing and seal area.

Hubs are complete with all components except spindle.

Hub No.	Each	Inner Cone	Each	Hub Cap	Each
50510719	\$103.66	4T-LM48548	\$8.10	560-2008	\$5.84
50510736	94.84	4T-LM501349	11.10	561-2209	4.45
506-3192	135.94	4T-LM67048	6.75	Grease Seal	
50603192	135.94	Outer Cone		513-0558	6.66
Inner Cup		4T-LM11949	5.60	513-0574	8.30
4T-LM48510	3.85	4T-LM67048	6.75	513-0616	9.78
4T-LM501310	5.28	Wheel Bolt		Spindle Series	
4T-LM67010	3.45	540-082098	523-0175	3
Outer Cup		541-0820	5.62	525-0163	5
4T-LM11910	3.00	54100820	5.62	526-0175	6
4T-LM67010	3.45	Wheel Nut		526-0200	6A
		550-082086		
		55000820	1.26		
				Dealer Schedule.....	152

6 BOLT WHEEL HUBS

6 BOLT, 6" BOLT CIRCLE, 4.62 PILOT



Hub No.	Inner Cup	Outer Cup	Inner Cone	Bore	Outer Cone	Bore	Wheel Bolt	Wheel Nut	Hub Cap	Grease Seal	Dimensions	Lbs. Cap.	Spindle No.	Ass'y No.
50610826	LM67010	LM11910	LM67048	1.25	LM11949	.75	54000820		56102211	513-0558	2.00 1.00 1.12	1.88	1650*	5 G-826
50610888*	JL69310	LM67010	JL69349	1.50	LM67048	1.25	540-0820		560-2008	513-0582	1.52 1.12 1.06	1.52	3560*	4 G-888
50611888*	JL69310	LM67010	JL69349	1.50	LM67048	1.25	540-0820		560-2008	513-0582	1.52 1.12 1.06	1.52	3560*	4A G-888A
50612889	JL69310	LM67010	JL69349	1.50	LM67048	1.25	540-0820		560-2008	513-0582	1.52 1.12 1.06	1.52	3560*	4 G-889
50613889	JL69310	LM67010	JL69349	1.50	LM67048	1.25	540-0820		560-2008	513-0582	1.52 1.12 1.06	1.52	3560*	4A G-889A
50610777	LM29710	LM29749	1.50	LM67048	1.25	540-0820		560-2008	513-0582	1.56 1.00 1.06	1.50	3560*	10 G-777	
50610709	LM48510	LM67010	LM48548	1.38	LM67048	1.25	540-0820		560-2008	513-0574	1.56 1.00 1.06	1.59	2760*	3 G-709A
50610803	25520	25821	25590	1.80	25877	1.38	54000918		562-2207	513-0590	2.50 1.38 1.13	1.75	4910*	7 G-803

*Wheel Hub Capacities as stated are in relation to static gross capacity on a free rolling wheel at normal tractor speeds not exceeding 20 MPH. Stated hub capacities are based on 20,000 mile, B-120 bearing life and 14,000 PSI maximum fiber stress on the spindle in the bearing and seal area.



Hubs are complete with all components except spindle.

Hub No.	Each	Inner Cone	Each	Grease Seal	Each
50610709	\$99.30	4T-25590	\$13.43	513-0558	\$6.66
50610777	106.92	4T-LM29749	10.31	513-0574	8.30
50610803	159.50	4T-LM48548	8.10	513-0582	6.40
50610826	99.06	4T-LM67048	6.75	513-0590	9.46
50610888	99.30	4T-JL69349	7.85	Spindle Series	
50611888	99.30	Outer Cone		523-0175 3	47.66
50612889	182.56	4T-25877	27.00	524-0175 4	48.98
50613889	182.56	4T-LM11949	5.60	524-0200 4A	63.12
Inner Cup		4T-LM67048	6.75	525-0163 5	40.68
4T-25520	7.28	Wheel Bolt		527-0212 7	77.00
4T-LM29710	6.75	540-082098	530-0175 10	45.28
4T-LM48510	3.85	54000820	1.26		
4T-LM67010	3.45	54000918	1.84		
4T-JL69310	4.00	Hub Cap		Dealer Schedule.....	152
Outer Cup		560-2008	5.84		
4T-25821	11.40	56102211	3.38		
4T-LM11910	3.00	562-2207	7.94	ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE!	
4T-LM67010	3.45				

8 BOLT WHEEL HUBS



8 BOLT, 8" BOLT CIRCLE, 6.00 PILOT




Hub No.	Inner Cup	Outer Cup	Inner Cone	Bore	Outer Cone	Bore	Wheel Bolt	Wheel Nut	Hub Cap	Grease Seal	Dimensions	Lbs. Cap.	Spindle No.	Ass'y No.
50800778	25520	25821	25590	1.8	25877	1.38	54000918		562-2207	513-0590	A .250 B .175 C .175 D .88	4910*	7	G-778
50800900+	LM613410	25521	LM613449	2.75	25580	1.75	54000918		561-2618	513-0749	A .344 B .144 C .163 D .38	9000**	8	G-700

*Wheel Hub Capacities as stated are in relation to static gross capacity on a free rolling wheel at normal tractor speeds not exceeding 20 MPH.
Stated hub capacities are based on 20,000 mile, B-120 bearing life and 14,000 PSI maximum fiber stress on the spindle in the bearing and seal area.

10 BOLT WHEEL HUBS



10 BOLT, 11.25" BOLT CIRCLE, 8.62 PILOT AND 8.66 PILOT



Hub No.	Inner Cup	Outer Cup	Inner Cone	Bore	Outer Cone	Bore	Wheel Bolt	Wheel Nut	Hub Cap	Grease Seal	Dimensions	Lbs. Cap.	Spindle No.	Ass'y No.
51001900	653	HM212011	663	3.25	HM212049	2.63	54101216	55001216	563-3600	513-0541	A .388 B .232 C .135 D .116	19000*	9	G-1900
51010871+	39520	453A	39585	2.50	460	1.75	54101216	55001216	564-2700	513-0632	A .281 B .172 C .128 D .06	13800**	11	G-871

*Wheel Hub Capacities as stated are in relation to static gross capacity on a free rolling wheel at normal tractor speeds not exceeding 20 MPH.
Stated hub capacities are based on 20,000 mile, B-120 bearing life and 14,000 PSI maximum fiber stress on the spindle in the bearing and seal area.


Hubs are complete with all components except spindle.

Hub No.	Each	Inner Cone	Each	Hub Cap	Each
50800778	\$269.20	4T-663	\$149.97	561-2618	\$11.30
50800900	433.66	4T-25590	13.43	562-2207	7.94
51001900	668.68	4T-39585	92.66	563-3600	54.48
51010871	869.24	4T-LM613449	109.95	564-2700	32.98
Inner Cup		Outer Cone		Grease Seal	
4T-653	38.56	4T-460	139.97	513-0541	37.84
4T-25520	7.28	4T-25580	14.38	513-0590	9.46
4T-39520	32.14	4T-25877	27.00	513-0632	24.95
4T-LM613410	46.12	4T-HM212049	125.10	513-0749	19.90
Outer Cup		Wheel Bolt		Spindle Series	
4T-453A	34.05	54000918	1.84	527-0212	7
4T-25821	11.40	54101216	12.36	528-0300	8
4T-HM212011	30.22	55001216	6.10	529-0450	9
				531-0312	11
					186.44


STANDARD SPINDLE ASSEMBLIES

Spindle	Series	Each
521-0163	1	\$37.10
522-0150	2	40.87
522-0175	2A	54.26
523-0175	3	47.66
524-0175	4	48.98
524-0200	4A	63.12
525-0163	5	40.68
526-0175	6	54.48
526-0200	6A	71.20
527-0212	7	77.00
528-0300	8	160.44
529-0450	9	336.07
530-0175	10	45.28
531-0312	11	186.44
Dealer Schedule.....		152

STYLE A




STYLE B



NO.	STYLE	A	B	C	D	E	F	G	G & G *
1	A	1.63 O.D.	1.50	1.2495/1.2480	.7495/.7480	5/8"-18	9.00	5.34	21-0163
2	A	1.50 O.D.	1.44	1.3767/1.3747	.8650/.8630	3/4"-16	11.00	6.7	522-0150
2A	A	1.75 O.D.	1.44	1.3767/1.3747	.8650/.8630	3/4"-16	11.75	7.0	522-0175
3	A	1.75 O.D.	1.50	1.3745/1.3735	1.2495/1.2480	7/8"-14	11.00	7.12	523-0175
4	A	1.75 O.D.	1.63	1.4951/1.4941	1.2495/1.2485	7/8"-14	12.50	8.07	524-0175
4A	A	2.00 O.D.	1.63	1.4951/1.4941	1.2495/1.2485	7/8"-14	14.00	9.57	524-0200
5	A	1.63 O.D.	1.50	1.2495/1.2480	.4951/.780	3/4"-16	10.38	5.79	525-0163
6	A	1.75 O.D.	1.69	1.6245/1.6235	1.2495/1.2485	1"-14	14.00	9.30	526-0175
6A	A	2.00 O.D.	1.69	1.6245/1.6235	1.2495/1.2485	1"-14	14.00	9.30	526-0200
7	A	2.12 O.D.	2.00	1.745/1.795	1.3745/1.3735	7/8"-14	15.44	9.33	527-0212
8	B	3.00 O.D.	1.8	2.745/2.7480	1.7495/1.7480	1-1/4"-12	15.44	8.12	528-0300
9	B	4.50 O.D.	3.00	3.2495/3.2480	2.6245/2.6230	2-5/8"-16	15.38	6.50	529-0450
10	A	1.75 O.D.	1.63	1.4995/1.4985	1.2495/1.2485	7/8"-14	12.50	8.03	530-0175
11	A	1.12 O.D.	3.00	2.4995/2.4980	1.7495/1.7480	1-1/4"-12	17.38	10.00	531-0312


* THE ASSEMBLY NUMBER INCLUDES SPINDLE AND ALL SPINDLE HARDWARE. (WASHER, NUT, AND COTTER PIN)



WHEEL BOLTS


Grade 5

Order No.	A	B	C	D	E	Each
540-0820	1.50"	1.00"	0.75"	1/2"-20 UNF	90°	\$.98
54000820	1.25"	0.75"	0.75	1/2"-20 UNF	90°	1.26
54000918	1.75"	1.13"	0.88"	9/16"-18 UNF	90°	1.84



Order No.	A	B	C	D	E	Each
541-0820	1.50"	1.15"	0.62"	1/2"-20 UNF	.35"	\$ 5.62
54100820	1.63"	1.26"	0.62"	1/2"-20 UNF	.35"	5.62
54101216	2.56"	1.16"	0.98"	3/4"-16 UNF	.50"	12.36

Dealer Schedule.....152




WHEEL BOLT NUTS

Grade 5

Nut No.	A	B	C	D	Each
550-0820	1/2"-20	90°	21/32"	13/16"	\$.86
55000820	1/2"-20	90°	9/16"	3/4"	1.26
55001216	3/4"-16	100°	7/8"	1-1/2"	6.01


Dealer Schedule.....152

NEW PRICES OF 12/4/2018

**HUB CAPS**

Cap No.	Type	A	B	C	Each
560-2008	A	2.448	1-1/4"	1/4"	\$5.84
561-2209	B	1.943	1-3/8"	9/32"	4.45
561-2618	B	3.355	1-5/8"	9/16"	11.00
56102211	B	1.958	1-3/8"	11/32"	3.38
562-2207	C	3.157	1-3/8"	7/32"	7.94
563-3600	See Drawing				54.48
564-2700	See Drawing				32.98

Dealer Schedule.....152



Order No.	A	B	C	D	E	Each
WB12112	1-1/2"	1"	3/4"	1/2"-20 UNF	90°	\$1.15
WB1211460	1-5/8"	7/8"	13/16"	1/2"-20 UNF	60°	2.44
WB12214	2-1/4"	1-3/4"	3/4"	1/2"-20 UNF	90°	3.33
WB58214	2-3/8"	1-3/4"	15/16"	5/8"-18 UNF	90°	3.46
WB58312	3-5/8"	3"	15/16"	5/8"-18 UNF	90°	4.10
WB71611860	1-1/8"	3/4"	5/8"	7/16"-20 UNF	60°	2.70
WB916158	1-3/4"	1-1/8"	7/8"	9/16"-18 UNF	90°	2.18
WB916212	2-1/2"	1-7/8"	7/8"	9/16"-18 UNF	90°	3.59
WB916218	2-1/8"	1-1/2"	7/8"	9/16"-18 UNF	90°	2.44

Order No.	A	B	C	D	E	Each
WS12158	2"	1-1/2"	5/8"	1/2"-20 UNF	3/8"	\$1.54
WS583	3"	2"	11/16"	5/8"-18 UNF	5/8"	5.00
WS58358	3-5/8"	2-3/4"	11/16"	5/8"-18 UNF	5/8"	4.25
WS916238	2-3/8"	1-3/8"	3/4"	9/16"-18 UNF	3/4"	2.82



WBA-2 Wheel Bolt, Stud and Nut Assortment (120) Piece) \$338.00
 WBA-3 Wheel Bolt, Stud and Nut Assortment (180) Piece) 494.10

Dealer Schedule.....204

WHEEL BOLT NUTS (Grade 5)

Nut No.	A	B	C	D	Each
WN12	1/2"-20	90°	5/8"	13/16"	\$.90
WN1260	1/2"-20	60°	5/8"	13/16"	.90
WN58	5/8"	90°	11/16"	15/16"	2.18
WN58HD	5/8"	90°	11/16"	1-1/16"	3.33
WN916	9/16"	90°	11/16"	1"	2.18

Dealer Schedule.....204



**WHEEL REINFORCING RINGS**

Order No.	O.D.	I.D.	Thick	C to C	Bolt Size	Hole Type	Each
6-HRR	7-3/4"	4-3/4"	1/4"	6"	5/8"	Taper	\$44.35
8-HRR	10-1/4"	6"	5/16"	8"	11/16"	Taper	50.25
9-HRR	11-3/4"	7-3/4"	5/16"	9-1/2"	11/16"	Taper	53.35
10-HRR	15-1/2"	11"	5/16"	13-1/4"	15/16"	Straight	136.20

Dealer Schedule.....204

Midwest Bolster Hoist

Cylinder & Cylinder Repair Parts



No.	Description	Wt.	Price
LP-1000	Hydraulic Cylinder, 3000 PSI, (6" x 24") used with M-7-10 (10 ton capacity).....	78	\$651.79

"O" Ring & Seal Kit

No.	Description	Price
X-50.....	Repair Kit For "O" Ring Type 5" Cylinder	16.64
X-50-C	Repair Kit For Cup Seal Type 5" Cylinder	70.30
X-60.....	Repair Kit For "O" Ring Type 6" Cylinder	45.18

Parts Price List For LP-600 & LP-700 5" Cylinders and LP-1000 6" Cylinder

No.	Ref.	Description	Wt.	Price
BR-208-1438	1	Wiper Seal for 5" cylinder (#3220007)		\$15.56
CS-2-415	1	Wiper Seal for 6" cylinder		5.56
RRT-5.260	2	Snap Ring for 5" cylinder (#1720100)		15.56
CS-2-416	2	Snap Ring for 6" cylinder		22.29
D-26	4	5" Gland Seal for 5" cylinder (#3220025)		2.22
D-25	6	1-3/4" Gland Seal for 5" cylinder (#3220023)		2.22
CS-2-413	6	Gland Seal for 6" cylinder		1.78
D-23	8	1-1/4" Seal for 5" cylinder (#3220021)		2.22
CS-2-410	8	1-1/4" Seal for 6" cylinder		1.60
CS-2-407	9	Piston for 6" cylinder	6	102.22
CS-570	12	Cup Seal for 5" cylinder (#3210059)		59.42
D-88	17	"O" Ring for 5" cylinder (#3220015)		4.44
CS-2-409	17	"O" Ring for 6" cylinder (2 required)		5.56
CS-2-412	17	Backup Washer for 6" cylinder		13.33

Dealer Schedule.....102

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Midwest LIFT HARROW & BUSTER-BAR MASTER PARTS PRICE LIST

No.	Description	Price	No.	Description	Price	No.	Description	Price
LH-100 ..	Casting	\$5.79	LH-106 ..	U-Bolt-3/8"	\$1.19	LH-301 ..	Casting-10B	\$3.02
LH-102 ..	3/8" Hex Lock Nut22	LH-107 ..	U-Bolt-1/2"	2.36	LH-302 ..	U-Bolt-7/16"	2.45
LH-104 ..	FC-20 Spring	5.99	LH-114 ..	Spring Tooth Frame-LH4	74.49	LH-5	Harrow Section 7'6"	260.00
LH-105 ..	Casting Tooth Bar-10F ..	2.30	LH-3	Harrow Section 5'	145.00	LH-516 ..	Bolt on BB Tooth	7.68

DEALER SCHEDULE THIS PAGE.....102 Midwest parts available while quantities last.

ALL CAST IRON SEGMENTS FOR DURABILITY

USE WITH ANY HYDRAULIC CYLINDER

ACTS AS SPACER TO SHORTEN CYLINDER STROKE

PROVIDES 1/4" ADJUSTMENTS FROM 1" TO 5-1/2"

For Stroke Reduction	Use Segment	For Stroke Reduction	Use Segment
1"	1"	3-1/2"	1", 1", 1-1/2"
1-1/4"	1-1/4"	3-3/4"	1", 1-1/4", 1-1/2"
1-1/2"	1-1/2"	4"	1", 1-1/4", 1-3/4"
1-3/4"	1-3/4"	4-1/4"	1", 1-1/2", 1-3/4"
2"	1", 1"	4-1/2"	1-1/4", 1-1/2", 1-3/4"
2-1/4"	1", 1-1/4"	4-3/4"	1", 1", 1-1/4", 1-1/2"
2-1/2"	1", 1-1/2"	5"	1", 1", 1-1/4", 1-3/4"
2-3/4"	1", 1-3/4"	5-1/4"	1", 1", 1-1/2", 1-3/4"
3"	1-1/4", 1-3/4"	5-1/2"	1", 1-1/4", 1-1/2", 1-3/4"
3-1/4"	1-1/2", 1-3/4"	6-1/2"	1", 1", 1-1/4", 1-1/2", 1-3/4"

Hub City Stroke Control Segments

FITS SHAFT SIZES 1" THRU 1-3/4"




Order No.	Price
03-39-80001	\$10.95
03-39-80002	10.95
03-39-80003	10.95
03-39-80004	10.95

Order No.	Price
03-39-80000 ... Stroke Control Segment Set (Consists Of: (2) 1", (1) 1-1/4", (1) 1-1/2", (1) 1-3/4" Segments)	Per Set \$48.90

Dealer Schedule.....152

Central Cylinder Stop Sets

Will not crush under extreme pressure!



FITS SHAFT SIZES 1-1/4" THRU 2"

Offers positive control of cylinder travel. Simple to install and remove. Held in place by heavy spring. Fabricated of 1/2" steel.

Set Consists Of 1 each: 3/4", 1", 1-1/4", 1-1/2", 1-3/4".

No.	Description	Price
CCS-A5	Set for 1-1/4" to 2" shafts	\$76.50
CCS-08	1/2" Stroke Control Segment.....	16.50
CCS-12	3/4" Stroke Control Segment.....	16.50
CCS-16	1" Stroke Control Segment.....	16.50
CCS-20	1-1/4" Stroke Control Segment	16.50
CCS-24	1-1/2" Stroke Control Segment	16.50
CCS-28	1-3/4" Stroke Control Segment	16.50


Dealer Schedule.....152

WHOA-STOP with Wings STROKE CONTROL SEGMENTS

For Agricultural and Industrial Applications!

Sold In
Sets Only!

Flat Springs
and "Wings"
for easy installation
and removal.



The simple and reliable way to control the stroke on air or hydraulic cylinders. Segements are non-abrasive, won't score shafts or damage seals.

#WS-9899 contains:
7/8", 1", 1-1/4", 1-1/2" segments for 1-1/8" thru 1-1/2" shafts.

#WS-9697 contains:
1", 1-1/2", 2", 4-1/4" segments for 1-3/4" thru 2" shafts.
#WS-9697 for cylinders with 16" stroke or greater

Order No.	Description	Price
WS-9899	Fits 1-1/8' thru 1-1/2" Shafts	\$37.63
WS-9697	Fits 1-3/4" thru 2" Shafts	69.19

Dealer Schedule.....203

All Prices Are Subject To Change Without Notice

To Order Call Toll-Free:
1-800-444-8666



CHIEF Hydraulic Cylinders

DOUBLE ACTING TIE ROD TYPE


Order No.	Bore	Stroke*	Rod Dia.	Dimensions Retracted	Dimensions Extended	Rated PSI	Port Size	Pin Dia.	Wt. Lbs.	List
214-303	2"	8" ASAE	1-1/8"	20-1/4"	28-1/4"	3000	SAE 8	1"	19	\$187.03
214-304	2"	10"	1-1/8"	20-1/4"	30-1/4"	3000	SAE 8	1"	19	195.01
214-305	2"	12"	1-1/8"	22-1/4"	34-1/4"	3000	SAE 8	1"	22	201.41
214-306	2"	14"	1-1/8"	24-1/4"	38-1/4"	3000	SAE 8	1"	22	209.41
214-307	2"	16"	1-1/8"	26-1/4"	42-1/4"	3000	SAE 8	1"	22	217.39
214-308	2"	18"	1-1/8"	28-1/4"	46-1/4"	3000	SAE 8	1"	25	225.38
214-309	2"	20"	1-1/8"	30-1/4"	50-1/4"	3000	SAE 8	1"	27	265.90
214-311	2"	24"	1-1/8"	34-1/4"	58-1/4"	3000	SAE 8	1"	30	249.37
214-323	2-1/2"	8" ASAE	1-1/8"	20-1/4"	28-1/4"	3000	SAE 8	1"	21	221.33
214-324	2-1/2"	10"	1-1/8"	20-1/4"	30-1/4"	3000	SAE 8	1"	22	201.41
214-325	2-1/2"	12"	1-1/8"	22-1/4"	34-1/4"	3000	SAE 8	1"	24	209.41
214-326	2-1/2"	14"	1-1/4"	24-1/4"	38-1/4"	3000	SAE 8	1"	27	217.39
214-327	2-1/2"	16"	1-1/4"	26-1/4"	42-1/4"	3000	SAE 8	1"	29	225.38
214-328	2-1/2"	18"	1-1/4"	28-1/4"	46-1/4"	3000	SAE 8	1"	30	233.38
214-329	2-1/2"	20"	1-1/4"	30-1/4"	50-1/4"	3000	SAE 8	1"	30	275.42
214-331	2-1/2"	24"	1-1/4"	34-1/4"	58-1/4"	3000	SAE 8	1"	33	257.36
214-348	3"	8" ASAE	1-1/4"	20-1/4"	28-1/4"	3000	SAE 8	1"	28	209.41
214-349	3"	10"	1-1/4"	20-1/4"	30-1/4"	3000	SAE 8	1"	28	217.39
214-350	3"	12"	1-1/4"	22-1/4"	34-1/4"	3000	SAE 8	1"	32	225.38
214-351	3"	14"	1-1/2"	24-1/4"	38-1/4"	3000	SAE 8	1"	35	233.38
214-353	3"	16" ASAE	1-1/2"	31-1/2"	47-1/2"	3000	SAE 8	1-1/4"	40	278.71
214-355	3"	20"	1-1/2"	30-1/4"	50-1/4"	3000	SAE 8	1"	43	252.25
214-357	3"	24"	1-1/2"	34-1/4"	58-1/4"	3000	SAE 8	1"	47	294.85
214-373	3-1/2"	8" ASAE	1-1/2"	20-1/4"	28-1/4"	3000	SAE 8	1"	29	222.74
214-374	3-1/2"	10"	1-1/2"	20-1/4"	30-1/4"	3000	SAE 8	1"	35	333.46
214-375	3-1/2"	12"	1-1/2"	22-1/4"	34-1/4"	3000	SAE 8	1"	37	350.16
214-376	3-1/2"	14"	1-1/2"	24-1/4"	38-1/4"	3000	SAE 8	1"	40	359.09
214-378	3-1/2"	16" ASAE	1-1/2"	31-1/2"	47-1/2"	3000	SAE 8	1-1/4"	48	378.54
214-382	3-1/2"	24"	1-1/2"	34-1/4"	58-1/4"	3000	SAE 8	1"	53	374.05
214-397	4"	8" ASAE	1-1/2"	20-1/4"	28-1/4"	3000	SAE 8	1"	33	358.38
214-398	4"	10"	1-1/2"	20-1/4"	30-1/4"	3000	SAE 8	1"	45	335.68
214-399	4"	12"	1-1/2"	22-1/4"	34-1/4"	3000	SAE 8	1"	49	401.74
214-434	4"	14"	2"	24-1/4"	38-1/4"	3000	SAE 8	1"	44	429.64
214-401	4"	16" ASAE	2"	31-1/2"	47-1/2"	3000	SAE 8	1-1/4"	59	450.37
214-403	4"	20"	2"	30-1/4"	50-1/4"	3000	SAE 8	1"	53	494.96
214-405	4"	24"	2"	34-1/4"	58-1/4"	3000	SAE 8	1"	79	466.76
214-420	5"	8" ASAE	2"	20-1/4"	28-1/4"	3000	SAE 12	1-1/4"	65	655.11
214-428	5"	24"	2-1/4"	36-1/4"	60-1/4"	3000	SAE 12	1-1/4"	127	821.63
214-430	5"	30"	2-1/4"	42-1/4"	72-1/4"	3000	SAE 12	1-1/4"	142	1027.72

Order No.	Bore	Stroke*	Rod Dia.	Dimensions Retracted	Dimensions Extended	Rated PSI	Port Size	Pin Dia.	Wt. Lbs.	List
218-300	2"	8" ASAE	1-1/8"	20-1/4"	28-1/4"	2500	3/8" NPT	1"	19	\$136.95
218-309	2"	16"	1-1/8"	26-1/4"	42-1/4"	2500	3/8" NPT	1"	25	179.49
218-301	2-1/2"	8" ASAE	1-1/8"	20-1/4"	28-1/4"	2500	3/8" NPT	1"	22	158.33
218-322	2-1/2"	16"	1-1/8"	26-1/4"	42-1/4"	2500	3/8" NPT	1"	27	198.42
218-302	3"	8" ASAE	1-1/4"	20-1/4"	28-1/4"	2500	1/2" NPT	1"	29	171.86
218-340	3"	16" ASAE	1-1/4"	31-1/2"	47-1/2"	2500	1/2" NPT	1-1/4"	34	213.02
218-303	3-1/2"	8" ASAE	1-1/4"	20-1/4"	28-1/4"	2500	1/2" NPT	1"	32	198.61
218-354	3-1/2"	16" ASAE	1-1/2"	31-1/2"	47-1/2"	2500	1/2" NPT	1-1/4"	37	277.41
218-304	4"	8" ASAE	1-1/2"	20-1/4"	28-1/4"	2500	1/2" NPT	1"	39	243.03
218-365	4"	16" ASAE	2"	31-1/2"	47-1/2"	2500	1/2" NPT	1-1/4"	46	314.63

*ASAE - Rod is threaded for mechanical depth control.

DEALER SCHEDULE THIS PAGE.....102

NEW PRICES AS OF 6/10/2021



Rockford Hydraulic Cylinders

Rockford 2500 Series

DOUBLE ACTING TIE ROD TYPE CYLINDERS

Pressure rating: 2500 PSI maximum pressure, 4000 PSI maximum shock and surge pressure. Piston and cylinder head casting high tensile strength gray iron. Base casting and rod clevis ductile iron. Heavy duty "O" ring seals with back up rings on piston and rod. Rods: induction hardened C1045 steel alloy, hard chrome, plated and polished. Barrel: precision honed C1020 steel alloy.

	Rod	Bore	Retract			
Order No.	Diam.	Diam.	Stroke	C to C	Wt	Price
2014AR	1-1/16	2-	14	24-1/4	26	\$131.61
5030AR	2-	5-	30	42-1/4 ..	108	459.05

**Rockford Hydraulic Cylinders
are only available while quantities last!**

ROCKFORD SEAL KITS

Order No.	Bore	Rod Dia.	Price
063-0000-001	2"	1-1/16" (Std.)	\$20.00
063-0000-002	2-1/2"	1-1/16" (Std.)	25.48
063-0000-006	5"	1-1/2" (Std.)	95.16
063-0000-007	2"	1-1/8"	30.11
063-0000-008	2-1/2"	1-1/4"	25.90
063-0000-010	3-1/2"	1-1/2"	46.53
063-0000-012	5"	2"	103.38
063-0000-013	4"	2"	60.64



HYDRAULIC CYLINDER CLEVIS ENDS

Female Threads

Order No.	Threads	Pin Size	Price
406-0000-014	1-1/16"-12	1"	\$22.49
276-000	1-1/8"-12	1"	53.92
276-001	1-1/4"-12	1"	54.21
276-028	1-1/4"-12	1-1/4"	79.05
276-002	1-1/2"-12	1-1/4"	74.14

ADJUSTABLE STROKE CONTROLS

No.	Fits Rod	Stroke Adjustment	Price
277-320	1-1/8"	2-1/4"	\$25.59
277-321	1-1/4"	2-1/4"	48.12



SPLIT HARDENED REDUCER BUSHING

Order No.	O.D.	I.D.	Price
210400084	1" Bushing	1-1/4"	1" \$12.78



EATON Field-Mate Hydraulic Cylinders

DOUBLE ACTING TIE ROD TYPE CYLINDERS

2500 PSI Rating, ASAE Rated, Ductile Iron Piston, Chrome Plated Rod, Painted Black, Replacement Seal Kits Available. All Clevis Pins - 1", Ports: 2"-2-1/2"....3/8" NPT, 3"-5"....1-1/2" NPT.

Order No.	Rod Diam.	Bore Diam.	Stroke	C to C	Retract	Wt	Price
E-3014FMH	1-1/4	3-	14	24-1/4	35		128.35
E-3524FMH	1-1/2	3-1/2	24	34-1/4	54		177.75

FIELD-MATE SHORT RETRACTED CYLINDERS

E-S3016FMH	1-1/4	3-	16	26-1/4	39	139.34
------------------	-------------	----------	----------	-------------	----	--------

EATON FIELD-MATE Cylinders are only available while quantities last!

EATON FIELD-MATE SEAL KITS


Order No.	Bore	Rod Dia.	Price
E-SK2000FM	2"	1-1/8"	\$22.95
E-SK2500FM	2-1/2"	1-1/8"	24.21
E-SK3516FM	3-1/2"	1-1/2"	28.84
E-SK4016FM	4"	2"	32.21
E-SK4024FM-1.5	4"	1-1/2"	30.74
E-SK4024FM-2	4"	2"	32.21
E-SK5000FM	5"	1-1/2"	33.48

CHIEF SEAL KITS

Order No.	Bore	Rod Dia.	PSI	Price
204-010	2"	1-1/8"	3000	\$43.16
204-011	2-1/2"	1-1/8"	3000	47.97
204-012	2-1/2"	1-1/4"	3000	51.14
204-013	3"	1-1/4"	3000	54.36
204-014	3"	1-1/2"	3000	55.94
204-015	3-1/2"	1-1/2"	3000	59.15
204-016	4"	1-1/2"	3000	67.13
204-018	4"	2"	3000	70.33
204-019	5"	2"	3000	73.52
204-020	5"	2-1/4"	3000	75.13
204-500	2"	1-1/8"	2500	36.75
204-501	2-1/2"	1-1/8"	2500	36.86
204-502	2-1/2"	1-1/4"	2500	41.95
204-503	3"	1-1/4"	2500	41.57
204-504	3"	1-1/2"	2500	45.59
204-505	3-1/2"	1-1/4"	2500	47.28
204-506	3-1/2"	1-1/2"	2500	47.29
204-507	4"	1-1/2"	2500	52.61
204-508	4"	2"	2500	52.53

HYDRAULIC ACCESSORIES

Hyd. Cylinder Clevis Pins



NEW PRICES AS OF 6/10/2021

Order No.	Description	Price
190400005	1" x 2-7/8" (Overall) Clevis Pin	\$3.25
190400001	1" x 3-1/2" (Overall) Clevis Pin	3.40
190400004	1" x 4" (Overall) Clevis Pin	3.98
190600016	1-1/4" x 4" (Overall) Clevis Pin	6.05
190600003	Hair Pin Clip (For Above Pins)39
210400084	Reducer Bushing 1-1/4" to 1" (for using 1" pins in 1-1/4" clevis)	12.78
HP-417-X	External Hair Pin Clip42

Note - Use #190400004 Pins on all 4" Cylinders

Packing Repair Kits For Prince Hydraulic Cylinders

Order No.	Cylinder Series	Price
PMCK-Crown IC	Crown	\$9.90
PMCK-500	500	6.11
PMCK-600	600	10.56
PMCK-5400	5400	23.10
PMCK-7000	7000	16.76
PMCK-7100	7100	17.31
PMCK-8200	8200	35.79
PMCK-8300	8300	26.55
PMCK-8400	8400	15.61
PMCK-8600	8600	20.76
PMCK-9200	9200	17.80
PMCK-9300	9300	18.72
PMCK-9500	9500	36.35
PMCK-15208	15208	11.17

Small Breathers



Model	Thread	WT.
BHF-3	1/2" NPT	3 oz.
BHF-4	3/8" NPT	3 oz.
BHF-6	3/4"-16 ORB	3 oz.

Plug-type breather/filter for converting double action unit to single action. Aluminum body contains two fine filter screens retained by O-Ring washer. A low-cost, non-reusable, "throw-away" unit.

Order No.	Description	Price
OHC-BHF-3	Small Breather, 1/2" NPT	\$6.39
OHC-BHF-4	Small Breather, 3/8" NPT	6.39
OHC-BHF-6	Small Breather, 3/4"-16 ORB	10.66

Breather Filters



Model	NPT	WT.
BHF-1	1/2"	8 oz.

Primarily for use on a double action unit being used as a single action. Filters dirt out of cylinder end displacing air. Used often on oil reservoirs, or any part of hydraulic circuit where air is displaced. Filter material can be removed easily and cleaned for re-use. 1/2" NPT.

Order No.	Description	Price
OHC-BHF-1	Breather Filter, 1/2"	\$42.75

DEALER SCHEDULE THIS PAGE.....102

**We Ship
Over 95%
Of Our Orders
The Same Day!**

*Centralize
your parts orders with
Central Supply*

Order Via Fax Toll-Free:

1-800-342-7252

PIONEER QUICK COUPLING ADAPTERS

Pioneer adapters shown here provide the most reliable and exacting interchange in the industry.


How To Connect Using An Adapter

STEP 1 Relieve trapped pressure in the implement line.

STEP 2 Connect male tip on the implement line into the adapter.

STEP 3 Connect the adapter into the female body.

TO DISCONNECT Reverse the above procedure: first disengage adapter from female body, then male tip from the adapter.




	Part No.	Adapts This Style Of Male Tip	To This Female Body
	4060-4	Pioneer Style	John Deere Old Style
	4065-4	John Deere Old Style	Pioneer Style
	4065-4L	John Deere Old Style	John Deere 50 Series Ford/ISO Pioneer 9250
	4067-4	John Deere Old Style	International Harvester Old Style
	4068-4	John Deere Old Style	J.I. Case Old Style
	4070-4	Pioneer Style	International Harvester Old Style
	4075-4	International Harvester Old Style	Pioneer Style
	4075-4L	International Harvester Old Style	John Deere 50 Series Ford/ISO Pioneer 9250
	4076-4	International Harvester Old Style	John Deere Old Style
	4080-4	Pioneer Style	J.I. Case Old Style
	4085-4	J.I. Case Old Style	Pioneer Style


**Call Central Toll-Free
1-800-444-8666**

All Prices Are Subject To Change Without Notice


Pioneer HYDRAULIC QUICK COUPLERS



4000



4200



8200

4000 Series offers exceptional dependability for demanding hydraulic applications where there is a absence of trapped pressure. Available in sizes from 1/4" to 1/2". Features a tight metal to metal seal.

4100 Series is similar to 4000 series with larger body size and increases flow capacity.

4200 Series is similar to the 4000 series but with double-acting sleeve. This unique sleeve allows easy one-hand connection when coupler is clamp mounted. Push to connect.

5000 Series is an economical coupling for application where uncoupling or recoupling under trapped pressure is a requirement. This is simply done with ordinary wrenches. No remote valving required.

8200 Century II Series lets you couple or uncouple implement or tractor with up to 2000 P.S.I. back pressure. Easy one hand connection when sleeve is clamp mounted. No wrenches needed.

Complete SAE Threads

Coupler Order No.	Have O-Ring Boss	Price Each	Body Half No.	Price Each	Male Tip No.	Price Each	Metal Dust Plug	Metal Dust Cap	Rubber Dust Plug	Rubber Dust Cap	"O" Ring
4000-4	1/2 NPT....	\$36.09	4050-4 ...	\$25.73	8010-4 .	\$10.35	5005-4	5009-4	5205-4	5209-4	16
4000-5	3/4 NPT....	51.73	4050-5	36.34	8010-5 ...	17.09	5005-4	5009-4	5205-4	5209-4	16
4100-5*	3/4 NPT....	100.17	4150-5	70.26	4110-5 ...	33.17	N.A.	N.A.	5205-5	5209-5	215
4000-15	3/4-16 SAE	42.91	4050-15 ...	30.21	8010-15 .	14.11	5005-4	5009-4	5205-4	5209-4	16
4000-16	7/8-14 SAE	49.76	4050-16 ...	34.04	8010-16 .	17.34	5005-4	5009-4	5205-4	5209-4	16
4200-4	1/2 NPT....	36.83	4250-4	26.49	8010-4 ...	10.35	5005-4	5009-4	5205-4	5209-4	16
5000-4	1/2 NPT....	64.69	5050-4	54.94	8010-4 ...	10.35	5005-4	5009-4	5205-4	5209-4	16
8200-4	1/2 NPT....	62.05	8250-4** ..	51.71	8010-4 ...	10.35	5005-4	5009-4	5205-4	5209-4	**
8200-16	7/8-14 ORB	72.63	8250-16 ..	57.66	8010-16 .	17.34	5005-4	5009-4	5205-4	5209-4	16


BREAK-A-WAY Clamps Shown and priced on next page may be used with all couplers except those with an asterisk (*) in the above table.

** 8250-4 Body uses Quad Seal #50005-211-0202



JOHN DEERE COUPLERS AND ADAPTERS


4056-4 Female body for John Deere, 1/2" NPTF (JD #AR98201)	\$40.70
4056-15 ... Female body for John Deere, 3/4"-16 O-Ring Boss (JD #RE15361)	42.12
5060-4 Male tip for John Deere, 1/2" NPTF (JD #RE11447)	15.22
5060-15 ... Male tip for John Deere, 3/4"-16 O-Ring Boss (JD #AR93819 & #AR93820)....	15.52
4060-4 Adapter, Converts standard tips (Pioneer 8010 or comparable) to J.D. female half (JD #AR98201)	34.98
4065-4 Adapter, Converts John Deere style tips to Pioneer style female half	41.29
NOTE --- Can NOT be used with couplers that connect under pressure.	
4067-4 Adapter, Converts Deere style tips to IHC style female half (JD #RE11456)	41.45
4068-4 Adapts a John Deere male tip to a old style Case female body	212.11
4065-4L ... Adapts old style John Deere male tips to 50 series John Deere Tractor (JD #AR98202)	53.90
4075-4L ... Adapts International Harvester male tips to 50 series John Deere Tractor	95.79
(Additional John Deere cross references: 8010-4 - C14618, 8010-15 - AR94522, 4050-4 - C14619)	



INTERNATIONAL COUPLERS AND ADAPTERS

4057-4 International Harvester female body, 1/2" NPTF	49.27
4070-4 Coupler, Converts standard tips (Pioneer 5010, 7010, 8010 or comparable) to International Harvester style female half	38.30
4075-4 Coupler, Converts International Harvester style tips to Pioneer (or other interchangeable) female half	45.31
4076-4 Coupler, Converts International Harvester style tips to John Deere style female half	62.37
5070-4 Male tip for International Harvester, 1/2" NPTF	22.61
5070-16 ... Male tip for International Harvester, 7/8-14 O-Ring Boss (IHC #544787-R91) ...	24.21
5077-4 Male tip for old style International Harvester, 1/2" NPTF	20.05
5077-16 ... Male tip for old style International Harvester, 7/8-14 O-Ring Boss	21.48

Pioneer HYDRAULIC COUPLERS & ADAPTERS



CASE COUPLERS AND CONVERSIONS

4080-4	Adapts Standard tips (Pioneer 5010, 7010, 8010 or comparable) to a Case female half #28542 (Case std. before 1975)	\$47.56
4085-4	Adapts Case tip #A28541 (Case before 1975) to a Pioneer (or any other brand that interchanges with Pioneer) female half	118.81
5080-4	Male tip that completely interchanges with the old style Case tip #A28541. Features new Hi-Flo style poppet valve. Available with 1/2" tapered pipe thread which eliminated the need for a pipe adapter always needed with the old style Case tip	23.45
8010-4	Tip for the new FIEI std. with 1/2" tapered pipe thread. Has Hi-Flo shield around ball check valve. Mates perfectly with all Pioneer bodies and any other competitive body designed to accept the new FIEI std. tip	10.35

ALLIS CHALMERS

SM-502-8FP	Old style Allis Chalmers male tip, 1/2" NPTF (Replaces #4610-4)	18.70
------------------	---	-------

FORD


8010-4P	Ford poppet style male tip, 1/2" NPTF	11.20
---------------	---	-------

MISCELLANEOUS

5011-4	Screw tip for 5050-4 female body	10.40
--------------	--	-------



9500 Series Couplers

The Pioneer 9500 series coupling has become the most widely used lever actuated coupling in the agricultural market. The 9500 series coupling permits connection even when both the tractor and implement levers are pressurized.



No.	Description	Price
9500-4	Kit, 1/2" NPTF	\$297.32
9250-4L	Yellow Body Only, 1/2" NPTF	130.09
9250-4R	Red Body Only, 1/2" NPTF	124.22
9500-16	Kit, 7/8"-14 O-Ring Boss	343.26
9250-16L	Yellow Body Only, 7/8"-14 O-Ring	116.42
9250-16R	Red Body Only, 7/8"-14 O-Ring	116.42
9006-4	Double Break-Away Clamp	30.37
9507-4-1H	Plastic Dust Cover	40.30

* 9500 kit contains the following: 2 #9250 female bodies.
1 #9507-4 automatic dust cover. 1 #9006-4 dbl. breakaway clamp.



BREAK - AWAY CLAMPS


Breakaway Clamps automatically uncouple the hydraulic lines thus preventing damage to any equipment or lines. It makes no difference whether implement is unhitched accidentally or intentionally. For use with female bodies that have 1-1/2" sleeves.

No.	Price
5006-4	Double Break-Away Clamp
5001-4	Single Clamp

NOTE - - - Above break-away clamps may be used with all pioneer couplers except those marked with an (*) asterisk on the preceding page.

DEALER SCHEDULE THIS PAGE.....203

Call 1-800-444-8666



DUST PLUGS - DUST CAPS - O-RINGS

No.	Price
16	O-Ring Seal (Oil Resistant)
50001-215-0010	O-Ring Seal for #4150-5
50001-218-260	O-Ring Seal for #4050-6P
50005-211-0200	Quad Seal for #8250-4

DUST PLUGS	Price
5005-4	Dust Plug, 1/2" (Metal)
5205-2	Dust Plug, 1/4" (Rubber)
5205-3	Dust Plug, 3/8" (Rubber)
5205-4	Dust Plug, 1/2" (Rubber)
5205-5	Dust Plug, 3/4" (Rubber)
5205-6	Dust Plug, 1" (Rubber)

DUST CAPS	Price
5009-4	Dust Cap, 1/2" (Metal)
5209-2	Dust Cap, 1/4" (Rubber)
5209-3	Dust Cap, 3/8" (Rubber)
5209-4	Dust Cap, 1/2" (Rubber)
5209-5	Dust Cap, 3/4" (Rubber)
5209-6	Dust Cap, 1" (Rubber)

Pioneer Poppet Style Quick Couplings

Stop Hydraulic Leakage!

With Poppet Style Quick Couplings

Poppet style valved couplings are ideal for applications where "bubble tight sealing" is desired on a tractor or farm implement to prevent uncoupled leakage of hydraulic fluids.

Features

Poppet valving on both male and female halves. 8010 series poppet male tips meet ASAE #S366, SAE #J1036, and I.S.O. #5675 standard requirements. Steel construction with zinc and yellow chromate finish to help prevent corrosion. Bruna-N Nitrile seals. Connect-Under-Pressure nipples allow connection under residual pressure up to 3000 PSI.


Specifications

1/4" - 1" body sizes. Interchangeable with std. Pioneer 4000 and 4200 Series Ball Valve Couplings. Operating Pressure: 3000 PSI

Typical Applications

Agricultural tractors or various hydraulic-operated implements where uncoupled oil leakage is not acceptable.

Pioneer
The Farmer's Choice



Order No.	Description	Thread	Box Qty.	Price
4000-2P	Complete Coupling	1/4" NPTF	5	\$29.73
4000-3P	Complete Coupling	3/8" NPTF	5	38.98
4000-4P	Complete Coupling	1/2" NPTF	5	36.91
4000-15P	Complete Coupling	3/4"-16 ORB	5	46.83
4000-16P	Complete Coupling	7/8"-14 ORB	5	56.94
4000-6P	Complete Coupling	1" NPTF	5	123.54
4200-3P	Complete Coupling	3/8" NPTF	5	41.51
4200-4P	Complete Coupling	1/2" NPTF	5	40.66
4200-15P	Complete Coupling	3/4"-16 ORB	5	49.10

Nipples

4010-2P	Male Tip	1/4" NPTF	10	9.55
4010-3P	Male Tip	3/8" NPTF	10	12.26
4010-6P	Male Tip	1" NPTF	10	40.89
8010-4P	Male Tip	1/2" NPTF	10	11.20
8010-15P	Male Tip	3/4"-16 ORB	10	15.10
DR10008*	Male Tip (1" Hex)	3/4"-16 ORB	10	10.11
8010-16P	Male Tip	7/8"-14 ORB	10	17.89

Connect-Under-Pressure Nipples

8010-4P-DC	Male Tip	1/2"-14 NPTF	10	25.97
8010-15P-DC	Male Tip	3/4"-16 ORB	10	34.06



Single Acting Sleeve Couplers

4050-2P	Female Half, Single Acting	1/4" NPTF	5	21.15
4050-3P	Female half, Single Acting	3/8" NPTF	5	28.00
4050-4P	Female Half, Single Acting	1/2" NPTF	5	25.73
4050-15P	Female Half, Single Acting	3/4"-16 ORB	5	32.77
4050-16P	Female Half, Single Acting	7/8"-14 ORB	5	40.89
4050-6P	Female Half, Single Acting	1" NPTF	5	86.68

Double Acting Sleeve Couplers

4250-3P	Female Half, Double Acting	3/8" NPTF	5	31.07
4250-4P	Female Half, Double Acting	1/2" NPTF	5	29.47
4250-15P	Female Half, Double Acting	3/4"-16 ORB	5	35.11





* Manufactured to meet the original J.D. dimensional specifications, and has a smaller hex size than a standard Pioneer tip.



Pioneer FEM & FF Non-Spill Couplings

FF & FEM series couplings were designed for the mobile equipment market and are used extensively on skid steer loaders. The non-spill features eliminates hydraulic spillage and air inclusion when connecting or disconnecting hydraulic attachments. FF & FEM series are ideal for many other applications where hydraulic spillage is a concern and global interchangeability with other manufacturers is important.

FF Series Coupler (Original Flush Face Design)



FF Series Nipple (Original Flush Face Design)



Order No.	Body Size	Thread Size	Overall Length	Hex Size	Largest Diameter	Rated Pressure	Price
FF-371-06FP	3/8"	3/8"-18 NPSF	2.39"	1.00"	1.20"	3000 psi	\$72.28
FF-371-08FO	3/8"	3/4"-16 UNF	2.82"	1.06"	1.20"	3000 psi	76.70
FF-371-08FP	3/8"	1/2"-14 NPSF	2.45"	1.06"	1.20"	3000 psi	78.51
FF-501-08FP	1/2"	1/2"-14 NPSF	2.67"	1.37"	1.58"	3000 psi	112.26
FF-501-10FO	1/2"	7/8"-14 ORB	2.86"	1.37"	1.58"	3000 psi	112.45
FF-751-12FO	3/4"	1-1/16"-12 ORB	3.73"	1.75"	1.94"	3000 psi	170.66

FEM Series Coupler (Dimensioned to new ISO Standard)

Order No.	Body Size	Thread Size	Overall Length	Hex Size	Largest Diameter	Rated Pressure	Price
FEM-501-08FO-NL	1/2"	3/4"-16 UNF	2.89"	1.25"	1.54"	3000 psi	\$68.97
FEM-501-08FP-NL	1/2"	1/2"-14 NPSF	2.65"	1.38"	1.58"	3000 psi	84.15
FEM-501-10FO-NL	1/2"	7/8"-14 UNF	3.04"	1.25"	1.58"	3000 psi	76.62
FEM-501-12FO-NL	1/2"	1-1/16"-12 ORB	3.10"	1.38"	1.58"	3000 psi	95.51
FEM-621-12FO-NL	5/8"	1-1/16"-12 ORB	3.67"	1.62"	1.74"	3625 psi	74.38
FEM-751-12FO-NL	3/4"	1-1/16"-12 ORB	3.95"	46 MM	1.97"	3625 psi	130.77

FEM Series Nipple (Dimensioned to new ISO Standard)

Order No.	Body Size	Thread Size	Overall Length	Exposed Length	Hex Size	Largest Diameter	Rated Pressure	Price
FEM-502-08FO	1/2"	3/4"-16 UNF	2.77"	1.96"	1.25"	1.50"	3000 psi	\$41.32
FEM-502-08FP	1/2"	1/2"-14 NPSF	2.77"	1.96"	1.25"	1.38"	3000 psi	41.09
FEM-502-10FO	1/2"	7/8"-14 UNF	2.85"	1.96"	1.38"	1.50"	3000 psi	38.64
FEM-502-12FO	1/2"	1-1/16"-12 ORB	3.05"	2.20"	1.38"	1.50"	3000 psi	41.04
FEM-622-12FO	5/8"	1-1/16"-12 ORB	3.40"	2.60"	1.50"	1.65"	3000 psi	60.74
FEM-752-12FO	3/4"	1-1/16"-12 ORB	3.38"	2.64"	46 MM	1.97"	3000 psi	75.70



Note: Protective dust plugs and caps play a crucial role in the life of a quick coupling and no purchase of a hydraulic quick coupling is complete without the selection of an appropriate dust plug and cap.

ADAPTERS

Order No. Description

EAS-500	1/2" Adapts FEM Series Male to 6600 Series Female	3.364" ... 1.380" ... 1.50" ...	\$170.21
SAE-500	Adapts 6600 Series Male to FEM Series Female	3.000" ... 1.250" ... 1.48" ...	213.17

DUST PLUGS

No.	Description	Price
FR-501	FEM/FF Series Dust Plug, 1/2"	\$3.92
FR-751	FF Series Dust Plug, 3/4"	12.83

DUST CAPS

No.	Description	Price
FER-502	FEM/FR Series Dust Cap, 1/2"	\$4.82

Pioneer	Faster	Holmbury	Safeway	Melroe	Gehl	Deere	Case	New Holland	Mustang
FEM-501-08FP-NL	2FFJ12NPTF	FIMC38-NPT-1/2-F						86537647	
FEM-501-12FO-NL	2FFJ12-0/34SAEF	FIMC38-SAE-3/4-F	6667807	122846	X			86537659	X
FEM-621-12FO-NL								86537745	
FEM-502-08FP	2FFJ12NPTM	FIMC38-NPT-1/2-M						86537660	
FEM-502-12FO	2FFJ12-0/34SAEM	FIMC38-SAE-3/4-M	6667808	122845	X			86537658	X
FEM-622-12FO								86537746	
FF-501-10FO								143431A1	
FF-751-12FO								122179A1	
FF-502-10FP								122180A1	
FF-752-12FP								122178A1	
FE-501-10FO								390749A1	
EAS-500		FBIR806							
SAE-500		FBIR807							

PIONEER QUICK COUPLING KITS

9500-4 Kit

Contains 9200 Series couplings and accessories.

For connect and disconnect at zero pressure, even with pressurized lines.

9500 kit contains: (2) 9250 female bodies, (1) 9507-4-1H automatic dust covers, (1) 9006-4 double breakaway clamp

Kit No.	Description	Price
9500-4	Lever Coupler Kit, 1/2" NPTF	\$297.32



8500-4 Kit

Contains 8200 Series couplings and accessories.

For connections having pressure on either tractor side of implement lines, or both.

8500 Kit contains: (2) 8250-4 female bodies, (2) 8010-4 male tips, (1) 5006-4 clamp, (2) 5209-4M dust caps, (2) 5205-4M dust plugs

Kit No.	Description	Price
8500-4	Break Away Kit, 1/2" NPTF	\$156.32



8700 Series ISO Conversion Kit

~~NEW~~
OF 571

Upgrade International Harvester tractors to accept ISO male tips models 1971 to 1983.

Converts lever style tractors to accept ISO Interchange male tips
Easy push/pull connect and disconnection

Reduced pressure drop—longer system life

Simple fast Installation

Patented dust cap keeps dust and dirt out.

Kit No.	Description	Price
8700	ISO Conversion Kit	\$206.52



DR10010 Kit (JD #RE206778)

Converts J.D. 4000 series for use with ISO 5675 Pioneer style tips.

Eliminates the need for adapters.

Easy push/pull operation

Reduced pressure drop for longer system life

Simple and fast installation

Chromium 6 Free plating for excellent corrosion resistance.




Kit No.	Description	Price
DR10010	JD RE206778 Conversion Kit	\$175.97


Dealer Schedule.....203

HYDRAULIC MULTIPLIERS

Turn One Hydraulic Outlet Into Two or Three



Two circuit shown with couplers



Works on all makes....

of hydraulic systems, open, closed and PFC, as well as single and double acting circuits. They can be used with most types of hydraulic machinery, not just tractors. Operating Pressure - 3000 PSI, Flow - 0 to 15 GPM

Electrohydraulic Valves

provide the operator hands on control from cab. The circuit multiplier valve plugs directly into an existing remote outlet, turning one outlet into two. Eccentric fittings allow adjustment of male tips for different makes and models, or mounting holes in the manifold allow easy implement mounting.

Switchbox allows for simultaneous operation of circuits. Includes weatherproof enclosure with mounting bracket. Simple wiring harness included.

Installations are quick and easy, taking less than one hour.

No.	Description	Wt.	Price
HM-14790	Two Circuit w/Couplers 12V DC	11.5	\$514.50
HM-12370	Three Circuit w/Couplers 12V DC	16.5	711.35
HM-14791	Two Circuit W/J.D. Couplers	11.5	542.65
HM-18550	Two Circuit w/o Couplers 12V DC	8.5	466.50
HM-16930	Three Circuit w/o Couplers 12V DC	12.5	664.50
HM-653012	Solenoid Coil, 12V		60.00
HM-674001	Seal Kit		13.50
HM-610180	Eccentric Fitting		39.35

Dealer Schedule.....152

Couplamatic Swage Hydraulic Hose Couplings

FOR 3/8" I.D. HOSE




Part No.	Fits O.D.	Hose Size	Ferrule Size	Thread Size	Type	Price
601	13/16 ..	27	1/4"	1/4"-16	Pipe Solid Male	\$4.85
603	3/4	25	3/8"	3/8"-16	Pipe Solid Male	4.40
604	13/16 ..	27	3/8"	3/8"-16	Pipe Solid Male	4.40


FOR 3/8" I.D. HOSE



Part No.	Fits O.D.	Hose Size	Ferrule Size	Thread Size	Type	Price
630	3/4	25	3/4"	3/4"-16	JIC 37 Swivel Fe.	\$6.05
632	7/8	29	3/4"	3/4"-16	JIC 37 Swivel Fe.	6.05



609	3/4	25	3/8" Pipe	Swivel Male	\$6.95
610	13/16 ..	27	3/8" Pipe	Swivel Male	6.95
611	7/8	29	3/8" Pipe	Swivel Male	6.95
652	13/16 ..	27	1/2" Pipe	Swivel Male	8.62




619	13/16 ..	27	9/16"-18 JIC 37	Solid Male	\$5.22
621	3/4	25	3/4"-16 JIC 37	Solid Male	5.46
622	13/16 ..	27	3/4"-16 JIC 37	Solid Male	5.46
623	7/8	29	3/4"-16 JIC 37	Solid Male	5.46

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Dealer Schedule.....405

639	3/4	25 ...	*3/4"-16 O-Ring	Solid Male	\$6.00
640	13/16 ..	27 ...	*3/4"-16 O-Ring	Solid Male	6.00
641	7/8	29 ...	*3/4"-16 O-Ring	Solid Male	6.00




645	3/4	25 ...	*3/4"-16 O-Ring	Swivel Male	\$7.80
646	13/16 ..	27 ...	*3/4"-16 O-Ring	Swivel Male	7.80

*Special for John Deere (Furnished with O-Ring).

NOTE: All couplings on this page can be used on hose
1/32" larger or 1/32" smaller than O.D. shown.

We Ship
Over 95%
Of Our Orders
The Same Day!

Clamp Type Hydraulic Couplings



REUSABLE CLAMP TYPE COUPLINGS (COMPLETE)


No.	Hose I.D.	IPT Male	Price
604C	3/8"	3/8"	\$11.50
1204C	3/4"	3/4"	21.69

Dealer Schedule.....405

Couplamatic Continued On Next Page


Couplamatic Swage Hydraulic Hose Couplings

FOR 1/2" I.D. HOSE




Part No.	Fits		Hose O.D.	Fer-rule ***	Thread Size	Type	Price
	Size	Size					
800	7/8	29	3/8" Pipe	Solid Male	\$5.63		
801	15/16 ..	31	3/8" Pipe	Solid Male	5.63		
802	1	33	3/8" Pipe	Solid Male	5.63		

FOR 1/2" I.D. HOSE




Part No.	Fits		Hose O.D.	Fer-rule ***	Thread Size	Type	Price
	Size	Size					
824	7/8	29	3/4"-16 JIC 37	Swivel Fe.	\$7.00		
825	15/16 ..	31	3/4"-16 JIC 37	Swivel Fe.	7.00		



803	7/8	29	1/2" Pipe	Solid Male	\$5.14
805	1	33	1/2" Pipe	Solid Male	5.14



827	7/8	29	7/8"-14 JIC 37	Swivel Fe.	\$7.15
829	1	33	7/8"-14 JIC 37	Swivel Fe.	7.15




809	7/8	29	1/2" Pipe	Swivel Male	\$8.17
810	15/16 ..	31	1/2" Pipe	Swivel Male	8.17
811	1	33	1/2" Pipe	Swivel Male	8.17



830	7/8	29 ...	*3/4"-16 O-Ring	Solid Male	\$6.03
831	15/16 ..	31 ...	*3/4"-16 O-Ring	Solid Male	6.03
832	1	33 ...	*3/4"-16 O-Ring	Solid Male	6.03




816	15/16 ..	31	3/4"-16 JIC 37	Solid Male	\$6.23
818	7/8	29	7/8"-14 JIC 37	Solid Male	6.77
819	15/16 ..	31	7/8"-14 JIC 37	Solid Male	6.77
820	1	33	7/8"-14 JIC 37	Solid Male	6.77



833	7/8	29 ...	**7/8"-14 O-Ring ...	Solid Male	\$7.82
834	15/16 ..	31 ...	**7/8"-14 O-Ring ...	Solid Male	7.82

FOR 1/4" I.D. HOSE



Part No.	Fits		Hose O.D.	Fer-rule ***	Thread Size	Type	Price
	Size	Size					
401	5/8	21	1/8" Pipe	Solid Male	\$4.25		
404	5/8	21	1/4" Pipe	Solid Male	4.20		
407	5/8	21	1/4" Pipe	Swivel Male	6.66		
416	5/8	21	3/8" Pipe	Solid Male	4.75		
419	5/8	21 ...	7/16"-20 JIC 37	Solid Male	4.70		

*Special for John Deere (Furnished with O-Ring).

**Special for IHC (Furnished with O-Ring).

***All couplings on this page can be used on hose 1/32" larger or 1/32" smaller than O.D. shown.

DEALER SCHEDULE THIS PAGE.....405

Call Toll-Free 1-800-444-8666

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

VARI-CRIMP System

Vari-Crimp Data Charts for Crimping with HH09

Hose Description	Hose I.D.	HH09 Gauge Setting	HH09 DIE Set	Vari-Crimp Coupling Placement	Coupling Crimp O.D.
One Wire Braided 100R1 AT (Thin Cover) and AgTrac 2500	3/16"	32	450	.500 Below Flush	.530
	1/4"	30	450	Flush	.560
	3/8"	31	650	Flush	.745
	1/2"	21	650	Flush	.875
	5/8"	24	.950	Flush	1.125
	1"	34	1.400	Flush	1.490
Two Wire Braided 100R2 AT (Thin Cover)	3/16"	28	450	500 Below Flush	.575
	1/4"	23	450	Flush	.625
	3/8"	26	650	Flush	.788
	1/2"	19	650	Flush	.905
	5/8"	29	.950	Flush	1.050
	3/4"	15	950	Flush	1.215
FarmTrac 2500 Thermoplastic Hydraulic Hose (2500 P.S.I. W.P.)	1"	32	1.400	Flush	1.500
	3/8"	32	.650	Flush	.750
	1/2"	21	.650	Flush	.906

Machinery Data: House of Hose, Imperial-Eastman, Weatherhead, Gates

Hose Description	Hose I.D.	HH09 Gauge Setting	HH09 DIE Set	Vari-Crimp Coupling Placement	Coupling Crimp O.D.
Two Rayon Braided 100R3	1/4"	25	.450	Flush	.610
	3/8"	26	.650	Flush	.785
	1/2"	15	.650	Flush	.940
	3/4"	13	.950	Flush	1.235
	1"	28	1.400	Flush	1.525
Hydraulic Suction 100R4	3/4"	10	.950	Flush	1.230
	1"	28	1.400	Flush	1.520
Freon Hose Two Braid	5/16" (#6)	30	.650	1/4" below flush	.750
	13/32" (#8)	20	.650	1/4" below flush	.890
	1/2" (#10)	34	.950	1/4" below flush	1.000
	5/8" (#12)	24	.950	1/4" below flush	1.140

Vari-Crimp Data Charts for Crimping with Imperial-Eastman and Weatherhead Machinery

Crimp data for a Vari-Crimp Coupling on an Imperial-Eastman Crimping Machine.						
Hose Description	Hose I.D.	K-20		All Others		K-20 & All Others Coupling Placement
		Gauge Setting	Die Set	Gauge Setting	Die Set	
One Wire Braided SAE 100R1 AT (Thin Cover)	1/4"	.30	.450	69	.500	Flush
	3/8"	31	.650	56	.500	Flush
	1/2"	21	.650	46	.500	Flush
	5/8"	34	.950	38	.500	Flush
	3/4"	24	.950	70	1.050	Flush
	1"	34	1.400	46	1.050	Flush
Two Wire Braided SAE 100R2 AT (Thin Cover)	1-1/4"	14	1.500	—	—	5/16" Below Flush
	1/4"	23	.450	64	.500	Flush
	3/8"	26	.650	52	.500	Flush
	1/2"	19	.650	44	.500	Flush
	5/8"	29	.950	35	.500	Flush
	3/4"	20	.950	66	1.050	Flush
	1"	32	1.400	44	1.050	Flush
	1-1/4"	—	—	—	—	—


Crimp data for a Vari-Crimp Coupling on a Weatherhead T-400 Crimping Machine.

Ring Number

Black (T-400-10) Silver (T-400-11)

Counter-bore Side Up	Flat Side Up	Counter-bore Side Up	Flat Side Up
1/4"		1/4"	
3/8"		3/8"	
1/2"		1/2"	
5/8"		5/8"	
3/4"		3/4"	
1"		1"	
1-1/4"		1-1/4"	


Typical Weatherhead spacer ring illustrating both sides of the ring.



NOTE: No changes have been made in the manufacturers recommended crimp settings.

Vari-Crimp Data Charts for Crimping with Gates Power Crimp 601

Hose Description	Hose I.D.	Approximate Gauge Setting	DIE Set	Coupling Placement	Coupling Crimp O.D.
One Wire Braided 100R1 AT (Thin Cover)	1/4"	3	No. 02	1/4" Below Flush	.560
	3/8"	1-3/4	No. 2	3/8" Below Flush	.745
	1/2"	1-1/2	No. 3	5/16" Below Flush	.875
	5/8"	5-1/2	No. 3	3/16" Below Flush	1.000
	3/4"	1-1/2	No. 5	Flush With Die	1.125
	1"	7	No. 6	3/16" Below Flush	1.490
Two Wire Braided 100R2 AT (Thin Cover)	1/4"	1	No. 1	1/4" Below Flush	.615
	3/8"	3	No. 2	3/8" Below Flush	.788
	1/2"	2-1/2	No. 3	5/16" Below Flush	.905
	5/8"	7	No. 3	3/16" Below Flush	1.050
	3/4"	3	No. 5	Flush With Die	1.180
	1"	1	No. 8	3/16" Below Flush	1.500



Before crimping, adjust Depth Stop up or down to establish the correct distance between the top surfaces of the die fingers and the top edges of the ferrule using the depth gauge available for Vari-Crimp Couplings. To determine the correct dimensions refer to the "Couplings Placement" column in the crimp chart.


On the one inch I.D. hose it is necessary to remove the depth stop gauge from the machine to avoid damage to it. If it is not removed, it may be bent in the crimping process. When crimping all couplings, make sure that the nut on the depth stop gauge is turned all the way up so that there is spring action in the depth gauge.

**Call Toll-Free
1-800-444-8666**

Couplamatic VARI-CRIMP HYDRAULIC HOSE ENDS


For House of Hose, Weatherhead, Imperial-Eastman & Gates Crimp Machines. For Thin Cover Hose Only.

IPT SOLID MALE



Order No.	Old No.	Hose I.D.	Pipe Size	Thread Size	Price
CS01-04-02	400V	1/4"	1/8"	1/8"-27	\$5.00
CS01-04-04	403V	1/4"	1/4"	1/4"-18	5.15
CS01-04-06	415V	1/4"	3/8"	3/8"-18	5.85
CS01-04-08	439V	1/4"	1/2"	1/2"-14	9.30
CS01-06-04	600V	3/8"	1/4"	1/4"-18	5.85
CS01-06-06	603V	3/8"	3/8"	3/8"-18	6.85
CS01-06-08	615V	3/8"	1/2"	1/2"-14	6.85
CS01-08-06	800V	1/2"	3/8"	3/8"-18	7.00
CS01-08-08	803V	1/2"	1/2"	1/2"-14	6.60
CS01-08-12	854V	1/2"	3/4"	3/4"-14	11.60
CS01-12-08	1200V	3/4"	1/2"	1/2"-14	15.25
CS01-12-12	1203V	3/4"	3/4"	3/4"-14	11.85
CS01-16-16	1600V	1"	1"	1"-11-1/2	16.85

IPT SWIVEL FEMALE



CS05-04-04	409V	1/4"	1/4"	1/4"-18	\$7.85
CS05-06-06	606V	3/8"	3/8"	3/8"-18	9.30
CS05-06-08	648V	3/8"	1/2"	1/2"-14	12.70
CS05-08-08	806V	1/2"	1/2"	1/2"-14	14.50
CS05-12-12	1206V	3/4"	3/4"	3/4"-14	20.00
CS05-16-16	1606V	1"	1"	1"-11-1/2	29.45

IPT SOLID FEMALE




CS02-04-04	412V	1/4"	1/4"	1/4"-18	\$8.00
CS02-06-06	612V	3/8"	3/8"	3/8"-18	9.00
CS02-08-08	812V	1/2"	1/2"	1/2"-14	10.35

IPT SWIVEL MALE



CS04-04-04	406V	1/4"	1/4"	1/4"-18	\$9.05
CS04-06-04	666V	3/8"	1/4"	1/4"-18	10.50
CS04-06-06	609V	3/8"	3/8"	3/8"-18	9.15
CS04-06-08	651V	3/8"	1/2"	1/2"-14	11.00
CS04-08-08	809V	1/2"	1/2"	1/2"-14	10.60
CS04-12-12	1209V	3/4"	3/4"	3/4"-14	17.70
CS04-16-16	1609V	1"	1"	1"-11-1/2	29.75


90° IPT SWIVEL MALE



CS14-04-04	4206V	1/4"	1/4"	1/4"-18	\$18.40
CS14-06-06	6209V	3/8"	3/8"	3/8"-18	22.00
CS14-06-08	6251V	3/8"	1/2"	1/2"-14	25.45
CS14-08-08	8209V	1/2"	1/2"	1/2"-14	24.85


DEALER SCHEDULE THIS PAGE.....405

JIC 37° SOLID MALE




Order No.	Old No.	Hose I.D.	Thread Size	Tube O.D.	Price
CS08-04-04	418V	1/4"	7/16"-20	1/4"	\$6.05
CS08-04-05	421V	1/4"	1/2"-20	5/16"	6.15
CS08-04-06	430V	1/4"	9/16"-18	3/8"	6.70
CS08-06-06	618V	3/8"	9/16"-18	3/8"	6.75
CS08-06-08	621V	3/8"	3/4"-16	1/2"	7.00
CS08-06-10	669V	3/8"	7/8"-14	5/8"	10.30
CS08-08-08	815V	1/2"	3/4"-16	1/2"	8.00
CS08-08-10	818V	1/2"	7/8"-14	5/8"	8.75
CS08-08-12	848V	1/2"	1-1/16"-12	3/4"	12.75
CS08-12-10	1218V	3/4"	7/8"-14	5/8"	24.00
CS08-12-12	1215V	3/4"	1-1/16"-12	3/4"	12.70
CS08-12-14	1260V	3/4"	1-3/16"-12	7/8"	17.55
CS08-12-16	1233V	3/4"	1-5/16"-12	1"	18.20
CS08-16-16	1612V	1"	1-5/16"-12	1"	20.75

JIC 37° SWIVEL FEMALE




CS09-04-04	424V	1/4"	7/16"-20	1/4"	\$6.30
CS09-04-05	427V	1/4"	1/2"-20	5/16"	6.60
CS09-04-06	433V	1/4"	9/16"-18	3/8"	6.45
CS09-06-06	627V	3/8"	9/16"-18	3/8"	6.90
CS09-06-08	630V	3/8"	3/4"-16	1/2"	7.30
CS09-06-10	657V	3/8"	7/8"-14	5/8"	10.05
CS09-08-08	824V	1/2"	3/4"-16	1/2"	9.15
CS09-08-10	827V	1/2"	7/8"-14	5/8"	9.50
CS09-08-12	845V	1/2"	1-1/16"-12	3/4"	16.15
CS09-12-10	1230V	3/4"	7/8"-14	5/8"	18.85
CS09-12-12	1221V	3/4"	1-1/16"-12	3/4"	14.85
CS09-12-14	1245V	3/4"	1-3/16"-12	7/8"	22.20
CS09-12-16	1236V	3/4"	1-5/16"-12	1"	21.60
CS09-16-16	1618V	1"	1-5/16"-12	1"	22.45

SAE 45° SWIVEL FEMALE



CS07-06-06	633V	3/8"	5/8"-18	3/8"	\$7.45
-----------------	------------	------	---------------	------	--------

SAE 45° SOLID MALE




CS06-06-06	624V	3/8"	5/8"-18	3/8"	\$8.00
-----------------	------------	------	---------------	------	--------

O-RING SOLID MALE



CS11-06-06	636V	3/8"	9/16"-18	3/8"	\$8.75
CS11-06-08	639V	3/8"	3/4"-16	1/2"	7.75
CS11-06-10	642V	3/8"	7/8"-14	5/8"	12.70
CS11-08-08	830V	1/2"	3/4"-16	1/2"	7.70
CS11-08-10	833V	1/2"	7/8"-14	5/8"	10.05
CS11-08-12	860V	1/2"	1-1/16"-12	3/4"	14.85
CS11-12-12	1227V	3/4"	1-1/16"-12	3/4"	15.95
CS11-16-16	1630V	1"	1-5/16"-12	1"	28.50



O-RING SWIVEL MALE




CS12-06-08	645V	3/8"	3/4"-16	1/2"	\$11.75
CS12-08-08	836V	1/2"	3/4"-16	1/2"	12.30
CS12-08-10	839V	1/2"	7/8"-14	5/8"	12.85

Couplamatic VARI-CRIMP HYDRAULIC HOSE ENDS


For House of Hose, Weatherhead, Imperial-Eastman & Gates Crimp Machines. For Thin Cover Hose Only.

**45° BEND
INVERTED FLARE****45° BEND JIC
SWIVEL FEMALE**

Order No.	Old No.	Hose I.D.	Thread Size	Tube O.D.	Drop Inches	Price
CS19-04-04 ...	4109V	1/4"	7/16"-24	1/4"	0.948	\$14.30
CS19-06-06 ...	6139V	3/8"	5/8"-18	3/8"	1.016	15.60
CS19-08-08 ...	8112V	1/2"	3/4"-18	1/2"	1.154	19.45

**90° BEND JIC
SWIVEL FEMALE**

Order No.	Old No.	Hose I.D.	Thread Size	Tube O.D.	Drop Inches	Price
CS26-04-04 ...	4130V	1/4"	7/16"-20	1/4"	1.453	\$16.00
CS26-04-05 ...	4157V	1/4"	1/2"-20	5/16"	1.540	17.30
CS26-04-06 ...	4160V	1/4"	9/16"-18	3/8"	1.125	17.00
CS26-06-05 ...	6133V	3/8"	1/2"-20	5/16"	1.540	16.75
CS26-06-06 ...	6160V	3/8"	9/16"-18	3/8"	1.822	16.05
CS26-06-08 ...	6163V	3/8"	3/4"-16	1/2"	1.375	19.15
CS26-08-08 ...	8133V	1/2"	3/4"-16	1/2"	1.945	19.75
CS26-08-10 ...	8160V	1/2"	7/8"-14	5/8"	1.625	23.60
CS27-08-10 ...	8166V	1/2"	7/8"-14	5/8"	2.750	22.15
CS26-12-12 ...	12651V	3/4"	1-1/16"-12	3/4"	1.880	33.45

90° O-RING SWIVEL MALE

Order No.	Old No.	Hose I.D.	Thread Size	Tube O.D.	Price
CS15-06-08 ...	6245V	3/8"	3/4"-16	1/2"	\$23.70
CS15-08-08 ...	8236V	1/2"	3/4"-16	1/2"	26.60
CS15-08-10 ...	8239V	1/2"	7/8"-14	5/8"	27.60

Centralize With Central**Order Online at****CentralSupplyandRubber.com****STRAIGHT SAE SWIVEL FEMALE**

Part No.	Hose I.D.	Thread Size	Tube O.D.	Price
8118V	1/2"	3/4"-16	1/2"	\$12.86


STRAIGHT JIC SWIVEL FEMALE

Part No.	Hose I.D.	Thread Size	Tube O.D.	Price
4124V	1/4"	7/16"-20	1/4"	\$15.00
6127V	3/8"	1/2"-20	5/16"	17.30

HOSE SPLICER COUPLING

Order No.	No.	I.D.	Price
CS13-04-04	44SV	1/4"	\$13.30
CS13-06-06	66SV	3/8"	13.60
CS13-08-08	88SV	1/2"	16.45

DEALER SCHEDULE THIS PAGE.....405

90° BEND INVERTED FLARE**90° BEND
INVERTED FLARE**

Order No.	Old No.	Hose I.D.	Thread Size	Tube O.D.	Drop Inches	Price
CS20-04-04 ...	4112V	1/4"	7/16"-24	1/4"	1.691	\$14.65
CS20-04-05 ...	4139V	1/4"	1/2"-20	5/16"	1.962	15.75
CS20-06-05 ...	6111V	3/8"	1/2"-20	5/16"	1.962	15.70
CS20-06-06 ...	6142V	3/8"	5/8"-18	3/8"	1.909	16.00
CS20-08-10 ...	8142V	1/2"	7/8"-14	5/8"	1.750	23.60

STRAIGHT INVERTED FLARE

Order No.	Old No.	Hose I.D.	Thread Size	Tube O.D.	Price
CS18-04-04 ...	4106V	1/4"	7/16"-24	1/4"	\$13.00
CS18-04-05 ...	4133V	1/4"	1/2"-20	5/16"	13.45
CS18-06-05 ...	6109V	3/8"	1/2"-20	5/16"	14.30
CS18-06-06 ...	6136V	3/8"	5/8"-18	3/8"	14.30
CS18-08-08 ...	8109V	1/2"	3/4"-18	1/2"	17.15

TUBE REPAIR

Order No.	No.	I.D.	Size	O.D.	Price
CS28-04-04 ...	4100V	1/4"	7/16"-20	1/4"	\$10.05
CS28-04-05 ...	4103V	1/4"	1/2"-20	5/16"	11.90
CS28-06-05 ...	6103V	3/8"	1/2"-20	5/16"	11.30
CS28-06-06 ...	6106V	3/8"	9/16"-18	3/8"	10.60
CS28-06-08 ...	6800V	3/8"	3/4"-16	1/2"	18.05
CS28-08-08 ...	8103V	1/2"	3/4"-16	1/2"	12.40
CS28-08-10 ...	8106V	1/2"	7/8"-14	5/8"	16.45


Couplamatic VARI-CRIMP HYDRAULIC HOSE ENDS

For House of Hose, Weatherhead, Imperial-Eastman & Gates Crimp Machines. For Thin Cover Hose Only.

**STRAIGHT
O-RING FACE SEAL
SOLID MALE**




**45° BEND
O-RING FACE SEAL
SWIVEL FEMALE**



Order No.	Hose Old No.	Thread I.D.	Tube Size	Tube O.D.	Price
CS29-04-04 ... 04E64V 1/4"	9/16"-18	1/4" \$10.32	
CS29-06-06 ... 06E66V 3/8"	11/16"-16	3/8" 10.97	
CS29-06-08 ... 06E68V 3/8"	13/16"-16	1/2" 16.61	
CS29-08-08 ... 08E68V 1/2"	13/16"-16	1/2" 12.89	
CS29-08-10 ... 08E70V 1/2"	1"-14	5/8" 16.67	
CS29-08-12 ... 08E72V 1/2"	1-3/16"-12	3/4" 51.21	
CS29-10-10 ... 10E70V 5/8"	1"-14	5/8" 21.23	
CS29-10-12 ... 10E72V 5/8"	1-3/16"-12	3/4" 29.77	
CS29-12-12 ... 12E72V 3/4"	1-3/16"-12	3/4" 26.01	
CS29-16-16 ... 16E76V 1"	1-7/16"-12	1" 50.82	

**STRAIGHT
O-RING FACE SEAL
SWIVEL FEMALE**



Order No.	Hose Old No.	Thread I.D.	Tube Size	Tube O.D.	Price
CS30-04-04 ... 04S64V 1/4"	9/16"-18	1/4" \$12.97	
CS30-04-06 ... 04S66V 1/4"	11/16"-16	3/8" 13.49	
CS30-04-08 ... 04S68V 1/4"	13/16"-16	1/2" 18.07	
CS30-06-04 ... 06S64V 3/8"	9/16"-18	1/4" 15.97	
CS30-06-06 ... 06S66V 3/8"	11/16"-16	3/8" 12.54	
CS30-06-08 ... 06S68V 3/8"	13/16"-16	1/2" 13.63	
CS30-08-06 ... 08S66V 1/2"	11/16"-16	3/8" 16.61	
CS30-08-08 ... 08S68V 1/2"	13/16"-16	1/2" 15.42	
CS30-08-10 ... 08S70V 1/2"	1"-14	5/8" 18.76	
CS30-08-12 ... 08S72V 1/2"	1-3/16"-12	3/4" 28.33	
CS30-10-10 ... 10S70V 5/8"	1"-14	5/8" 21.45	
CS30-10-12 ... 10S72V 5/8"	1-3/16"-12	3/4" 27.41	
CS30-12-10 ... 12S70V 3/4"	1"-14	5/8" 26.50	
CS30-12-12 ... 12S72V 3/4"	1-3/16"-12	3/4" 27.76	
CS30-12-16 ... 12S76V 3/4"	1-7/16"-12	1" 31.28	
CS30-16-16 ... 16S76V 1"	1-7/16"-12	1" 42.48	
CS30-20-20 ... 20S80V 1-1/4"	1-11/16"-12	1-1/4" 66.00	

DEALER SCHEDULE THIS PAGE... 405

Centralize with Central

CALL TOLL-FREE

1-800-444-8666

Order No.	Hose Old No.	Thread I.D.	Tube Size	Tube O.D.	Drop Inches	Price
CS31-04-04 ... 04L64V 1/4"	9/16"-18	1/4" 0.41	.. \$18.54	
CS31-04-06 ... 04L66V 1/4"	11/16"-16	3/8" 0.43 18.45	
CS31-06-06 ... 06L66V 3/8"	11/16"-16	3/8" 0.43 19.06	
CS31-06-08 ... 06L68V 3/8"	13/16"-16	1/2" 0.60 22.32	
CS31-08-06 ... 08L66V 1/2"	11/16"-16	3/8" 0.43 25.90	
CS31-08-08 ... 08L68V 1/2"	13/16"-16	1/2" 0.59 22.32	
CS31-08-10 ... 08L70V 1/2"	1"-14	5/8" 0.68 25.84	
CS31-10-10 ... 10L70V 5/8"	1"-14	5/8" 0.68 27.34	
CS31-10-12 ... 10L72V 5/8"	1-3/16"-12	3/4" 0.83 33.63	
CS31-12-10 ... 12L70V 3/4"	1"-14	5/8" 0.68 42.59	
CS31-12-12 ... 12L72V 3/4"	1-3/16"-12	3/4" 0.83 35.10	
CS31-12-16 ... 12L76V 3/4"	1-7/16"-12	1" 1.15 60.76	
CS31-16-16 ... 16L76V 1"	1-7/16"-12	1" 1.15 50.63	
CS31-20-20 ... 20L80V 1-1/4"	1-11/16"-12	1-1/4" 1.07 115.20	


**At
Central Supply
We Ship
Over 95%
of our Orders
The
Same
Day!**

NEW PRICES AS OF 10/10/2020


Couplamatic VARI-CRIMP HYDRAULIC HOSE ENDS

For House of Hose, Weatherhead, Imperial-Eastman & Gates Crimp Machines. For Thin Cover Hose Only.

**90° BEND
O-RING FACE SEAL
SWIVEL FEMALE
Medium Drop**



**90° BEND
O-RING FACE SEAL
SWIVEL FEMALE**



Order No.	Hose Old No.	Thread I.D.	Tube Size	Drop O.D. Inches	Price
CS34-04-04 ..	04J34V ..	1/4"	9/16"-18	1/4" .. 1.26 ..	\$20.38
CS34-06-06 ..	06J36V ..	3/8"	11/16"-16	3/8" .. 1.51 ..	23.07
CS34-06-08 ..	06J38V ..	3/8"	13/16"-16	1/2" .. 1.62 ..	26.87
CS34-08-06 ..	08J36V ..	1/2"	11/16"-16	3/8" .. 1.51 ..	35.19
CS34-08-08 ..	08J38V ..	1/2"	13/16"-16	1/2" .. 1.62 ..	28.70
CS34-12-12 ..	12J42V ..	3/4"	1-3/16"-12	3/4" .. 2.28 ..	42.59
CS34-16-16 ..	16J46V ..	1"	1-7/16"-12	1" .. 2.78 ..	63.85
CS34-20-20 ..	20J50V ..	1-1/4"	1-11/16"-12 .. 1-1/4"	.. 3.09 ..	115.20

DEALER SCHEDULE THIS PAGE.....405

Centralize
your parts orders with
Central Supply


Order Via Fax Toll-Free:

1-800-342-7252

You Can *Rely On*
Central Supply
Order Online at
centralSupplyAndRubber.com

Order No.	Hose Old No.	Thread I.D.	Tube Size	Drop O.D. Inches	Price
CS32-04-04 ..	04A24V ..	1/4"	9/16"-18	1/4" .. 0.78 ..	\$17.18
CS32-04-06 ..	04A26V ..	1/4"	11/16"-16	3/8" .. 0.90 ..	19.03
CS32-06-04 ..	06A24V ..	3/8"	9/16"-18	1/4" .. 0.78 ..	22.62
CS32-06-06 ..	06A26V ..	3/8"	11/16"-16	3/8" .. 0.90 ..	19.61
CS32-06-08 ..	06A28V ..	3/8"	13/16"-16	1/2" .. 1.15 ..	20.58
CS32-08-06 ..	08A26V ..	1/2"	11/16"-16	3/8" .. 0.90 ..	20.28
CS32-08-08 ..	08A28V ..	1/2"	13/16"-16	1/2" .. 1.15 ..	22.64
CS32-08-10 ..	08A30V ..	1/2"	1"-14	5/8" .. 1.27 ..	24.35
CS32-10-10 ..	10A30V ..	5/8"	1"-14	5/8" .. 1.27 ..	26.87
CS32-10-12 ..	10A32V ..	5/8"	1-3/16"-12	3/4" .. 1.88 ..	32.65
CS32-12-10 ..	12A30V ..	3/4"	1"-14	5/8" .. 1.27 ..	42.59
CS32-12-12 ..	12A32V ..	3/4"	1-3/16"-12	3/4" .. 1.88 ..	34.64
CS32-12-16 ..	12A36V ..	3/4"	1-7/16"-12	1" .. 2.20 ..	63.84
CS32-16-16 ..	16A36V ..	1"	1-7/16"-12	1" .. 2.20 ..	53.19
CS32-20-20 ..	20A40V ..	1-1/4"	1-11/16"-12 .. 1-1/4"	.. 2.51 ..	117.05

**90° BEND
O-RING FACE SEAL
SWIVEL FEMALE
Long Drop**



Order No.	Hose Old No.	Thread I.D.	Tube Size	Drop O.D. Inches	Price
CS33-04-04 ..	04A64V ..	1/4"	9/16"-18	1/4" .. 1.80 ..	\$18.47
CS33-04-06 ..	04A66V ..	1/4"	11/16"-16	3/8" .. 2.13 ..	19.46
CS33-06-06 ..	06A66V ..	3/8"	11/16"-16	3/8" .. 2.13 ..	20.45
CS33-06-08 ..	06A68V ..	3/8"	13/16"-16	1/2" .. 2.51 ..	21.77
CS33-08-08 ..	08A68V ..	1/2"	13/16"-16	1/2" .. 2.51 ..	23.12
CS33-08-10 ..	08A70V ..	1/2"	1"-14	5/8" .. 2.76 ..	26.87
CS33-10-10 ..	10A70V ..	5/8"	1"-14	5/8" .. 2.76 ..	28.39
CS33-12-12 ..	12A72V ..	3/4"	1-3/16"-12	3/4" .. 3.78 ..	37.38
CS33-16-16 ..	16A76V ..	1"	1-7/16"-12	1" .. 4.50 ..	56.78

DEALER SCHEDULE THIS PAGE.....405

CALL TOLL-FREE
1-800-444-8666

All Prices Are Subject To Change Without Notice

VARI-Crimp System Cross Reference Chart

Vari-Crimp Part Number	Weatherhead Part Number	Gates Part Number	Vari-Crimp Part Number	Weatherhead Part Number	Gates Part Number	Vari-Crimp Part Number	Weatherhead Part Number	Gates Part Number
IPT SOLID MALE								
400V	04U-102	4-2MP	418V	04U-504	4-4MJ	4115V SAE ...		
403V	04U-104	4-4MP	421V	04U-505	4-5MJ	4124V SAE ...		
415V	04U-106	4-6MP	618V	06U-506	6-6MJ	4142V SAE ...		
439V	04U-108		621V	06U-508	6-8MJ	4151V JIC		
600V	06U-104	6-4MP	815V	08U-508	8-8MJ	6118V SAE ...		
603V	06U-106	6-6MP	818V	08U-510	8-10MJ	6127V JIC		
615V	06U-108	6-8MP	848V	08U-512	8-12MJ	6145V SAE ...		
800V	08U-106	8-6MP	1015V	10U-512	10-12MJ	6154V JIC		
803V	08U-108	8-8MP	1215V	12U-512	12-12MJ	8118V SAE ...		
821V			1218V	12U-510		8127V JIC		
854V	08U-112		1260V	12U-574	12-14MJ	8145V SAE ...		
1000V	10U-108	10-8MP	1233V	12U-516	12-16MJ	8154V JIC		
1003V	10U-112	10-12MP	1612V	16U-516	16-16MJ			
1200V	12U-108	12-18MP						
1203V	12U-112	12-12MP						
1600V	16U-116	16-16MP						
IPT SOLID FEMALE								
412V (IPT)	04U-204	4-4FP	636V	06U-P06	6-6MB	45° BEND FEMALE SWIVEL		
612V (IPT)	06U-206	6-6FP	639V	06U-P08	6-8MB	4118V SAE ... 04U-684	4C2-4FSX45	
812V (IPT)	08U-208	8-8FP	642V	06U-P10	6-10MB	4127V JIC ... 04U-684	4C2-4FJX45	
IPT SWIVEL MALE								
406V	04U-J04	4-4MPX	630V	08U-P08	8-8MB	4154V JIC ... 04U-685	4C2-5FJX45	
609V	06U-J06	6-6MPX	833V	08U-P10	8-10MB	6121V SAE ...		
651V	06U-J08	6-8MPX	860V	08U-P12	8-12MB	6130V JIC		
809V	08U-J08	8-8MPX	1227V	12U-P12	12-12MB	6148V SAE ... 06U-486	6C2-6FSX45	
1209V	12U-J12	12-12MPX				6157V JIC ... 06U-686	6C2-6FJX45	
1609V	16U-J16	12-16MPX				6169V	06U-688	
IPT SWIVEL FEMALE								
409V	04U-054		645V	06U-R08	6-8MBX	8121V SAE ... 08U-688	8C2-8FSX45	
606V	06U-056		836V	08U-R08	8-8MBX	8130V JIC ... 08U-688	8C2-8FJX45	
648V			839V	08U-R10	8-10MBX	8148V SAE ... 08U-690	8C2-10FSX45	
806V	08U-U58					8157V JIC ... 08U-690	8C2-10FJX45	
1206V	12U-062							
1606V	16U-066							
JIC 37° & SAE 45° SWIVEL FEMALE								
424V JIC	04U-604	4-4FJX	4106V	04U-B04	4C2-4MIX	90° BEND FEMALE SWIVEL		
427V JIC	04U-605	4-5FJX	4133V	04U-B05	4C2-5MIX	4121V SAE ... 04U-664	4C2-4FSX90	
433V JIC	04U-606	4-6FJX	6109V	06U-B05	6C2-5MIX	4130V JIC ... 04U-664	4C2-4FJX90	
442V SAE			6136V	06U-B06	6C2-6MIX	4157V JIC ... 04U-665	4C2-5FJX90	
627V JIC	06U-606	6-6FJX	8109V	08U-B08	8C2-8MIX	4160V	04U-666	
630V JIC	06U-608	6-8FJX	8136V	08U-B10		6124V SAE ...		
633V SAE	06U-406	6-6FJX				6133V JIC		
657V JIC	06U-610	6-10FJX				6151V SAE ... 06U-446	6C2-6FSX90	
824V JIC	08U-608	8-8FJX				6160V JIC ... 06U-666	6C2-6FJX90	
827V JIC	08U-610	8-10FJX				6163V	06U-668	6C2-8FJX90
845V JIC	08U-612	8-12FJX				8124V SAE ... 08U-668	8C2-8FSX90	
1021V JIC	10U-612	10-12FJX				8133V JIC ... 08U-668	8C2-8FJX90	
1221V JIC	12U-612	12-12FJX				8151V SAE	8C2-10FSX90	
1236V JIC	12U-616	12-16FJX				8160V JIC ... 08U-670	8C2-10FJX90	
1245V JIC	12U-614	12-14FJX				8166V	08U-650	8C2-10FJ90TL
1618V JIC	16U-616	16-16FJX						
HOSE SPlicer COUPLING								
44SV						45° BEND MALE INVERTED FLARE		
66SV						45° BEND MALE INVERTED FLARE		
88SV						4109V	04U-B44	
						4136V	04U-B45	
						6112V	06U-B45	6C2-5MIX45
						6139V	06U-B46	6C2-6MIX45
						8112V	08U-B48	
						8139V		
						90° BEND MALE INVERTED FLARE		
						4112V	04U-B64	4C2-4MIX90
						4139V	04U-B65	4C2-5MIX90
						6115V	06U-B65	6C2-5MIX90
						6142V	06U-B66	6C2-6MIX90
						8115V	08U-B68	8C2-8MIX90
						8142V		
						TUBE REPAIR COUPLINGS		
						4100V	04U-754	4-4MFA
						4103V	04U-755	4-5MFA
						6103V	06U-755	6-5MFA
						6106V	06U-756	6-6MFP
						6800V		
						8103V	08U-758	8-8MFP
						8106V	08U-760	8-10MFP
						STRAIGHT O-RING FEMALE SWIVEL		
						8S70V	08U-S70	
						12S72V	12U-S72	12C2-12FFORX

This Cross Reference is for thread identification and hose inside diameter only. Exact dimensions of couplings may vary from manufacturer to manufacturer.
Please check hose cut off factor, tube length and tube drop carefully!

Couplamatic Hydraulic Adapters


For Hydraulic Control Hose Assemblies

Male Pipe x Female Pipe NPSM



Order No.	Old P.N.	Ref. 1	Ref. 2	Price
1404-02-02	972	1/8"	1/8"	\$3.30
1404-02-04		1/8"	1/4"	4.04
1404-04-02		1/4"	1/8"	4.04
1404-04-04	973	1/4"	1/4"	3.91
1404-04-06	952	1/4"	3/8"	4.37
1404-06-04	968	3/8"	1/4"	4.38
1404-06-06	974	3/8"	3/8"	4.43
1404-06-08	954	3/8"	1/2"	5.42
1404-08-06	970	1/2"	3/8"	6.01
1404-08-08	975	1/2"	1/2"	4.97
1404-08-12	956	1/2"	3/4"	9.92
1404-12-08	955	3/4"	1/2"	9.64
1404-12-12	976	3/4"	3/4"	9.02
1404-12-16		3/4"	1"	17.05
1404-16-12		1"	3/4"	15.72
1404-16-16	977	1"	1"	14.42
1404-20-20		1-1/4"	1-1/4"	25.97
1404-24-24		1-1/2"	1-1/2"	41.39
1404-32-32		2"	2"	85.38

Restrictor (1/16" Orifice)



Male Pipe x Female Pipe Swivel




Male Pipe x Female Pipe NPSM 45°




Order No.	Ref. 1	Ref. 2	Price
1503-02-02	1/8"	1/8"	\$4.90
1503-04-04	1/4"	1/4"	5.44
1503-04-06	1/4"	3/8"	10.92
1503-06-04	3/8"	1/4"	7.20
1503-06-06	3/8"	3/8"	6.83
1503-06-08	3/8"	1/2"	13.73
1503-08-06	1/2"	3/8"	9.53
1503-08-08	1/2"	1/2"	9.38
1503-12-08	3/4"	1/2"	17.84
1503-12-12	3/4"	3/4"	14.09
1503-16-12	1"	3/4"	33.28
1503-16-16	1"	1"	24.49
1503-20-20	1-1/4"	1-1/4"	45.13
1503-24-24	1-1/2"	1-1/2"	76.89

Restrictor - 1/16"




Male Pipe x Female Pipe Swivel 90°




Order No.	Ref. 1	Ref. 2	Price
1501-06-06-062	3/8"	3/8"	\$11.76
1501-08-08-062	1/2"	1/2"	14.68

Male Pipe x Female NPSM 90°




Order No.	Old P.N.	Ref. 1	Ref. 2	Price
1501-02-02	4972	1/8"	1/8"	\$4.74
1501-02-04		1/8"	1/4"	6.31
1501-04-02		1/4"	1/8"	6.34
1501-04-04	4973	1/4"	1/4"	5.10
1501-04-06		1/4"	3/8"	6.83
1501-06-04		3/8"	1/4"	7.13
1501-06-06	4974	3/8"	3/8"	6.83
1501-06-08	4954	3/8"	1/2"	8.78
1501-08-06	4970	1/2"	3/8"	8.22
1501-08-08	4975	1/2"	1/2"	8.21
1501-08-12		1/2"	3/4"	13.96
1501-12-08	4959	3/4"	1/2"	14.53
1501-12-12	4976	3/4"	3/4"	14.30
1501-12-16		3/4"	1"	34.09
1501-16-12	4978	1"	3/4"	25.72
1501-16-16	4977	1"	1"	23.33
1501-20-20		1-1/4"	1-1/4"	54.06
1501-24-24		1-1/2"	1-1/2"	83.00

Female Pipe x Female NPSM



Order No.	Old P.N.	Ref. 1	Ref. 2	Price
1405-02-02		1/8"	1/8"	\$3.48
1405-04-04	983	1/4"	1/4"	3.85
1405-06-06	984	3/8"	3/8"	5.27
1405-08-08	985	1/2"	1/2"	6.97
1405-12-12	986	3/4"	3/4"	10.43
1405-16-16	987	1"	1"	16.02
1405-20-20		1-1/4"	1-1/4"	31.63

Female Pipe x Female NPSM 90°



Order No.	Old P.N.	Ref. 1	Ref. 2	Price
1502-04-04	4983	1/4"	1/4"	\$6.22
1502-04-06		1/4"	3/8"	12.59
1502-06-04		3/8"	1/4"	9.26
1502-06-06	4984	3/8"	3/8"	8.60
1502-06-08		3/8"	1/2"	12.30
1502-08-06		1/2"	3/8"	11.70
1502-08-08	4985	1/2"	1/2"	10.67
1502-08-12		1/2"	3/4"	18.97
1502-12-08		3/4"	1/2"	19.68
1502-12-12	4986	3/4"	3/4"	17.15
1502-16-16		1"	1"	28.61
1502-20-20		1-1/4"	1-1/4"	58.52

HYD. ADAPTERS CONTINUED ON THE NEXT PAGE

DEALER SCHEDULE THIS PAGE.....405

Call Toll-Free 1-800-444-8666

Couplamatic Hydraulic Adapters

For Hydraulic Control Hose Assemblies

Female Pipe x Female Pipe Coupling



Order No.	Old P.N.	NPT Ref.1	NPT Ref. 2	Price
5000-04-04		1/4"	1/4"	\$2.66
5000-06-04		3/8"	1/4"	4.63
5000-06-06	66FP	3/8"	3/8"	3.24
5000-08-06		1/2"	3/8"	5.62
5000-08-08	88FP	1/2"	1/2"	5.17
5000-12-08		3/4"	1/2"	8.35
5000-12-12		3/4"	3/4"	7.93
5000-16-16		1"	1"	14.34

Male Pipe x Male Pipe Hex Nipple



Order No.		NPT Ref.1	NPT Ref. 2	Price
5404-02-02		1/8"	1/8"	\$1.76
5404-04-04		1/4"	1/4"	1.87
5404-06-06		3/8"	3/8"	2.45
5404-08-04		1/2"	1/4"	4.46
5404-08-06		1/2"	3/8"	3.74
5404-08-08		1/2"	1/2"	3.64
5404-12-12		3/4"	3/4"	6.29
5404-16-16		1"	1"	9.50

Male Pipe x Female Pipe Hex Bushing



Order No.	Old P.N.	NPT Ref.1	NPT Ref. 2	Price
5406-06-04	64B	3/8"	1/4"	\$2.38
5406-08-02		1/2"	1/8"	4.03
5406-08-04	84B	1/2"	1/4"	3.35
5406-08-06	86B	1/2"	3/8"	3.12
5406-12-06	126B	3/4"	3/8"	4.96
5406-12-08	128B	3/4"	1/2"	5.05
5406-16-08	168B	1"	1/2"	7.62
5406-16-12	1612B	1"	3/4"	7.93

Male Pipe Plug




Order No.		NPT Ref. 1	Price
5406-P04		1/4"	\$1.26
5406-P06		3/8"	1.49
5406-P08		1/2"	2.26
5406-P12		3/4"	4.21
5406-P16		1"	8.48

DEALER SCHEDULE THIS PAGE.....405

To Order Call Toll-Free:
1-800-444-8666

Male Pipe x Female NPSM Tee



Order No.	Old P.N.	NPT Ref.1	Ref. 2&3	Price
1601-04-04-04		1/4"	1/4"	\$10.73
1601-06-06-06	666TM	3/8"	3/8"	14.14
1601-08-08-08	888TM	1/2"	1/2"	16.93
1601-12-12-12		3/4"	3/4"	25.90

Female Pipe x Female NPSM Tee



Order No.	Old P.N.	NPT Ref.1	Ref. 2&3	Price
1602-04-04-04		1/4"	1/4"	\$12.68
1602-06-06-06	666TF	3/8"	3/8"	14.81
1602-08-08-08	888TF	1/2"	1/2"	21.14
1602-12-12-12		3/4"	3/4"	30.89

Female NPSM x Female NPSM Tee



Order No.		NPT Ref.1	NPT Ref. 2&3	Price
1603-04-04-04		1/4"	1/4"	\$12.68
1603-06-06-06		3/8"	3/8"	14.57
1603-08-08-08		1/2"	1/2"	19.14
1603-12-12-12		3/4"	3/4"	31.57

Male JIC x Male Pipe



Order No.	Old P.N.	JIC Ref.1	NPT Ref. 2	Price
2404-04-02		7/16"-20	1/8"	\$1.72
2404-04-04		7/16"-20	1/4"	1.70
2404-05-02		1/2"-20	1/8"	2.39
2404-05-04		1/2"-20	1/4"	2.51
2404-06-04	J-43	9/16"-18	1/4"	1.87
2404-06-06	J-61	9/16"-18	3/8"	2.16
2404-06-08		9/16"-18	1/2"	3.24
2404-08-06	J-62	3/4"-16	3/8"	2.80
2404-08-08	J-81	3/4"-16	1/2"	3.44
2404-10-08	J-82	7/8"-14	1/2"	5.05
2404-12-12		1-1/16"-12	3/4"	5.89
2404-12-16		1-1/16"-12	1"	10.19

Male JIC x Male Pipe 90°



Order No.		JIC Ref.1	NPT Ref. 2	Price
2501-06-06		9/16"-18	3/8"	\$5.16
2501-06-08		9/16"-18	1/2"	6.65
2501-08-06		3/4"-16	3/8"	6.91
2501-08-08		3/4"-16	1/2"	7.20
2501-10-08		7/8"-14	1/2"	9.10
2501-12-12		1-1/16"-12	3/4"	11.93


PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Couplamatic Hydraulic Adapters

For Hydraulic Control Hose Assemblies

Male JIC x Male Pipe 45°


Order No.	JIC Ref. 1	NPT Ref. 2	Price
2503-06-06	9/16"-18	3/8"	\$8.05
2503-08-06	3/4"-16	3/8"	8.33
2503-08-08	3/4"-16	1/2"	9.31
2503-10-08	7/8"-14	1/2"	10.40

Male JIC x Female Pipe

Order No.	Old P.N.	JIC Ref. 1	NPT Ref. 2	Price
2405-06-06		9/16"-18	3/8"	\$3.91
2405-08-06	6F-8JMS	3/4"-16	3/8"	4.20
2405-08-08	8F-8JMS	3/4"-16	1/2"	5.66
2405-10-08	8F-10JMS	7/8"-14	1/2"	7.01

Male JIC x Female JIC 90° Swivel

Order No.	JIC Ref. 1	JIC Ref. 2	Price
6500-06-06	9/16"-18	9/16"-18	\$6.22
6500-08-08	3/4"-16	3/4"-16	8.48
6500-10-10	7/8"-14	7/8"-14	12.22
6500-12-12	1-1/16"-12	1-1/16"-12	16.63

Male JIC x Male JIC

Order No.	JIC Ref. 1	JIC Ref. 2	Price
2403-04-04	7/16"-20	7/16"-20	\$1.75
2403-05-05	1/2"-20	1/2"-20	3.20
2403-06-06	9/16"-18	9/16"-18	2.22
2403-08-08	3/4"-16	3/4"-16	3.06
2403-10-10	7/8"-14	7/8"-14	4.82
2403-12-12	1-1/16"-12	1-1/16"-12	7.66

Male JIC x Male JIC 90°

Order No.	JIC Ref. 1	JIC Ref. 2	Price
2500-06-06	9/16"-18	9/16"-18	\$5.78
2500-08-08	3/4"-16	3/4"-16	7.60
2500-10-10	7/8"-14	7/8"-14	11.03

Male JIC x Male JIC Tee

Order No.	JIC Ref. 1	JIC Ref. 2&3	Price
2603-06-06	9/16"-18	9/16"-18	\$7.44
2603-08-08	3/4"-16	3/4"-16	9.08
2603-10-10-10	7/8"-14	7/8"-14	13.73
2603-12-12-12	1-1/16"-12	1-1/16"-12	19.62

JIC Plug


Order No.	JIC Ref. 1	Price
2408-04	7/16"-20	\$2.57
2408-06	9/16"-18	2.60
2408-08	3/4"-16	2.60
2408-10	7/8"-14	2.60
2408-12	1-1/16"-12	3.85

Male Pipe x Female JIC Swivel

Order No.	NPT Ref. 1	JIC Ref. 2	Price
6505-06-06	3/8"	9/16"-18	\$6.37
6505-06-08	3/8"	3/4"-16	9.10
6505-08-08	1/2"	3/4"-16	8.21
6505-08-10	1/2"	7/8"-14	10.06
6505-12-12	3/4"	1-1/16"-12	13.87

Male ORB x Female NPSM

Order No.	Old P.N.	ORB Ref. 1	NPT Ref. 2	Price
6900-04-04		7/16"-20	1/4"	\$3.90
6900-06-04	87-6-4	9/16"-18	1/4"	4.14
6900-06-06	87-6-6	9/16"-18	3/8"	4.57
6900-08-06	87-8-6	3/4"-16	3/8"	5.42
6900-08-08	87-8-8	3/4"-16	1/2"	5.72
6900-10-08	87-10-8	7/8"-14	1/2"	7.20
6900-10-12		7/8"-14	3/4"	10.43
6900-12-12		1-1/16"-12	3/4"	10.98

Male ORB x Female Pipe NPSM 90°

Order No.	Old P.N.	ORB Ref. 1	NPT Ref. 2	Price
6901-04-04		7/16"-20	1/4"	\$7.31
6901-06-04		9/16"-18	1/4"	7.87
6901-06-06	90-6-6	9/16"-18	3/8"	9.38
6901-08-06	90-8-6	3/4"-16	3/8"	10.16
6901-08-08	90-8-8	3/4"-16	1/2"	10.79
6901-10-08	90-10-8	7/8"-14	1/2"	12.85
6901-10-12		7/8"-14	3/4"	24.49
6901-12-12		1-1/16"-12	3/4"	22.84

Male ORB x Female Pipe NPSM 45°

Order No.	ORB Ref. 1	NPT Ref. 2	Price
6902-04-04	7/16"-20	1/4"	\$11.89
6902-06-04	9/16"-18	1/4"	11.76
6902-06-06	9/16"-18	3/8"	11.00
6902-08-06	3/4"-16	3/8"	13.06
6902-08-08	3/4"-16	1/2"	13.30
6902-10-08	7/8"-14	1/2"	15.53

Couplamatic Hydraulic Adapters

For Hydraulic Control Hose Assemblies

Male JIC x Male ORB

Order No.	JIC Ref. 1	ORB Ref. 2	Price
6400-04-04	7/16"-20	7/16"-20	\$1.82
6400-06-06	9/16"-18	9/16"-18	2.03
6400-06-08	9/16"-18	3/4"-16	2.95
6400-08-06	3/4"-16	9/16"-18	3.44
6400-08-08	3/4"-16	3/4"-16	3.29
6400-08-10	3/4"-16	7/8"-14	4.09
6400-08-12	3/4"-16	1-1/16"-12	6.46
6400-10-08	7/8"-14	3/4"-16	4.58
6400-10-10	7/8"-14	7/8"-14	4.64
6400-10-12	7/8"-14	1-1/16"-12	7.20
6400-12-10	1-1/16"-12	7/8"-14	7.08
6400-12-12	1-1/16"-12	1-1/16"-12	7.26
6400-16-16	1-5/16"-12	1-5/16"-12	10.73

Male JIC x Male ORB 90°


Order No.	JIC Ref. 1	ORB Ref. 2	Price
6801-04-04	7/16"-20	7/16"-20	\$5.39
6801-06-06	9/16"-18	9/16"-18	6.12
6801-08-08	3/4"-16	3/4"-16	8.84
6801-08-10	3/4"-16	7/8"-14	10.78
6801-10-08	7/8"-14	3/4"-16	11.76

Male ORB x Female ORB

Order No.	Old P.N.	ORB Ref. 1	ORB Ref. 2	Price
6410-08-10	878GH	3/4"-16	7/8"-14	\$5.98
6410-10-08	878CJ	7/8"-14	3/4"-16	4.96
6410-12-08		1-1/16"-12	3/4"-16	7.50

Flat Face Male Tube Plug


SAE J1453 520109



Order No.	Tube	d	L24	S1	Price
FF2408-04	1/4"	9/16"-18	0.66	0.63	\$1.74
FF2408-06	3/8"	11/16"-16	0.74	0.75	1.91
FF2408-08	1/2"	13/16"-16	0.86	0.88	2.49
FF2408-10	5/8"	1"-14	1.02	1.06	3.83
FF2408-12	3/4"	1-3/16"-12	1.08	1.25	4.00
FF2408-16	1"	1-7/16"-12	1.10	1.50	6.66
FF2408-20	1-1/4"	1-11/16"-12	1.10	1.75	10.14
FF2408-24	1-1/2"	2"-12	1.10	2.13	12.43

DEALER SCHEDULE THIS PAGE.....405

Order Online at
www.CentralSupplyandRubber.com

Female ORB x Male Pipe

Order No.	Old P.N.	ORB Ref. 1	NPT Ref. 2	Price
6404-08-06	876FE	3/4"-16	3/8"	\$5.27
6404-08-08	876PO	3/4"-16	1/2"	5.10
6404-10-08	878FE	7/8"-14	1/2"	6.83
6404-12-12		1-1/16"-12	3/4"	13.69

Male ORB x Female Pipe

Order No.	Old P.N.	ORB Ref. 1	NPT Ref. 2	Price
6405-06-06		9/16"-18	3/8"	\$4.91
6405-08-06	676MA	3/4"-16	3/8"	3.78
6405-08-08	876MA	3/4"-16	1/2"	5.89
6405-10-06	678MA	7/8"-14	3/8"	6.10
6405-10-08	878MA	7/8"-14	1/2"	6.41

Female ORB x Female ORB

Order No.	Old P.N.	ORB Ref. 1	ORB Ref. 2	Price
6425-08-08	876JDF	3/4"-16	3/4"-16	\$10.66
6425-10-10	878IHF	7/8"-14	7/8"-14	11.66

Female ORB x Female Pipe

New P.N.	Old P.N.	ORB Ref. 1	NPT Ref. 2	Price
876FPO	876FPO	3/4"-16	3/8"	\$8.96
6420-08-08	876SPF	3/4"-16	1/2"	10.58
6420-10-08	878PO	7/8"-14	1/2"	13.07

Male ORB x Male Pipe

Order No.	Old P.N.	ORB Ref. 1	NPT Ref. 2	Price
6401-06-06		9/16"-18	3/8"	\$2.99
6401-08-06	6MP-8MO	3/4"-16	3/8"	3.77
6401-08-08	8MP-8MO	3/4"-16	1/2"	4.26
6401-10-08	8MP-10MO	7/8"-14	1/2"	5.66


Male ORB Plug

Order No.	ORB Ref. 1	Price
6408-04	7/16"-20	\$.79
6408-05	1/2"-20	1.55
6408-06	9/16"-18	1.60
6408-08	3/4"-16	2.22
6408-10	7/8"-14	2.70
6408-12	1-1/16"-12	4.07


All Prices Are Subject To Change Without Notice.

Couplamatic Hydraulic Adapters


For Hydraulic Control Hose Assemblies

Female Pipe x Female JIC Swivel

Order No.	Old P.N.	NPT Ref. 1	JIC Ref. 2	Price
6506-06-06	600	3/8"	9/16"-18	\$7.95
6506-06-08 ..	8FJ-6FP	3/8"	3/4"-16	8.71
6506-08-06		1/2"	9/16"-18	9.66
6506-08-08 ..	8FJ-8FP	1/2"	3/4"-16	8.44
6506-08-10 ..	10FJ-8FP	1/2"	7/8"-14	11.04
6506-12-12		3/4"	1-1/16"-12	14.81

Male ORB x Female NPSM Tee

Order No.	ORB Ref. 1	NPT Ref. 2&3	Price	
8MO-6TFP	3/4"-16	3/8"	\$15.17	
10MO-8TFP		7/8"-14	1/2"	12.39

304-C Cap NutSAE J514 070112
MS51532

Tube	B	L2	C	Price	
Order No.	O.D.	UN/UNF-2B	L2	C	Price
304-C-04	1/4"	7/16"-20	0.59	0.56	\$.79
304-C-05	5/16"	1/2"-20	0.60	0.63	1.08
304-C-06	3/8"	9/16"-18	0.63	0.69	1.30
304-C-08	1/2"	3/4"-16	0.75	0.88	1.55
304-C-10	5/8"	7/8"-14	0.84	1.25	2.25
304-C-12	3/4"	1-1/16"-12	0.91	1.25	3.30

Dash	Size	SAE 37° (JIC)	SAE O-ring
-02	N.P.T.F.	hydraulic	boss
-02	1/8-27	5/16-24	5/16-24
-03		3/8-24	3/8-24
-04	1/4-18	7/16-20	7/16-20
-05		1/2-20	1/2-20
-06	3/8-18	9/16-18	9/16-18
-07			
-08	1/2-14	3/4-16	3/4-16
-10		7/8-14	7/8-14
-12	3/4-14	1-1/16-12	1-1/16-12
-14		1-3/16-12	1-3/16-12
-16	1-11-1/2	1-5/16-12	1-5/16-12
-20	1-1/4-11-1/2	1-5/8-12	1-5/8-12
-24	1-1/2-11-1/2	1-7/8-12	1-7/8-12
-32	2-11-1/2	2-1/2-12	2-1/2-12
-40	2-1/2-8	3-12	3-12
-48	3-8	3-1/2-12	3-1/2-12


All Prices Are Subject To Change Without Notice.

Male Flat Face O-Ring x Male Pipe

Order No.	ORF Ref. 1	NPT Ref. 2	Price
4MOS-4MP	9/16"-18	1/4"	\$5.75
4MOS-6MP	9/16"-18	3/8"	6.54
6MOS-4MP	11/16"-16	1/4"	5.30
6MOS-6MP	11/16"-16	3/8"	5.64
6MOS-8MP	11/16"-16	1/2"	9.24
8MOS-6MP	13/16"-16	3/8"	6.90
8MOS-8MP	13/16"-16	1/2"	8.71
12MOS-12MP	1-3/16"-12	3/4"	13.82

Male Flat Face O-Ring x Male ORB

Order No.	ORF Ref. 1	ORB Ref. 2	Price
4MOS-4MO	9/16"-18	7/16"-20	\$5.30
6MOS-6MO	11/16"-16	9/16"-18	5.98
8MOS-8MO	13/16"-16	3/4"-16	7.68
12MOS-12MO	1-3/16"-12	1-1/16"-12	13.30

Male Flat Face O-Ring x Male ORB 90°

Order No.	ORF Ref. 1	ORB Ref. 2	Price
4MOS-4MO90	9/16"-18	7/16"-20	\$15.49
6MOS-6MO90	11/16"-16	9/16"-18	17.36
8MOS-8MO90	13/16"-16	3/4"-16	21.32
12MOS-12MO90	1-3/16"-12	1-1/16"-12	39.52

DEALER SCHEDULE THIS PAGE.....405

Adapter Part No. Abbreviations
and Thread Size Chart

BPSS	British Parallel Pipe
M	Male
F	Female
X	Swivel
R	Restricter
P	Pipe Threads (NPTF - NPSM)
J	JIC
B	O-RING BOSS

Order Online at
www.CentralSupplyandRubber.com

Female IPT Swivel x Male IPT Straight

Fem x Male	H.O.H.	Cross	Airway	Couplamatic	Gates
1/8x1/8	972	2H0104-04	1404-2X2	3A01-02A02	2MP-2FPX
1/4x1/4	973	2H0104-04	1404-4X4	3A01-04A04	4MP-4FPX
1/4x3/8	968	2H0106-04	1404-6X4	3A01-06A04	6MP-4FPX
3/8x1/4	952	2H0104-06	1404-4X6	3A01-04A06	4MP-6FPX
3/8x3/8	974	2H0106-06	1404-6X6	3A01-06A06	6MP-6FPX
3/8x1/2	970	2H0108-06	1404-8X6	3A01-08A06	8MP-6FPX
1/2x3/8	954	2H0106-08	1404-6X8	3A01-06A08	6MP-8FPX
1/2x1/2	975	2H0108-08	1404-8X8	3A01-08A08	8MP-8FPX
1/2x3/4	955	2H0112-08	1404-12X8	3A01-12A08	12MP-8FPX
3/4x1/2	956	2H0108-12	1404-8X12	3A01-08A12	8MP-12FPX
3/4x3/4	976	2H0112-12	1404-12X12	3A01-12A12	12MP-12FPX
1x1	977	2H0116-16	1404-16X16	3A01-16A16	16MP-16FPX

Female IPT 90° Swivel x Male IPT

Fem x Male	H.O.H.	Cross	Airway	Couplamatic	Gates
1/8x1/8	4972		1501-2X2	3A03-02A02	2MP-2GPX90
1/4x1/4	4973	2H0304-04	1501-4X4	3A03-04A04	4MP-4FPX90
3/8x3/8	4974	2H0306-06	1501-6X6	3A03-06A06	6MP-6FPX90
3/8x1/2	4970	2H0308-06	1501-8X6	3A03-08A06	8MP-6FPX90
1/2x3/8	4954	2H0306-08	1501-6X8	3A03-06A08	6MP-8FPX90
1/2x1/2	4975	2H0308-08	1501-8X8	3A03-08A08	8MP-8FPX90
1/2x3/4	4959	2H0312-08	1501-12X8	3A03-12A08	12MP-8FPX90
3/4x3/4	4976	2H0312-12	1501-12X12	3A03-12A12	12MP-12FPX90
3/4x1	4978	2H0316-12	1501-16X12	3A03-16A12	16MP-12FPX90
1x1	4977	2F0316-16	1501-16X16	3A03-16A16	16MP-16FPX90

Female IPT Swivel x Female IPT Straight

Fem x Fem	H.O.H.	Cross	Airway	Couplamatic	Gates
1/4x1/4	983		1405-4X4	3A02-04A04	4FP-4FPX
3/8x3/8	984	2H0206-06	1405-6X6	3A02-06A06	6FP-6FPX
1/2x1/2	985	2H0208-08	1405-8X8	3A02-08A08	8FP-8FPX
3/4x3/4	986		1405-12X12	3A02-12A12	12FP-12FPX
1x1	987		1405-16X16	3A02-16A16	16FP-16FPX

Female IPT 90° Swivel x Female IPT

Fem x Fem	H.O.H.	Cross	Airway	Couplamatic	Gates
1/4x1/4	4983	2H0404-04	1502-4X4	3A04-04A04	4FP-4FPX90
3/8x3/8	4984	2H0406-06	1502-6X6	3A04-06A06	6FP-6FPX90
1/2x1/2	4985	2H0408-08	1502-8X8	3A04-08A08	8FP-8FPX90
3/4x3/4	4986	2H0412-12	1502-12X12	3A04-12A12	12FP-12FPX90

Female IPT Swivel x Male ORB Straight

Fem x Male	H.O.H.	Cross	Airway	Couplamatic	Gates
1/4x9/16-18	87-6-4	2H0709-04	6900-6X4	3A08-06A04	6MB-4FPX
3/8x9/16-18	87-6-6	2H0709-06	6900-6X6	3A08-06A06	6MB-6FPX
3/8x3/4-16	87-8-6	2H0712-06	6900-8X6	3A08-08A06	8MB-6FPX
1/2x3/4-16	87-8-8	2H0712-08	6900-8X8	3A08-08A08	8MB-8FPX
1/2x7/8-14	87-10-8	2H0714-08	6900-10X8	3A08-10A08	10MB-8FPX

Female IPT 90° Swivel x Male ORB

Fem x Male	H.O.H.	Cross	Airway	Couplamatic	Gates
3/8x9/16-18	90-6-6	2H0809-06	6901-6X6	3A06-06A06	6MP-6FPX90
3/8x3/4-16	90-8-6	2H0812-06	6901-8X6	3A06-08A06	8MP-6FPX90
1/2x3/4-16	90-8-8	2H0812-08	6901-8X8	3A06-08A08	8MB-8FPX90
1/2x7/8-14	90-10-8	2H0814-08	6901-10X8	3A06-10A08	10MB-8FPX90

Male JIC x Male IPT Straight Solid

Male JIC x Male IPT	H.O.H.	Cross	Airway	Couplamatic	Gates
9/16-18x1/4	J-43			2404-6	3A09-04A06
9/16-18x3/8	J-61			2404-6-6	3A09-06A06
3/4-16x3/8	J-62	2H19-8-6		2404-8	3A09-06A08
3/4-16x1/2	J-81	2H19-8-8		2404-8-8	3A09-08A08
7/8-14x1/2	J-82	2H19-1-8		2404-10	3A09-08A10

Female JIC Swivel x Female IPT Straight

Fem JIC x Fem IPT	H.O.H.	Cross	Airway	Couplamatic	Gates
3/4-16x3/8	8FJ-6FP	2H2206F-12JICF		3A65-06A08	
3/4-16x1/2	8FJ-8FP	2H2208F-12JICF		3A65-08A08	
7/8-14x1/2	10FJ-8FP	2H2208F-14JICF		3A65-08A10	

Female IPT Swivel to Female IPT Swivel x Male IPT (TM) or Female IPT (TF) Tee

Fem x Fem x M or F	H.O.H.	Cross	Airway	Couplamatic	Gates
3/8x3/8x3/8M	666TM	2H1706-06-06	1601-6-6	3A61-06A06	6MP-6FPXT
1/2x1/2x1/2M	888TM	2H1708-08-08	1601-8-8	3A61-08A08	8MP-8FPXT
3/8x3/8x3/8F	666TF	2H1606-06-06	1602-6-6	3A62-06A06	
1/2x1/2x1/2F	888TF	2H1608-08-08	1602-8-8	3A62-08A08	

Hydraulic Adapter Cross Reference**Female IPT x Male ORB Straight Solid**

Fem x Male	H.O.H.	Cross	Airway	Couplamatic
3/8x3/4-16	676MA	2H106F-120RM	6405-8X6	3A13-08A06
3/8x7/8-14	678MA		6505-10X6	3A13-10A06
1/2x3/4-16	876MA	2H108F-120RM	6405-8	3A13-08A08
1/2x7/8-14	878MA	2H108F-140RM	6405-10	3A1310A08

Female ORB x Male IPT Straight Solid

Fem x Male	H.O.H.	Cross	Airway	Couplamatic
3/4-16x3/8-14	876FE	2H116M-120RF	6404-8	3A99-00005
7/8-14x3/8	678FE		6404-10X6	3A99-00006
3/4-16x1/2	876PO	2H118M-120RF	6404-8X8	3A99-00007
7/8-14x1/2	878FE	2H118M-140RF	6404-10	3A99-00008

Special Adapter - Female x Female Straight Solid

Fem x Female	H.O.H.	Cross	Airway	Couplamatic
3/4-16ORBx3/4-16ORB	876JDF	2H1212ORF-120RF	3A11-08A08	
7/8-14ORBx7/8-14ORB	878IHF			3A11-10A10
3/4-16ORBx1/2 IPT	876SPF	2H128F-120RF		3A12-08A08
3/4-16ORBx3/8 IPT	876FPO			3A12-08A06
7/8-14ORBx1/2 IPT	878PO	2H128F-40RF		3A12-10A08
3/8 IPT x 3/8 IPT	66FP	2H126F-6F	5000-6	3A10-06A06
1/2 IPT x 1/2 IPT	88FP	2H128F-8F	5000-8	3A10-08A08

Hex Bushing High Pressure Hydraulic

Male IPT x Fem IPT	H.O.H.	Airway	Couplamatic
3/8x1/4	64B	5406-6X4	3A40-06A04
1/2x1/4	84B	5406-8X4	3A40-08A04
1/2x3/8	86B	5406-8X6	3A40-08A06
3/4X3/8	126B	5406-12X6	3A40-12A06
3/4X1/2	128B	5406-12X8	3A40-12A08
1X1/2	168B	5406-16X8	3A40-16A08

Special Adapters for Case


Fem x Male	H.O.H.	Cross	Airway
7/8-18x1/2 IPT	878FCA	2H118M-14Case F	3A99-00010

Call Toll-Free**1-800-444-8666****Or Fax****(402) 341-0860**

O-RING PACKINGS

SOLD IN PACKAGE QUANTITIES ONLY!

Recommended for use with crude oil, gasoline, propane, petroleum oils and water. BN70 Bruna-N (Nitrile) is the most common and simplest type of seal with excellent sealing property and durability. Tube fittings and adapters are supplied with BN90 90 durometer hard nitrile (Bruna-N). These O-rings are well suited for industrial hydraulic and pneumatic systems. They have high extrusion resistance making them suitable for very high pressure static applications. Use 90 durometer hard O-rings for applications with 1500 psi or higher pressures.



BN70	BN90	P/S	Pkg.	BN70	BN90			
No.	No.	No.	Width	I.D.	O.D.	Qty.	Each	Each
07-006 ... 09-006	1 1/16	1/8	1/4	10	\$.16	10	\$.18	
07-007 ... 09-007	2 1/16	5/32	9/32	10	.16	10	.18	
07-008 ... 09-008	3 1/16	3/16	5/16	10	.16	10	.18	
07-009 ... 09-009	4 1/16	7/32	11/32	10	.16	10	.18	
07-010 ... 09-010	5 1/16	1/4	3/8	10	.16	10	.18	
07-011 ... 09-011	6 1/16	5/16	7/16	10	.16	10	.18	
07-012 ... 09-012	7 1/16	3/8	1/2	10	.16	10	.18	
07-013		1/16	7/16	10	.16	10	.18	
07-014		1/16	1/2	5/8	.10	10	.18	
07-015		1/16	9/16	11/16	.10	10	.18	
07-017		1/16	11/16	13/16	.10	10	.18	
07-018		1/16	3/4	7/8	.10	10	.18	
07-019		1/16	13/16	15/16	.10	10	.18	
07-020		1/16	7/8	1	.10	10	.19	
07-021		1/16	15/16	1-1/16	.10	10	.20	
07-028		1/16	1-3/8	1-1/2	.10	10	.40	
07-110 ... 09-110	8 3/32	3/8	9/16	10	.25	10	.28	
07-111 ... 09-111	9 3/32	7/16	5/8	10	.25	10	.28	
07-112 ... 09-112	10 3/32	1/2	11/16	10	.18	10	.29	
07-113 ... 09-113	11 3/32	9/16	3/4	10	.18	10	.28	
07-114* ... 09-114	12 3/32	5/8	13/16	10	.18	10	.28	
07-115 ... 09-115	13 3/32	11/16	7/8	10	.18	10	.28	
07-116** ... 09-116	14 3/32	3/4	15/16	10	.18	10	.28	
07-117		3/32	13/16	1	.10	10	.19	
07-118		3/32	7/8	1-1/16	.10	10	.19	
07-119 ... 09-119	3/32	15/16	1-1/8	10	.23	10	.28	
07-126		3/32	1-3/8	1-9/16	.10	10	.40	
07-210 ... 09-210	15 1/8	3/4	1	10	.28	10	.31	
07-211 ... 09-211	16 1/8	13/16	1-1/16	10	.28	10	.31	
07-212 ... 09-212	17 1/8	7/8	1-1/8	10	.28	10	.31	
07-213 ... 09-213	18 1/8	15/16	1-3/16	10	.29	10	.36	
07-214 ... 09-214	19 1/8	1	1-1/4	10	.32	10	.36	
07-215 ... 09-215	20 1/8	1-1/16	1-5/16	10	.33	10	.36	
07-216 ... 09-216	21 1/8	1-1/8	1-3/8	10	.35	10	.40	
07-217 ... 09-217	22 1/8	1-3/16	1-7/16	10	.37	10	.40	
07-218 ... 09-218	23 1/8	1-1/4	1-1/2	10	.41	10	.46	
07-219 ... 09-219	24 1/8	1-5/16	1-9/16	10	.42	10	.46	
07-220 ... 09-220	25 1/8	1-3/8	1-5/8	10	.46	10	.52	
07-221 ... 09-221	26 1/8	1-7/16	1-11/16	10	.53	10	.60	
07-222 ... 09-222	27 1/8	1-1/2	1-3/4	10	.60	10	.66	
07-223		1/8	1-5/8	1-7/8	10	.75		
07-224		102 ... 1/8	1-3/4	2	.10	10	.63	
07-225		103 ... 1/8	1-7/8	2-1/8	.10	10	.75	
07-226		104 ... 1/8	2	2-1/4	.10	10	.54	
07-227		105 ... 1/8	2-1/8	2-3/8	.10	10	.55	
07-228		106 ... 1/8	2-1/4	2-1/2	.10	10	.60	

Urethane Back-Up Washers

Back-up number corresponds to O-ring Number
(Sold Only In Packages Of 5)

No.	I.D.	O.D.	Each	No.	I.D.	O.D.	Each
U-215BU	1-1/16"	1-5/16"	\$.14	U-330BU	2-1/8"	2-1/2"	2.04
U-218BU	1-1/4"	1-1/2"	1.21	U-334BU	2-5/8"	3"	2.70
U-222BU	1-1/2"	1-3/4"	1.46	U-338BU	3-1/8"	3-1/2"	2.51
U-326BU	1-5/8"	2"	1.39	U-342BU	3-5/8"	4"	2.23
U-329BU	2"	2-3/8"	1.49	U-425BU	4-1/2"	5"	3.72

Dealer Schedule.....152


BN70	BN90	P/S	Pkg.	BN70	BN90			
No.	No.	No.	Width	I.D.	O.D.	Qty.	Each	Each
07-230		108	1/8	2-1/2	2-3/4	10	\$.66	
07-231		109	1/8	2-5/8	2-7/8	10	.85	
07-232		110	1/8	2-3/4	3	10	.75	
07-233		111	1/8	2-7/8	3-1/8	10	.85	
07-234		112	1/8	3	3-1/4	10	.80	
07-236		114	1/8	3-1/4	3-1/2	5	.82	
07-237		115	1/8	3-3/8	3-5/8	5	.95	
07-238		116	1/8	3-1/2	3-3/4	5	.84	
07-240		118	1/8	3-3/4	4	5	.89	
07-242		120	1/8	4	4-1/4	5	1.08	
07-245		123	1/8	4-3/8	4-5/8	5	1.35	
07-246		124	1/8	4-1/2	4-3/4	5	1.30	
07-248		126	1/8	4-3/4	5	5	1.35	
07-250		128	1/8	5	5-1/4	5	1.40	
07-325	09-325	28	3/16	1-1/2	1-7/8	5	.60	.68
07-326	09-326	29	3/16	1-5/8	2	5	.60	.68
07-327	09-327	30	3/16	1-3/4	2-1/8	5	.65	.72
07-328		31	3/16	1-7/8	2-1/4	5	.69	
07-329		32	3/16	2	2-3/8	5	.79	
07-330		33	3/16	2-1/8	2-1/2	5	.79	
07-331		34	3/16	2-1/4	2-5/8	5	.79	
07-332		35	3/16	2-3/8	2-3/4	5	.79	
07-333		36	3/16	2-1/2	2-7/8	5	.90	
07-334		37	3/16	2-5/8	3	5	.98	
07-335		38	3/16	2-3/4	3-1/8	5	1.75	
07-336		39	3/16	2-7/8	3-1/4	5	1.75	
07-337		40	3/16	3	3-3/8	5	1.75	
07-338		41	3/16	3-1/8	3-1/2	5	1.45	
07-339		42	3/16	3-1/4	3-5/8	5	1.45	
07-340		43	3/16	3-3/8	3-3/4	5	1.75	
07-341		44	3/16	3-1/2	3-7/8	5	1.65	
07-342		45	3/16	3-5/8	4	5	1.65	
07-345		48	3/16	4	4-3/8	5	1.95	
07-349		52	3/16	4-1/2	4-7/8	5	1.95	
07-350		53	3/16	4-5/8	5	5	1.95	
07-353		56	3/16	5	5-3/8	5	1.95	

Dealer Schedule.....405

*Special For John Deere 3/4 x 16 Fittings

**Special For IHC 7/8 x 14 Fittings

Central Universal O-Ring Kits



Assortment of 382 O-Rings in 30 popular sizes, in a plastic case. Available with BN70 or BN90 O-rings.

Size: 9-1/4" x 7" x 1-3/4".

Kits Contain The Following O-Rings:

No.	Qty.	No.	Qty.	No.	Qty.
006	20	113	13	216	10
007	20	114	13	217	10
008	20	115	13	218	10
009	20	116	13	219	10
010	20	210	10	220	10
011	20	211	10	221	10
012	20	212	10	222	10
110	13	213	10	325	7
111	13	214	10	326	7
112	13	215	10	327	7

No.	Description	Net
07-U382	Universal BN70 O-Ring Kit	\$32.00
09-U382	Universal BN90 O-Ring Kit	46.00

HYDRAULIC HOSE COUPLED ASSEMBLIES WIRE BRAID - AMERICAN MADE

Tube: Black, oil resistant, Nitrile (NBR) **Reinforcement:** Two wire braid of high tensile steel.

Cover: Black, oil & MSHA approved abrasion resistant Neoprene (CR)

Packaged in Cardboard Sleeves - (Working Pressure) X 4 = Bursting Pressure



1/4"x2 Wire Braid has 1/4" solid male pipe thread couplings both ends. Working pressure 5,000# Bursting pressure 23,200#

3/8"x2 Wire Braid has 3/8" solid male pipe thread couplings both ends. Working pressure 4,800# Bursting pressure 19,200#

1/2"x 2 Wire Braid has 1/2" solid male pipe thread couplings both ends. Working pressure 4,000# Bursting pressure 16,000#

Order No.	I.D.	Length	Price
HHA-04-2-012S ...	1/4"	12"	\$8.29
HHA-04-2-018S ...	1/4"	18"	10.05
HHA-04-2-024S ...	1/4"	24"	11.77
HHA-04-2-030S ...	1/4"	30"	13.53
HHA-04-2-036S ...	1/4"	36"	15.29
HHA-04-2-048S ...	1/4"	48"	18.80
HHA-04-2-060S ...	1/4"	60"	22.30
HHA-04-2-072S ...	1/4"	72"	25.81
HHA-04-2-084S ...	1/4"	84"	29.31
HHA-04-2-096S ...	1/4"	96"	32.82
HHA-04-2-108S ...	1/4"	108"	36.34
HHA-04-2-120S ...	1/4"	120"	39.82
HHA-04-2-132S ...	1/4"	132"	43.34
HHA-04-2-144S ...	1/4"	144"	46.83

Order No.	I.D.	Length	Price
HHA-06-2-012S ...	3/8"	12"	\$8.87
HHA-06-2-018S ...	3/8"	18"	9.83
HHA-06-2-024S ...	3/8"	24"	11.67
HHA-06-2-030S ...	3/8"	30"	13.43
HHA-06-2-036S ...	3/8"	36"	15.24
HHA-06-2-048S ...	3/8"	48"	18.83
HHA-06-2-060S ...	3/8"	60"	22.40
HHA-06-2-072S ...	3/8"	72"	26.05
HHA-06-2-084S ...	3/8"	84"	29.62
HHA-06-2-096S ...	3/8"	96"	33.20
HHA-06-2-108S ...	3/8"	108"	36.78
HHA-06-2-120S ...	3/8"	120"	40.41
HHA-06-2-132S ...	3/8"	132"	44.00
HHA-06-2-144S ...	3/8"	144"	47.58

Order No.	I.D.	Length	Price
HHA-08-2-012S ...	1/2"	12"	\$9.96
HHA-08-2-018S ...	1/2"	18"	11.86
HHA-08-2-024S ...	1/2"	24"	13.77
HHA-08-2-030S ...	1/2"	30"	15.66
HHA-08-2-036S ...	1/2"	36"	17.50
HHA-08-2-048S ...	1/2"	48"	21.31
HHA-08-2-060S ...	1/2"	60"	25.10
HHA-08-2-072S ...	1/2"	72"	28.88
HHA-08-2-084S ...	1/2"	84"	32.64
HHA-08-2-096S ...	1/2"	96"	36.44
HHA-08-2-108S ...	1/2"	108"	40.20
HHA-08-2-120S ...	1/2"	120"	44.00
HHA-08-2-132S ...	1/2"	132"	47.77
HHA-08-2-144S ...	1/2"	144"	51.54

Dealer Schedule	1 to 9	10 to 24	25 Or More
(Assorted Quantities)	152	203	353

*Centralize
with Central Supply*

Hyd. Suction & Return Line Hose



Contains spiral wire reinforcement to prevent collapse.
Recommended for petroleum and water based hydraulic fluids in suction or low pressure return lines. Working temp. 200°F.

Order No.	I.D.	O.D.	Working PSI	Per Ft.
104MB-12 ...	3/4"	1.16"	300	\$8.46
104MB-16 ...	1"	1.48"	250	9.38
104MB-20 ...	1-1/4"	1.77"	200	11.99
104MB-24 ...	1-1/2"	2.05"	150	15.99

Dealer Schedule: Less Than 50' 352
50' Or More 104

LOW PRESSURE HYDRAULIC RETURN LINE HOSE



High quality neoprene tube and cover reinforced with fabric braid. For return line service on hydraulic systems.
This cheaper low pressure hose should be used on low pressure lines such as those between the tank and control valve and between the tank and the relief valve.

No.	Size	PSI	Per Ft.
12L2	3/4" x 2 Braid	200	\$4.35
16L2	1" x 2 Braid	200	7.05
20L2	1-1/4" x 2 Braid	200	11.70

Dealer Schedule: Less than 50 feet 352
50 feet or more 203

**Fax Toll-Free
1-800-342-7252**

Hydraulic Hose

Made in the U.S.A.



2 WIRE BRAID - REGULAR COVER

Recommended for high pressure hydraulic oil lines. Meets or exceeds requirements of SAE 100R2A.

Order No.	Size	O.D.	Rated PSI	Burst PSI	Reel	Per Ft.
HHR-06-2 3/8" 0.84" 4000 16000 350'	\$7.78
HHR-08-2 1/2" 0.95" 3500 14000 300'	8.60
Dealer Schedule:	Less Than 150'				352	
	150' to Less than a Full Reel				253	
	Full Reel				105	

N-R-P Standard Thin Cover 2 Wire Braid Hydraulic Hose



Recommended for high pressure hydraulic oil lines. Meets or exceeds requirements of SAE 100R2 Type AT.

Order No.	I.D. (In.)	O.D.	Rated PSI	Burst PSI	Bend Radius	UPS Reel ⁴
HHT-04-2 1/4" 59.... 5800 23200 4" 250'
HHT-06-2 3/8" 75.... 4800 19200 5" 175'
HHT-08-2 1/2" 86.... 4000 16000 7" 140'
HHT-12-2* 3/4" 1.16.... 3100 12400 9.5" 96'
HHT-16-2* 1" 1.49.... 2400 9600 12" 70'

*Reel consists of 2 pieces maximum, 25 foot minimum length per piece.

*Special Order - Full Reels Only

Order No.	Description	Per Ft.
HHT-04-2 1/4"-2 wire, Thin Cover Hose	\$4.72
HHT-06-2 3/8"-2 wire, Thin Cover Hose	5.63
HHT-08-2 1/2"-2 wire, Thin Cover Hose	6.16

Dealer Schedule:	Less Than Full Reel	203
	Full UPS Reel	105

Centralize With Central
CALL TOLL-FREE
1-800-444-8666

N-R-P Hydra-Lite Hydraulic Hose

Made in the U.S.A.



Thin Cover - Non-Skive - Tight Bend Radius

Recommended for high pressure hydraulic oil lines. Smaller O.D. provides greater flexibility in service. **Tube:** Black, oil resistant, Nitrile (NBR). **Reinforcement:** Braids of higher tensile steel wire. **Cover:** Black, oil and abrasion resistant Neoprene (CR). MSHA accepted. **Temperature range:** -40°F to +250°F.

Order No.	I.D. (In.)	O.D.	Rated PSI	Burst PSI	Bend Radius	UPS Reel ⁴
-----------	------------	------	-----------	-----------	-------------	-----------------------

ONE-WIRE exceeds SAE 100R1

HHH-04-1 1/4" 53.... 3000 12000 2.0" 350'
HHH-06-1 3/8" 68.... 3000 12000 2.5" 250'
HHH-08-1 1/2" 80.... 3000 12000 3.5" 180'

TWO-WIRE exceeds SAE 100R2

HHH-04-2 1/4" 57.... 5800 23200 2.0" 250'
HHH-06-2 3/8" 72.... 4800 19200 2.5" 200'
HHH-08-2 1/2" 84.... 4000 16000 3.5" 160'
HHH-12-2* 3/4" 1.10.... 3100 12400 4.5" 100'

Shippable Via U.P.S. - Reel lengths are approximate.

*Reel consists of 2 pieces maximum, 25 foot minimum length per piece.

*Carton consists of 2 pieces maximum, 25 foot minimum length per piece.

Order No.	Description	Per Ft.
HHH-04-1 1/4"-1 wire, Hydra-Lite I Hose	\$3.73
HHH-06-1 3/8"-1 wire, Hydra-Lite I Hose	4.11
HHH-08-1 1/2"-1 wire, Hydra-Lite I Hose	4.56
HHH-04-2 1/4"-2 wire, Hydra-Lite II Hose	4.46
HHH-06-2 3/8"-2 wire, Hydra-Lite II Hose	5.28
HHH-08-2 1/2"-2 wire, Hydra-Lite II Hose	5.95
HHH-12-2 3/4"-2 wire, Hydra-Lite II Hose	8.80

Dealer Schedule:	25 ft. to Less Than Full Reel	203
	Full UPS Reel	105




Push-On Fuel Line Hose

Tube: Black, seamless oil resistant nitrile. Reinforcement: One textile spiral. Cover: Gray, oil and water resistant nitrile/PVC. Temperature range: -40°F to +200°F. **Recommended for: Gasoline, coolants, water, oils, air, etc.**

Order No.	I.D.	O.D.	PSI	Per Ft.
POH-04 1/4" 1/2" 250 \$2.80
POH-06 3/8" 5/8" 250 3.47

Dealer Schedule:	Less Than 10'	302
	10' Or More	105

MALLEABLE IRON BLACK PIPE FITTINGS



REGULAR ELBOWS (Both Ends Female IPT)

Order No.	Size	Degree	Price
BPER-02-45	1/8"	45	\$4.26
BPER-04-45	1/4"	45	4.35
BPER-06-45	3/8"	45	3.96
BPER-08-45	1/2"	45	3.42
BPER-12-45	3/4"	45	4.18
BPER-16-45	1"	45	5.34
BPER-20-45	1-1/4"	45	9.34
BPER-24-45	1-1/2"	45	11.53
BPER-32-45	2"	45	17.36
BPER-02-90	1/8"	90	2.95
BPER-04-90	1/4"	90	2.81
BPER-06-90	3/8"	90	2.81
BPER-08-90	1/2"	90	2.11
BPER-12-90	3/4"	90	3.05
BPER-16-90	1"	90	4.47
BPER-20-90	1-1/4"	90	7.24
BPER-24-90	1-1/2"	90	9.53
BPER-32-90	2"	90	16.35

Regular Reducing Elbow

Order No.	Size	Degree	Price
BPERR-08-90	1/2" x 3/8"	90	\$3.84

PIPE PLUGS

Square Head




No.	Size In.	Price	No.	Size In.	Price
BPP-02	1/8	\$1.81	BPP-12	3/4	\$2.15
BPP-04	1/4	1.81	BPP-16	1	2.89
BPP-06	3/8	1.81	BPP-20	1-1/4	3.86
BPP-08	1/2	1.92	BPP-24	1-1/2	5.54
			BPP-32	2	9.40

HEXAGON REDUCING BUSHING



Order No.	Size	Price
BPB-04-02	1/4" x 1/8"	\$3.76
BPB-06-02	3/8" x 1/8"	3.76
BPB-06-04	3/8" x 1/4"	3.76
BPB-08-02	1/2" x 1/8"	3.76
BPB-08-04	1/2" x 1/4"	3.76
BPB-08-06	1/2" x 3/8"	3.76
BPB-12-02	3/4" x 1/8"	3.68
BPB-12-04	3/4" x 1/4"	3.64
BPB-12-06	3/4" x 3/8"	3.68
BPB-12-08	3/4" x 1/2"	3.40
BPB-16-02	1" x 1/8"	3.93
BPB-16-04	1" x 1/4"	4.21
BPB-16-06	1" x 3/8"	4.68
BPB-16-08	1" x 1/2"	3.50
BPB-16-12	1" x 3/4"	3.50
BPB-20-08	1-1/4" x 1/2"	5.95
BPB-20-12	1-1/4" x 3/4"	5.95
BPB-20-16	1-1/4" x 1"	5.95
BPB-24-08	1-1/2" x 1/2"	8.21
BPB-24-12	1-1/2" x 3/4"	8.21
BPB-24-16	1-1/2" x 1"	8.21
BPB-24-20	1-1/2" x 1-1/4"	8.21
BPB-32-16	2" x 1"	10.65
BPB-32-20	2" x 1-1/4"	10.65
BPB-32-24	2" x 1-1/2"	10.65

STREET ELBOWS (Male to Female IPT)



Order No.	Size	Degree	Price
BPES-02-45	1/8"	45	\$6.61
BPES-04-45	1/4"	45	4.92
BPES-06-45	3/8"	45	5.57
BPES-08-45	1/2"	45	4.49
BPES-12-45	3/4"	45	6.89
BPES-16-45	1"	45	8.00
BPES-20-45	1-1/4"	45	13.84
BPES-24-45	1-1/2"	45	17.18
BPES-32-45	2"	45	28.98
BPES-02-90	1/8"	90	4.25
BPES-04-90	1/4"	90	3.92
BPES-06-90	3/8"	90	4.25
BPES-08-90	1/2"	90	4.25
BPES-12-90	3/4"	90	5.50
BPES-16-90	1"	90	6.12
BPES-20-90	1-1/4"	90	9.34
BPES-24-90	1-1/2"	90	12.46
BPES-32-90	2"	90	20.21

Reducing Street Elbow


Order No.	Size	Degree	Price
BPESR-08-90	1/2" F x 3/8" M	90	\$7.22

PIPE PLUGS Hex Socket Head



No.	Size In.	Price
BPPS-04	1/4	\$.62
BPPS-06	3/8	.67
BPPS-08	1/2	1.15

No.	Size In.	Price
BPC-02	1/8	\$2.76
BPC-04	1/4	2.76
BPC-06	3/8	2.55
BPC-08	1/2	2.11
BPC-12	3/4	2.85
BPC-16	1	3.86
BPC-20	1-1/4	5.42
BPC-24	1-1/2	6.75
BPC-32	2	10.36





STRAIGHT PIPE TEE

(All Ends Female IPT)

No.	Size In.	Price	No.	Size In.	Price
BPT-02	1/8	\$4.49	BPT-12	3/4	\$4.64
BPT-04	1/4	4.24	BPT-16	1	6.85
BPT-06	3/8	4.24	BPT-20	1-1/4	11.12
BPT-08	1/2	2.74	BPT-24	1-1/2	13.84
			BPT-32	2	23.53

DEALER SCHEDULE THIS PAGE.....304

Galvanized fittings - Call for price & availability.



MALLEABLE IRON BLACK PIPE FITTINGS

(Schedule 40 - 150 PSI Operating Pressure)

BLACK PIPE NIPPLES



Order No.	Size	Price									
BPN-02-000 ..	1/8"xClose ..	\$1.33	BPN-06-200 ..	3/8"x2"	\$1.87	BPN-12-200 ..	3/4"x2"	\$1.70	BPN-20-308 ..	1-1/4"x3-1/2"	\$4.16
BPN-02-108 ..	1/8"x1-1/2"	1.64	BPN-06-208 ..	3/8"x2-1/2"	2.39	BPN-12-208 ..	3/4"x2-1/2"	1.93	BPN-20-400 ..	1-1/4"x4"	4.16
BPN-02-200 ..	1/8"x2"	1.64	BPN-06-300 ..	3/8"x3"	2.39	BPN-12-300 ..	3/4"x3"	1.93	BPN-20-500 ..	1-1/4"x5"	4.98
BPN-02-208 ..	1/8"x2-1/2"	1.90	BPN-06-308 ..	3/8"x3-1/2"	2.81	BPN-12-308 ..	3/4"x3-1/2"	2.39	BPN-20-600 ..	1-1/4"x6"	5.91
BPN-02-300 ..	1/8"x3"	1.90	BPN-06-400 ..	3/8"x4"	2.81	BPN-12-400 ..	3/4"x4"	2.39	BPN-24-000 ..	1-1/2"xClose ..	3.63
BPN-02-308 ..	1/8"x3-1/2"	2.31	BPN-06-500 ..	3/8"x5"	4.06	BPN-12-500 ..	3/4"x5"	3.00	BPN-24-200 ..	1-1/2"x2"	3.92
BPN-02-400 ..	1/8"x4"	2.31	BPN-06-600 ..	3/8"x6"	4.51	BPN-12-600 ..	3/4"x6"	3.39	BPN-24-208 ..	1-1/2"x2-1/2" ..	4.38
BPN-02-500 ..	1/8"x5"	4.38	BPN-08-000 ..	1/2"xClose ..	1.39	BPN-12-900 ..	3/4"x9"	5.80	BPN-24-300 ..	1-1/2"x3"	4.38
BPN-02-600 ..	1/8"x6"	4.80	BPN-08-108 ..	1/2"x1-1/2"	1.39	BPN-16-000 ..	1"xClose ..	2.31	BPN-24-308 ..	1-1/2"x3-1/2" ..	4.91
BPN-04-000 ..	1/4"xClose ..	1.60	BPN-08-200 ..	1/2"x2"	1.39	BPN-16-200 ..	1"x2"	2.52	BPN-24-400 ..	1-1/2"x4"	4.91
BPN-04-108 ..	1/4"x1-1/2"	1.70	BPN-08-208 ..	1/2"x2-1/2"	1.64	BPN-16-208 ..	1"x2-1/2"	2.66	BPN-24-500 ..	1-1/2"x5"	6.00
BPN-04-200 ..	1/4"x2"	1.70	BPN-08-300 ..	1/2"x3"	1.64	BPN-16-300 ..	1"x3"	2.66	BPN-24-600 ..	1-1/2"x6"	6.88
BPN-04-208 ..	1/4"x2-1/2"	2.19	BPN-08-308 ..	1/2"x3-1/2"	1.97	BPN-16-308 ..	1"x3-1/2"	3.31	BPN-32-000 ..	2"xClose ..	4.96
BPN-04-300 ..	1/4"x3"	2.19	BPN-08-400 ..	1/2"x4"	1.97	BPN-16-400 ..	1"x4"	3.31	BPN-32-208 ..	2"x2-1/2" ..	5.69
BPN-04-308 ..	1/4"x3-1/2" ..	2.53	BPN-08-408 ..	1/2x4-1/2"	2.31	BPN-16-500 ..	1"x5"	3.93	BPN-32-300 ..	2"x3"	5.69
BPN-04-400 ..	1/4"x4"	2.53	BPN-08-500 ..	1/2"x5"	2.58	BPN-16-600 ..	1"x6"	4.64	BPN-32-308 ..	2"x3-1/2" ..	6.86
BPN-04-500 ..	1/4"x5"	3.86	BPN-08-508 ..	1/2"x5-1/2"	2.58	BPN-20-000 ..	1-1/4"xClose ..	2.92	BPN-32-400 ..	2"x4"	6.86
BPN-04-600 ..	1/4"x6"	4.55	BPN-08-600 ..	1/2"x6"	2.58	BPN-20-200 ..	1-1/4"x2"	3.30	BPN-32-500 ..	2"x5"	7.93
BPN-06-000 ..	3/8"xClose ..	1.64	BPN-12-000 ..	3/4"xClose ..	1.58	BPN-20-208 ..	1-1/4"x2-1/2" ..	3.51	BPN-32-600 ..	2"x6"	9.26
BPN-06-108 ..	3/8"x1-1/2"	1.87	BPN-12-108 ..	3/4"x1-1/2"	1.70	BPN-20-300 ..	1-1/4"x3"	3.51	BPN-48-000 ..	3"xClose ..	20.42



**Malleable
Iron Unions**

150 lbs. Steam Working Pressure
300 lbs. Cold Water, Oil, Gasoline
Non-Shock Working Pressure
Female Thread Joint

	Size In.	Price
BPU-02	1/8	\$14.15
BPU-04	1/4	13.65
BPU-06	3/8	12.02
BPU-08	1/2	11.95
BPU-12	3/4	15.23
BPU-16	1	17.90
BPU-20	1-1/4	23.84
BPU-24	1-1/2	31.83
BPU-32	2	55.62



**REDUCING
COUPLINGS**

Order No.	Size	Price
BPCR-04-02	1/4" x 1/8"	\$3.40
BPCR-06-02	3/8" x 1/8"	3.40
BPCR-06-04	3/8" x 1/4"	3.40
BPCR-08-04	1/2" x 1/4"	3.11
BPCR-08-06	1/2" x 3/8"	2.93
BPCR-12-08	3/4" x 1/2"	3.37
BPCR-16-12	1" x 3/4"	5.22
BPCR-20-16	1-1/4" x 1"	6.52
BPCR-24-20	1-1/2" x 1-1/4"	8.23
BPCR-32-24	2" x 1-1/2"	11.97




**"STEEL"
STRAIGHT
COUPLINGS**

No.	Size In.	Price
BSCS-02	1/8	\$1.85
BSCS-04	1/4	2.55
BSCS-06	3/8	3.07
BSCS-08	1/2	3.27
BSCS-12	3/4	4.17
BSCS-16	1	5.82
BSCS-20	1-1/4	7.44
BSCS-24	1-1/2	9.42
BSCS-32	2	13.51
BSCS-48	3	53.98
BSCS-64	4	95.68

DEALER SCHEDULE (Pipe Fittings).....304

Central TEPtape



Seals efficiently at high and low temperatures. Temperature range 400 to 500 F. degrees. Self lubricating and compressible. Will not harden. Prevents galling, seizing and corrosion. Permits frequent disassembly, if necessary. Leakproof joints. Clean low cost way to eliminate leakage problems, need for expensive flanged fittings. 100% sealing and positive protection for all types of threaded joints.

No.	Price
5026-D 1/2" x 260" (In Plastic Dispenser)	\$.97

Dealer Schedule: 10 Or More 23/133
Less Than 10 152



Slic-Tite Thread Paste

Recommended for: Gasoline, Kerosene, LP Gases, Oil, Refrigerants, Solvents, Caustics, Acids, Gas, Water, Steam & Air.
DO NOT USE FOR OXYGEN SYSTEMS

Order No.	Price
LC-42009 1/4 Pint can with Brush	\$13.20


PIPETITE-STIK




Use on metal threads. For water, steam, air, and natural gas service. Sealing temp. up to 350°F. Pressures to 2000 PSI - liquid, 350 PSI - gas. Non-toxic, lead-free.
NOT FOR OXYGEN SERVICE, CHLORINE OR OTHER OXIDIZERS.
Order No. Price
LC-11175 Pipetite-Stik Thread Sealant \$1.78
Dealer Schedule.....152

Disc Harrow Bearing Cross Reference

CYLINDRICAL



SPHERICAL



CYLINDRICAL --- ROUND BORE

Bore	BCA	Fafnir	Federal	Link Belt	NDH	Lubrication
1-1/2"	DC208TT10	W208PP8				Prelubricated
1.9402"	DC210TTR9	GW210PP9				Relubricatable

CYLINDRICAL --- SQUARE BORE

Bore	BCA	Fafnir	Federal	Link Belt	NDH	Lubrication
1-1/8"	DC208TT	W208K E9003	TN208S1A		AS4508B	Prelubricated
1-1/8"	DC208TT5	W208PP5	TN208S1	W208PP5	AS4508BH	Prelubricated
1-1/8"	DC208TT8	W208PP8	T208S1	W208PP8	AS4508BD	Prelubricated
1-1/8"	DC208TTR17	GW208PP17				Relubricatable
1-1/8"	DC210TTR4	GW210PP4		GW210PP4	RAS4510B	Relubricatable
1-1/2"	DC211TT3	W211PP3	TW211S4	W211PP3	AS4511BD	Prelubricated
1-1/2"	DC211TTR3	GW211PP3		GW211PP3	RAS4511BD	Relubricatable
1-1/2"	DC211TT5	W211PP5	T211S4A		AS4511AE	Prelubricated

SPHERICAL --- ROUND BORE

Bore	BCA	Fafnir	Federal	Link Belt	NDH	Lubrication
1-1/2"	DS208TT2A	W208PPB23	TS208H	W208PPB23		Prelubricated
1-3/16"	DS208TT7	W208PPB7	TN208A	W208PPB7		Prelubricated
45mm	DS209TT2	W209PPB2	TWS209	W209PPB2	AS4509BE	Prelubricated
45mm	DS209TTR2	GW209PPB2		GW209PPB2	RAS4509BE	Relubricatable
1-1/2"	DS209TT4	W209PPB4	TWS209A	W209PPB4	AS4509BD	Prelubricated
1-1/2"	DS209TTR4	GW209PPB4	TWS209AR	GW209PPB4	RAS4509BD	Relubricatable
1-1/2"	DS209TT6	W209PPB6			AS4509B	Prelubricated
1-3/4"	DS209TTR10	GW209PPB11				Relubricatable
1-3/4"	DS210TT5	W210PPB5	TWS210A	W210PPB5	AS4510D	Prelubricated
1-3/4"	DS210TTR5R	GW210PPB5		GW210PPB5		Relubricatable
1-15/16"	DS210TT2	W210PPB2	TWS210B	W210PPB2		Prelubricated
1-15/16"	DS210TTR2	GW210PPB2	TWS210BR	GW210PPB2		Relubricatable
2-3/16"	DS211TT2	W211PPB2	TWS211A	W211PPB2		Prelubricated
2-3/16"	DS211TTR2	GW211PPB2		GW211PPB2		Relubricatable
2-3/16"	DS211TTR8R	GW211PPB8				Relubricatable
1.785"	DS211TTR13	GW211PPB13				Relubricatable
1-3/4"	FD209RA	(IHC No. ST491A**) Round IHC Special				



**NOTE ST491A Bearing is a replacement for IHC Disc Harrow Models 130, 150, 330, 340, 350, 370, 470, 475, 480, 490 & 760

SPHERICAL --- SQUARE BORE


Bore	BCA	Fafnir	Federal	Link Belt	NDH	Lubrication
1-1/8"	DS208TT5	W208PPB5	TNS208S1	W208PPB5	AS4508BJ	Prelubricated
1-1/8"	DS208TTR5	GW208PPB5	TNS208S1R	GW208PPB5	RAS4508J	Relubricatable
1"	DS208TT6	W208PPB6	TNS208S	W208PPB6	AS4508BK	Prelubricated
1"	DS208TTR6	GW208PPB6		GW208PPB6	RAS4508AE	Relubricatable
1-1/8"	DS208TT8	W208PPB8		W208PPB8		Prelubricated
1-1/8"	DS208TTR8	GW208PPB8	TS208S1R	GW208PPB8	RAS4508EF	Relubricatable
1"	DS208TT9	W208PPB9		W208PPB9		Prelubricated
7/8"	DS208TT11	W208PPB11		W208PPB11		Prelubricated
1-1/8"	DS208TT12	W208PPB12		W208PPB12		Prelubricated
1-1/4"	DS209TT5	W209PPB5	TS209S2	W209PPB5	AS4509A	Prelubricated
1-1/4"	DS209TTR5	GW209PPB5		GW209PPB5		Relubricatable
1-1/4"	DS209TT7	W209PPB7	TSC209S2A	W209PPB7	AS4509AC	Prelubricated
1-1/4"	DS209TTR8	GW209PPB8		GW209PPB8		Relubricatable
1-1/8"	DS210TT4	W210PPB4	TWS210S1	W210PPB4		Prelubricated
1-1/8"	DS210TTR4	GW210PPB4		GW210PPB4	RAS4510F	Relubricatable
1-1/8"	DS210TTR5S					Relubricatable
1-1/2"	DS211TT3	W211PPB3	TWS211S4	W211PPB3	AS4511BE	Prelubricated
1-1/2"	DS211TTR3	GW211PPB3	TWS211S4R	GW211PPB3	RAS4511BE	Relubricatable
1-1/2"	DS211TT6	W211PPB6	TSC211S4A		AS4511AC	Prelubricated

Disc Bearings

CYLINDRICAL



SPHERICAL



CYLINDRICAL --- ROUND BORE

Bore (A)	Pre-Lube No.	Re-Lube No.	Type	B	C	D	Price
1-1/2"	DC208TT10		2	3.5433	1.6875	0.8268	\$27.64
1.9402"		DC210TTR9	2	3.5433	1.4380	0.9060	55.05

CYLINDRICAL --- SQUARE BORE

Bore (A)	Pre-Lube No.	Re-Lube No.	Type	B	C	D	Price
1-1/8"	DC208TT		1	3.1496	1.6875	1.2790	\$55.45
1-1/8"	DC208TT5		2	3.1496	1.4375	0.7087	30.30
1-1/8"	DC208TT8		3	3.1496	1.4375	1.1875	41.36
1-1/8"		DC208TTR17	3	3.3750	1.4375	1.1875	49.90
1-1/8"		DC210TTR4	4	3.5433	1.1875	1.1875	75.45
1-1/2"	DC211TT3		4	3.9370	1.3125	1.3125	51.67
1-1/2"		DC211TTR3	4	3.9370	1.3125	1.3125	65.50
1-1/2"		DC211TTR3E	3	3.9370	1.7500	1.3125	57.00
1-1/2"	DC211TT5		3	4.0000	1.7500	1.4380	57.40

SPHERICAL --- ROUND BORE

Bore (A)	Pre-Lube No.	Re-Lube No.	Type	B	Flange Series	C	D	Price
1-1/2"	DS208TT2A		1	3.1500	80	1.6880	1.1188	\$58.75
1-3/16"	DS208TT7		1	3.1496	80	1.1875	0.7087	37.60
45mm	DS209TT2		3	3.3465	85	1.1875	1.1875	42.10
45mm		DS209TTR2	3	3.3465	85	1.1875	1.1875	45.04
1-1/2"	DS209TT4		3	3.3465	85	1.1875	1.1875	40.90
1-1/2"		DS209TTR4	3	3.3465	85	1.1875	1.1875	53.50
1-1/2"	DS209TT6		4	3.4380	87	1.1875	1.1875	46.15
1-3/4"		DS209TTR10	1	3.3465	85	1.4375	0.8661	45.80
1-3/4"	DS210TT5		3	3.5430	90	1.1880	1.1880	56.00
1-3/4"		DS210TTR5R	2	3.5430	90	1.1880	1.1880	84.25
1-15/16"	DS210TT2		3	3.5433	90	1.1875	1.1875	44.45
1-15/16"		DS210TTR2	3	3.5433	90	1.1875	1.1875	50.15
2-3/16"	DS211TT2		3	3.9370	100	1.3125	1.3125	55.00
2-3/16"		DS211TTR2	3	3.9370	100	1.3125	1.3125	58.55
2-3/16"		DS211TTR8R	1	3.9370	100	1.3125	0.9843	85.20
2.195"		DS211TTR9	1	3.9370	100	1.5625	0.9843	50.27
1.785"		DS211TTR13	3	3.9370	100	1.1875	1.1875	82.65


IHC SPECIAL

1-3/4"	FD209RA	(IHC #ST491A**) Round		42.90
--------	---------	-----------------------	--	-------

**NOTE - ST491A Bearing is a replacement for IHC Disc Models 130, 150, 330, 340, 350, 370, 470, 475, 480, 490 & 760.

SPHERICAL --- SQUARE BORE

Bore (A)	Pre-Lube No.	Re-Lube No.	Type	B	Flange Series	C	D	Price
1-1/8"	DS208TT5		1	3.1496	80	1.4375	0.7087	\$32.63
1-1/8"		DS208TTR5	2	3.1496	80	1.4375	0.9449	53.25
1"	DS208TT6		1	3.1496	80	1.4375	0.7087	35.45
1"		DS208TTR6	2	3.1496	80	1.4375	0.9449	57.10
1-1/8"	DS208TT8		2	3.1496	80	1.4375	1.1875	36.10
1-1/8"		DS208TTR8	2	3.1496	80	1.4375	1.1875	44.10
1"	DS208TT9		2	3.1496	80	1.4375	1.1875	35.70
7/8"	DS208TT11		4	3.4380	87	1.4375	1.1875	47.70
1-1/8"	DS208TT12		4	3.4343	87	1.4375	1.1880	42.00
1-1/4"	DS209TT5		2	3.3465	85	1.4375	1.1875	44.15
1-1/4"		DS209TTR5	2	3.3465	85	1.4375	1.1875	62.55
1-1/4"	DS209TT7		4	3.4380	87	1.4375	1.1875	73.35
1-1/4"		DS209TTR8	1	3.3465	85	1.4375	0.8661	46.90
1-1/8"	DS210TT4		3	3.5433	90	1.1875	1.1875	63.40
1-1/8"		DS210TTR4	3	3.5433	90	1.1875	1.1875	81.85
1-1/8"		DS210TTR5S	2	3.5433	90	1.7500	1.1875	103.95
1-1/2"	DS211TT3		3	3.9370	100	1.3125	1.3125	51.22
1-1/2"		DS211TTR3	3	3.9470	100	1.3125	1.3125	62.30
1-1/2"	DS211TT6		4	4.1250	100	1.7500	1.4375	90.65



Disc Harrow Bearings 4-BOLT FLANGED

I.H.C.

Order No.	OEM No.	Shaft Size	B	Price
FD209RA	ST491A	1.77 (1-3/4")	5"	\$42.90
FD209RB	ST3027	1.53	5"	42.90
FD211RB	ST740B	2.1875	5.5"	95.02
FD211RE	ST3028	1.78	5.5"	64.80
FD211RJA	ST3012A	1.9380	5.5"	125.85

DO NOT come with Lock Collars.

ADDED 5/6/2016
Square Bore
Disc Harrow Bearings
4-BOLT FLANGED

Order No.	Shaft Size	Bolt Circle	Thru	Price
FD208R1	1.00 (1")	4.69"		\$51.15
FD209RK	1.25 (1-1/4")	5"	1.6845"	78.08
FD211RM	1.50 (1-1/2")	5-1/2"	2"	125.45

DO NOT come with Lock Collars.



Disc Harrow Square Bore Tapered Roller Bearings

Order No.	Description	Shaft	Price
John Deere			
4T-LM501334SD .. Dbl. Row #JD8949	1.25"	84.12	
4T-LM501310 .. Cup (2 required)		7.66	
Case/IH - Kewanee			
4T-13678SD .. Dbl. Row #469834R91 ..	1.156"	74.35	
4T-13620 .. Cup (2 required)		13.50	



Popular Kit For The Above

DK-3 Includes: 1-385SD, 2-382A,			
2-200392 Seals (JD #AB14028)		155.30	

Dealer Schedule.....152

All Prices Are Subject To Change Without Notice

HEX BORE Bearings



TYPE 2 - SPHERICAL - RE-GREASEABLE


Order No.	Fafnir No.	A	Flange	
		Shaft	O.D.	
HPS104-TR*	GW208PPB22 ..	1-1/4"	3.1496 80	\$54.00

TYPE 1 - CYLINDRICAL - PRELUBRICATED

Order No.	Fafnir No.	A	D	
		Shaft	O.D.	
HPC014-GP	205KRR2	7/8"	2.0472	24.23
HPC100-GP	206KRR6	1"	2.4409	24.23
HPC100-TPD*	206KPP3	1"	2.4409	29.30
HPC104-TPA	W208PP21	1-1/4"	3.1496	33.13

* Triple Lip Seal


SPECIAL BEARINGS - SPHERICAL O.D. - DOUBLE SEALED



Order No.	Fafnir No.	(D)	(d)	(B)	Width	Price
		O.D.	I.D.			
S202-FF	202NPPB	1.3750	0.5906	0.4331		\$16.70
S203-FF	203NPPB	1.5748	0.6693	0.4724		24.45
S204-FF	204NPPB, 204PPB	1.8504	0.7874	0.5512		29.70
S205-FF	205NPPB	2.0472	0.9843	0.5906		23.60
S206-FF	206NPPB	2.4409	1.1811	0.6299		29.00
S207-FF	207NPPB, 207PPB	2.8346	1.3780	0.6693		51.45
S208-FF	208NPPB	3.1496	1.5748	0.7087		47.95
S305-FF	305NPPB	2.4409	0.9843	0.6693		48.92

DEALER SCHEDULE THIS PAGE.....152

SPECIAL BALL BEARINGS (WITHOUT COLLARS)



All Types NOT Pictured


Order No.	Other Manufacturer & Number	I.D.	O.D.	Width	Inner Ring	Price
202FFLB**	New Departure 499502H, Z499502AC	0.6250	1.3750	0.4331		\$15.44
203jd	Fafnir 203KYP2	0.6690	1.5740	0.550		8.85
203RRAR10	Fafnir 203KRR2, BB203KRR2	0.6400	1.5748	0.7200		9.10
203RRAR10N2	Fafnir BB203KRR2	0.6400	1.5748	0.7200		14.10
203RRH10	Fafnir 203KRR6	0.6400	1.8504	0.7200		25.90
204BBAR	Fafnir 204KRNTP2, 204KR3, 204KRNTP3, 204RR6, P204RR6, P204KRNTP2	0.7505	1.7805	0.6100		10.60
204BBE	Fafnir 204RR8	0.6260	1.7805	0.6100		17.90
204FGB	Fafnir 204KRRD4 (Tye-Grain Drill)	0.6290	1.8504	0.6860		26.20
204FREN	Fafnir H204KYNP2	0.6320	1.7805	0.7350		18.00
204FVMN	Fafnir 204RY2	0.6310	1.7800	0.7300		16.85
204GGB*	Fafnir 1012KRRB3	0.7515	1.8504	1.3440		19.51
205RHN	Fafnir 205KP3, 205P5, 205KR3	0.7510	2.0472	0.7000		21.85
205RRAN	Fafnir P205NPP4	0.7500	2.0472	0.5906		26.11
205RVA	Fafnir 205KRP2	0.7510	2.0472	0.8280		19.75
205TTH	Fafnir 205PPB7	0.9425	2.0472	1.3750		17.40
206GGB*	Fafnir 206KLLB3, 206KRRB3	1.1258	2.4409	0.9449		25.00
206GGH	New Departure D88506BB	0.7580	2.4409	0.9449		32.80
88107-BVV	Fafnir 207KYY	1.3780	2.8346	0.9843		32.30
88503	Fafnir 203KLL, 203KLL2, 203NPP8	0.6693	1.5748	0.6390		31.25

* Spherical O.D.

** With Snap Ring

Dealer Schedule.....152

MANY OTHER BEARINGS ARE AVAILABLE...CALL FOR PRICES!



GAUGE WHEEL / WATER PUMP BEARINGS

No.	Description	Price
203001	(885154B) Water Pump Bearing with under-cut shaft. For A.C., J.D, MF, Nobel and Spring Devil	\$18.93
203002	(1B0732RSP) Water Pump Bearing with Cross-Hole. For J.D. & Kinz	20.52
201003	Powdered Metal Sleeve for 4x16 gage wheel, fits 203001 & 203002 Brgs.	2.88
203003	(885151BOS2) Water Pump Bearing with Double End Shaft. for Noble H.D. and Lilliston	20.08
885151-E	IHC #526769R91 Water Pump Brg. with Long Shaft	20.52

Dealer Schedule.....152

Centralize your purchasing with Central Supply & Rubber Co.


BCA BALL BEARINGS

**SELF-ALIGNING WITH COLLARS - EXTENDED INNER RING ONE SIDE ONLY
SPHERICAL - ECCENTRIC CAM LOCKING - NON-RELUBRICATABLE**



Order No.	Shaft Size	O.D.	Fafnir No.	Flange Series	Price
NPS014-RPC	7/8"	2.0472"	RA014RRB	52	\$15.30
NPS101-RPC	1-1/16"	2.4409"	RA101RRB	62	19.65
NPS107-RPC	1-7/16"	2.8346"	RA107RRB	72	32.40


Grease Hole



BCA BALL BEARINGS

**SELF-ALIGNING WITH COLLARS - EXTENDED INNER RING ONE SIDE ONLY
SPHERICAL --- ECCENTRIC CAM LOCKING
RELUBRICATABLE (With Grease Hole On Back Side Of Outer Race)**

Order No.	Shaft Size	Fafnir No.	Flange Series	O.D.	Price
NPS008-RRC	1/2"	GRA008RRB	40	1.574	\$22.20
NPS010-RRC	5/8"	GRA010RRB	40	1.574	17.10



BCA BALL BEARINGS

**SELF-ALIGNING WITH SET SCREW LOCKING COLLAR
SPHERICAL --- EXTENDED INNER RING ONE SIDE ONLY
RELUBRICATABLE (With Grease Hole On Back Side Of Outer Race)**

Order/BCA No.	Shaft Size (B)	Fafnir No.	O.D. (A)	(C)	(G)	Flange Series	Price
SNPS014-RR	7/8"	GYA014RRB	2.047	1.1090	1.331	52	\$24.90
SNPS103-RR	1-3/16"	GYA103RRB	2.440	1.2810	1.589	62	27.30




**ECCENTRIC
LOCKING COLLARS
(For Bearing Inserts)**

Order No.	Shaft Size	Fafnir No.	Price
C008	1/2"	S1008K	\$5.90
C015	15/16"	S1015K	5.22
C101	1-1/16"	S1101K	6.00
C103	1-3/16"	S1103K	6.50
C107	1-7/16"	S1107K	8.15
C114	1-7/8"	S1114K	12.53
C115	1-15/16"	S1115K	19.10


**We Ship Over 95%
Of Our Orders
The Same Day!**

BCA BALL BEARINGS

**SPHERICAL --- ECCENTRIC CAM LOCKING --- WIDE INNER RING
RELUBRICATABLE (With Grease Hole On Back Side Of Outer Race)**




Order No.	Shaft Size	Fafnir No.	Flange Series	O.D.	Price
WPS015-GRC	15/16"	G1015KRRB	52	2.047	\$27.35
WPS102-GRC	1-1/8"	G1102KRRB	62	2.440	46.50
WPS110-GRC	1-5/8"	G1110KRRB	85	3.346	65.57
WPS111-GRC	1-11/16"	G1111KRRB	85	3.346	71.90
WPS114-GRC	1-7/8"	G1114KRRB	90	3.543	90.10
WPS203-GRC	2-3/16"	G1203KRRB	100	3.937	104.10



BCA BALL BEARINGS

**SPHERICAL O.D. --- ECCENTRIC CAM LOCKING --- WIDE INNER RING
NON-RELUBRICATABLE**

Order No.	Shaft Size	Fafnir No.	Flange Series	O.D.	Price
WPS100-GPC	1"	1100KRRB	52	2.047	\$26.00
WPS103-GP2C	1-1/4" sm.	1103KRRB2	62	2.440	45.50
WPS108-GPC	1-1/2"	1108KRRB	80	3.149	52.10



CAST IRON PILLOW BLOCK & BEARING UNITS

**ECCENTRIC LOCKING COLLAR TYPE
TWO BOLT - LOW CENTER SHAFT HEIGHT
SPHERICAL - REGREASEABLE**

Order No.	Shaft Size	BCA No.	(h) Shaft Height	(e) Bolt Spacing (C-C)	Price
UELPL206-102T	1-1/8"	PWG-1-1/8R	1-9/16"	4-3/4"	\$71.35
UELPL207-104T	1-1/4" std	PWG-1-1/4R	1-13/16"	5"	76.55
UELPL207-107T	1-7/16"	PWG-1-7/16R	1-13/16"	5"	76.55
UELPL210-115T	1-15/16"	PWG-1-15/16R	2-3/16"	6-1/4"	114.20


DEALER SCHEDULE THIS PAGE.....152

Ordering has never been easier!
On-Line: www.centralsupplyandrubber.com

Via Phone: 1-800-444-8666

Via Fax: (402) 341-0860


Central BRONZE BEARING ASSORTMENT




45 Bronze Bearings in 12 of the most popular sizes. Packaged in a see-through utility box, made of tough polypropylene with double hinges and positive latches. Box size: 14"x9"x2". Contains: 4 Ea. P165-08, P180-08, P200-08, P210-08, P220-08, P230-08, P235-12, P245-08, P245-12. 3 EA. P275-12, P285-08, P285-12.

No.	Description	List
P400-45	Bronze Bearing Assortment	\$103.62
	Dealer Schedule.....	152

Centralize With Central



Type F Shielded
Type SF Shielded & Sealed
Type 150 Shielded



Type ESF Shielded & Sealed
w/Extended Locking Collar

Single row radial and thrust w/flanged case.


Shielded and grease packed with or without neoprene seals.

Dye bearings come with built in lip or flange.

Some of the uses are augers, elevators, feeders, etc.

**Call Toll-Free
1-800-444-8666**

Central POROUS BRONZE BEARINGS



No.	I.D.	O.D.	Lgth.	List
P165-08*	1/2"	5/8"	1"	\$1.18
P175-08	1/2"	3/4"	1"	1.50
P180-08*	5/8"	3/4"	1"	1.30
P200-08*	3/4"	7/8"	1"	1.07
P210-08*	3/4"	1"	1"	1.90
P210-16	3/4"	1"	2"	2.03
P220-08*	7/8"	1"	1"	1.36
P230-08*	7/8"	1-1/8"	1"	2.71
P230-12	7/8"	1-1/8"	1-1/2"	2.96
P235-08	1"	1-1/8"	1"	1.79
P235-12*	1"	1-1/8"	1-1/2"	1.89
P245-08*	1"	1-1/4"	1"	2.12
P245-12*	1"	1-1/4"	1-1/2"	3.29
P245-16	1"	1-1/4"	2"	3.55
P275-12*	1-1/8"	1-3/8"	1-1/2"	3.25
P285-08*	1-1/4"	1-1/2"	1"	2.50
P285-12*	1-1/4"	1-1/2"	1-1/2"	3.20
P295-12	1-3/8"	1-5/8"	1-1/2"	4.25
P300-16	1-1/2"	1-3/4"	2"	4.60
P310-12	1-3/4"	2"	1-1/2"	5.62
P330-16	2"	2-1/4"	2"	5.73

* Denotes Sizes In Assortment

Dealer Schedule.....152

DON DYE BEARINGS

Order No.	A	B	C	D	E	List
F-12112	1/2"	1-1/2"	9/64"	1-19/32"	17/32"	\$7.91
F-58112	5/8"	1-1/2"	9/64"	1-19/32"	17/32"	7.91
F-12-32	3/4"	2"	7/16"	2-1/8"	41/64"	7.25
SF-12-32	3/4"	2"	7/16"	2-1/8"	41/64"	7.65
ESF-12-32	3/4"	2"	7/16"	2-1/8"	1-1/4"	9.95
F-14-32	7/8"	2"	7/16"	2-1/8"	41/64"	7.25
SF-14-32	7/8"	2"	7/16"	2-1/8"	41/64"	7.65
ESF-14-32	7/8"	2"	7/16"	2-1/8"	1-1/4"	9.95
F-16-32	1"	2"	7/16"	2-1/8"	41/64"	7.25
SF-16-32	1"	2"	7/16"	2-1/8"	41/64"	7.50
ESF-16-32	1"	2"	7/16"	2-1/8"	1-1/4"	9.75

Flanged Wheel Bearings

Order No.	A	B	C	D	E	List
150-003	3/8"	1-1/8"	1/4"	1-1/4"	7/16"	\$3.80
150-005	1/2"	1-1/8"	1/4"	1-1/4"	7/16"	3.80
150-089	1/2"	1-3/8"	3/8"	1-1/2"	17/32"	20.53
150-094	5/8"	1-3/8"	7/16"	1-1/2"	9/16"	31.30
Dealer Schedule: 1 To 9						203
10 or more assorted						203 & 101

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

NEW PRICES AS OF 6/10/2021

IPTCI
Ball Bearings
Medium Duty

SET SCREW LOCKING
Spherical, Self-Aligning


Greater Load Carrying Capacity
Than "UC" Series Inserts

WIDE INNER RING
RELUBRICATABLE

*Grease Groove on Collar Side of Outer Race
and Grease Hole on Back Side of Outer Race*

Order No.	(d)	Shaft Series	Flange Series	(D) O.D.	Price
UCX05-14	7/8"	62	62	2.4409	\$23.62
UCX05-15	15/16"	62	62	2.4409	23.62
UCX05-16	1"	62	62	2.4409	23.62
UCX06-18	1-1/8"	72	72	2.8346	28.95
UCX06-19	1-3/16"	72	72	2.8346	28.95
UCX06-20	1-1/4"	72	72	2.8346	28.95
UCX07-22	1-3/8"	80	80	3.1496	35.05
UCX07-23	1-7/16"	80	80	3.1496	35.05
UCX08-24	1-1/2"	85	85	3.3465	38.86
UCX09-26	1-5/8"	90	90	3.5433	48.00
UCX09-27	1-11/16"	90	90	3.5433	48.00
UCX09-28	1-3/4"	90	90	3.5433	48.00
UCX10-30	1-7/8"	100	100	3.9370	60.19
UCX10-31	1-15/16"	100	100	3.9370	60.19
UCX10-32	2"	100	100	3.9370	57.10
UCX11-34	2-1/8"	110	110	4.3307	118.09
UCX11-35	2-3/16"	110	110	4.3307	84.57
UCX11-36	2-1/4"	110	110	4.3307	76.95
UCX12-38	2-3/8"	120	120	4.7244	109.71
UCX12-39	2-7/16"	120	120	4.7244	109.71
UCX13-40	2-1/2"	125	125	4.9213	155.42
UCX14-43	2-11/16"	130	130	5.1181	176.76
UCX15-47	2-15/16"	140	140	5.5118	230.09
UCX15-48	3"	140	140	5.5118	230.09
UCX17-55	3-7/16"	160	160	6.2992	383.99
UCX17-56	3-1/2"	160	160	6.2992	408.37
UCX20-63	3-15/16"	190	190	7.4803	528.74
UCX20-64	4"	190	190	7.4803	528.74

All Prices Are Subject To Change Without Notice




IPTCI
Ball Bearings
SET SCREW LOCKING
Spherical, Self-Aligning

WIDE INNER RING
RELUBRICATABLE

*Grease Groove on Collar Side of Outer Race
and Grease Hole on Back Side of Outer Race*

Order No.	(d)	Shaft Series	Flange Series	(D) O.D.	Price
UCW201-08	1/2"	40	40	1.5748	\$17.52
UCW202-10	5/8"	40	40	1.5748	16.76
UC201-08	1/2"	47	47	1.8504	17.52
UC202-10	5/8"	47	47	1.8504	16.76
UC204-12	3/4"	47	47	1.8504	14.48
UC205-14	7/8"	52	52	2.0472	15.24
UC205-15	15/16"	52	52	2.0472	15.24
UC205-16	1"	52	52	2.0472	15.24
UC206-17	1-1/16"	62	62	2.4409	19.81
UC206-18	1-1/8"	62	62	2.4409	19.81
UC206-19	1-3/16"	62	62	2.4409	19.81
UC206-20	1-1/4"	62	62	2.4409	19.81
UC207-20	1-1/4" Std.	72	72	2.8346	23.62
UC207-21	1-5/16"	72	72	2.8346	23.62
UC207-22	1-3/8"	72	72	2.8346	23.62
UC207-23	1-7/16"	72	72	2.8346	23.62
UC208-24	1-1/2"	80	80	3.1496	28.95
UC208-25	1-9/16"	80	80	3.1496	28.95
UC209-26	1-5/8"	85	85	3.3465	32.00
UC209-27	1-11/16"	85	85	3.3465	32.00
UC209-28	1-3/4"	85	85	3.3465	32.00
UC210-30	1-7/8"	90	90	3.5433	38.86
UC210-31	1-15/16"	90	90	3.5433	38.86
UC210-32	2" Sm.	90	90	3.5433	38.86
UC211-32	2" Std.	100	100	3.9370	48.76
UC211-34	2-1/8"	100	100	3.9370	48.76
UC211-35	2-3/16"	100	100	3.9370	48.76
UC212-36	2-1/4"	110	110	4.3307	67.81
UC212-38	2-3/8"	110	110	4.3307	67.81
UC212-39	2-7/16"	110	110	4.3307	67.81
UC213-40	2-1/2"	120	120	4.7244	92.19
UC214-43	2-11/16"	125	125	4.9210	118.09
UC214-44	2-3/4"	125	125	4.9210	118.09
UC215-47	2-15/16"	130	130	5.1181	138.66
UC215-48	3"	130	130	5.1181	138.66
UC218-56	3-1/2"	160	160	6.2992	366.95



CAST IRON FLANGE & BEARING UNITS (FOUR BOLT)

Complete Unit	Shaft Size	Bearing	Housing	(A)	(E)	Price
UCFX15-47	2-15/16"	UCX15-47	FX15	7-3/4"	6"	\$267.42
UCFX17-55	3-7/16"	UCX17-55	FX17	8-7/16"	6-3/4"	432.75
UCFX17-56	3-1/2"	UCX17-56	FX17	8-7/16"	6-3/4"	483.79
UCFX20-63	3-15/16"	UCX20-63	FX20	10-9/16"	8-5/16"	861.69


Housing					
Only	MM	(A)	(E)	Holes	Price
FX13	125	7-3/8"	5-7/8"	9/16"	\$82.96
FX15	140	7-3/4"	6"	11/16"	126.97
FX17	160	8-7/16"	6-3/4"	11/16"	159.14
FX20	190	10-9/16"	8-5/16"	1"	315.74

IPTCI**BALL BEARINGS**


SELF-ALIGNING WITH COLLARS

Extended Inner Ring One Side Only

SPHERICAL

ECCENTRIC CAM LOCKING
RELUBRICATABLEGrease Groove on Collar Side of Outer Race
and Grease Hole on Back Side of Outer Race**IPTCI****BALL BEARINGS**

SPHERICAL

ECCENTRIC CAM LOCKING
WIDE INNER RING
RELUBRICATABLEGrease Groove on Collar Side of Outer Race
and Grease Hole on Back Side of Outer Race

Order No.	Shaft	Flange	O.D.	Price
SA201-08G	1/2"	40	1.574	\$19.05
SA202-10G	5/8"	40	1.574	19.05
SA204-12G	3/4"	47	1.850	14.48
SA205-14G	7/8"	52	2.047	16.00
SA205-15G	15/16"	52	2.047	16.00
SA205-16G	1"	52	2.047	16.00
SA206-17G	1-1/16"	62	2.440	19.81
SA206-18G	1-1/8"	62	2.440	19.81
SA206-19G	1-3/16"	62	2.440	19.81
SA206-20G	1-1/4" sm	62	2.440	19.81
SA207-20G	1-1/4" std	72	2.834	23.62
SA207-21G	1-5/16"	72	2.834	23.62
SA207-22G	1-3/8"	72	2.834	23.62
SA207-23G	1-7/16"	72	2.834	23.62
SA208-24G	1-1/2"	80	3.149	28.95
SA209-26G	1-5/8"	85	3.346	33.52
SA209-27G	1-11/16"	85	3.346	33.52
SA209-28G	1-3/4"	85	3.346	33.52
SA210-30G	1-7/8"	90	3.543	37.33
SA210-32G	2" sm	90	3.543	37.33
SA211-32G	2" std	100	3.937	47.24
SA211-33G	2-3/16"	100	3.937	47.24

IPTCI**BALL BEARINGS**


SELF-ALIGNING WITH COLLARS

Extended Inner Ring One Side Only

SPHERICAL

ECCENTRIC CAM LOCKING
NON-RELUBRICATABLE

B-type Seal




Order No.	Shaft	O.D.	Fafnir No.	Flange	Price
SA201-08N	1/2"	1.5748"	RA008RRB	40	\$19.05
SA202-10N	5/8"	1.5748"	RA010RRB	40	19.05
SA204-12N	3/4"	1.8504"	RA012RRB	47	14.48
SA205-14N	7/8"	2.0472"	RA014RRB	52	16.00
SA205-16N	1"	2.0472"	RA100RRB	52	12.95
SA206-18N	1-1/8"	2.4409"	RA102RRB	62	19.05
SA206-19N	1-3/16"	2.4409"	RA103RRB	62	19.05
SA206-20N	1-1/4" sm	2.4409"	RA103RRB2	62	19.05
SA207-20N	1-1/4" std	2.8346"	RA104RRB	72	23.62
SA207-22N	1-3/8"	2.8346"	RA106RRB	72	23.62
SA207-23N	1-7/16"	2.8346"	RA107RRB	72	23.62
SA208-24N	1-1/2"	3.1496"	RA108RRB	80	28.19
SA208-25N	1-9/16"	3.1496"	RA109RRB	80	28.19
SA209-28N	1-3/4"	3.3465"	RA112RRB	85	32.76

DEALER SCHEDULE THIS PAGE.....152

For other sizes & styles of triple-ply sealed
bearings, call for price and availability.

Order No.	Shaft	Flange	O.D.	Price
NA204-12	3/4"	47	1.850	\$16.00
NA205-14	7/8"	52	2.047	17.52
NA205-15	15/16"	52	2.047	17.52
NA205-16	1"	52	2.047	17.52
NA206-17	1-1/16"	62	2.440	22.09
NA206-18	1-1/8"	62	2.440	22.09
NA206-19	1-3/16"	62	2.440	22.09
NA206-20	1-1/4" sm	62	2.440	22.09
NA207-20	1-1/4" std	72	2.834	29.50
NA207-22	1-3/8"	72	2.834	25.90
NA207-23	1-7/16"	72	2.834	25.90
NA208-24	1-1/2"	80	3.149	31.24
NA208-25	1-9/16"	80	3.149	31.24
NA209-26	1-5/8"	85	3.346	35.05
NA209-27	1-11/16"	85	3.346	35.05
NA209-28	1-3/4"	85	3.346	35.05
NA210-30	1-7/8"	90	3.543	43.43
NA210-31	1-15/16"	90	3.543	43.43
NA210-32	2" sm	90	3.543	43.43
NA211-32	2" std	100	3.937	54.09
NA211-34	2-1/8"	100	3.937	54.09
NA211-35	2-3/16"	100	3.937	54.09
NA212-36	2-1/4"	110	4.3307	87.62
NA212-38	2-3/8"	110	4.3307	87.62
NA212-39	2-7/16"	110	4.3307	87.62
NA213-40	2-1/2"	120	4.7244	110.47
NA215-47	2-15/16"	130	5.1181	149.33
NA215-48	3"	130	5.1181	149.33

IPTCI**BALL BEARINGS**SPHERICAL
ECCENTRIC CAM LOCKING
WIDE INNER RING
RELUBRICATABLEGrease Groove on Collar Side of Outer Race
and Grease Hole on Back Side of Outer Race

L3-type Seal


(d)	Flange	(D)	(Bi)	Price
NA207-23L3	1-7/16	72	2.8346	\$33.52
NA208-24L3	1-1/2"	80	3.1496	39.62
NA209-26L3	1-5/8"	85	3.3465	44.19
NA209-28L3	1-3/4"	85	3.3465	44.19
NA210-31L3	1-15/16"	90	3.5433	46.85
NA211-32L3	2" std	100	3.9370	66.28
NA211-35L3	2-3/16"	100	3.9370	66.28



B-type Seal

IPTCI**BALL BEARINGS**


EXTENDED INNER RING ONE SIDE ONLY
CYLINDRICAL / FLAT OUTER RACE
 ECCENTRIC CAM LOCKING - NON-RELUBRICATABLE



(d) Order No.	Shaft Size (Be)	O.D. (D)	(Bi)	Fafnir No.	Price
CSA201-08N	1/2"	0.5118"	1.5748"	1.1260"	RA008RR \$19.05
CSA202-10N	5/8"	0.5118"	1.5748"	1.1260"	RA010RR 19.05
CSA204-12N	3/4"	0.5906"	1.8504"	1.2205"	RA012RR 14.48
CSA205-14N	7/8"	0.5906"	2.0472"	1.2205"	RA014RR 16.00
CSA205-16N	1"	0.5906"	2.0472"	1.2205"	RA100RR 16.00
CSA206-18N	1-1/8"	0.7087"	2.4409"	1.4055"	RA102RR 19.05
CSA206-19N	1-3/16"	0.7087"	2.4409"	1.4055"	RA103RR 19.05
CSA206-20N	1-1/4" sm	0.7087"	2.4409"	1.4055"	RA103RR2 19.05
CSA207-20N	1-1/4" std	0.7480"	2.8346"	1.5315"	RA104RR 22.86
CSA207-22N	1-3/8"	0.7480"	2.8346"	1.5315"	RA106RR 22.86
CSA207-23N	1-7/16"	0.7480"	2.8346"	1.5315"	RA107RR 22.86
CSA208-24N	1-1/2"	0.8661"	3.1496"	1.7205"	RA108RR 28.19
CSA209-28N	1-3/4"	0.8661"	3.3465"	1.7205"	RA112RR 31.24
CSA210-31N	1-15/16"	0.8661"	3.5433"	1.7205"	RA115RR 37.33
CSA211-32N	2"	0.9449"	3.9370"	1.9055"	RA200RR 53.33




B-type Seal

**IPTCI**
BALL BEARINGS

SELF-ALIGNING WITH SET SCREW LOCKING COLLAR
 EXTENDED INNER RING ONE SIDE ONLY
SPHERICAL - RELUBRICATABLE
*Grease Groove on Collar Side of Outer Race
 and Grease Hole on Back Side of Outer Race*


(d) Order No.	Shaft Size (Be)	O.D. (D)	(Bi)	Fafnir No.	Flange Series	Price
SB201-08G	1/2"	0.4724"	1.5748"	0.8661"	GYA008RRB 40	\$16.00
SB202-10G	5/8"	0.4724"	1.5748"	0.8661"	GYA010RRB 40	16.00
SB204-12G	3/4"	0.5512"	1.8504"	0.9843"	GYA012RRB 47	13.71
SB205-14G	7/8"	0.5906"	2.0472"	1.0630"	GYA014RRB 52	14.48
SB205-15G	15/16"	0.5906"	2.0472"	1.0630"	GYA015RRB 52	14.48
SB205-16G	1"	0.5906"	2.0472"	1.0630"	GYA100RRB 52	14.48
SB206-18G	1-1/8"	0.7087"	2.4409"	1.1811"	GYA102RRB 62	19.05
SB206-19G	1-3/16"	0.7087"	2.4409"	1.1811"	GYA103RRB 62	19.05
SB206-20G	1-1/4" sm.	0.7087"	2.4409"	1.1811"	GYA103RRB2 62	19.05
SB207-20G	1-1/4" std.	0.7480"	2.8346"	1.2992"	GYA104RRB 72	22.09
SB207-22G	1-3/8"	0.7480"	2.8346"	1.2992"	GYA106RRB 72	22.09
SB207-23G	1-7/16"	0.7480"	2.8346"	1.2992"	GYA107RRB 72	22.09
SB208-24G	1-1/2"	0.8661"	3.1496"	1.4173"	GYA108RRB 80	26.67

B-type Seal
Wide inner race
Black Oxide Finish**CYLINDRICAL O.D. with SNAP RING
SET SCREW LOCKING - EXTENDED INNER RING**

Order No.	Shaft	D	Bi	Be	Price
ER205-14	7/8"	2.0472	1.3750	0.7500	\$17.52
ER205-16	1"	2.0472	1.3750	0.7500	17.52
ER206-20	1-1/4"	2.4409	1.5000	0.8661	21.33


DEALER SCHEDULE THIS PAGE.....152

IPTCI
Hanger Unit
Cast Iron Housings
For "UC" Series Bearings Only





No.	Brg. O.D. For Bearing Shaft Size (d) MM	(A)	(W)	(H)	(L)	(D)	(K) PTF	Price
HA204	1/2", 5/8", 3/4"	47	2-33/64"	3-25/32"	2-33/64"	1-9/16"	3/4"	3/4"-14 \$16.08
HA205	7/8", 15/16", 1"	52	3-1/16"	4-1/16"	2-33/64"	1-9/16"	3/4"	3/4"-14 19.47
HA206	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm.	62	3-5/32"	4-3/32"	2-33/64"	1-9/16"	3/4"	3/4"-14 22.86
HA207	1-1/4" std., 1-5/16", 1-3/8", 1-7/16"	72	3-5/8"	4-9/16"	2-3/4"	1-9/16"	3/4"	3/4"-14 28.78
HA208	1-1/2", 1-9/16"	80	3-15/16"	4-27/64"	2-7/8"	1-9/16"	3/4"	3/4"-14 32.17

IPTCI
Take-Up Unit
Cast Iron Housings
For "UC" Series Bearings Only



No.	Brg. O.D. For Bearing Shaft Size (d) MM	(P)	(Q)	(S)	(E)	(A)	(W)	(H)	Price
T204	1/2", 5/8", 3/4"	47	2"	1-1/4"	3/4"	3"	3-1/2"	3-11/16"	2-13/32" \$16.08
T205	7/8", 15/16", 1"	52	2"	1-1/4"	3/4"	3"	3-1/2"	3-13/16"	2-7/16" 19.47
T206	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm.	62	2-7/32"	1-15/32"	55/64"	3-1/2"	4-1/32"	4-7/16"	2-3/4" 22.85
T207	1-1/4" std., 1-5/16", 1-3/8", 1-7/16"	72	2-17/32"	1-15/32"	55/64"	3-1/2"	4-1/32"	5-3/32"	3-1/16" 28.78
T208	1-1/2", 1-9/16"	80	3-9/32"	1-15/32"	1-9/64"	4"	4-1/2"	5-21/32"	3-15/32" 32.17



IPTCI
"SAMS" TWO BOLT
CAST IRON HOUSINGS



Narrower Bolt Spacing

for Narrow Inner Race "SA" Series Bearings Only

Order No.	Brg. O.D. (MM)	(A)	(B)	Bolt Spacing (C-C)	(G)	(S)	Bolt Size	Price
MS203G	1/2", 5/8"	40	3-3/16"	2-5/16"	2-1/2"	37/64"	1/4"	\$13.10
MS204G	3/4"	47	3-9/16"	2-5/8"	2-13/16"	43/64"	5/16"	13.10
MS205G	7/8", 1"	52	3-3/4"	2-51/64"	3"	11/16"	5/16"	15.15
MS206G	1-1/8", 1-3/16", 1-1/4" sm.	62	4-7/16"	3-5/16"	3-9/16"	13/16"	3/8"	17.45
MS207G	1-1/4" std., 1-3/8", 1-7/16"	72	4-15/16"	3-11/16"	3-15/16"	7/8"	3/8"	21.00


IPTCI FOUR BOLT CAST IRON HOUSINGS

Order No.	For Bearing Shaft Size	Size (MM)	(A) O.D.	(E) Bolt Spacing	Bolt Size	Price
F203	1/2", 5/8"	40	3"	2-1/8"	3/8"	\$13.10
NF204	3/4"	47	3-3/8"	2-1/2"	3/8"	14.39
NF205	13/16", 7/8", 15/16", 1"	52	3-3/4"	2-3/4"	3/8"	16.08
NF206	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm.	62	4-1/4"	3-1/4"	7/16"	18.62
NF207	1-1/4" std., 1-5/16", 1-3/8", 1-7/16"	72	4-19/32"	3-5/8"	7/16"	22.01
NF208	1-1/2", 1-9/16"	80	5-1/8"	4"	1/2"	25.39
NF209	1-5/8", 1-11/16", 1-3/4"	85	5-13/32"	4-1/8"	9/16"	30.47
NF210	1-13/16", 1-7/8", 1-15/16", 2" sm.	90	5-5/8"	4-3/8"	9/16"	36.40
NF211	2" std., 2-1/8", 2-3/16"	100	6-3/8"	5-1/8"	5/8"	40.63
NF212	2-1/4", 2-3/8", 2-7/16"	110	6-7/8"	5-5/8"	5/8"	48.25
NF213	2-1/2"	120	7-3/8"	5-7/8"	3/4"	56.71
NF214	2-11/16", 2-3/4"	125	7-19/32"	5-63/64"	3/4"	66.02
NF215	2-15/16", 3", 3-1/2"	130	7-3/4"	6"	3/4"	81.26




IPTCI TWO BOLT CAST IRON HOUSINGS

Order No.	For Bearing Shaft Size	Size (MM)	(A)	(B)	(E) Bolt Spacing (C-C)	Bolt Size	Price
FT203	1/2", 5/8"	40	4-13/32"	2-3/8"	3"	5/16"	\$13.10
FL204	3/4"	47	4-7/16"	2-3/8"	3-17/32"	5/16"	14.39
FL205	13/16", 7/8", 15/16", 1"	52	5-1/8"	2-11/16"	3-57/64"	3/8"	16.08
FL206	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm.	62	5-13/16"	3-5/32"	4-19/32"	3/8"	18.62
FL207	1-1/4" std., 1-5/16", 1-3/8", 1-7/16"	72	6-11/32"	3-17/32"	5-1/8"	7/16"	22.01
FL208	1-1/2", 1-9/16"	80	6-7/8"	3-15/16"	5-21/32"	7/16"	25.39
FL209	1-5/8", 1-11/16", 1-3/4"	85	7-13/32"	4-1/4"	5-27/32"	1/2"	30.47
FL210	1-13/16", 1-7/8", 1-15/16", 2" sm.	90	7-3/4"	4-17/32"	6-3/16"	1/2"	36.40
FL211	1-7/8", 1-15/16", 2"	100	8-13/16"	5-1/8"	7-1/4"	9/16"	40.63



IPTCI THREE BOLT CAST IRON HOUSINGS

Order No.	For Bearing Shaft Size	Size (MM)	(A) O.D.	(B)	(S) Bolt Spacing	Bolt Size	Price
RFB204	3/4"	47	3-9/16""	2-13/16"	5/16"	\$16.08	
RFB205	7/8", 15/16", 1"	52	3-3/4"	3"	5/16"	19.47	
RFB206	1-1/16", 1-1/8", 1-3/16" N 1-1/4" sm.	62	4-7/16"	3-9/16"	3/8"	22.85	
RFB207	1-1/4" std., 1-5/16", 1-3/8", 1-7/16"	72	4-13/16"	3-15/16"	3/8"	26.00	



IPTCI PILLOW BLOCK CAST IRON HOUSINGS


Order No.	For Bearing Shaft Size	Size MM	(A) Shaft Height	(B) Housing Height	(P) Bolt Spacing (C-C)	Bolt Size	Price
PL203	1/2", 5/8"	40	1-1/16"	2-15/64"	3-5/8"	3/8"	\$14.39
PL204	3/4"	47	1-1/4"	2-1/2"	3-3/4"	3/8"	14.39
PL205	13/16", 7/8", 15/16", 1"	52	1-5/16"	2-45/64"	4-1/8"	3/8"	16.08
PL206	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm.	62	1-9/16"	3-5/32"	4-3/4"	1/2"	18.62
PL207	1-1/4" std., 1-5/16", 1-3/8", 1-7/16"	72	1-13/16"	3-21/32"	5"	1/2"	22.01
PL208	1-1/2", 1-9/16"	80	1-15/16"	4"	5-7/16"	1/2"	25.39
PL209	1-5/8", 1-11/16", 1-3/4"	85	2-1/16"	4-7/32"	5-3/4"	1/2"	30.47
PL210	1-13/16", 1-7/8", 1-15/16", 2" sm.	90	2-3/16"	4-29/64"	6-1/4"	5/8"	36.40
PL211	2" std., 2-1/8", 2-3/16"	100	2-7/16"	4-61/64"	7"	5/8"	40.63
PL212	2-1/4", 2-3/8", 2-7/16"	110	2-11/16"	5-13/32"	7-3/8"	5/8"	48.25
PL213	2-1/2"	120	2-11/16"	5-7/16"	7-5/8"	5/8"	56.71
PL214	2-15/16", 3", 3-1/2"	130	3-1/4"	6-33/64"	8-1/2"	7/8"	81.26

DEALER SCHEDULE THIS PAGE.....152

Three-Bolt & Four-Bolt Flanges For Standard Ball Bearing Units

The flanges listed below are standard and are dimensionally the same as supplied by the leading ball bearing manufacturers.

Two flanges are required to house a standard ball bearing unit. The spherical inside surface of each pair of flanges mates with the spherical outer surface of the ball bearing ring to provide self-alignment in any direction. **All Flanges Are Zinc Plated.**




THREE BOLT

Order No.	For Bearing Shaft Size	Fafnir No.	A	E	Per Each
40MM-3-ZP	1/2", 5/8"	40MS-ZP	3-3/16"	2-1/2"	\$2.41
47MM-3-ZP	3/4"	47MS-ZP	3-9/16"	2-13/16"	2.45
52MM-3-ZP	7/8", 15/16", 1"	52MS-ZP	3-3/4"	3"	2.46
62MM-3-ZP	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm	62MS-ZP	4-7/16"	3-9/16"	3.02
72MM-3-ZP	1-1/4" std, 1-5/16", 1-3/8", 1-7/16"	72MS-ZP	4-13/16"	3-15/16"	3.09

FOUR BOLT

Order No.	For Bearing Shaft Size	Fafnir No.	A	E	Per Each
80MM-4-ZP	1-1/2", 1-9/16"	80MS-ZP	5-13/16"	4-11/16"	4.98
85MM-4-ZP	1-5/8", 1-11/16", 1-3/4"	85MS-ZP	5-7/8"	4-3/4"	6.03
90MM-4-ZP	1-13/16", 1-7/8", 1-15/16"	90MS-ZP	6-1/8"	5"	6.06
100MM-4-ZP	2", 2-1/16", 2-1/8", 2-3/16"	100MS-ZP	6-9/16"	5-7/16"	7.84

Three-Bolt & Four-Bolt Re-Lube Flanges for Standard Ball Bearing Units



These flanges are used where additional lubrication is required. For example, where dust, dirt, excessive moisture, or other contaminants are present. The additional lubrication increases the life of the ball bearing unit by flushing out any contaminants that may be present, plus lubricating the ball bearing unit over a longer period of time.

The flange with the grease fitting, also has an inner grease groove, which allows the grease to enter the holes in the outer ring of the ball bearing. The other matching flange has a similar grease groove, so the ball bearing can be reversed, and still be lubricated.

1 Flange w/Zerk & 1 Flange (Plain) Makes A Pair.

THREE BOLT HOLE

Order No.	For Bearing Shaft Size	Fafnir No.	B	D	E	Per Each
52MM-3G-ZP w/Zerk	13/16", 7/8", 15/16", 1"	G52MSA-ZP	3-3/4"	3"	11/32"	\$3.25
52MM-3GP-ZP (Plain)	13/16", 7/8", 15/16", 1"	G52MSB-ZP	3-3/4"	3"	11/32"	2.30
62MM-3G-ZP w/Zerk	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm	G62MSA-ZP	4-7/16"	3-9/16"	13/32"	3.95
62MM-3GP-ZP (Plain)	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm	G62MSB-ZP	4-7/16"	3-9/16"	13/32"	3.53
72MM-3G-ZP w/Zerk	1-1/4" std, 1-5/16", 1-3/8", 1-7/16"	G72MSA-ZP	4-13/16"	3-15/16"	13/32"	4.75
72MM-3GP-ZP (Plain)	1-1/4" std, 1-5/16", 1-3/8", 1-7/16"	G72MSB-ZP	4-13/16"	3-15/16"	13/32"	3.70


FOUR BOLT HOLE

Order No.	For Bearing Shaft Size	Fafnir No.	B	D	E	Per Each
80MM-4G-ZP w/Zerk	1-1/2", 1-9/16"	G80MSA-ZP	5-13/16"	4-11/16"	17/32"	\$7.89
80MM-4GP-ZP (Plain)	1-1/2", 1-9/16"	G80MSB-ZP	5-13/16"	4-11/16"	17/32"	6.53
85MM-4G-ZP w/Zerk	1-5/8", 1-11/16", 1-3/4"	G85MSA-ZP	5-7/8"	4-3/4"	17/32"	8.23
85MM-4GP-ZP (Plain)	1-5/8", 1-11/16", 1-3/4"	G85MSB-ZP	5-7/8"	4-3/4"	17/32"	6.06
90MM-4G-ZP w/Zerk	1-13/16", 1-7/8", 1-15/16"	G90MSA-ZP	6-1/8"	5"	17/32"	10.38
90MM-4GP-ZP (Plain)	1-13/16", 1-7/8", 1-15/16"	G90MSB-ZP	6-1/8"	5"	17/32"	9.49
100MM-4G-ZP w/Zerk	2", 2-1/16", 2-1/8", 2-3/16"	G100MSA-ZP	6-9/16"	5-7/16"	17/32"	11.64
100MM-4GP-ZP (Plain)	2", 2-1/16", 2-1/8", 2-3/16"	G100MSB-ZP	6-9/16"	5-7/16"	17/32"	10.05

Dealer Schedule This Page: 1 To 19 Each.....152 20 Each Or More (Flanges May Be Assorted).....152 & 102

Two-Bolt Flanges For Standard Ball Bearing Units

All Flanges Are Zinc Plated.




Fits Bearing Series Ins.	Outside Dia. M.M.	Carriage Bolt Size Inch	Fits Bearing Series Ins.	Outside Dia. M.M.	Carriage Bolt Size Inch
40	1.574	40.. Use 1/4 x 3/4	80	3.149	80 1/2 x 3/4
47	1.850	47 5/16 x 3/4	85	3.346	85 1/2 x 3/4
52	2.047	52 5/16 x 3/4	90	3.543	90 1/2 x 3/4
62	2.440	62 3/8 x 3/4	100	3.937	100 1/2 x 3/4
72	2.834	72 3/8 x 3/4			

Order No.	For Bearing Shaft Size	Fafnir No.	B	A	E	Per Each
40M-2-ZP	1/2", 5/8"	40MST-ZP	2-5/16"	3-3/16"	2-1/2"	\$1.30
47M-2-ZP	3/4"	47MST-ZP	2-5/8"	3-9/16"	2-13/16"	1.60
52M-2-ZP	7/8", 15/16", 1"	52MST-ZP	2-51/64"	3-3/4"	3"	1.99
62M-2-ZP	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm	62MST-ZP	3-5/16"	4-7/16"	3-9/16"	2.18
72M-2-ZP	1-1/4" std, 1-5/16", 1-3/8", 1-7/16"	72MST-ZP	3-11/16"	4-15/16"	3-15/16"	2.32

Triangular Three-Bolt Flanges For Standard Ball Bearing Units


(Zinc Plated)



These triangular steel stampings are the same as our round 47MM-3-ZP, 52MM-3-ZP and 62MM-3-ZP parts. They are used where space is limited. One housing unit consists of identical self-aligning flanges. Each pair of flanges has a spherical inside surface which mates with spherical outer surface of the ball bearing ring to provide self-alignment in any direction. A minimum of space is required for installation as the unit protrudes thru the frame, plate, or panel on which it is installed.

Order No.	For Bearing Shaft Size	Fafnir No.	C	B	Per Each
			O.D.	Bolt Spacing (C-C)	
40MM-3T-ZP	1/2", 5/8"	40MSTR-ZP	2-23/32"	2-1/2"	\$1.70
47MM-3T-ZP	3/4"	47MSTR-ZP	3"	2-13/16"	1.82
52MM-3T-ZP	7/8", 15/16", 1"	52MSTR-ZP	3-1/8"	3"	1.95
62MM-3T-ZP	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm	62MSTR-ZP	3-11/16"	3-9/16"	2.45
72MM-3T-ZP	1-1/4" std, 1-5/16", 1-3/8", 1-7/16"	72MSTR-ZP	4-5/32"	3-15/16"	3.33


Heavy Duty Steel Pillow Block Sets For Standard Ball Bearing Units (1 Set For Each Ball Bearing)



Order No.	For Bearing Shaft Size	Fafnir No.	E	H	W	Per Set
40MPB-NS-ZP	1/2", 9/16", 5/8"	40PB	2-11/16"	7/8"	1-3/4"	\$3.49
47MPB-NS-ZP	3/4"	47PB	3"	1"	2-1/16"	3.64
52MPB-NS-ZP	13/16", 7/8", 15/16", 1"	52PB	3-3/8"	1-1/8"	2-7/32"	3.70
62MPB-NS-ZP	1-1/16", 1-1/8", 1-3/16", 1-1/4" sm	62PB	3-3/4"	1-5/16"	2-5/8"	4.19
72MPB-NS-ZP	1-1/4" std, 1-5/16", 1-3/8", 1-7/16"	72PB	4-1/4"	1-9/16"	3-1/8"	5.17

Dealer Schedule This Page: 1 To 19 Each.....152 20 Each Or More (Flanges May Be Assorted).....152 & 102

Call Central Toll-Free 1-800-444-8666



Single Row Tapered Roller Bearings

One cup and one cone is a complete Tapered Roller Bearing. Cone will only fit cups of the same series and vice versa. Each series is set off by a ruled line. Taper roller bearings, most or which, are made to fractional inch dimensions.


Number	Type	Cone Bore	Each	Number	Type	Cone Bore	Each
4T-342A	Cone	1.6250	\$46.60	4T-09074	Cone7500	\$15.20
4T-342S	Cone	1.6880	32.12	4T-09081	Cone8120	44.94
4T-332	Cup		17.35	4T-09196	Cup		16.86
-----				-----			
4T-368A	Cone	2.0000	43.83	4T-LM11749	Cone6875	6.40
4T-362A	Cup		20.36	4T-LM11710	Cup		3.11
-----				-----			
4T-387A	Cone	2.2500	34.85	4T-LM11949	Cone7500	5.60
4T-387AS	Cone	2.2500	35.37	4T-LM11910	Cup		3.00
4T-382	Cup		18.92	4T-LM11949XL	Cone w/Seal7500	15.75
4T-382A	Cup		14.58	4T-LM11910XL	Cup		6.00
-----				-----			
4T-469	Cone	2.2500	80.40	4T-12580	Cone8125	23.85
4T-453A	Cup		34.05	4T-12520	Cup		8.95
-----				-----			
4T-497	Cone	3.3750	80.82	4T-M12649	Cone8437	7.41
4T-493	Cup		42.90	4T-M12610	Cup		3.60
-----				-----			
4T-1779	Cone9375	28.20	4T-13685	Cone	1.5000	22.55
4T-1729	Cup		19.39	4T-13686	Cone	1.5000	27.72
-----				4T-13687	Cone	1.5000	22.11
4T-2776	Cone	1.5000	33.50	4T-13620	Cup		13.50
4T-2788	Cone	1.5000	29.30	4T-13621	Cup		11.12
4T-2790	Cone	1.2125	37.53	-----			
4T-2720	Cup		14.39	4T-14123A	Cone	1.2500	28.62
-----				4T-14136A	Cone	1.3750	27.50
4T-2879	Cone	1.2500	70.21	4T-14137A	Cone	1.3750	18.71
4T-2820	Cup		27.51	4T-14138A	Cone	1.3750	26.10
-----				4T-14274	Cup		6.00
4T-3379	Cone	1.3750	93.34	4T-14276	Cup		5.00
4T-3320	Cup		34.10	-----			
-----				4T-15101	Cone	1.0000	20.01
4T-3780	Cone	2.0000	40.84	4T-15116	Cone	1.1855	25.40
4T-3720	Cup		19.62	4T-15117	Cone	1.1811	29.46
-----				4T-15118	Cone	1.1895	20.15
4T-3984	Cone	2.6250	53.86	4T-15120	Cone	1.1895	29.45
4T-3920	Cup		28.51	4T-15123	Cone	1.2500	14.23
-----				4T-15126	Cone	1.2500	15.87
4T-02877	Cone	1.3750	29.57	4T-15245	Cup		6.30
4T-02878	Cone	1.3750	30.16	4T-15250	Cup		11.05
4T-02820	Cup		12.72	-----			
-----				4T-15580	Cone	1.0625	25.35
4T-07100	Cone	1.0000	16.24	4T-15590	Cone	1.1250	22.40
4T-07196	Cup		7.33	4T-15520	Cup		11.05
-----				-----			
4T-09067	Cone7500	21.82	4T-18590	Cone	1.6250	33.65
4T-09194	Cup		8.40	4T-18520	Cup		16.60
4T-09195	Cup		12.27	-----			
-----				4T-18790	Cone	2.0000	33.50
DEALER SCHEDULE THIS PAGE.....				4T-18720	Cup		20.20

DEALER SCHEDULE THIS PAGE.....152

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Continued On The Following Pages

For bearings not shown...call for price and availability.



Single Row Tapered Roller Bearings

Number	Type	Cone Bore	Each
4T-24780	Cone	1.6250	\$28.00
4T-24720	Cup		13.00
4T-25577	Cone	1.6880	34.35
4T-25580	Cone	1.7500	14.38
4T-25590	Cone	1.7960	13.43
4T-25520	Cup		7.28
4T-25521	Cup		14.95
4T-25523	Cup		14.97
4T-25877	Cone	1.3750	27.00
4T-25878	Cone	1.3750	32.40
4T-25880	Cone	1.4365	30.25
4T-25820	Cup		14.00
4T-25821	Cup		11.40
4T-26882	Cone	1.6250	42.37
4T-26820	Cup		31.05
4T-26823	Cup		28.97
4T-28580	Cone	2.0000	43.88
4T-28521	Cup		20.30
4T-28985	Cone	2.3750	66.35
4T-28920	Cup		38.00
4T-29590	Cone	2.5000	62.70
4T-29520	Cup		32.60
4T-LM29748	Cone	1.5000	13.75
4T-LM29749	Cone	1.5000	10.31
4T-LM29710	Cup		6.75
4T-39585	Cone	2.5000	92.66
4T-39590	Cone	2.6250	56.04
4T-39520	Cup		32.14
4T-L44643	Cone	1.0000	8.81
4T-L44649	Cone	1.0625	7.40
4T-L44610	Cup		3.11
4T-LM48548	Cone	1.3750	8.10
4T-LM48510	Cup		3.85

Number	Type	Cone Bore	Each
4T-LM48548XL	Cone w/Seal	1.3750	\$19.35
4T-LM48510XL	Cup		8.75
4T-LM67048	Cone	1.2500	6.75
4T-LM67048XL	Cone w/Seal	1.2500	14.30
4T-LM67010	Cup		3.45
4T-L68149	Cone	1.3780	7.75
4T-L68111	Cup		3.50
4T-JL69349	Cone	1.4961	7.85
4T-JL69310	Cup		4.00
4T-M86649	Cone	1.1875	20.71
4T-M86610	Cup		8.81
4T-M88048	Cone	1.3125	16.78
4T-M88010	Cup		8.15
4T-HM88649	Cone	1.3750	25.50
4T-HM88610	Cup		7.60
4T-LM104949	Cone	2.0000	13.15
4T-LM104911	Cup		7.05
4T-JLM104948	Cone	1.9685	27.00
4T-JLM104910	Cup		10.19
4T-HM212049	Cone	2.6250	125.10
4T-HM212011	Cup		30.22
4T-LM501349	Cone	1.6250	11.10
4T-LM501310	Cup		5.28
4T-JLM506849	Cone	2.1650	42.20
4T-JLM506810	Cup		18.67
4T-JM511946	Cone	2.5590	43.88
4T-JM511910	Cup		19.10
4T-LM603049	Cone	1.7812	11.65
4T-LM603011	Cup		6.40
4T-LM814849	Cone	2.500	64.90
4T-LM814810	Cup		41.22

Dealer Schedule.....152

Continued On The Following Pages


For bearings not shown...call for price and availability.

Centralize with Central!

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Fax 1-800-342-7252

TAPERED ROLLER BEARING SETS




Number	Cone/Cup	List
4T-S01	LM11749/LM11710	\$9.50
4T-S02	LM11949/LM11910	8.06
4T-S03	M12649/M12610	11.00
4T-S04	L44649/L44610	10.45
4T-S05	LM48548/LM48510	11.93
4T-S06	LM67048/LM67010	10.21
4T-S12	LM12749/LM12710	9.31
4T-S14	L44643/L44610	10.50
4T-S16	LM12749/LM12711	9.69
4T-S17	L68149/L68111	11.25
4T-S18	JL69349/JL69310	11.75
4T-S19	07100/07196	22.19
4T-S35	LM501349/LM501310	16.15
4T-S37	LM603049/LM603011	18.05
4T-S38	LM104949/LM104911	20.20
4T-S52	25580/25520	17.40
4T-S54	25590/25520	17.70
4T-S56	LM29748/LM29710	16.05
4T-S63	M88048/M88010	21.15
4T-S70	LM29749/LM29710	15.30

Dealer Schedule.....152

MODEL 625 BEARING PACKER ATTACHMENT

Wheel Bearing Packer



A portable or permanent bench type packer for use with hand or air operated grease gun. Includes dust cover and mounting base. Will handle bearings up to approximately 6" in diameter.

No.	Price
NS-625 Bearing Packer	\$40.23

Dealer Schedule.....152



Disc Harrow Square Bore Tapered Roller Bearings

Order No.	Description	Shaft	Price
	John Deere		
4T-LM501334SD ..	Dbl. Row #JD8949	1.25"	84.12
4T-LM501310	Cup (2 required)		7.66

Case/IH - Kewanee			
4T-13678SD	Dbl. Row #469834R91 ..	1.156"	74.35
4T-13620	Cup (2 required)		13.50




Popular Kits For The Above			
DK-2	Includes: 1-LM501334SD, 2-LM501310, 2-200371 Seals (JD #AB12603)		138.98
DK-3	Includes: 1-385SD, 2-382A, 2-200392 Seals (JD #AB14028)		155.30

Dealer Schedule.....152


All Prices Are Subject To Change Without Notice

**At
Central Supply
We Ship
Over 95%
Of All Orders
The Same Day!**

**Call Toll-Free
1-800-444-8666**

Open
Type
60Double
Shielded
60 ZZDouble
Sealed
60 LLU
Contact
Type**EXTRA
LIGHT
DUTY****SINGLE ROW
RADIAL
BALL BEARINGS**


Order No.	Fafnir No.	BCA No.	I.D.	O.D.	Width	Price
6000ZZ	9100KDD		0.393	1.023	0.315	\$8.27
6000LLU	9100PP		0.393	1.023	0.315	10.00
6001ZZ	9101KDD	101SS	0.472	1.102	0.315	9.37
6002ZZ	9102KDD	102SS	0.590	1.259	0.354	9.61
6002LLU	9102PP	102CC	0.590	1.259	0.354	11.53
6003ZZ	9103KDD		0.669	1.378	0.393	10.02
6003LLU	9103PP	103CC	0.669	1.378	0.393	12.01
6004ZZ	9104KDD		0.787	1.653	0.472	13.66
6004LLU	9104PP	104CC	0.787	1.653	0.472	14.21
6005ZZ	9105KDD		0.984	1.850	0.472	13.23
6005LLU	9105PP	105CC	0.984	1.850	0.472	16.07
6006LLU	9106PP	106CC	1.181	2.165	0.511	18.39
6007LLU	9107PP	107DD	1.378	2.440	0.551	20.95
6008LLU	9108PP	108FFN	1.574	2.677	0.590	24.13
6013ZZ	9113KDD	113SS	2.559	3.937	0.708	44.66
6013LLU	9113PP		2.559	3.937	0.708	55.75

**SINGLE ROW
RADIAL
BALL BEARINGS**Open
Type
62Double
Shielded
62 ZZDouble
Sealed
62 LLU
Contact
Type**LIGHT
DUTY**

Order No.	Fafnir No.	BCA No.	I.D.	O.D.	Width	Price
6200ZZ	200KDD	200SS	0.393	1.181	0.354	\$5.27
6200LLU	200PP	200CC	0.393	1.181	0.354	5.71
6201LLU	201PP	201CC	0.472	1.259	0.393	6.59
6202ZZ	202KDD	202SS	0.590	1.378	0.433	6.11
6202LLU	202PP	202FF	0.590	1.378	0.433	6.78
6203	203K	203	0.669	1.574	0.472	4.67
6203ZZ	203KDD	203SS	0.669	1.574	0.472	5.17
6203LLU	203PP	203FF	0.669	1.574	0.472	5.45
6204ZZ	204KDD	204SS	0.787	1.850	0.551	6.97
6204LLU	204PP	204FF	0.787	1.850	0.551	7.72
6205	205K	205	0.984	2.047	0.590	8.60
6205ZZ	205KDD	205SS	0.984	2.047	0.590	9.14
6205LLU	205PP	205FF	0.984	2.047	0.590	10.55
6206	206K	206	1.181	2.440	0.629	12.92
6206ZZ	206KDD	206SS	1.181	2.440	0.629	10.34
6206LLU	206PP	206FF	1.181	2.440	0.629	11.71
6207	207K	207	1.378	2.834	0.669	12.92
6207ZZ	207KDD	207SS	1.378	2.834	0.669	13.54
6207LLU	207PP	207FF	1.378	2.834	0.669	19.29
6208ZZ	208KDD	208SS	1.574	3.149	0.708	20.80
6208LLU	208PP	208FF	1.574	3.149	0.708	24.11
6209ZZ	209KDD	209SS	1.771	3.346	0.748	26.99
6209LLU	209PP	209DD	1.771	3.346	0.748	28.29
6210	210K	210	1.968	3.543	0.787	23.04
6210ZZ	210KDD	210SS	1.968	3.543	0.787	30.36
6210LLU	210PP	210CC	1.968	3.543	0.787	33.31
6211ZZ	211KDD	211SS	2.165	3.937	0.826	44.43
6211LLU	211PP	211CC	2.165	3.937	0.826	43.48
6212	212K	212	2.362	4.330	0.866	43.25
6212LLU	212PP	212CC	2.362	4.330	0.866	54.87
6214	214K	214	2.755	4.921	0.944	56.77
6214ZZ	214KDD	214SS	2.755	4.921	0.944	66.36
6214LLU	214PP		2.755	4.921	0.944	71.57
6215ZZ	215KDD	215SS	2.952	5.118	0.984	87.81
6217ZZ	217KDD	217SS	3.346	5.905	1.102	104.25

**SINGLE ROW
RADIAL
BALL BEARINGS**
Open
Type
63Double
Shielded
63 ZZDouble
Sealed
63 LLU
Contact
Type
**MEDIUM
DUTY**

Order No.	Fafnir No.	BCA No.	I.D.	O.D.	Width	Price
6302LLU	302NPP	302CC	0.590	1.653	0.511	\$11.03
6303	303K	303	0.669	1.850	0.551	9.08
6303ZZ	303KDD	303SS	0.699	1.850	0.551	9.95
6303LLU	303KDD	303DD	0.669	1.850	0.551	5.45
6304	304K	304	0.787	2.047	0.590	11.32
6304ZZ	304KDD	304SS	0.787	2.047	0.590	11.11
6304LLU	304NPP	304DD	0.787	2.047	0.590	11.87
6305ZZ	305KDD	305SS	0.984	2.440	0.669	12.62
6305LLU	305NPP	305DD	0.984	2.440	0.669	13.41
6306	306K	306	1.181	2.834	0.748	19.42
6306LLU	306NPP	306DD	1.181	2.834	0.748	28.21
6307	307K	307	1.378	3.149	0.863	20.52
6307LLU	307NPP	307FF	1.378	3.149	0.863	24.72
6308ZZ	308KDD	308SS	1.574	3.543	0.905	30.99
6308LLU	308NPP	308FF	1.574	3.543	0.905	32.81
6309ZZ	309KDD	309SS	1.771	3.937	0.984	43.25
6309LLU	309NPP	309DD	1.771	3.937	0.984	43.86
6310ZZ	310KDD	310SS	1.968	4.330	1.063	40.45
6310LLU	310NPP	310SS	1.968	4.330	1.063	45.72




SINGLE ROW RADIAL BALL BEARINGS
Double Sealed
LLU
(Contact Type)
FRACTIONAL INCH BORE
Double Shielded
ZZ

Order No.	Fafnir No.	BCA No.	I.D.	O.D.	Width	Price
R4ZZ	S1KDD7	R4SS	1/4"	5/8"	0.196	\$7.64
RA4ZZ	S1KDD		1/4"	3/4"	9/32"	9.56
RA4LLU	S1KPP		1/4"	3/4"	9/32"	7.64
R6ZZ	S3KDD	R6SS	3/8"	7/8"	9/32"	8.52
R6LLU	S3PP	R6CC	3/8"	7/8"	9/32"	11.72
R8ZZ	S5KDD	R8SS	1/2"	1-1/8"	5/16"	7.64
R8LLU	S5PP	R8CC	1/2"	1-1/8"	5/16"	11.72
R10ZZ	S7KDD	R10SS	5/8"	1-3/8"	11/32"	10.02
R10LLU	S7PP	R10CC	5/8"	1-3/8"	11/32"	11.02
R12ZZ	S8KDD	R12SS	3/4"	1-5/8"	7/16"	11.78
R14ZZ	S9KDD	R14SS	7/8"	1-7/8"	1/2"	14.82
R14LLU	S9PP		7/8"	1-7/8"	1/2"	16.55
R16ZZ	S10KDD	R16SS	1"	2"	1/2"	15.02
R16LLU	S10PP		1"	2"	1/2"	18.27

DEALER SCHEDULE THIS PAGE.....152

For bearings not shown...call for price and availability.

CALL TOLL-FREE 1-800-444-8666

NATIONAL OIL SEALS

National	Chicago Rawhide	Zero Dup.	Seal O.D.	Seal Width	Seal Type	Price
----------	-----------------	-----------	-----------	------------	-----------	-------

5/8" SHAFT SIZE .625						
471466	6204	*	1.128250	47	\$6.80
3/4" SHAFT SIZE .750						
470954	7443	*	1.254250	47	5.50
471554	7513	*	1.379250	47	6.45
7/8" SHAFT SIZE .875						
471267	8660	*	1.379250	47	7.10
471570	8702	*	1.499250	47	7.30
1" SHAFT SIZE 1.000						
240731	9815		1.260125	24	4.85
471224	9843, 9878	*	1.500250	47	5.60
471689	9998	*	1.750250	47	8.80
204005	10035		1.785468	204	7.38
450593	10049	*	1.832296	45	11.35
471744	10114	*	1.987250	47	11.20
471760	10124	*	2.000250	47	9.70
321516		*	2.447375	32	19.60
1-1/8" SHAFT SIZE 1.125						
471652	11124	*	1.628250	47	6.00
204505	11161		1.780250	204	8.60
203020	11164		1.780468	203	8.90
204020	11164		1.785468	204	9.42
481792	11372	*	2.129250	48	11.50
1-7/32" SHAFT SIZE 1.218						
203025	12124		1.983406	203	10.60
1-1/4" SHAFT SIZE 1.250						
480356	16918M1	*	1.690375	48	9.75
471413	12364	*	1.750250	47	8.90
203029	12407		1.983406	203	10.70
204029	12411		1.983406	204	7.70
471750	12428	*	1.987250	47	10.90
471766	12458	*	2.000437	47	9.00
470163	12483		2.004437	47	8.70
471787	12530	*	2.066250	47	19.53
471795	12551	*	2.129250	47	13.00

SEALS CONTINUED ON NEXT PAGE

***ZERO DUPLICATION**

This interchange has been developed to provide a tool for consolidating or standardizing oil seal inventories. We call it ZERO DUPLICATION concept. (One seal for one shaft/bore combination in the narrowest width). Most of the ZERO DUPLICATION numbers are double lip seals: without an inner case for sizes under 3-1/4" O.D. and with inner case for sizes over 3-1/4" O.D.

Dealer Schedule: Broken Package.....184 Package of 10.....184 & 050

Quantities MAY NOT Be Assorted For Package Discount. **For seals not shown...call for price and availability.**

NATIONAL OIL SEALS**For Seal Illustrations See Page 111**

National	Chicago Rawhide	Zero Dup.	Seal O.D.	Seal Width	Seal Type	Price
1-1/4" SHAFT SIZE 1.250 (continued from preceding page)						
471801	12577	*	2.256375	47	\$12.40
471808	12614	*	2.378375	47	17.75
471818	12621	*	2.441375	47	17.50
471407	12631	*	2.445375	47	19.30
1-3/8" SHAFT SIZE 1.375						
340853	12529		1.756187	34	8.60
472258	13569	*	2.004312	47	9.90
470774	13595	*	2.066375	47	12.10
472287	13602	*	2.110312	47	16.20
471192	13650	*	2.129312	47	9.50
470135	13649, 13666		2.129437	47	14.90
473214	13676	*	2.254312	47	15.60
204027	13711		2.332406	204	16.50
473215	13738, 13739	*	2.378312	47	12.20
471835	13839	*	2.506375	47	15.30
473258	13876	*	2.565375	47	12.90
472658	13918	*	2.839375	47	20.00
1-7/16" SHAFT SIZE 1.437						
473225	14283	*	2.378312	47	16.40
1-1/2" SHAFT SIZE 1.500						
472554			2.000312	47	15.60
481163	14855	*	2.004312	48	9.15
473227	14876	*	2.129312	47	11.00
470625	14939	*	2.254312	47	10.90
203013	14972		2.332406	203	12.10
204013	14974		2.332406	204	9.10
470380	15005	*	2.378312	47	6.00
410059	15005		2.378500	41	20.50
471344	15093	*	2.445375	47	15.80
410190	15176	*	2.565500	41	18.14
450984	15204	*	2.720468	45	19.90
473440	15214	*	2.750312	47	19.95
1-5/8" SHAFT SIZE 1.625						
473230	16062	*	2.254312	47	9.50
204017	16069		2.332406	204	7.32
473231	16085	*	2.378312	47	9.84
471419	16118	*	2.441375	47	9.95
473010	16246	*	2.500312	47	12.25
474216			2.562375	47	22.95
473232	16315	*	2.627312	47	13.90
473443	16364	*	2.754375	47	19.25
473444	16406	*	2.879375	47	20.30
1-11/16" SHAFT SIZE 1.687						
204008	16667		2.332500	204	9.90
473234	16719	*	2.506317	47	13.90
473235	16916	*	2.627312	47	24.10
473236	16900	*	2.750312	47	19.70
473446	16999	*	2.879375	47	21.05

SEALS CONTINUED ON NEXT PAGE***ZERO DUPLICATION**

This interchange has been developed to provide a tool for consolidating or standardizing oil seal inventories. We call it ZERO DUPLICATION concept. (One seal for one shaft/bore combination in the narrowest width). Most of the ZERO DUPLICATION numbers are double lip seals: without an inner case for sizes under 3-1/4" O.D. and with inner case for sizes over 3-1/4" O.D.

Dealer Schedule: Broken Package.....184 Package of 10.....184 & 050

Quantities MAY NOT Be Assorted For Package Discount. **For seals not shown...call for price and availability.**

NATIONAL OIL SEALS**For Seal Illustrations See Page 111**

National	Chicago Rawhide	Zero Dup.	Seal O.D.	Seal Width	Seal Type	Price
1-3/4" SHAFT SIZE 1.750						
450400	17231	*	2.254	359	45	\$12.20
473237	17271	*	2.378	312	47	9.70
471504	17285	*	2.441	312	47	14.10
472164	*	2.506	312	47	14.90
470361	17410	*	2.565	500	47	14.90
472185	17443	*	2.623	312	47	12.90
204038	17617	2.721	359	204	9.28
204002	17609, 17611	2.721	406	204	9.30
472179	17523	*	2.750	312	47	13.65
450183	17557	2.754	500	45	15.60
473448	17693	*	3.001	375	47	17.20
471984	17707	*	3.005	375	47	24.10
1-13/16" SHAFT SIZE 1.812						
451817	18039	*	2.441	468	45	18.27
203006	17387	2.566	500	203	16.26
473450	18242	*	2.879	375	47	20.00
1-27/32" SHAFT SIZE 1.843						
473451	18425	2.623	375	47	19.10
1-7/8" SHAFT SIZE 1.875						
350936	18562	*	2.571	312	35	18.25
472439	18581	*	2.627	312	47	10.60
473179	18690	*	2.758	375	47	13.75
473238	18734	*	2.879	312	47	15.30
203034	18808	3.000	437	203	19.34
473239	18817	*	3.000	312	47	17.30
1-15/16" SHAFT SIZE 1.937						
473460	19350	*	3.001	375	47	20.95
2" SHAFT SIZE 2.000						
352541	19745, 19754	2.508	250	35	16.40
471424	19762	*	2.627	312	47	10.80
472492	19832	2.750	312	47	13.90
472397	19993	*	3.000	312	47	13.40
204508	3.062	250	204	13.36
473463	20045	*	3.062	375	47	18.30
455253	20140	*	3.543	500	45	25.40
487945	20148	3.628	375	48	29.65
2-3/32" SHAFT SIZE 2.093						
6590S	20952	2.721	406	204	11.40
2-1/8" SHAFT SIZE 2.125						
473204	21061	*	2.754	375	47	14.50
472409	21267	*	3.194	375	47	15.90
413470	21352, 21353	*	3.375	375	41	14.40
2-3/16" SHAFT SIZE 2.187						
472018	21759	*	3.005	375	47	17.00
2-1/4" SHAFT SIZE 2.250						
473473	22382, 22391	*	3.000	375	47	14.10
410520	22359	3.005	500	41	23.90
471272	22354, 22358	*	3.005	375	47	14.15
411253	22493	*	3.355	375	41	25.40
412920	22532	*	3.376	375	41	26.95
442109	3.376	375	44	23.50

SEALS CONTINUED ON NEXT PAGE***ZERO DUPLICATION**

This interchange has been developed to provide a tool for consolidating or standardizing oil seal inventories. We call it ZERO DUPLICATION concept. (One seal for one shaft/bore combination in the narrowest width). Most of the ZERO DUPLICATION numbers are double lip seals: without an inner case for sizes under 3-1/4" O.D. and with inner case for sizes over 3-1/4" O.D.

NATIONAL OIL SEALS

For Seal Illustrations See Page 111

National	Chicago Rawhide	Zero Dup.	Seal O.D.	Seal Width	Seal Type	Price
2-9/32" SHAFT SIZE 2.281						
493291	22835		3.159375	49	\$23.57
2-19/64" SHAFT SIZE 2.296						
204035	22870		3.153359	204	16.00
2-3/8" SHAFT SIZE 2.375						
410825	23839	*	3.628375	41	30.10
2-1/2" SHAFT SIZE 2.500						
471271	24898	*	3.256375	47	7.90
470605	24954	*	3.376375	47	19.85
455079	25091	*	3.750500	45	22.20
2-3/4" SHAFT SIZE 2.750						
417316	27370	*	3.751375	41	24.50
2-7/8" SHAFT SIZE 2.875						
417344	28686, 28687	*	3.750375	41	21.25
416921	28761	*	4.000375	41	27.60
3-7/8" SHAFT SIZE 3.875						
417366	38731	*	5.250500	41	43.00

SPECIAL NATIONAL OIL SEALS

For Seal Illustrations See Page 111

National	C/R No.	O.D.	Width	Type	Price	National	C/R No.	O.D.	Width	Type	Price						
1-1/8" SHAFT SIZE 1.125																	
203020	11164	1.785468	203 ..	\$8.90	291099	16284	2.566375	29 ..	\$11.75						
204505	11161	1.785250	204 ..	8.60	FELT TYPE											
1-1/2" SHAFT SIZE 1.500																	
41461S	15190	2.627250	4S ..	11.80	LEATHER TYPE											
1-5/8" SHAFT SIZE 1.625																	
204500		2.562250	4S ..	11.05	40395	13548	1.878250	4L ..	10.50						
4763S	16289	2.562437	# ..	11.96	EXTERNAL DESIGN											
# Designed for specific application. Not for general use.																	
1-13/16" SHAFT SIZE 1.812																	
7186S	18127	2.722270	200 ..	30.10	200887		2.237290	200 ..	21.70						
1.945" SHAFT SIZE																	
200371	19510	2.895	0.290	200 ..	30.84	200886	16818	2.650290	200 ..	21.25						
2" SHAFT SIZE 2.000																	
40301S	20006	3.005250	4S ..	18.90	200854		2.718200	200 ..	22.10						
2-1/8" SHAFT SIZE 2.125																	
40566S	21101	2.879250	4S ..	14.50	200885	23744	2.900290	200 ..	25.55						
2-1/4" SHAFT SIZE 2.250																	
40520S	22368	3.005250	4S ..	13.80	200881	19844	2.804294	200 ..	34.30						
2-7/8" SHAFT SIZE 2.875																	
43086S	28800	4.008250	4S ..	26.90	200763	22430	3.250285	200 ..	26.60						


For seals not shown...call for price and availability.

*ZERO DUPLICATION

This interchange has been developed to provide a tool for consolidating or standardizing oil seal inventories. We call it ZERO DUPLICATION concept. (One seal for one shaft/bore combination in the narrowest width). Most of the ZERO DUPLICATION numbers are double lip seals: without an inner case for sizes under 3-1/4" O.D. and with inner case for sizes over 3-1/4" O.D.

Dealer Schedule: Broken Package.....184 Package of 10.....184 & 050 Quantities MAY NOT Be Assorted For Package Discount.

Call Toll-Free 1-800-444-8666



SpeeCo

Parts Breakdown For IHC Fast Hitch 3-Pt. Conversion Systems

No.	Description	FH14418	FH14419	FH14420	Price
TL123	Top Link	1	1	1	\$105.90
TL173	Top Link	1	1	1	78.80
P774	Pin	1	1	1	5.26
P791	Pin	1	1	148




Dealer Schedule.....203

No.	Description	FH14418	FH14419	FH14420	Price
FH14448	RH Tong (Straight)	1	1	1	\$117.25
FH14446	LH Tong (Bent)	1	1	1	137.40
FH14447	RH Tong (Bent)	1	1	1	137.40

Dealer Schedule.....102



Category I, II & III
QUICK HITCH
Save Time! Save Your Back!

**NEW CAT. 2/3 QUICK HITCH****Quick Hitch Adapter Set**

Easier disconnects and hook-ups of implements. No smashed toes and strained backs. Rubber handle grips on latches. Spring-loaded locking device

No.	Description	Max HP	A	B	C	D	Wt. Lbs.	Price
HF-141101	Cat.1 Quick Hitch for Cat.1 tractors and equip. w/toplink ball brkt....	50	27-1/4"	Adjust.	3/4"	7/8"	76 ..	\$339.50
HF-141102*	Cat.2 Std. Quick Hitch	100	32-3/4"	15"	1"	1-1/8"	134 ..	523.52
HF-141107*	Cat.2 HD Quick Hitch	150	32-3/4"	15"	1"	1-1/8"	160 ..	629.25
HF-141108	Quick Hitch for Cat.2/3 fits Cat.2 & 3 tractors w/Cat.3 equip.	225	32-3/4"/38-1/4"	19"	1-1/4"	1-7/16"	196 ..	1041.44
HF-141103	Cat.3 Quick Hitch for Cat.3 tractors and equipment	225	38-1/4"	19"	1-1/4"	1-7/16"	182 ..	724.35
HF-141106	Cat.3 Quick Hitch for narrow Cat.3 equipment	225	32-3/4"	19"	1-1/4"	1-7/16"	176 ..	724.35



* Converts Cat. 2 implement to Cat. 3 diameter of Quick Hitch latch.

(All Quick Hitches include adapter pins & bushings)

HF-141144	Cat. 1-2 Adapter Kit. Consists of 2 adapters and 2 roll pins.	\$32.19
HF-141130	Cat. 2-3 Adapter Kit. Consists of 2 adapters and 2 roll pins.	38.26

Dealer Schedule.....102

THREE POINT LINKAGE EQUIPMENT



ADJUSTABLE TOP LINKS

No.	Category	Type	Pin Hole Size	Body Length	Closed Length	Open Length	Threads	Price
TL197	0	Forged	5/8"	7-5/8"	10-1/2"	15-1/2"	3/4" NC	\$37.05
TL165	1	Forged	3/4"	16"	21"	31"	1-1/8" NC	38.57
TL173	2	Forged	1"	16"	23"	32"	1-1/4" NC	78.80
TL174	2	Forged	1"	16"	21"	31"	1-1/8" NC	46.84
TL187	3	Forged	1-1/4"	19-1/2"	25-1/2"	37"	1-3/8" NC	180.93

TOP LINK REPAIR ENDS (will NOT fit Highland Top Links)



No.	Category	Type	Pin Hole Size	Thread Diameter	Thread Length	Overall Length	Price
RE113	1	Welded	3/4"	1" NC (LH)	5-1/2"	8"	\$17.60
RE1210	1	Welded	3/4"	1-1/4" NC (LH)	5-3/4"	8"	32.25
RE1212	2	Welded	1"	1-1/4" NC (LH)	5-3/4"	8-1/4"	31.05
RE1213	2	Welded	1"	1-1/4" NC (LH)	5-3/4"	8-1/4"	31.05

TOP LINK BALL SOCKETS



No.	Category	Description	Pin Hole Size	Length Thru Bore	Sleeve Width	Sleeve Outside Diam.	Price
B2225	0	Standard-Duty; Unplated	5/8"	1"	3/4"	2"	\$8.43
B215	1	Heavy-Duty; Plated	3/4"	1-5/8"	7/8"	2-1/8"	11.75
B235	1 & 2	Standard-Duty; Unplated	3/4" & 1"	1-1/2" & 1-1/4"	7/8"	2-3/8"	17.49
B236	1 & 2	Standard-Duty; Plated	3/4" & 1"	1-1/2" & 1-1/4"	7/8"	2-3/8"	17.49
B214	2	Standard-Duty; Plated	1"	1-3/4"	7/8"	2-3/8"	13.40
B2230	3	Standard-Duty; Plated	1-1/4"	1-3/4"	1-9/32"	3-1/8"	22.48



DRAWBAR LOCK

Prevents Drawbar on Tractor 3-Point Hitch from Rotating. Allows for Faster and Easier Hitching. Attaches to Drawbar and Lift Arm in Minutes. For Category 1 Only. Painted Black.

No.	Description	Price
DB4130	Drawbar Lock	\$37.20




Hitch Pins (Clevis Pins)

No.	Pin Diameter	Usable Length	Overall Length	Price
P7101	5/8"	4-3/4"	5-1/2"	\$3.01
P7102	3/4"	4-3/4"	5-1/2"	4.53
P7230	1-7/16"	4-1/2"	6"	13.55

3-Point Bushing Sets

Each Contains 3 Bushings
Packaged In Plastic Sack



No.	Description	Price
BS-1-2	For Cat. 1 to 2 Linkage Contains 2 ea. B821, 1 ea. B831	\$5.11
BS-2-3	For Cat. 2 to 3 Linkage Contains 2 ea. B832, 1 ea. B833	6.62


THREE POINT LINKAGE EQUIPMENT




LIFT ARM BALL SOCKETS

No.	Category	Description	Pin Hole Size	Length Thru Bore	Sleeve Width	Sleeve Outside Diam.	Price
B2225	0	Standard-Duty; Unplated	5/8"	1"	3/4"	2"	\$8.43
B223	1	Standard-Duty; Plated	7/8"	1-3/8"	7/8"	2-3/8"	13.55
B232	1 & 2	Heavy-Duty; Plated	7/8" & 1-1/8"	1-3/4" Both	1-3/16"	2-3/4"	24.86
B233	1 & 2	Extra Heavy-Duty; Unplated	7/8" & 1-1/8"	1-3/4" Both	1-3/8"	3-1/8"	24.71
B234	1 & 2	Extra Heavy-Duty; Plated	7/8" & 1-1/8"	1-3/4" Both	1-3/8"	3-1/8"	27.31
B224	2	Standard-Duty; Plated	1-1/8"	1-5/16"	7/8"	2-3/8"	14.63
B2215	2	Extra Heavy-Duty; Unplated	1-1/8"	1-3/4"	1-3/8"	3-1/8"	21.56
B2216	2	Extra Heavy-Duty; Plated	1-1/8"	1-3/4"	1-3/8"	3-1/8"	22.48
B2231	3	Standard-Duty; Unplated	1-7/16"	1-3/4"	1-11/32"	3-1/2"	29.68
B2232	3	Standard-Duty; Plated	1-7/16"	1-3/4"	1-11/32"	3-1/2"	29.68

REPLACEMENT BALLS



B244




B243




No.	Category	Description	Pin Hole Size	Length Thru Bore	Ball Diameter	Price
B241	1	Top Link Ball; Replaces J-D F2680 & Oliver 105968A	3/4"	1-3/4"	2"	\$7.85
B242	2	Top Link Ball; Replaces J-D F2681 & Oliver 104585A	1"	1-3/4"	2"	7.85
B243	1	Lift Arm Ball; Fits Ford 3000, 4000 & 5000 Replaces Ford DDN995233	7/8"	1-3/8"	2-1/4"	7.85
B244	2	Lift Arm Ball; Fits Ford 3000, 4000 & 5000 Replaces Ford 9N-572	1-1/8"	1-3/4"	2-1/4"	8.29
B246	2	Lift Arm Ball; Replaces Oliver 104591A For all models w/ a claw type lift arm	1-1/8"	1-3/4"	2"	7.85

DRAWBARS



No.	Category	Lift Spacing	No. Of Holes	Hole Diam.	Pin Diam.	Thickness	Width	Price
DB418	0	20"	7	5/8"	5/8"	5/8"	2"	\$31.04
DB411	1	26"	11	3/4"	7/8"	1"	2-1/2"	44.88
DB4115	1	26"	11	3/4"	7/8"	1-1/8"	2-1/2"	62.83
DB421	2	26"	11	3/4"	1-1/8"	1-1/4"	3"	70.51
DB4212*	2	32"	13	3/4"	1-1/8"	1-1/4"	3"	100.65
DB422	2	32"	13	3/4"	1-1/8"	1-1/4"	3"	100.65
DB431	3	38"	5	1-1/4"	1-7/16"	1-3/4"	3-1/2"	223.38

*Heat Treated



TOP LINK PINS


No.	Category	Description	Pin Diam.	Usable Length	Overall Length	Price
P776	0	Top link pin	5/8"	3"	4-7/16"	\$2.42
P771	1	Replaces Ford 9N-560, Ferguson 195647-M1	3/4"	2-3/4"	4-1/2"	2.42
P772	1	Long top link pin; replaces Ferguson 195589-M1, A-C 39942	3/4"	3-7/8"	5-1/2"	2.88
P774	2	Replaces Ford C5NN486A	1"	4-3/8"	6"	5.26
P7711	3	Clevis top link pin	1-1/4"	4-3/8"	6-1/2"	11.22

THREE POINT LINKAGE EQUIPMENT

P721
P722
P724
P7220
P7221




P7211
P728
P7240
P7212
P7229



DRAW PINS

No.	Cat.	Description	Pin Diam.	Usable Length	Overall Length	Thread Diam.	Thread Length	Price
P7220	0	Universal, adjustable	5/8"	1-5/16"	3-7/8"	5/8" NF	2"	\$3.48
P7221	0-1	Universal, adjustable	7/8"	1-3/4"	4-1/2"	5/8" NF	2"	6.01
P722	1	Universal, adjustable	7/8"	1-5/8"	5"	7/8" NF	2-5/8"	4.05
P728	1	Forged	7/8"	1-3/4"	5-1/2"	7/8" NF	1-5/8"	3.61
P724	1-2	For cat. 1 implements on cat. 2 tractors	1-1/8"	1-3/4"	5-1/4"	7/8" NF	2-7/16"	7.55
P7240	1-2	Forged; for cat. 1 implets. on cat. 2 tractors	1-1/8"	1-13/16"	5-1/4"	7/8" NF	1-5/8"	7.22
P721	2	Universal, adjustable	1-1/8"	1-3/4"	6-1/8"	1-1/8" NF	3-3/8"	10.71
P7212	2	Forged	1-1/8"	2"	6-1/8"	1-1/8" NF	2-3/8"	9.50
P7211	2-3	Universal; for cat. 2 implets. on cat. 3 tractors	1-7/16"	1-7/8"	5-3/4"	1-1/8" NF	1-1/2"	20.31
P7229	3	Forged	1-7/16"	1-7/8"	5-7/8"	1-3/8" NF	1-5/8"	22.75



LIFT ARM BUSHINGS

No.	Category	Description	Outside Diameter	Inside Diameter	Length	Price
B828	0-1	Fits All Cat. 0 Lift Arm Pins	7/8"	5/8"	1-3/8"	\$1.80
B821	1-2	Fits All Cat. 1 Lift Arm Pins; Replaces Ford C7NN6992A	1-1/8"	7/8"	1-3/4"	1.80
B832	2-3	Fits All Cat. 2 Lift Arm Pins	1-7/16"	1-1/8"	1-3/4"	2.24
B8312	2-3	Fits All Cat. 2 Lift Arm Pins; 15/32" Lynch Pin Hole	1-7/16"	1-1/8"	2-1/2"	4.53



TOP LINK BUSHINGS

No.	Category	Description	Outside Diameter	Inside Diameter	Length	Price
B829	0-1	Fits All Cat. 0 Top Link Pins	3/4"	5/8"	1-5/8"	\$1.80
B831	1-2	Fits All Cat. 1 Top Link Pins; Replaces Ford C7NN6993A	1"	3/4"	1-15/16"	1.80
B833	2-3	Fits All Cat. 2 Top Link Pins	1-1/4"	1"	1-3/4"	2.24



LYNCH PINS


No.	Description	Pin Diam.	Usable Length	Shank Length	Overall Length	Price
P7919	Forged Lynch Pin	3/16"	7/8"	1-1/8"	1-1/2"	\$.48
P794	Forged Lynch Pin	1/4"	1-1/4"	1-3/4"	2-1/8"	.55
P7915	Forged Lynch Pin	5/16"	1-1/4"	1-3/4"	2-1/8"	.64
P791	Forged Lynch Pin	7/16"	1-1/4"	1-3/4"	2"	.48
P7913	Forged, Heavy-Duty; Fits Cat. 1, 2 & 3 Pins	7/16"	1-1/2"	1-3/4"	2-1/8"	1.12

DEALER SCHEDULE THIS PAGE ABOVE.....203

SAFETY LOCK KLIK - PINS

The Danuser "Safety Lock" Klik-Pin is the ultimate in a positive quick-release lynch pin. In the closed position, the free ends of the snap ring are seated in locking grooves, making it virtually impossible for the ring to be accidentally opened and pin lost, resulting in damage to hitch assembly. Only a firm pressure on BOTH sides of the snap ring will free the ends from the locking grooves, releasing the ring to open position, and permit removal of the pin. It's truly the most positive of Quick "On And Off" Fasteners.

Fits Category 1, 2, or 3




No.	Price
9656-0	\$3.10
Dealer Schedule.....	152

THREE POINT LINKAGE EQUIPMENT

LIFT ARMS AND LIFT ARM PARTS



LA3322




SL152



LA331

No.	Category	Description	Price
LA331	1	Right or left hand lift arm; fits Ferguson all models, Ford 2N, 8N, 9N, NAA, M-F 35, 50, Oliver 550 & 3-Pt. conversion, J-D 1010; 7/8" pin holes; 31-3/4" ball centers; 34-1/2" overall length.	\$79.40
SL152	1	Lift arm leveling assembly; 18-1/2" closed; 25" open; 7/8" NF thread dia.; replaces Ford NCA577A ...	45.67
LA3322	1	Forged universal lift arm repair end; fits both right & left hand; 7/8" pin hole; 4" overall length	22.04
LA3325	2	Forged universal lift arm repair end; fits both right & left hand; 1-1/8" pin hole; 5" overall length	28.67
LA3330	3	Forged universal lift arm repair end; fits both right & left hand; 1-7/16" pin hole; 5-1/2" overall length .	44.01

STABILIZER ARMS, BRACKETS AND PINS



SB631




SA621



DS511, DS512


No.	Description	Price
DS511	Upper stay strap; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, 700, 800, 900, Oliver 550 & all 3-Pt. conversions, Massey-Ferguson 35 & 50	\$14.32
DS512	Lower stay strap; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, 700, 800, 900, Oliver 550 & all 3-Pt. conversions, Massey-Ferguson 35 & 50	13.40
SA621	Right or left universal stabilizer arm; 7/8" pin holes on 31-9/16" centers; fits SpeeCo SK611 kit	22.75
SA622	Right or left stabilizer arm; replaces M-F 679632358; 7/8" holes on 33-1/8" centers; fits SpeeCo SK612 kit	24.86
SB631	Right or left universal stabilizer bracket; fits SpeeCo SK611 kit; accommodates P781 stabilizer stub pin	17.31
P711	Stabilizer stub pin for SpeeCo hitches and most stabilizer kits; 7/8" dia.; 3-1/4" overall length; 1/2" usable length; 7/8" NF threads	5.26
P781	Stabilizer stub pin assembled with nut and lockwasher; replaces Ford 230044, M-F 181777M1; 7/8" diam.; 2-5/8" overall length; 3/8" usable length; 5/8" NF threads	2.88

STABILIZER KITS




No.	Category	Description	Price
SK611	1	For cat. 1 implements with 7/8" draw pins; replaces Ferguson 677022; fits all Ferguson models, M-F 35 & 60, Ford 2N, 8N, 9N, NAA, 600, 800	\$68.50

TURNBUCKLE & RATCHET IMPLEMENT JACKS



SL153



SL1541

No.	Description	Price
SL1541	Heavy-duty ratchet jack with grease zerks; adjustable from 20" to 28"; safety thread lock on ends; 1-1/4" NC threads; 1" clevis pin and handle included	\$79.53
SL153	Turnbuckle implement jack; 1" pin holes; adjustable from 20" closed to 28" open; 1-1/4" NC threads	75.22

Ring Detent Pins

Usable


No.	Dia.	Lgth.	Price
H-85602	3/16"	1-1/2"	\$2.10
H-85607	1/4"	1-1/2"	2.20
H-85610	1/4"	3"	2.35
H-85616	5/16"	1-1/2"	2.25
H-85619	5/16"	3"	2.40
H-85629	3/8"	3"	3.20
H-85631	3/8"	4"	3.25
H-85649	1/2"	3"	4.00
H-85651	1/2"	4"	4.70
H-85653	1/2"	5"	6.05

Dealer Schedule.....203

(Note: Other sizes are available. Call for details.)

Bent Pull Pins

(Hair Pin Included)




Usable

No.	Dia.	Lgth.	Price
H-10303	5/16"	3"	\$2.14
H-10306	3/8"	3"	2.70
H-10312	1/2"	3"	1.90
H-10314	1/2"	4"	2.15
H-10316	1/2"	5"	2.35
H-10320	5/8"	3"	2.35
H-10322	5/8"	4"	2.65
H-10326	5/8"	5"	3.05

Double HH (Red Top) Hitch Pins

Heat Treated

**Hitch Pins** designed for today's modern heavy equipment. Applicable for industrial and agricultural use.

Made of high tensile steel, heat treated and stress relieved.

Welded plastisol coated head and handle.


No.	Dia.	Usable Lgth.	Ctn.	Price
H-12	1/2"	3-5/8"	12	\$5.05
H-58	5/8"	5-1/2"	12	5.70
H-34	3/4"	6-1/4"	12	6.65
H-78	7/8"	6-1/2"	12	8.10
H-100	1"	7-1/2"	12	10.90
H-100-12	1"	12"	6	26.75
H-1125	1-1/8"	8-1/2"	6	15.05
H-1125-12	1-1/8"	12"	6	32.30
H-1250	1-1/4"	8-1/2"	6	19.05
H-1250-12	1-1/4"	12"	6	34.00
H-1500	1-1/2"	8-1/2"	6	26.75
H-1500-13	1-1/2"	13"	4	48.95
H-1750	1-3/4"	8-1/2"	1	63.15
H-1750-13	1-3/4"	13"	1	81.20
H-2000	2"	8-1/2"	1	73.20
H-2000-13	2"	13"	1	91.40

Dealer Schedule: Full Cartons 33/133
Broken Cartons 203**Miller Safety Hitch Pins**
Pin-Lok

USABLE SPACE

No.	Dia.	Usable Lgth.	Price
58H	5/8"	4-1/2"	\$5.40
34H	3/4"	4-1/2"	6.80
78H	7/8"	4-1/2"	8.00
100H	1"	4-1/2"	10.20
586H	5/8"	6"	6.00
346H	3/4"	6"	7.75
786H	7/8"	6"	9.75
1006H	1"	6"	12.50

Dealer Schedule.....33/133

LOCKEASE™
SAFETY HITCH PIN

Spring loaded locking pin eliminates loss of hairpin.


Made from 1045 case hardened steel

Order No.	Size	Wt.	Pkg.	List
H-80160	3/4" x 6"	2.4#	4	\$29.40
H-80170	7/8" x 6"	2.9#	4	31.00
H-80180	1"x 6"	3.4#	4	34.75
H-80190	1-1/8" x 7"	4.1#	4	40.10
H-80200	1-1/4" x 7"	5.4#	4	43.80
H-80210	1-1/2" x 8"	6.9#	2	50.25
H-80005	Latch Repair Kit			7.80

Dealer Schedule: Full Pkg...152 & 350, Broken Pkg. & Kit...152

Double HH (Red Top) Hitch Pins


Heat Treated

**Hitch Pins** designed for today's modern heavy equipment. Applicable for industrial and agricultural use.

Made of high tensile steel, heat treated and stress relieved.

Welded plastisol coated head and handle.

No.	Dia.	Usable Lgth.	Ctn.	Price
H-12	1/2"	3-5/8"	12	\$5.05
H-58	5/8"	5-1/2"	12	5.70
H-34	3/4"	6-1/4"	12	6.65
H-78	7/8"	6-1/2"	12	8.10
H-100	1"	7-1/2"	12	10.90
H-100-12	1"	12"	6	26.75
H-1125	1-1/8"	8-1/2"	6	15.05
H-1125-12	1-1/8"	12"	6	32.30
H-1250	1-1/4"	8-1/2"	6	19.05
H-1250-12	1-1/4"	12"	6	34.00
H-1500	1-1/2"	8-1/2"	6	26.75
H-1500-13	1-1/2"	13"	4	48.95
H-1750	1-3/4"	8-1/2"	1	63.15
H-1750-13	1-3/4"	13"	1	81.20
H-2000	2"	8-1/2"	1	73.20
H-2000-13	2"	13"	1	91.40


Dealer Schedule: Full Cartons 33/133
Broken Cartons 203**MILLER**
SNAP LOCK PINS**For All PTO****Powered Equipment**Zinc Plated -- Prevent Rust
Drop in the pin and lock it.

No.	A	C	E	Price
12SL	1/2"	3-1/2"	2-1/2"	\$6.05
58SL	5/8"	4"	3-3/8"	7.65
34SL	3/4"	4"	3-5/16"	8.50
346SL	3/4"	6"	3-5/16"	10.25
78SL	7/8"	5-1/2"	3-5/16"	13.05
100SL	1"	5-1/2"	3-1/4"	17.00


Dealer Schedule.....33/133

MILLER LOCK PINS

"LP" Style




"LPR" Style



D	G	F	Price
14-22LP	1/4"	2-1/2"	1-3/4" \$1.70
516-22LP	5/16"	2-1/2"	1-11/16" 1.65
516-22LPR	5/16"	2-1/2"	1-11/16" 1.65
38-22LP	3/8"	2-1/2"	1-5/8" 1.70


Dealer Schedule.....33/133

CLEVISSES

Hot forged from Hi-Strength steel: extra large shackle type eyes. Heat treated, bright zinc plated pins with hairpin lock. Will hold their shape: a size to fit all tractors


No.	D	P	W	L	B	Price Each
M8134	3/4"	5/8"	1-5/16"	3-3/4"	2-1/4"	\$14.70
M8878	7/8"	3/4"	1-5/16"	3-1/4"	2"	18.65
M8178	7/8"	3/4"	1-5/16"	4-1/4"	2-3/4"	20.50
M8190	15/16"	7/8"	1-7/16"	4-5/8"	3-1/8"	28.65
M8195	1"	1"	2-1/8"	5-5/16"	3-1/4"	32.06

Dealer Schedule33/133

PINS FOR M8000 SERIES CLEVISSES

No.	Fits Clevis Number	Price Each
M813	M8134, M8234	\$12.26
M817	M8178, M8278, M8078, M8878	9.78
M819	M8190, M8290	11.63
M829	M8195, M8295	13.15


Dealer Schedule33/133

**Double HH
KWIC-TWIST
CLIP**

Easy to install and remove in large pins - Put an end to clip loss with hairpin clips - Made from galvanized spring steel wire - Self locking - No more lost pins - Safer to use - Made in U.S.A.


No.	Description	Price Each
63910	For Pin Diameter 1/4" thru 1 3/8"	\$.70
63920	For Pin Diameter 1 1/2" thru 5/8"	.80
63930	For Pin Diameter 3/4" thru 1"	.80
63940	For Pin Diameter 1-1/16" thru 1-1/4"	1.20
63900	Display (8"x12"x2" with Header Card)	
	50 - 63910, 63920, 63930, 25 - 63940	107.53

Dealer Schedule.....105

ALL-PURPOSE CLEVIS


Hot forged: loose pin type with 3/4" body and pin.

No.	Price Each
M465	\$23.09
Dealer Schedule	33/133

TWIST CLEVIS

No.	D	P	W	L	Price Each
M8234	3/4"	5/8"	1-5/16"	3-3/4"	\$15.44
M8078	7/8"	3/4"	1-5/16"	3-1/4"	20.00
M8278	7/8"	3/4"	1-5/16"	4-1/4"	21.05
M8290	15/16"	7/8"	1-7/16"	4-5/8"	28.65
M8295	1"	1"	2-1/8"	5-5/16"	33.12

Dealer Schedule33/133

**Double HH
Safety Clips**
Stainless Steel

Safety Clips snap securely, made of stainless steel. Won't pull out from corn stalks on hitch pins. Won't fall out of farrowing crates. Perfect for anything that needs to be secured.

No.	Dia.	Usable Lgth.	Ctn.	Price
H-10190	5/32"	3"	24	\$1.88


Dealer Schedule: Full Cartons33/133
Broken Cartons203

Visit our Web Site:
www.centralsupplyandrubber.com

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MID-LINKS


Zinc Plated



For Repairing Or Joining Log Chains

Hot forged, heat treated and tempered with heat treated pins. For use on all Hi-Test, Proof Coil and BBB chain.

No.	Chain Size	Each
M605	1/4" or 5/16"	\$7.00
M606	3/8"	8.21
M608	7/16" or 1/2"	16.81
M610	5/8"	22.17


Tractor Drawbar Grab Hook

Hot forged, heat treated, positions chain on drawbar. Fits drawbars up to 1-1/8 inch thick. Use with chain 1/4 to 7/16 inch.

No.	Each
M834	\$18.50

UTILITY CLEVIS

Loose Pin



No.	D	Diam.	W	L	Price Each
M1546	1/4"	5/16"	15/32"	7/8"	\$3.28
M1547	5/16"	3/8"	17/32"	1"	3.73
M1548	3/8"	7/16"	21/32"	1-1/4"	4.27
M1549	7/16"	1/2"	23/32"	1-1/2"	4.74
M1550	1/2"	5/8"	13/16"	1-11/16"	5.68
M1551	5/8"	3/4"	1-1/16"	2"	8.76

Visit our Web Site:
www.centralsupplyandrubber.com

**Big Orange
DRAWBAR PINS**

No.	Diam.	Usable Lgth.	Price Each
M1195	1/2"	3-1/2"	\$10.80
M1200	5/8"	3-3/4"	11.30

**SCREW PIN CLEVIS
Shackle Type**

No.	D	Diam.	W	L	Price Each
M1646	1/4"	5/16"	15/32"	1-1/8"	\$3.90
M1647	5/16"	3/8"	17/32"	1-1/4"	4.30
M1648	3/8"	7/16"	21/32"	1-7/16"	5.20
M1649	7/16"	1/2"	23/32"	1-11/16"	5.90
M1650	1/2"	5/8"	13/16"	1-15/16"	7.35
M1651	5/8"	3/4"	1-1/16"	2-1/2"	11.30
M1652	3/4"	7/8"	1-1/4"	3"	18.15
M1653	7/8"	1"	1-7/16"	3-1/4"	21.57
M1654	1"	1-1/8"	1-11/16"	3-3/4"	48.50
M1655	1-1/8"	1-1/4"	1-13/16"	4-1/4"	96.01
M1656	1-1/4"	1-3/8"	2"	4-1/2"	100.05

DEALER SCHEDULE THIS PAGE.....33/133

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

*Centralize
With
Central Supply!*


1-800-444-8666




SWIVEL JACKS

Swivel Jacks are manufactured from square tubing. Top and side wind models are available with tube mount, weld-on, and bolt-on mounting brackets. Jacks are furnished complete with mounting brackets as shown.

Made in the U.S.A.



Order No.	Handle	Capacity	Lift	A. Min.	B. Max.	Mounting	Price
450ST210	Side Wind	2000 lbs.	10"	11-7/16"	21-7/16"	Tube Mount	\$148.92
450ST215	Side Wind	2000 lbs.	15"	14-13/16"	29-13/16"	Tube Mount	157.40
450SW210	Side Wind	2000 lbs.	10"	11-7/16"	21-7/16"	Weld On	123.56
450TT210	Top Wind	2000 lbs.	10"	11-7/16"	21-7/16"	Tube Mount	126.80
450TT215	Top Wind	2000 lbs.	15"	14-13/16"	29-13/16"	Tube Mount	135.46
450TW210	Top Wind	2000 lbs.	10"	11-7/16"	21-7/16"	Weld On	101.50
450TW215	Top Wind	2000 lbs.	15"	14-13/16"	29-13/16"	Weld On	110.17
451-0515	Side Wind	5000 lbs.	15"	14-13/16"	29-13/16"	Tube Mount	180.40
456-0510	Top Wind	5000 lbs.	10"	11-7/16"	21-7/16"	Tube Mount	148.75
456-0515	Top Wind	5000 lbs.	15"	14-13/16"	29-13/16"	Tube Mount	160.40
457-0510	Top Wind	5000 lbs.	10"	11-7/16"	21-7/16"	Weld On	141.40



Mounting
Brackets

Order No.	Mounting	Capacity	Price
460AS011	Tube Mount	2000 lbs.	\$17.10
460U9218	Weld On	2000 lbs.	14.25
460W9218	Weld On	5000 lbs.	14.25
460B9218	Bolt On	2000 lbs.	15.73
46059218	Bolt On	5000 lbs.	15.73
460A9218	Snap Ring	2000 lbs.	2.44
460C9218	Snap Ring	5000 lbs.	2.44

Screw Replacement Kits



Side Wind Screw Kit includes:
Screw, Bearing and Nut

Top Wind Screw Kit includes:
Screw, Bearing, 2 Washers and Nut

Order No.	Capacity	Type	Lift	Price
48012210	2000 lbs.	Side Wind	10"	\$40.49
48012215	2000 lbs.	Side Wind	15"	44.28
48012510	5000 lbs.	Side Wind	10"	42.48
48012515	5000 lbs.	Side Wind	15"	44.70
48567210	2000 lbs.	Top Wind	10"	40.49
48567215	2000 lbs.	Top Wind	15"	44.28
48567510	5000 lbs.	Top Wind	10"	42.48
48567515	5000 lbs.	Top Wind	15"	44.70




Crank
Replacement
Kit



Top Wind Crank Kit includes:
Clevis, Clevis Pin, 1/4" Pal Nut, 2
ea. 1/2" Pal Nuts, Washer, Crank
and Knob.

Order No.	Capacity	Type	Price
48012201	2000 lbs.	Side Wind	\$16.18
48012501	5000 lbs.	Side Wind	16.80
48567201	2000 lbs.	Top Wind	27.99
48567501	5000 lbs.	Top Wind	30.60



Tube Mount Locking Pin Kit

Order No.	Kit Includes	Price
48140200	Pin & Ring, Chain & Cotter Pin	\$38.61

Bevel Gear Kit

Fits 2000 & 5000 lb. Jacks



Order No.	Kit Includes	Price
48012200	2 Gears & 2 Roller Pins	\$23.35




Side Wind Crank Bearing Kit

Order No.	Kit Includes	Price
48012202	2 Bronze Bearings, fits 2000 & 5000 lb.	\$13.14



BULLDOG JACKS

TOUGH and TRUSTED



ALL BULLDOG JACKS COME COMPLETE WITH MOUNTING


Order No.	Wind	Capacity	Travel	Min.	Max.	Illustration	Price
BD-SWS151DS	Side	2000	10"	11-1/4"	21-1/4"	D	\$81.20
BD-SWS158DTSF	Side	2000	10"	11-1/4"	21-1/4"	C	91.12
BD-SWL158DTSF	Side	2000	15"	14-1/2"	29-1/2"	C	116.27
BD-SWL178DTSF	Side	5000	15"	14-1/2"	29-1/2"	C	100.22
BD-TWS151DS	Top	2000	10"	11-1/4"	21-1/4"	A	62.90
BD-TWL151DS	Top	2000	15"	14-1/2"	29-1/2"	A	76.18
BD-TWS158DTSF	Top	2000	10"	11-1/4"	21-1/4"	B	69.41
BD-TWL158DTSF	Top	2000	15"	14-1/2"	29-1/2"	B	85.17
BD-TWS171DS	Top	5000	10"	11-1/4"	21-1/4"	A	79.97
BD-TWS178DTSF	Top	5000	10"	11-1/4"	21-1/4"	B	81.82
BD-TWL178DTSF	Top	5000	15"	14-1/2"	29-1/2"	B	98.38

BULLDOG JACK REPAIR PARTS

Order No.	Description	Price
BD-500239	Weld-On Pivot Tube For Type B Jack	\$9.31
BD-500223	Bearing Kit f/5000# Jack	12.00
BD-500251	Bearing Kit f/2000# Jack	8.12
BD-015459	Flanged Bushing	.86
BD-015500	Black Tube Cap	4.23
BD-015904	Swivel Retaining Ring for 151DS & 171DS	3.22
BD-015909	Swivel Bracket (L Bend)	19.90
BD-018400	1/2" Plunger Ass'y for 151DS & 171DS	10.15
BD-018403	Pin, 9/16" w/Chain Ass'y f/DTSF Jack	8.35
BD-018917	TW Crank Assembly Complete	13.05
BD-500256	SW Crank & Gear Kit	20.07

Dealer Schedule Bulldog Jacks & Parts.....152

SHOCK HITCH



3/4" Bolt & Pin Holes, Mounting Holes Are 8" C-C.

Three springs protect clutches, transmissions, driver's back and neck, trailed equipment, trailer contents and bumpers. Provides a spring loaded cushion for liquid feed trailers, boat trailers, farm wagons, live stock trailers, farm equipment and hay balers.

Hitches must be in accordance with the specifications listed.
 Absorbed Force 4000 lbs.
 Rod Travel 1 inch
 Rolling Load Capacity 60,000 lbs.
 Maximum Tongue Weight 1500 lbs.


No.	Description	Each
SH28	Shock Hitch (Springs NOT Replaceable)	\$79.10

Centralize With Central

CALL TOLL-FREE 1-800-444-8666

Dealer Schedule.....152

GOLDEN ROD WINCHES



SPECIAL FEATURES

Reinforced triple-arc-welded reels. Hardened high carbon steel intermediate and primary drive gears.
Load matched gear ratios for easier cranking. Hunting tooth gear system for more even wear and longer life.
Permanently lubricated bearings on all drive shafts.
Embossed, reinforced base mounting FIA specifications.
Standard milled-edge steel handle with corrugated grip.
Models DL1402 & DL1602 have two-way ratchet with off positions. Single Gear Ratio.
Models DL2000A & DL2500A have 2-speed operation.

NOT FOR MOVEMENT OF HUMAN BEINGS

No.	Ratio	Cap.	Cable Capacity	Price
DL1300	4.5:1	1300 ...	150' of 1/8" 30' of 5/16"	\$75.90
DL1402	4.5:1	1400 ...	90' of 3/16" 25' of 3/8"	84.70
DL1602	5.5:1	1600	25' of 3/8"	102.50
DL2000A ..	12.4:1 / 5.4:1 ..	2000 ...	47' of 5/16"	198.60
DL2500A ..	17.3:1 / 5.4:1 ..	2500 ...	47' of 5/16"	230.40

Dealer Schedule.....304

Wheel Spinners




All weather-proof knob. Available in standard aluminum or powder coated colors. Heavy 3/8" post. Ball bearing case hardened, welded construction. Fits Regular & Deep Spoke.

No.	Description	Price
DWS-A	Wheel Spinner, Std. Aluminum	\$10.95
DWS-BK	Wheel Spinner, Black Coated	11.45
DWS-BL	Wheel Spinner, Blue Coated	11.45
DWS-G	Wheel Spinner, Green Coated	11.45
DWS-R	Wheel Spinner, Red Coated	11.45
DWS-Y	Wheel Spinner, Yellow Coated	11.45

Dealer Schedule: 12 or More Assorted 203
Less than 12 152

**You Can Rely On
Central Supply!**
For Fast Shipment Of Your Order!

Hi-Lift & Ag. Equipment JACKS



Weighs only 25 lbs.
yet lifts, pulls or pushes 7,000 lbs.
Popular model 48 inch high
with 38 inch continuous lift.
Shear pin breaks when overloaded to
protect the lifting nose from breaking.
Low pick-up with a lifting nose
only 4" from bottom of base plate.
Hole beneath lifting nose
for use with clevis.
Steel Standard may be reversed
for extra long wear.
Adjustable top clamp clevis.

#EJ-550 Equipment Jack Features:
Tubular mount w/four 90° lock positions.
Swings 180° and away when not in use.
Mounting Tubes included with jack.
30" high with 18" continuous lift.
3.5 ton front, and 1 ton side lift capacity.

No.	Price
HL-48	Hi-Lift Jack (3.5 Ton Capacity)
EJ-550	Hi-Lift Equipment Jack
EJ-80	Swivel Bracket f/EJ-550 Jack

HL-48 REPAIR PARTS


No.	Ref.	Description	Price
HL-C1	1 ...	Small Runner (Less pin & spring)	\$25.80
HL-C2	2 ...	Handle Socket	25.80
HL-C3	3 ...	Pitman	19.60
HL-C4	4 ...	Reversing Latch	16.90
HL-C5-27A	5 ...	Reversing Switch	16.90
HL-C6-24	6 ...	Base Plate	23.80
HL-C7	7 ...	Top Plate-Clamp	19.60
HL-15-25	9 ...	Steel Handle	15.95
HL-C10	10 ..	Large Runner	34.75
HL-KIT1		Fix-It Kit (2 ea. of: Climbing Pin, Spring and Cross Pin)	23.50
HL-CP3		Climbing Pin Spring	3.10
HL-CP-11CL		Jack Climbing Pin Only	7.75
HL-CP-11CR		Jack Cross Pin Only	3.20
HL-PB-30		Pitman Pin	2.75
HL-SP-18A-19		Shear Pin Bolt	3.15
HL-RS-27A		Reversing Switch Spring	3.35
HL-B-48		Steel Standard, 48 inch	29.50

Dealer Schedule.....152

HOT FORGED HITCH BALLS

ONE PIECE - CHROME PLATED

Hot Forged hitch balls are drop forged from one piece of red hot steel for super strength. Each is manufactured to the Society of Automotive Engineers' Specification SAE J684F and meets or exceeds Vehicle Equipment Safety Commission regulations.



No.	VESC Class	Max. Load	Ball Size	Thread Size	Stud Lgth.	Price
05101	I	2,000	1-7/8"	3/4"	1-3/4"	\$15.46
05201	II	2,000	2"	3/4"	1-3/4"	16.09
05301	III	5,000	2"	1"	2-1/8"	16.40
05501	IV	7,500	2-5/16" ..	1-1/4"	2-1/8"	26.50

Dealer Schedule.....152

Milwaukee

Heavy-Duty Sawzall Blades

(Sold In Full Packages Only)



METAL CUTTING
HIGH SPEED



METAL SCROLL

Order No.	Teeth Per In.	Pkg. Lgth.	Cutting Qty.	Cutting Rec.	Price Per Pkg.
Metal Cutting (High Speed Steel)					
48-00-1172	14	4"	10	B	\$27.75
48-00-1176*	24	4"	10	D	27.75

Bi-Metal (High speed steel teeth welded to a flexible alloy back)

48-00-1183*	18	4"	10	G	25.80
48-00-1184*	18	6"	10	G	35.35

* Some varieties of stainless steel can be cut with these blades.


Cutting Recommendations:

B-Metal heavier than 1/8" thick, angles, bar stock, hard rubber and fiber.

D-Metals lighter than 18 gauge sheet, trim and tubing.

G-Heavy gauge metals, cast iron, angles, hard rubber, pipe, conduit, tubing, bar stock, 18 gauge to 1/8" thick and above.

Dealer Schedule.....102



RATCHET TIE-DOWNS

Ideal for securing all types of cargo. Tough polyester webbing with Flat or "J" Style hooks.

Not for overhead lifting.

Order No.	Size	Hook	Breaking Strength	Wt.	Price Each
RTD-J2415-05	1-1/2"x15'	"J"	5000#	3#	\$33.82
RTD-J3227-10	2"x27'	"J"	10000#	7#	44.79
RTD-F3227-10	2"x27'	Flat	10000#	7#	48.98

Dealer Schedule.....152

RUBBER HOLD DOWN STRAPS

(with "S" Hooks)




No.	Description	Each
HD-09	9" Hold Down Strap	\$.99
HD-15	15" Hold Down Strap	1.17
HD-21	21" Hold Down Strap	1.32
HD-31	31" Hold Down Strap	1.69
HD-41	41" Hold Down Strap	2.48
HD-24ADJ	Adjustable Hold Down Strap 24"	1.69

Dealer Schedule:
Full Package of 10....152 & 05 Broken Package....152

Blue Poly Tarps

Rope reinforced hem.
Sun and fade proof.
Leak proof. Double durable stitching. Tear proof. Heat sealed seams. Rot proof. Rust proof grommets every 3 feet.



Order No	Size	Price
PT-0608	6' x 8'	\$4.00
PT-0810	8' x 10'	6.30
PT-1012	10' x 12'	9.50
PT-1014	10' x 14'	12.40
PT-1016	10' x 16'	12.70
PT-1020	10' x 20'	15.65
PT-1214	12' x 14'	13.20
PT-1216	12' x 16'	15.25
PT-1220	12' x 20'	19.05
PT-1620	16' x 20'	25.45
PT-2020	20' x 20'	31.80
PT-2030	20' x 30'	62.00
PT-2040	20' x 40'	85.00

Note --- Other Sizes available, phone for prices.
Note --- Finished size slightly smaller than cut size.

Dealer Schedule.....152

**Centralize
with Central Supply!**

Call Toll-Free 1-800-444-8666

SANDVIK Power Saw Blades

Bi-Metal Sandflex



The cutting edge is manufactured from selected high speed steel and welded to a tough resilient alloy back. Unusual strength and impact resistance make this blade highly shatter-resistant. An excellent production blade for all applications.


Teeth

Order No.	Length	Per In.	Width	Thick.	Each
TT-01620.....	12"	14	1"	.050"	\$13.30
TT-01628.....	14"	14	1"	.050"	14.94

Dealer Schedule: Bundle Of 10 203
Broken Bundle 102

SANDVIK Hand Hack Saw Blades

Bi-Metal Sandflex




Flexible Rezistor Blades feature a high speed steel cutting edge and tough pliable back making them virtually indestructable.

Teeth

Order No.	Length	Per In.	Width	Thick.	Each
TT-00106.....	10 "	18	1/2"	.025"	\$2.30
TT-00108.....	10"	24	1/2"	.025"	2.30
TT-00114.....	12"	18	1/2"	.025"	2.30
TT-00116.....	12"	24	1/2"	.025"	2.30
TT-00118.....	12"	32	1/2"	.025"	2.30

Dealer Schedule: Bundle Of 10 152
Broken Bundle 102

**"JACK" Combination Saw
Hacksaw Wood Saw Blade!**

The hard point wood cutting blade can be used in the garden or woods.

No.	Description	Price
JS-18HP-300	Replacement Wood Blade	\$3.49


Dealer Schedule.....33/133

**Centralize
with Central Supply!**

Order Online at:

CentralSupplyandRubber.com

Call Toll-Free: 1-800-444-8666 or Call: (402) 341-6977

Retractable Utility Knife

Includes one standard utility knife blade. Heavy duty metal case. Rubberized ergonomic grip.

Order No.	Price
GN-80036 Utility Knife (Retractable)	\$4.69
GN-11C Replacement Blades (5 per pkg.)	2.05

Dealer Schedule.....152

HACK SAW FRAMES


No. GN-50 Economy frames are adjustable to accommodate blades from 10" to 12" long. Depth of cut 3-1/8". Can be adjusted to cut four different angles. 9/16" x 5/32" stock.

No.	Description	Price
GN-50	Economy Hacksaw Frame	\$8.85

Note - - All frames are furnished with blade.

Dealer Schedule.....152


SANDVIK
HIGH HARD
Hard Back Carbon
Band Saw Blades
For Easy Cutting Of Unalloyed Steel



Order No.	Length	Width	Per In.	Fits Saw	Set	Each
TT44-010	3' 8-7/8"	1/2"	14	Portables	R	\$18.72
TT44-020	5'	1/2"	14	Wells 49A & 300	R	20.60
TT44-030	5' 4-1/2"	1/2"	14	Emerson 10-1466	R	20.65
TT44-040	6' 9"	1/2"	14	Tester	R	22.50
TT44-050	7' 5"	1/2"	14	Johnson B	R	23.10
TT44-060	7' 5"	5/8"	14	Johnson B	R	23.10
TT44-070	7' 9"	1/2"	14	Wells B, Rockwell 28-300	W	23.75
TT44-080	7' 11-1/2"	5/8"	14	Rockwell 20-900	R	29.00
TT44-100	8' 10"	3/4"	14	Brule, Olson	R	29.00
TT44-110	8' 11"	5/8"	14	Emerson 10-2721	R	29.00
TT44-120	8' 11"	3/4"	14	Emerson 10-2721	W	26.27
TT44-130	9' 7"	3/4"	14	Carolina HD9	W	30.50
TT44-140	9' 8"	3/4"	14	Carolina HD10	W	30.50
TT44-150	9' 9"	3/4"	14	Olson	R	30.50
TT44-160	10' 5"	3/4"	14	Kalamazoo 816	W	31.50
TT44-170	10' 9"	3/4"	14	Rockwell 20-916	W	31.50
TT44-175	10' 10-1/2"	3/4"	10	Kalamazoo 8C	W	31.90
TT44-180	10' 10-1/2"	3/4"	14	Kalamazoo 8C	W	31.90
TT44-185	11' 5"	3/4"	10	Johnson J	W	32.75
TT44-190	11' 5"	3/4"	14	Johnson J	W	32.75
TT44-200	11' 6"	3/4"	14	Wells 8	W	32.75
TT44-210	11' 6"	3/4"	18	Wells 8	W	32.75



Raker Set: consists of one tooth tilted to the right, the next tooth tilted left, and the third tooth straight. Raker set is preferred for cutting solid cross sections, uniform in shape. It is also used for contour or profile cutting applications



Wavy Set: consists of groups of teeth set to the left and to the right, alternating throughout the blade. Wavy set provides greater chip clearance and helps eliminate tooth strippage. It is recommended for most general purpose horizontal band machines.

Used on machines that are properly maintained these blades will give excellent service. Blades are guaranteed when used on "wet-cut" saws with coolant system in operation. Further warranty of service is not intended or inferred.

Dealer Schedule: Full Carton of 10.....203 Broken Carton.....151

"NEW" RAPID TAP
Hard Metal Cutting Fluid

No Ozone Depleting Substances



Effective on beryllium, copper, brass, bronze, cast iron, magnesium, stainless steel, stellite, titanium and others

NOT FOR USE ON PLASTIC

A drop or two makes tapping, reaming, drilling, threading and all other precision machining easier, faster and more accurate.

Breaks down surface tensions and adhesions resulting from tool operation.

Frees the tool, reducing tool wear, part rejections and breakage.

	Case	Each
RTCT-4	Rapid Tap, 4 oz.	24 \$3.66
RTCT-PT	Rapid Tap, pint	12 11.67
RTCT-GAL	Rapid Tap, gallon	4 65.85
RTCT-Paste	Rapid Tap Paste, 8 oz. Jar	12 11.67

Dealer Schedule: Full Case 152
Broken Case 151

"SUPERKUT" Dark Cutting Oil

SuperKut Cutting Oil is a multi-purpose machining and grinding oil for ferrous metals. It has a balanced combination of additives and oil that offers excellent tool life and surface finishes on a wide variety of steels and stainless steels. The excellent lubricity and extreme pressure characteristics help cool the tools and workpiece. SuperKut cutting oil is recommended for threading and tapping machines, automatic screw machines, CNC operations and most other shop operations where a dark colored, active sulfur cutting oil is required.

	Each	
TK-1D	SuperKut Cutting Oil (1 Gallon)	\$38.28

Dealer Schedule: Full Case of 6 152
Broken Case 151

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



SPRAY-ON CUTTING OIL

Speeds up cutting, sawing, threading, drilling and tapping. Clings to curved or bevelled surfaces, will not run off or break down.

Applications

Metalworking operations in stainless steel, aluminum, brass and copper.

Also works on turret lathe, gear cutters, broaches and automatic screw machines.

No. Description Price
00208 Cutting Oil 12 oz. \$9.07

Dealer Schedule: Full Case of 12 253
Broken Case 102

Central SAFETY GOGGLES



Impact resistant, flexible soft-side goggles. Vented top and sides keep cool and limit fogging. Optical quality polycarbonate lens assures clear, undistorted vision.

Order No. Description Price
G-ST Safety Goggles (Clear) \$3.95
Dealer Schedule.....152

CoolCare Bandanas



Place around neck to help stay cool even on the hottest days. Lightweight cloth assures maximum evaporative cooling. Stays moist for 24-48 hours. Reusable. Hydrates in 5-10 minutes. Hand wash only.

Order No. Description Price
S40-0800BBP CoolCare Bandana, Blue Print ... \$4.95
S40-0800RBP CoolCare Bandana, Red Print 4.95

Dealer Schedule: Broken Pkg....Net Pkg. of 12....104

Call Toll-Free 8-5, M-F


1-800-444-8666

Or Order On-Line

www.centralsupplyandrubber.com

NEW PRICES AS OF 3/12/2019

Vernier Caliper (SAE & Metric)



No.	Price
GH-723ME Vernier Caliper, 0 to 5" range, stainless Graduated in 16ths and MM	\$16.00
Dealer Schedule.....102	

Pocket Slide Caliper



No.	Price
GH-729 Pocket Slide Caliper, 0 to 4" range, stainless, graduated in 16ths & 32nds.	\$14.40
Dealer Schedule.....102	


Dial Caliper



No.	Price
GH-142 Dial Caliper, 0 to 6" range, fiberglass reinforced plastic, reads .01" & 1/64" on the Dial and mm on the Bar Scale .	\$44.20
Dealer Schedule.....102	


NEW PRICES AS OF 3/23/2020

Wolf-Peak Safety Glasses



For Safety, Style & Comfort

99.9% protection from UVA/UVB rays
Scratch resistant hard coat Polycarbonate




No.	Description	List
AB111	Kirova Safety Glasses (Clear)	\$8.99
AB112	Kirova Safety Glasses (Yellow)	8.99
AB116	Kirova Safety Glasses (Smoke)	8.99
AB117	Kirova Safety Glasses (Silver Mirror)	8.99
SW115	Dakura Glasses (Copper driving lens)	17.95
SW126	Dakura Glasses (Smoke)	17.95
SWAP119..	Dakura Glasses (Prec. Red Mirror)	19.99
ABDS	Counter Display (10 Unit, Locking) Net	29.50

Dealer Schedule: 1 - 11....203 12 or more....104
Quantities May Be Assorted.

Straight Shank Drills

High Speed Steel (Jobbers Length)



Order No.	Dia.	O.A.	Pkg.	Price
		Lgth.	Qty.	Each
CD-01030	1/16"	1-7/8"	12	\$1.10
CD-01040	5/64"	2"	12	1.10
CD-01050	3/32"	2-1/4"	12	1.10
CD-01060	7/64"	2-5/8"	12	1.12
CD-01070	1/8"	2-3/4"	12	1.20
CD-01080	9/64"	2-7/8"	12	1.35
CD-01090	5/32"	3-1/8"	12	1.40
CD-01100	11/64"	3-1/4"	12	1.57
CD-01110	3/16"	3-1/2"	12	1.77
CD-01120	13/64"	3-5/8"	12	1.96
CD-01130	7/32"	3-3/4"	12	2.17
CD-01140	15/64"	3-7/8"	12	2.32
CD-01150	1/4"	4"	12	2.60
CD-01160	17/64"	4-1/8"	12	3.22
CD-01170	9/32"	4-1/4"	12	3.60
CD-01180	19/64"	4-3/8"	6	3.93
CD-01190	5/16"	4-1/2"	6	4.00
CD-01200	21/64"	4-5/8"	6	4.44
CD-01210	11/32"	4-3/4"	6	5.13
CD-01220	23/64"	4-7/8"	6	5.69
CD-01230	3/8"	5"	6	5.85
CD-01240	25/64"	5-1/8"	6	6.53
CD-01250	13/32"	5-1/4"	6	6.71
CD-01260	27/64"	5-3/8"	6	7.30
CD-01270	7/16"	5-1/2"	6	7.97
CD-01280	29/64"	5-5/8"	6	9.22
CD-01290	15/32"	5-3/4"	6	10.00
CD-01300	31/64"	5-7/8"	6	9.80
CD-01310	1/2"	6"	6	9.91

Dealer Schedule: Full Pkg.....353

Broken Pkg.....23/133


Blacksmith's Drills

High Speed Steel Shank 1/2" Diameter, 2-1/4" Long



Order No.	Dia.	O.A.	Lgth.	Price
CD-29130	33/64"	6"		\$25.92
CD-29140	17/32"	6"		24.68
CD-29160	9/16"	6"		25.75
CD-29180	19/32"	6"		28.20
CD-29200	5/8"	6"		28.45
CD-29220	21/32"	6"		31.15
CD-29240	11/16"	6"		31.77
CD-29260	23/32"	6"		32.90
CD-29280	3/4"	6"		34.61
CD-29300	25/32"	6"		37.55
CD-29320	13/16"	6"		38.25
CD-29360	7/8"	6"		41.32
CD-29400	15/16"	6"		46.15
CD-29440	1"	6"		53.73
CD-29450	1-1/16"	6"		70.60
CD-29460	1-1/8"	6"		77.25
CD-29490	1-1/4"	6"		90.65

Dealer Schedule.....253



Drill Case Sets

The drills fit into hinged metal panels that fold into the box like the pages of a book. Stamped on the side of the panel is an index giving size of each drill, decimal equivalent, tap size, etc.

Order No.	Description	Price
CD-42070	29 pc. Drill Set, 1/16 to 1/2" by 64ths	\$145.80
CD-42030	15 pc. Drill Set, 1/16 to 1/2" by 32nds	78.71
CD-42020	13 pc. Drill Set, 1/16 to 1/4" by 64ths	28.45
	Dealer Schedule.....353	

Screw & Pipe Extractors




Order No.	Screw Extractor No.	Removes	Pkg.	Price
		Screw Dia.	Qty.	
CD-57100	EX-1	3/32" to 5/32"	5	\$2.51
CD-57110	EX-2	5/32" to 7/32"	5	3.15
CD-57120	EX-3	7/32" to 9/32"	5	3.00
CD-57130	EX-4	9/32" to 3/8" & 1/8" Pipe	5	3.25
CD-57140	EX-5	3/8" to 5/8" & 1/4" Pipe	5	4.32

SCREW & PIPE EXTRACTOR SET

Order No.	Set No.	Contains Sizes	Price
CD-57210	SE-5C	1-2-3-4-5	\$17.42

Dealer Schedule.....253

No. 825 General Drill Grinder



For correctly resharpening drills of the following sizes:

From 1/8" to 3/4" - - - Fractional.

From #1 to #30 - - - Number Size.

From A to Z - - - Letter Size.

From 3.0 to 19.0 - - - Millimeter.

No.	Description	Price
GH-825	General Drill Grinder	\$38.50

Dealer Schedule.....102

NEW PRICES AS OF 8/14/2018

Taps

Hi-Carbon Steel U.S. Sizes







ILLUSTRATION SHOWING 3 STYLES OF TAPS

**Plug**

3 to 5 threads chamfered-general use when tapping to bottom of hole is not critical. (This is the most widely used type of tap.)

Taper

8 to 10 threads chamfered for easy thread starting in tough materials.

Bottoming

1-1/2 threads chamfered-use after threads have been started for tapping to bottom of hole

PLUG TAPS

Order No.	Size	Use Drill Size	Pkg. Qty.	Price
CD-55030	1/4"-20 NC	7	3	\$2.82
CD-55040	1/4"-28 NF	3	3	2.82
CD-55050	5/16"-18 NC	17/64	3	3.70
CD-55060	5/16"-24 NF	17/64	3	3.70
CD-55070	3/8"-16 NC	5/16	3	4.56
CD-55080	3/8"-24 NF	21/64	3	4.56
CD-55090	7/16"-14 NC	3/8	3	4.95
CD-55100	7/16"-20 NF	25/64	3	4.95
CD-55110	1/2"-13 NC	27/64	3	5.62
CD-55120	1/2"-20 NF	29/64	3	5.62
CD-55130	9/16"-12 NC	31/64	3	8.13
CD-55140	9/16"-18 NF	33/64	3	8.13
CD-55150	5/8"-11 NC	17/32	3	9.72
CD-55720	5/8"-18 NF	37/64	3	9.72
CD-55160	3/4"-10 NC	21/32	3	12.75
CD-55890	3/4"-16 NF	11/16	3	12.75
CD-55170	7/8"-9 NC	49/64	3	16.88
CD-55180	7/8"-14 NF	13/16	3	16.88
CD-55190	1"-8 NC	7/8	3	20.95
CD-55210	1"-14 NF	29/32	3	20.95

TAPER TAPS

Order No.	Size	Drill Size	Pkg. Qty.	Price
CD-55270	1/4"-20 NC	7	3	\$2.82
CD-55280	1/4"-28 NF	3	3	2.82
CD-55290	5/16"-18 NC	17/64	3	3.70
CD-55300	5/16"-24 NF	17/64	3	3.70
CD-55310	3/8"-16 NC	5/16	3	4.56
CD-55320	3/8"-24 NF	21/64	3	4.56
CD-55330	7/16"-14 NC	3/8	3	4.95
CD-55340	7/16"-20 NF	25/64	3	4.95
CD-55350	1/2"-13 NC	27/64	3	5.62
CD-55360	1/2"-20 NF	29/64	3	5.62
CD-55370	9/16"-12 NC	31/64	3	8.13
CD-55380	9/16"-18 NF	33/64	3	8.13
CD-55390	5/8"-11 NC	17/32	3	9.72
CD-55460	5/8"-18 NF	37/64	3	9.72
CD-55400	3/4"-10 NC	21/32	3	12.75
CD-55710	3/4"-16 NF	11/16	3	12.75
CD-55410	7/8"-9 NC	49/64	3	16.88
CD-55420	7/8"-14 NF	13/16	3	16.88
CD-55430	1"-8 NC	7/8	3	20.95
CD-55450	1"-14 NF	29/32	3	20.95

BOTTOMING TAPS


Order No.	Size	Drill Size	Pkg. Qty.	Price
CD-55520	1/4"-20 NC	7	3	\$2.82
CD-55530	1/4"-28 NF	3	3	2.82
CD-55540	5/16"-18 NC	17/64	3	3.70
CD-55550	5/16"-24 NF	17/64	3	3.70
CD-55560	3/8"-16 NC	5/16	3	4.56
CD-55570	3/8"-24 NF	21/64	3	4.56
CD-55580	7/16"-14 NC	3/8	3	4.95
CD-55590	7/16"-20 NF	25/64	3	4.95
CD-55600	1/2"-13 NC	27/64	3	5.62
CD-55610	1/2"-20 NF	29/64	3	5.62
CD-55620	9/16"-12 NC	31/64	3	8.13
CD-55630	9/16"-18 NF	33/64	3	8.13
CD-55640	5/8"-11 NC	17/32	3	9.72
CD-56040	5/8"-18 NF	37/64	3	9.72
CD-55650	3/4"-10 NC	21/32	3	12.75
CD-56070	3/4"-16 NF	11/16	3	12.75
CD-55660	7/8"-9 NC	49/64	3	16.88
CD-55670	7/8"-14 NF	13/16	3	16.88
CD-55680	1"-8 NC	7/8	3	20.95
CD-55700	1"-14 NF	29/32	3	20.95

DEALER SCHEDULE THIS PAGE.....253

Centralize With Central

MAGNUM TAP & DRILL SET

THE PREMIUM CHOICE FOR MAINTAINANCE & PRODUCTION APPLICATIONS



Magnum Super Premium Drills Feature:

Special Hi-Moly Tool Steel, Black & Gold Finish, 135° Split Point Is Self Centering, Won't Walk, Space Age Nitro-Carbized Steel Withstands Higher Drilling Temps & Stays Sharp Longer, Recommended For Stainless & Other Hard Metals.

Magnum Super Premium Taps Feature:

Special Hi-Moly Tool Steel, Gold Finish, Spiral Point For Faster Cutting With Less Torque, Recommended For Stainless & Other Hard Metals.

No.		List
CD-57580	Magnum Tap & Drill Set	\$178.15
	Dealer Schedule.....	253

Contains Drill Sizes:
#36, #29, #25, #21, #7, F, 5/16", U, 27/64"

Contains Tap Sizes:
6-32, 8-32, 10-24, 10-32, 1/4"-20,
5/16"-18, 3/8"-16, 7/16"-14, 1/2"-13

MAGNUM SUPER PREMIUM TAPS

Order No.	Size	Use	Pkg.	Price
		Drill Size	Qty.	
CD-60220	#6-32	#36	3	\$9.15
CD-60240	#8-32	#29	3	9.30
CD-60260	#10-24	#25	3	10.02
CD-60270	#10-32	#21	3	10.02
CD-60320	1/4"-20	#7	3	11.12
CD-60340	5/16"-18	F	3	11.88
CD-60360	3/8"-16	5/16"	3	17.42
CD-60380	7/16"-14	U	3	23.76
CD-60400	1/2"-13	27/64"	3	24.51

Dealer Schedule.....253

MAGNUM SUPER PREMIUM DRILLS

Order No.	Size	O.A.	Pkg.	Price
		Lgth.	Qty.	
CD-92260	#36	2-1/2"	12	\$1.72
CD-39220	#29	2-7/8"	12	1.89
CD-39180	#25	3"	12	2.13
CD-39140	#21	3-1/4"	12	2.25
CD-39000	#7	3-5/8"	12	3.22
CD-39510	F	4-1/8"	12	4.57
CD-05740	5/16"	4-1/2"	6	5.18
CD-39660	U	4-7/8"	6	9.26
CD-05810	27/64"	5-3/8"	6	9.15

Dealer Schedule: Full Pkg.....353
Broken Pkg....23/133

Order No.	Dia.	O.A.	Pkg.	Price
		Lgth.	Qty.	
CD-92440	1/8"	2-3/4"	6	\$6.22
CD-92450	3/16"	3-1/2"	6	8.67
CD-92460	1/4"	4"	6	12.05
CD-92470	5/16"	4-1/2"	3	18.25
CD-92480	3/8"	5"	3	28.32

Dealer Schedule: Full Pkg...353, Broken Pkg...23/133

LEFT HAND SPIRAL DRILLS

MAGNUM SUPER PREMIUM - JOBBERS LENGTH

Special Hi-Molybdenum tool steel. 135° split point for fast penetration and accurate starting without center punch. Precision ground point, flutes, body, clearance and drill diameter for ultimate in accuracy and performance. Body and clearance are gold surface treated for maximum lubricity. Ideal for drilling broken studs. Left hand spiral drill may loosen the bolt stud while drilling a hole for use of the screw extractor.

Quality Contractor Hammers



Drop forged - Polished Head
Fiberglass handle - Non-slip cushion grip.




Drop forged - Polished Head
Fiberglass handle - Non-slip cushion grip.

Order No.	Desc.	Price
GN-CP3.....	Cross Pein Hammer, 3 lb.	\$24.95
GN-HBP16 ..	Ball Pein Hammer, 16 oz.	24.76

Order No.	Desc.	Price
GN-HG16C..	Curved Claw Hammer, 16 oz.	\$14.69
GN-HG16S..	Straight Claw Hammer, 16 oz.	14.69

Dealer Schedule.....152

Vise-Grip Locking Pliers



R SERIES, STRAIGHT JAW LOCKING PLIERS

Locks instantly, release quickly and adjusts to pliers action.

CR SERIES, CURVED JAW PLIERS

Curved jaws for better contact on bolt heads, nuts and round work. Simply turn the micro-adjusting screw to set jaws.

WR SERIES, CURVED JAW WITH WIRE CUTTER

All have curved jaws, knurled tips and wire cutters. They lock instantly and release quickly. Also adjust to pliers action.

No.	Length	Jaw Adjustment	Jaw	Thickness	Price
7R	7"	1-1/8"	7/16"	7/16"	\$22.53
10R	10"	1-1/2"	5/8"	5/8"	22.91
7CR	7"	1-5/8"	15/16"	15/16"	22.53
10CR	10"	1-7/8"	3/8"	3/8"	22.91
4WR	4"	15/16"	1/4"	1/4"	15.70
5WR	5"	1-1/4"	1/4"	1/4"	21.94
7WR	7"	1-5/8"	5/16"	5/16"	22.53
10WR	10"	1-7/8"	3/8"	3/8"	22.91

Dealer Schedule.....203



Large Jaw Vise-Grips

Unique jaw shape of 12LC is large enough to handle most situations requiring a large wrench. Works as a pipe wrench in tight spaces. Great for removing tail pipes. Ideal for clamping odd-shaped pieces for welding.

No.	Length	Jaw Adj.	Jaw	Thickness	Price
12LC	11"	3-1/8"	3-1/8"	1/2"	\$27.73


Dealer Schedule.....203

VISE-GRIP PARTS

No.	Description	Price
VG-92	Spring for 4LN, 4WR	\$ 2.18
VG-52	Spring for 5WR, 6LN, 6BN, 6R, 6SP	2.14
VG-22	Spring for 7R, 7CR, 7WR, 9LN, 11R, 11SP	3.19
VG-8	Spring for 10R, 10CR, 10WR, 20R, 12LC	4.15
VG-91	Adj. Screw for 4LN, 4WR	3.21
VG-51	Adj. Screw for 5WR, 6LN, 6BN, 6R, 6SP	2.97
VG-21	Adj. Screw for 7R, 7CR, 7WR, 9LN	3.32
VG-7	Adj. Screw for 10R, 10CR, 10WR, 12LC, 11R, 11SP, 18SP	5.15

Dealer Schedule.....152

Long Nose Vise-Grips



LN SERIES, Long nose jaws reach into tight spots where other tools can't. Built-in wire cutter. Adjusts easily.

No.	Length	Jaw Adj.	Jaw	At Tips	Thickness	Price
4LN	4"	1-3/4"	1-3/4"	1/8"	1/8" at tip	\$17.78
6LN	6"	2-1/4"	2-1/4"	1/8"	1/8" at tip	23.61
9LN	9"	3"	3"	3/16"	3/16" at tip	28.30

Dealer Schedule.....203

VISE-GRIP Sheet Metal Clamp



Makes bending, forming, and crimping sheet metal jobs easier. Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use. Constructed of high-grade heat-treated alloy steel for maximum toughness and durability. Classic trigger release designed to provide maximum locking force. Size 8". Jaw capacity 3-1/8"

No.	Description	Price
8R	Vise-Grip Sheet Metal Clamp	\$26.66

VISE-GRIP Locking Welding Clamp





U-shaped jaws provide enhanced visibility and more working space. For use in welding applications or for holding awkward shapes in place. Constructed of high-grade heat-treated alloy steel for maximum toughness and durability. Size 8". Jaw capacity 1-5/8". Jaw depth 1-3/4"

No.	Description	Price
9R	Vise-Grip Locking Welding Clamp	\$31.77

Dealer Schedule.....203

Vise-Grip Locking C-Clamps




Unique shape of the C-Clamp jams gives far more clamping reach. No. screw adjustment on jaws to hinder clamping action. SP Series have self-leveling swivel pads.

No.	Length	Jaw Adjustment	Throat Height	Throat Depth	Price
6R	6"	2"	2-1/4"	1-3/8"	\$21.07
11R	11"	3-3/4"	3-3/4"	2-1/2"	35.31
18DR	18"	7-1/2"	7-1/2"	9-1/2"	58.27
6SP	6"	2"	2-1/4"	1-3/8"	23.72
11SP	11"	3-3/4"	3-3/4"	2-1/2"	38.22
18SP	18"	8"	4-1/2"	9-1/2"	53.47

Dealer Schedule.....203


Vise-Grip Chain Wrench



A Chain Clamp and Pipe Wrench with Tremendous Gripping Power and Easy Release.

Adjusts to any size work up to 19" in perimeter. Holds and locks around anything, any size and any shape. Works in close quarters and narrow openings. Holds work that is impossible to hold with any other clamp. When used for pipe work it locks on tight and will not slip. Adjusts to ratchet action. Releases instantly with finger tip pressure on Easy Release.

No.	Price
20R Vise Grip Chain Wrench	\$40.31
20REP Repair Chain - 18"	20.35
20EXT Extension Chain - 18"	20.35
Dealer Schedule.....	203



QUICK-GRIP Welding Clamps

Great for a multitude of clamping uses.

Fast, easy pistol-grip operation frees one hand to hold work. Grooved jaws allow easy clamping of round stock. Feature include heat-treated carbon steel jaws and spatter-resistant copper-plated pads.

No.	Price
5906 Quick-Grip Welding Clamp - 6"	\$41.64
5910 Quick-Grip Welding Clamp - 18"	49.49
Dealer Schedule.....	203

Wire Stripping/Crimping Pliers




Cuts and strips wire. Crimps solderless terminals. Insulated non-slip handle.

No.	Description	Price
GN-CRT	Wire Stripper/Crimping Pliers	\$7.99
Dealer Schedule.....		152

Centralized With Central!

VICE-GRIP LOCKING WRENCHES



Locks on three sides of a hex fastener. Tremendous force can be applied without marring or slipping off the fastener. Adjusts to over 16 different standard & metric wrench sizes. Includes a wire cutter. Jaw tips are knurled for better gripping. Built to last a lifetime. Display Carded.

Wrench Size Range			List
No.	Lgth	U.S. Metric	
VG-04LW ..	4"	1/4" - 9/16" 7mm - 14mm ..	\$16.40
Dealer Schedule.....			203

Quick-Adjust Pipe Wrench



Forged Hook Jaw. 2-1/4" jaw capacity equivalent to a standard 14" pipe wrench. Ideal for pipe up to 1-1/2". Broached teeth are ideal for most surfaces. One-handed operation enhances user's speed and convenience. Ratchets quickly to work surface. Smooth release upon job completion. Cast aluminum construction 40% less weight than cast iron. Ergonomic handle ideal for heavy torque and max. comfort, riveted to heat treated handle.

No.	Price
VG-27401 .. Quick-Adjust Pipe Wrench	\$46.66
Dealer Schedule.....	203

VICE-GRIP MIG Welding Pliers



VICE-GRIP MIG Welding Pliers Features:

Specially-designed nose for efficient removal of welding spatter. Induction-hardened cutting edge stays sharp longer. Multiple jaws for drawing out wire and removing or installing contact tips and nozzles. Hammer designed for light welding gun maintenance. Spring-loaded for ease of use. Dipped grips for superior comfort.

Order No.	Description	List
VG-1873303	MIG Welding Pliers	\$31.54
Dealer Schedule.....		203

Call 1-800-444-8666

CTC Combination Pliers



Forged from special analysis steel, carefully machined, hardened and oil tempered. Nickel plated finish, machine polished.

No.	Price
H-26 6" CTC Pliers, 1" Capacity	\$8.75
H-28 8" CTC Pliers, 1-1/4" Capacity	9.43

Dealer Schedule: Broken Carton....162 Carton of 12....203

14 Pc. Combination Wrench Sets



US Wrench Set

Fully Drop Forged. Contains 1 each 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/8" Fully Polished. In a convenient storage tray.

Metric Wrench Set

Fully Drop Forged. Contains 1 each 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, and 24 mm Fully Polished. In a convenient storage tray.

No.	Price
WCS-14 ... 14 Pc. SAE Combination Wrench Set	\$42.58
WCM-14 .. 14 Pc. Metric Comb. Wrench Set	42.58

Dealer Schedule.....152



11 Pc. Combination Wrench Sets

Fully polished chrome plated
Heat treated and tempered.

51004 SAE Wrench Set

Contains: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" With convenient storage tray.

51005 Metric Wrench Set


Contains: 6, 7, 8, 9, 10, 12, 13, 14, 15, 17, 19mm. With convenient storage tray.

No.	Price
GN-51004 11 Pc. SAE Combination Wrench Set	\$30.98
GN-51005 11 Pc. Metric Comb. Wrench Set	30.98

Dealer Schedule.....152

Combination/Open End Wrenches

Fully Drop Forged,
Chrome Plated,
Fully Polished



No.	Description	List
WC-04	Combination Wrench, 1/4"	\$3.60
WC-05	Combination Wrench, 5/16"	3.60
WC-06	Combination Wrench, 3/8"	3.60
WC-07	Combination Wrench, 7/16"	3.99
WC-08	Combination Wrench, 1/2"	4.27
WC-09	Combination Wrench, 9/16"	4.54
WC-10	Combination Wrench, 5/8"	4.95
WC-11	Combination Wrench, 11/16"	5.48
WC-12	Combination Wrench, 3/4"	6.55
WC-14	Combination Wrench, 7/8"	7.48
WC-15	Combination Wrench, 15/16"	8.82
WC-16	Combination Wrench, 1"	9.22
WC-17	Combination Wrench, 1-1/16"	9.61
WC-18	Combination Wrench, 1-1/8"	10.15
WC-20	Combination Wrench, 1-1/4"	12.95
WO-0807	1/2" x 7/16" Open End Wrench	3.95

Dealer Schedule.....152

Needle Nose Pliers



Needle Nose Plier. 6-1/2" Length. Precision drop forged head.
Double dipped vinyl grip handle. Display Carded.

Order No.	Price
GN-LN65C Needle Nose Pliers 6-1/2"	\$5.95

Dealer Schedule.....152

Slip Joint Pliers




Drop forged. Steel plated construction
Double dipped vinyl grip handles. Precision milled jaws.

No.	Description	Price
GN-SJ6C	Slip Joint Pliers, 6"	\$5.29

Dealer Schedule:
12 or more.....203 Less than 12.....202

All Prices Are Subject To Change Without Notice

Adjustable Wrenches



Fully Drop Forged,
Chrome Plated,
Fully Polished

No.	Description	List
WA-06	Adjustable Wrench, 6"	\$8.42
WA-08	Adjustable Wrench, 8"	9.35
WA-10	Adjustable Wrench, 10"	12.29
WA-12	Adjustable Wrench, 12"	14.42
WA-15	Adjustable Wrench, 15"	26.65

Dealer Schedule:

6 or more assorted.....152 & 150 Less than 6.....152



Tin Snips, 10"

Vinyl grip handles. Drop forged construction.
Heat treated polished heads.

No.	Description	Price
GN-T10SC ..	Tin Snips, 10 inch	\$9.29

Aviation Snips Straight Cut



Chrome vanadium steel for strength and durability.
1-5/8" serrated blades. Cuts up to 18 gauge metal.

No.	Description	Price
GN-TA10S...	Aviation Snips, 10", Straight Cut	\$9.29

Dealer Schedule.....152

Heavy-Duty Bolt Cutters Center Cut - General Purpose



Forged steel construction. Vinyl grips for a firm hold.
Short cutting edge to accomodate chain link.

Order No.	Price
GN-BC36... H-D Bolt Cutters, 36"	\$48.59

Dealer Schedule.....152

All Prices Are Subject To Change Without Notice

Multi-Groove Pliers




Drop Forged Steel. Chrome Plated. Double-Dipped Vinyl Grip Handle. Polished Head and Milled Jaws. Display Carded.

Order No.	Price
GN-W080C..... Multi-Groove Pliers 8"	\$7.99
GN-W100C..... Multi-Groove Pliers 10"	10.84

Dealer Schedule.....152

C-CLAMPS

Clamp Bodies
are made of
High Tensil
Malleable Iron.
Extremely Strong!



No.	Description	Price
GN-CC3	C-Clamp (3" Jaw Opening)	\$6.95
GN-CC4	C-Clamp (4" Jaw Opening)	9.35
GN-CC6	C-Clamp (6" Jaw Opening)	17.36

Dealer Schedule.....152

Hi-Visibility Power Tape Measures

Large fractional markings allow for
quicker more accurate measure-
ments. Bright Orange Hi-Visibility
comfort grip soft case. Positive
blade lock, smooth power return.



Packaged On
Display Card

Order No.	Price
GN-95000..... 1/2" x 12' Hi-Vis. Power Tape	\$4.54
GN-95001..... 3/4" x 16' Hi-Vis. Power Tape	7.21
GN-95002..... 1" x 25' Hi-Vis. Power Tape	13.35

Dealer Schedule:
Display Case of 12.....152 & 150 Broken Case.....152



100' Long Tape Rewind Handle Quick Retrieval

Bright yellow Heavy Duty Tape with clear red and black mark-
ings. Folding hook handle. Blades exceed government specifi-
cations for accuracy.

Order No.	Price
GN-100E 3/8" x 100' Tape Measure	\$25.63

Dealer Schedule.....152

MAYHEW

RIVET BUSTER

Rugged chisel hammer forged from high grade steel. Black lacquer finish polished head and bit. Designed for cutting off rivet heads.



No.	Cut Size	Dia. Steel	Length	Price
11300	3/4"	5/8"	6-1/4"	\$10.75

RIVET SET

Mayhew Rivet Set designed for heading section rivets. Made of high grade steel. Hardened and tempered with a cupped end. Black lacquer finish.



No.	Cup Point	Dia. Steel	Length	Price
20900	3/8"	5/8"	5"	\$10.25

SOLID PUNCHES

Carefully hammer forged from high grade steel. Hardened and tempered. Heads and points polished. Black lacquer finish.



No.	Pt. Size	Dia. Steel	Length	Price
70001	1/8"	3/8"	5"	\$4.51
70002	3/16"	3/8"	5"	4.55

PIN PUNCHES

Carefully hammer forged of high grade steel; hardened and tempered. Black lacquer finish.



No.	Pt. Size	Dia. Steel	Length	Price
413-1	3/32"	5/16"	6"	\$4.66
413-2	1/8"	5/16"	6"	4.72
413-3	5/32"	5/16"	6"	4.82
413-4	3/16"	3/8"	6"	5.00
413-5	1/4"	3/8"	6"	5.15
414-1	3/16"	1/2"	6"	7.02
414-3	1/4"	1/2"	6"	6.91
414-4	5/16"	1/2"	6"	7.00

LINING UP PUNCHES

Hammer forged of high grade steel. Long taper. Black Lacquer finish.



No.	Pt. Size	Dia.	Lgth.	Taper	Price
72010	1/8"	5/16"	8"	3-1/2"	\$6.35
72011	5/32"	3/8"	9"	4-1/4"	6.85
72003	1/4"	5/8"	12"	7-1/2"	11.80
22005	1/4"	3/4"	15"	7-1/4"	18.78
22008	5/16"	5/8"	16"	9-1/2"	18.50
72012	3/16"	1/2"	10"	6-1/2"	8.55

CENTER PUNCHES

Hammer forged of high grade steel. Black lacquer finish.



No.	Dia. Steel	Length	Price
74001	5/16"	4-1/2"	\$4.10
74002	3/8"	5"	4.50
74003	1/2"	6"	5.55

PINCH BARS

Forged from high grade steel. Hardened and tempered black lacquer finish. Full polished taper and blade, For prying, alignment work and many other purposes. One end taper and the other end curved leverage blade.



No.	Dia. Steel	Length	Price
75000	1/2"	14"	\$14.40
75001	5/8"	16"	18.80

Dominator 4 Pc. HOOK & PICK SETS

Harded Chrome Vanadium Shafts



Two composite handle is ergonomically designed for a comfortable secure grip. Capped end allows the user to strike with a hammer without damaging the handle.

Contains: 1 ea. Scratch Awl,
90° Hook, Curved Hook, Complex Hook.

Set No.	Description	Price
60000	Hook & Pick Set, 10" Long	\$55.65
60003	Mini Hook & Pick Set, 6-1/2" Long	18.80

DEALER SCHEDULE THIS PAGE (Mayhew).....203

Fax Toll-Free
1-800-342-7252

To Order Call Toll-Free:
1-800-444-8666

MAYHEW

No. 70 COLD CHISELS

Mayhew Hammer-Forged Chisels. Black lacquer finish. Noted for cutting and durability



No.	Cut Size	Dia. Steel	Length	Price
70-0	1/4"	1/4"	5"	\$4.10
70-1	5/16"	1/4"	5"	4.50
70-2	3/8"	5/16"	5-1/2"	4.65
70-3	7/16"	3/8"	6"	4.80
70-4	1/2"	7/16"	6"	5.40
70-5	5/8"	1/2"	6-1/2"	6.00
70-6	3/4"	5/8"	7"	7.90
70-7	7/8"	3/4"	7-1/2"	9.60
70-8	1"	7/8"	8"	12.90
70-9	1-1/8"	1"	8"	17.75

No. 150 CAPE CHISEL

Hammer forged and noted for cutting and durability. Black lacquer finish.



No.	Cut Size	Dia. Steel	Length	Price
10401	3/16"	3/8"	12"	\$9.70

Dominator 4 Pcs. CARBON SCRAPER SET

Two composite handle is ergonomically designed for a comfortable secure grip. Capped end allows the user to strike with a hammer without damaging the handle. 10" Overall length.



Contains: 1 ea. 1/2", 3/4", 1", 1-1/2".

Set No.	Description	Price
60001	Carbon Scraper Set, 4 pc.	\$59.85

Dominator Specialty Pry Bar Set

Unique Shapes for prying in tight or restricted locations



Contains:

- 1 ea. #40170 - 30"x1/2" Modified Separating Die Bar
- 1 ea. #40172 - 30"x1/2" Modified Rolling Head Pry Bar

Set No.	Price
61361	Specialty Pry Bar Set, 2 pc.

No. 110 EXTRA LONG COLD CHISELS

Hammer forged from high grade steel. Noted for cutting and durability. Black lacquer finish.




No.	Cut Size	Dia. Steel	Length	Price
70207	1/2"	7/16"	12"	\$8.15
70210	5/8"	1/2"	12"	9.60
70213	3/4"	5/8"	12"	11.80
70217	7/8"	3/4"	12"	15.30
70221	1"	3/4"	12"	16.60

No. 250 ROUND NOSE CHISEL

Hammer forged and noted for cutting and durability. Black lacquer finish.



No.	Cut Size	Dia. Steel	Length	Price
10501	3/16"	3/8"	6"	\$10.07



PUNCH & CHISEL 14 PC. KIT

14 Pcs. Kit Contains:

- 1 ea. 70-0, 70-2, 70-4, 70-5, 70-6 Cold Chisels
- 1 ea. 413-1, 413-2, 413-3, 413-4, 413-5 Pin Punches
- 1 ea. 70001, 70002 Solid Punches
- 1 ea. 74002 Center Punch
- 1 ea. 72010 Lining Up Punch

Set No.	Description	Price
61044	Punch & Chisel Kit, 14 pc.	\$99.60



The Dominator

Screwdriver Pry Bar by Mayhew

Featuring the all-new capped end which allows the user to strike the pry bar with a hammer without damaging the head. Hardened and tempered their entire length for maximum durability. Curved blade.



Order No.	Description	O.A.L.	Stock Dia.	List
60140	7" Pry Bar	12"	3/8"	\$21.05
60144	12" Pry Bar	17"	3/8"	22.18
60146	18" Pry Bar	25"	1/2"	34.50
60148	24" Pry Bar	31"	1/2"	40.75
40138	36" Pry Bar	36"	5/8"	79.95
40139	42" Pry Bar	42"	5/8"	87.80
40164	44" Pry Bar	44"	7/8"	130.05
40160	48" Pry Bar	48"	3/4"	119.65
40162	58" Pry Bar	58"	3/4"	132.00

LUMILITE Krypton Flashlights

Grip Series Super Heavy Duty 100% rubber

Heavy Duty Grip series.

Shock, corrosion and weather resistant. Super Bright Krypton Bulb. Wrist lanyard for secure one-handed use.



6-volt Z-Lite Lantern.

Super Bright Krypton bulb, weather resistant/rubberized body, 6 position adjustable stand. Battery sold separately.

No.	Description	List
FL-2450	Grip Rubber 2AA Flashlight	\$5.29
FL-2550	Grip Rubber 2D Flashlight	7.19
FL-4800	6-Volt Z-Lite Lantern	15.98
FL-9999	Belt Holster for 2AA Flashlight	4.99
	Dealer Schedule.....	203



6 PC. Screwdriver Set

High carbon steel blades, nickle plated top quality extruded shock resistant handles. Precision ground tips. Contains: Slotted 3"x1/8", 4"x3/16", 4"x1/4", 6"x5/16", Phillips #1x3", #2x4"

Order No.	Price
GN-G6C	6 PC. Screwdriver Set
	\$18.18
Dealer Schedule.....	152

E-Z Break Out Punch

Point, Push & Pop Action



Tamper Proof "Window Breaking" power setting. High Visibility Cushion Grip. Spring-Loaded Energy Focusing Super Sharp Tip. Permanently Sealed Cone and Cap. Fully Hardened Steel Tip. Protective Tip Cap reduces the chance of injury.

No.	Description	Price
GH-7901	E-Z Breakout Punch	\$16.58
Dealer Schedule.....	102	

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Hi-Torque Ratcheting Screwdriver



Contains 12 interchangeable Bits: 1/8", 3/16", 1/4", and 9/32" Slotted; #0, #1, #2 and #3 Phillips; 5/32" & 3/16" Hex; T10 & T20 Star. Stainless Steel Shaft. Includes magnetic extension bit for longer reach. Convenient bit magazine stores in handle. Oval ergonomic handle with rubberized grip.

Order No.	Price
GN-8026E	Hi-Torque Ratchet Screwdriver
	\$8.29
Dealer Schedule.....	152



Pocket Magnetic Pickup Tool

Retracts to 5" - Extends to 24"

No.	Description	List
W1908	Magnetic Pickup Tool, 3 lb..	\$3.45
Dealer Schedule: 1-14.....	152 Carton of 15.....154	

Alkaline & Industrial Batteries



Alkaline Batteries provide long life and superior performance when used in all your battery operated devices. Retaines 85% of original life after 5 years in storage. **Priced Per Each.**


No.	Description	Pkg. Qty.	Each
BAT-DRA	D Size Alk. Battery	12	\$4.08
BAT-CRA	C Size Alk. Battery	12	3.43
BAT-AAR	AA Size Alk. Battery	24	1.91
BAT-AAARA ...	AAA Size Alk. Battery	24	1.91
BAT-9VRA.....	9-volt Alk. Battery	12	6.18
BAT-6LRI	6-volt Lantern Ind. Battery ..	3	8.57

Dealer Schedule: Full Packages	205
Broken Packages	203

**Fax Toll-Free
1-800-342-7252**

MAKITA
Abrasive
Cutting Wheel

No. 724603-3 (14 Inch)



724603-3 wheel shown with model 2414 saw.

Model	Blade Dia.	Arbor	Cutting Capacity 90°	Cutting Capacity 45°	Amps (115V)	No Load Speed
2414	14"	5/8" & 1"	4"	4"	13.0	3800 rpm


For all ferrous materials (Steel, Cast Iron) and other hard metals. Reinforced. 1" arbor. Maximum safe speed 4400RPM.

Order No. 724603-3 14" Abrasive Cut-Off Wheel Price \$16.42

Dealer Schedule.....102

SAIT Depressed Center Wheels

(For Grinders & Sanders)



Keep Wheel Cover In Place. Wear Safety Goggles.

For metal polishing and general and flat grinding. Aluminum oxide abrasive grains are evenly distributed to give a smooth surface.

No.	Dimensions	Grit	RPM	Price
ST-20013	4" x 1/4" x 5/8"	24	13,000	\$4.35
ST-20063	4-1/4" x 1/4" x 7/8"	24	10,900	4.35

Dealer Schedule.....102

SAIT

Grinding & Cutting Wheels



Grade A24R: Alluminum Oxide General Purpose, Long Life, For Heavy Working Conditions, Iron, Steel, Normal Ferrous Metals, Welds.

Depressed Center Wheel

Order No.	Size	Width	Bore	Max. RPM	Price
ST-20070	5"	1/4"	7/8"-9	12,200	\$5.40
ST-20086	7"	1/4"	5/8"-11	8,500	10.30
ST-20096	9"	1/4"	5/8"-11	6,600	13.45

Abrasive Cutting Wheel

ST-23412	12"	1/8"	1"-8	6,300	9.40
----------	-----	------	------	-------	------

Dealer Schedule.....102

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

MAKITA
Wire Cup Brush



FOR MAKITA
GRINDERS
&
SANDERS

Keep Wheel Cover in Place. Wear Safety Goggles.

Direct spindle mount, .014" crimped carbon steel wire. Excellent for flat surfaces, edges, paint, scale, light rust removal. Provides continuous brushing action and relatively fine finish. 3" diameter (M10 x 1.25) Maximum Safe Speed is 12,500 RPM. For Makita 9501B sander and grinder.

Order No. 743201-4 Crimped Wire Cup Brush	Price \$25.35
--------------------	------------------------------	---------------

Dealer Schedule.....102

MAKITA
Abrasive Discs



(SOLD 5 PER CARTON. NO BROKEN CARTONS)

Order No.	Size	Grit	For No.	Per 5
742036-A5	4"	24	9501B	\$8.95
742038-A5	4"	50	9501B	7.27
742039-A5	4"	80	9501B	7.27
742040-A5	4"	120	9501B	7.27

Dealer Schedule.....102

Wire Scratch Brush



BW-SH Shoe Handle Scratch Brush. Tempered steel wire - 4 rows wide, 16 rows long - Curved hardwood handle.

No. BW-SH Shoe Handle Scratch Brush	Price \$3.65
-----------	---------------------------------	--------------

Dealer Schedule.....152

Call Toll-Free

1-800-444-8666

Trades Marker



A unique all-purpose marker that comes in a push-button holder that advances the stick as needed. This eliminates all the hassles found with the old paper wrapped china markers. The easy-to-load refills never need sharpening and the holder lets you use the stick right down to the end. Marks on plastic, glass, wood, cardboard, metal, and paper. Marks won't rub off and are weather resistant. Holder has a handy pocket clip.

No.	Description	List
LC-96000	Holder w/5 Colors	\$10.50
LC-96009	Orange Refill, 6 pack	5.95
LC-96042	White Refill, 6 pack	5.95
LC-96043	Yellow Refill, 6 pack	5.95
LC-96044	Black Refill, 6 pack	5.95
LC-96045	Red Refill, 6 pack	5.95
Dealer Schedule.....		152

Valve Action Paint Marker



Valve action fiber tip is replaceable to assure full use of paint supply. Make long-lasting crisp lines or bold marks. Paint formulated for industrial and farm applications. Dries in minutes. Weather-resistant marks. Ideal for many surfaces; metal, glass, wood, rubber, plastic, cardboard and paper.

No.	Description	List
LC-96820	White Marker	\$5.35
LC-96821	Yellow Marker	5.35
LC-96822	Red Marker	5.35
LC-96823	Black Marker	5.35
LC-9867	Replacement Tip Only	1.22

Dealer Schedule.....152

Parts Cleaning Brush



A handy brush for cleaning parts that have been disassembled from engines, machinery, etc. Long comfortable grip, solid wood handle. Metal ferrule. Carded.

Order No.	Price
GN-PCB Parts Cleaning Brush	\$3.98
Dealer Schedule.....	152

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Quik-Stik Twist Up Paint Marker



Twist-up advance of the stick. Plastic holder with self storing cap prevents breakage, keeps hands and clothing clean. More marks for the money, lasts 20% longer than other brands. Bright, bold fade resistant colors. Smooth marking, fast drying paint marks on virtually any surface. Metal, glass, plastic, wood, cardboard, paper, etc. Marks dry in 5-7 minutes. Marking temperature range: 0°F to 140°F. (-17°C to 60°C)

No.	Description	List
LC-61049	Quik Stik Marker (Red)	\$7.25
LC-61050	Quik Stik Marker (Black)	7.25
LC-61051	Quik Stik Marker (White)	7.25
LC-61053	Quik Stik Marker (Yellow)	7.25
LC-61069	Quik Stik Marker (Green)	7.25

Dealer Schedule.....152

SAIT Screen Roll



Silicon carbide grain
Long life - Waterproof
Non-loading screen cloth

1-1/2" x 5 Yards

Order No.	Description	Price
ST-84089	80 Grit Screen Roll	\$28.65
ST-84092	120 Grit Screen Roll	14.65

SAIT Handy Roll

Aluminum Oxide
Full Resin - Cloth Backed

1" x 50 Yards



Order No.	Description	Price
ST-80805	80 Grit Shop Roll	\$38.95
ST-81005	100 Grit Shop Roll	37.00
ST-81205	120 Grit Shop Roll	37.70

Dealer Schedule.....102

NEW PRICES AS OF 2/28/2020

Threaded Rod

(Zinc Plated - N.C. Coarse Threads - Grade 2)



No.	Size x Lgth.	Bundle	Each
RB-04-36	1/4"x 36"	5	\$2.49
RB-05-36	5/16"x 36"	5	3.30
RB-06-36	3/8"x 36"	5	4.05
RB-07-36	7/16"x 36"	5	5.33
RB-08-36	1/2"x 36"	5	6.86
RB-10-36	5/8"x 36"	3	10.58
RB-12-36	3/4"x 36"	3	14.10
RB-14-36	7/8"x 36"	3	21.05
RB-16-36	1"x 36"	3	27.86
RB-18-36	1-1/8"x 36"	2	43.95
RB-20-36	1-1/4"x 36"	1	50.87
RB-24-36	1-1/2"x 36"	1	93.30
RB-04-72	1/4"x 72"	5	\$5.98
RB-05-72	5/16"x 72"	5	6.60
RB-06-72	3/8"x 72"	5	8.10
RB-07-72	7/16"x 72"	5	10.66
RB-08-72	1/2"x 72"	5	13.72
RB-10-72	5/8"x 72"	3	21.16
RB-12-72	3/4"x 72"	3	28.20
RB-14-72	7/8"x 72"	3	42.10
RB-16-72	1"x 72"	3	55.71

Dealer Schedule:

Full Bundle.....33/133 Broken Bundle.....152

REDI-BOLT STEEL COUPLING NUTS
(Zinc Plated)

No.	Tap Size	Length	Pkg.	Each
RB-C04	1/4-20	1-3/4"	50	\$.66
RB-C05	5/16-18	1-3/4"	25	1.02
RB-C06	3/8-16	1-3/4"	25	1.22
RB-C07	7/16-14	1-3/4"	25	1.35
RB-C08	1/2-13	1-3/4"	25	1.35
RB-C10	5/8-11	2-1/8"	20	2.40
RB-C12	3/4-10	2-1/4"	20	2.99
RB-C14	7/8-9	2-1/2"	10	5.30
RB-C16	1-8	2-1/2"	10	6.95
RB-C18	1-1/8-7	3"	5	10.99
RB-C20	1-1/4-7	3-1/4"	5	13.82
RB-C24	1-1/2-6	3-1/2"	5	17.98

Dealer Schedule: Full Package 33/133
Broken Package 152**Stainless Steel 18-8 Threaded Rod**

Order No.	Size x Lgth.	Each
TRSS-0420-36	1/4"-20x 36"	\$ 5.90
TRSS-0518-36	5/16"-18x 36"	8.35
TRSS-0616-36	3/8"-16x 36"	9.79
TRSS-0814-36	1/2"-13x 36"	15.50
TRSS-1113-36	5/8"-11x 36"	22.69
TRSS-1210-36	3/4"-10x 36"	33.56


Dealer Schedule.....125

(Call for availability of other sizes of Stainless Steel Rod)

Threaded Rod**GRADE B-7 ALLOY****N.C. Coarse Threads - Plain Oil Finish**

Order No.	Size x Lgth.	Bundle	Each
TR7-04-36	1/4"x 36"	5	\$4.20
TR7-05-36	5/16"x 36"	5	6.02
TR7-06-36	3/8"x 36"	5	6.68
TR7-07-36	7/16"x 36"	5	11.04
TR7-08-36	1/2"x 36"	5	11.85
TR7-10-36	5/8"x 36"	3	16.48
TR7-12-36	3/4"x 36"	3	25.00
TR7-14-36	7/8"x 36"	3	32.41
TR7-16-36	1"x 36"	3	45.01
TR7-20-36	1-1/4" x 36"	1	72.05
TR7-24-36	1-1/2" x 36"	1	93.74
TR7-04-72	1/4"x 72"	5	8.40
TR7-05-72	5/16"x 72"	5	12.67
TR7-06-72	3/8"x 72"	5	15.91
TR7-07-72	7/16"x 72"	5	22.08
TR7-08-72	1/2"x 72"	5	27.50
TR7-10-72	5/8"x 72"	3	38.57
TR7-12-72	3/4"x 72"	3	56.61
TR7-14-72	7/8"x 72"	3	67.96
TR7-16-72	1"x 72"	3	90.02

Schedule: Full Bundle.....203 Broken Bundle.....152

Acme Threads**3' Lengths
Plain Finish- Grade 2**

Order No.	Size	Pitch	Wire Size	Per Ft.
400-0416	1/4"	16	.214	\$2.68
400-0612	3/8"	12	.325	3.79
400-0810	1/2"	10	.440	6.03
400-1006	5/8"	6	.550	9.39
400-1008	5/8"	8	.550	8.62
400-1206	3/4"	6	.656	10.96
400-1210	3/4"	10	.687	11.96
400-1406	7/8"	6	.780	15.34
400-1604	1"	4	.875	19.24
400-1605	1"	5	.887	19.90
400-1805	1-1/8"	5	1.012	26.81
400-2005	1-1/4"	5	1.136	33.56
400-2404	1-1/2"	4	1.369	47.27
400-2804	1-3/4"	4	1.615	63.89
400-3204	2"	4	1.862	87.80

Dealer Schedule.....102

Acme Nuts
Plain Finish

No.	Size-Pitch	Each
413-0416	1/4"-16	\$ 4.15
413-0612	3/8"-12	5.01
413-0810	1/2"-10	5.65
413-1006	5/8"-6	6.40
413-1008	5/8"-8	6.40
413-1206	3/4"-6	8.69
413-1210	3/4"-10	8.69
413-1406	7/8"-6	11.28
413-1604	1"-4	\$14.17
413-1605	1"-5	14.70
413-1805	1-1/8"-5	17.80
413-2005	1-1/4"-5	20.33
413-2404	1-1/2"-4	32.51
413-2804	1-3/4"-4	63.58
413-3204	2"-4	85.99

Dealer Schedule.....102

NEW PRICES AS OF 6/10/2021

NEW PRICES AS OF 6/10/2021

NEW PRICES AS OF 12/14/2013



LAG SCREWS



Hex Head - Zinc Plated - Gr. 2

Order No.	Dia. x Lgth.	Pkg.	Per C	Order No.	Dia. x Lgth.	Pkg.	Per C	Order No.	Dia. x Lgth.	Pkg.	Per C
LS-04-0100 .. 1/4 x 1	100	\$12.60		LS-06-0100 .. 3/8 x 1	100	\$21.39		LS-08-0400 .. 1/2 x 4	25	\$117.06	
LS-04-0108 .. 1/4 x 1-1/2 ..	100	12.78		LS-06-0108 .. 3/8 x 1-1/2 ..	100	26.34		LS-08-0500 .. 1/2 x 5	25	150.25	
LS-04-0200 .. 1/4 x 2	100	14.40		LS-06-0200 .. 3/8 x 2	100	30.21		LS-08-0600 .. 1/2 x 6	25	183.45	
LS-04-0208 .. 1/4 x 2-1/2 ..	100	17.51		LS-06-0208 .. 3/8 x 2-1/2 ..	50	45.30		-----			
LS-04-0300 .. 1/4 x 3	100	19.05		LS-06-0300 .. 3/8 x 3	50	50.71		LS-10-0400 .. 5/8 x 4	25	179.25	
-----				LS-06-0400 .. 3/8 x 4	50	51.47		LS-10-0600 .. 5/8 x 6	25	233.19	
LS-05-0100 .. 5/16 x 1	100	15.96		LS-06-0500 .. 3/8 x 5	50	84.45		-----			
LS-05-0108 .. 5/16 x 1-1/2 ..	100	21.66		LS-06-0600 .. 3/8 x 6	50	108.52		-----			
LS-05-0200 .. 5/16 x 2	100	24.60		-----				-----			
LS-05-0208 .. 5/16 x 2-1/2 ..	100	34.92		LS-08-0200 .. 1/2 x 2	50	57.19		-----			
LS-05-0300 .. 5/16 x 3	100	37.11		LS-08-0208 .. 1/2 x 2-1/2 ..	50	65.08		-----			
LS-05-0400 .. 5/16 x 4	50	38.56		LS-08-0300 .. 1/2 x 3	50	107.19		-----			

LAG SCREWS DEALER SCHEDULE:

Full Box	304
Broken Box	102

SHEET METAL SCREWS

100 Screws
Per PackageNo Broken
Packages

HEX WASHER HEAD---ZINC PLATED

No.	Gauge	Length	Fract. Equiv.	Per C
SMSH-08-08	8	1/2	5/32 Full ..	\$3.71
SMSH-08-16	8	1	5/32 Full ..	4.86
SMSH-10-08	10	1/2	3/16	4.60
SMSH-10-12	10	3/4	3/16	5.26
SMSH-10-16	10	1	3/16	6.03
SMSH-10-24	10	1-1/2	3/16	8.34
SMSH-12-12	12	3/4	7/32	9.70
SMSH-12-16	12	1	7/32	11.80
SMSH-12-24	12	1-1/2	7/32	15.90
SMSH-14-12	14	3/4	1/4	12.70
SMSH-14-16	14	1	1/4	13.80
SMSH-14-24	14	1-1/2	1/4	15.97

Dealer Schedule.....203

SHEET METAL SCREWS

100 Screws
Per PackageNo Broken
Packages

PAN HEAD---ZINC PLATED

No.	Gauge	Length	Fract. Equiv.	Per C
SMSP-08-08	8	1/2	5/32 Full ..	\$3.49
SMSP-08-16	8	1	5/32 Full ..	4.74
SMSP-10-08	10	1/2	3/16	4.14
SMSP-10-12	10	3/4	3/16	4.74
SMSP-10-16	10	1	3/16	5.43
SMSP-10-24	10	1-1/2	3/16	8.29
SMSP-12-12	12	3/4	7/32	6.92
SMSP-12-16	12	1	7/32	8.30
SMSP-12-24	12	1-1/2	7/32	8.86
SMSP-14-12	14	3/4	1/4	9.32
SMSP-14-16	14	1	1/4	10.95
SMSP-14-24	14	1-1/2	1/4	12.80

Dealer Schedule.....203

TEK SCREWS

(Self Drilling Screws)

TEK Screws are self drilling fasteners
that in one motion, drill their own hole, tap
and fasten in metal and other materials.Hex Washer Head, Zinc Plated
Sold In Packages Of 100 Only.


Order No.	Dia. x Lgth.	Per C
TSH-10-0008	#10 (3/16) x 1/2"	\$8.86
TSH-10-0012	#10 (3/16) x 3/4"	10.00
TSH-10-0100	#10 (3/16) x 1"	11.32
TSH-10-0104	#10 (3/16) x 1-1/4"	12.94
TSH-10-0108	#10 (3/16) x 1-1/2"	13.98
TSH-12-0012	#12 (7/32) x 3/4"	13.80
TSH-12-0100	#12 (7/32) x 1	15.72
TSH-12-0108	#12 (7/32) x 1-1/2"	20.46
TSH-12-0200	#12 (7/32) x 2"	24.60
TSH-14-0012	1/4" x 3/4"	17.00
TSH-14-0100	1/4" x 1"	19.00
TSH-14-0108	1/4" x 1-1/2"	25.17
TSH-14-0200	1/4" x 2"	29.55

Dealer Schedule.....304

Sheet Metal Screw Assortment

Both Hex Washer Head and Pan Head screws.
25 of each size - 600 pieces total. Packaged in
a transparent plastic box with heavy duty hinges
and snap-tight lid. Box size: 14-1/4" x 9-1/8" x 2".

No.	Desc.	Net
SMS-A	Screw Assortment	\$26.90



*Centralize with Central
Call Toll-Free
1-800-444-8666*

TRUSS HEAD MACHINE SCREWS



Zinc Plated - Nuts Not Included - No Broken Packages

Order No.	Dia.	Lgth.	Pkg.	Per C
MST-03-0008	#10-24	1/2"	100	\$6.87
MST-03-0012	#10-24	3"	100	7.73
MST-03-0100	#10-24	1"	100	9.40
MST-03-0104	#10-24	1-1/4"	100	10.24
MST-03-0108	#10-24	1-1/2"	100	11.34
MST-03-0200	#10-24	2"	100	13.90
MST-04-0008	1/4"-20	1/2"	100	7.52
MST-04-0012	1/4"-20	3/4"	100	8.10
MST-04-0100	1/4"-20	1"	100	9.09
MST-04-0104	1/4"-20	1-1/4"	100	11.40
MST-04-0108	1/4"-20	1-1/2"	100	13.45
MST-04-0200	1/4"-20	2"	100	15.64
MST-04-0208	1/4"-20	2-1/2"	100	17.18
MST-05-0008	5/16"-18	1/2"	100	16.60
MST-05-0012	5/16"-18	3/4"	100	18.80
MST-05-0100	5/16"-18	1"	100	18.95
MST-05-0104	5/16"-18	1-1/4"	100	20.07
MST-05-0108	5/16"-18	1-1/2"	100	25.33
MST-05-0200	5/16"-18	2"	100	27.16

ROUND HEAD MACHINE SCREWS



Zinc Plated - Nuts Not Included - No Broken Packages

Order No.	Dia.	Lgth.	Pkg.	Per C
MSR-0632-0008	#6-32	1/2"	100	\$3.93
MSR-0632-0100	#6-32	1"	100	4.43
MSR-0832-0008	#8-32	1/2"	100	4.53
MSR-0832-0100	#8-32	1"	100	5.87
MSR-1024-0008	#10-24	1/2"	100	5.03
MSR-1024-0100	#10-24	1"	100	6.73
MSR-1032-0008	#10-32	1/2"	100	5.30
MSR-1032-0100	#10-32	1"	100	7.13


MACHINE SCREW NUTS

(Zinc Plated - Full Packages Only)



No.	Size	Pkg.	Per C
MSN-00632	#6-32	100	\$2.62
MSN-00832	#8-32	100	2.81
MSN-01032	#10-32	100	3.03
MSN-01024	#10-24	100	3.03
MSN-04020	1/4"-20	100	4.80
MSN-05018	5/16"-18	100	8.09

Machine Screw & Nuts Dealer Schedule.....304



Round Head Machine Screw Assortment

Screws & Nuts Packaged in a transparent plastic box with heavy duty hinges and snap-tight lid. (400 Pieces)
Box size 8-1/2" x 4-3/4" x 1-1/2".

#MSR-A Assortment Consists of:


Screw Size	Qty.	Screw Size	Qty.	Nut Size	Qty
#6-32x1/2"	25	#10-32x1/2"	25	#6-32	50
#6-32x1"	25	#10-32x1"	25	#8-32	50
#8-32x1/2"	25	#10-24x1/2"	25	#10-32	50
#8-32x1"	25	#10-24x1"	25	#10-24	50

No.	Net
MSR-A.... Rd. Head Mach. Screw Assortment ...	\$21.49

#3 HEAD PLOW SCREWS

Grade 5 - Coarse Thread - NUTS NOT INCLUDED

PLAIN FINISH




Order No.	Dia. x Lgth.	Pkg.	Per C
PS53-06-0100	3/8 x 1	100	\$33.13
PS53-06-0104	3/8 x 1-1/2	100	34.97
PS53-06-0108	3/8 x 1-1/2	100	37.54
PS53-06-0112	3/8 x 1-3/4	100	43.33
PS53-06-0200	3/8 x 2	100	47.49
PS53-07-0208	3/8 x 2-1/2	50	59.59
PS53-07-0104	7/16 x 1-1/4	50	53.90
PS53-07-0108	7/16 x 1-1/2	50	56.00
PS53-07-0112	7/16 x 1-3/4	50	62.21
PS53-07-0200	7/16 x 2	50	65.49
PS53-07-0204	7/16 x 2-1/4	50	74.21
PS53-07-0208	7/16 x 2-1/2	50	79.90
PS53-07-0300	7/16 x 3	50	95.03
PS53-08-0108	1/2 x 1-1/2	50	73.08
PS53-08-0112	1/2 x 1-3/4	50	77.59
PS53-08-0200	1/2 x 2	50	82.21
PS53-08-0204	1/2 x 2-1/4	50	89.59
PS53-08-0208	1/2 x 2-1/2	50	97.28
PS53-08-0300	1/2 x 3	50	114.67
PS53-10-0200	5/8 x 2	25	175.28
PS53-10-0208	5/8 x 2-1/2	25	210.26
PS53-10-0300	5/8 x 3	25	250.15
PS53-10-0308	5/8 x 3-1/2	25	268.20

DOME HEAD PLOW SCREWS

GRADE 8 - Coarse Thread - NUTS NOT INCLUDED

PLAIN FINISH



Order No.	Dia. x Lgth.	Pkg.	Per C
PSD-10-0200	5/8 x 2	25	\$194.83
PSD-10-0208	5/8 x 2-1/2	25	216.25
PSD-10-0212	5/8 x 2-3/4	25	231.45
PSD-10-0300	5/8 x 3	25	256.79
PSD-12-0200	3/4" x 2"	20	283.34
PSD-12-0208	3/4 x 2-1/2	20	316.69
PSD-12-0300	3/4 x 3	20	359.93
PSD-12-0308	3/4 x 3-1/2	20	392.09

CLIPPED HEAD PLOW SCREWS

Grade 5 - Coarse Thread - NUTS NOT INCLUDED

PLAIN FINISH



Order No.	Dia. x Lgth.	Pkg.	Per C
PSCH-07-0108	3/8" x 1-1/2"	100	\$51.75
PSCH-07-0108	7/16" x 1-1/2"	50	72.78

ELLIPTIC HEAD

PLOW SCREWS

Grade 8 - Plain Finish - Coarse Thread
For Danish Tine Sweeps

Order No.	Dia. x Lgth.	Pkg.	Per C
PSEL-06-0108	3/8 x 1-1/2	100	\$41.04

Plow Screws Dealer Schedule: Full Package 304
Broken Package 102

METRIC HEX NUTS

(M.C.) Metric Coarse - Zinc Plated



Order No.	Size MM	Pkg.	Per C
HNMC-06	6-1.00	50	\$7.24
HNMC-08	8-1.25	50	12.42
HNMC-10	10-1.50	50	19.74
HNMC-12	12-1.75	50	29.30
HNMC-16	16-2.00	25	56.94
HNMC-20	20-2.50	10	132.24
Dealer Schedule:	Full Package	304	
	Broken Package	102	

NEW PRICES AS OF 3/5/2018**METRIC LOCK WASHERS**

Std. Spring Lock Type - Zinc Plated

Sold In Full Packages Only!



No.	Size	Pkg.	Per C
LW-M06	6mm	100	\$6.16
LW-M08	8mm	100	7.01
LW-M10	10mm	100	13.34
LW-M12	12mm	50	18.28
LW-M16	16mm	25	30.87
LW-M20	20mm	10	43.34

**METRIC FLAT WASHERS**

Zinc Plated

Sold In Full Packages Only!

No.	Size	I.D.	O.D.	Pkg. Qty.	Per C
FWM-06	6mm	6.4	2.5	100	\$5.82
FWM-08	8mm	8.4	2.5	100	7.44
FWM-10	10mm	10.5	2.5	100	11.55
FWM-12	12mm	13.0	2.5	50	15.14
FWM-16	16mm	17.0	2.5	25	33.07
FWM-20	20mm	21.0	2.5	10	47.39


Metric Washers Dealer Schedule.....304

**METRIC ASSORTMENT**
CAP SCREWS & HEX NUTSHex Head - Heat Treated - Zinc Plated
8.8 Metric Coarse (M.C.) Threads

220 cap screws and 40 hex nuts in 32 sizes in a 3"x18"x12" heavy-duty metal case with catched lid and scooped compartments.

No.	Net
CSMC-A1	Metric Bolt & Nut Assortment

\$123.75

**SERRATED TRUSS HEAD
MACHINE SCREWS**

Zinc Plated - Nuts Not Included

Order No.	Dia.	Lgth.	Pkg.	Per C
MSS-04-0008	1/4"-20	1/2"	50	\$27.00
MSS-04-0012	1/4"-20	3/4"	50	30.27
MSS-04-0100	1/4"-20	1"	50	63.49
MSS-05-0008	5/16"-18	1/2"	50	49.91
MSS-05-0012	5/16"-18	3/4"	50	55.53
MSS-05-0100	5/16"-18	1"	50	59.67
MSS-05-0104	5/16"-18	1-1/4"	50	63.23
MSS-05-0108	5/16"-18	1-1/2"	50	72.00
MSS-06-0008	3/8"-16	1/2"	25	81.00
MSS-06-0012	3/8"-16	3/4"	25	89.96
MSS-06-0100	3/8"-16	1"	25	180.88
MSS-06-0104	3/8"-16	1-1/4"	25	185.00

Dealer Schedule: Full Package....304 Broken Package...102

METRIC CAP SCREWSHex Head - Heat Treated - Zinc Plated
8.8 Metric Coarse (M.C.) Threads

Order No.	Size MM	Pkg.	Per C
CSMC-06-016	6-1.00 x 16	50	\$16.52
CSMC-06-020	6-1.00 x 20	50	17.95
CSMC-06-025	6-1.00 x 25	50	19.20
CSMC-06-030	6-1.00 x 30	50	19.20
CSMC-06-040	6-1.00 x 40	50	24.84
CSMC-06-050	6-1.00 x 50	50	29.26
CSMC-06-060	6-1.00 x 60	50	34.46

NEW PRICES AS OF 3/5/2018

Order No.	Size MM	Pkg.	Per C
CSMC-08-016	8-1.25 x 16	50	26.10
CSMC-08-020	8-1.25 x 20	50	28.02
CSMC-08-025	8-1.25 x 25	50	29.88
CSMC-08-030	8-1.25 x 30	50	30.90
CSMC-08-035	8-1.25 x 35	50	32.28
CSMC-08-040	8-1.25 x 40	50	37.21
CSMC-08-050	8-1.25 x 50	50	38.94
CSMC-08-060	8-1.25 x 60	25	49.05
CSMC-08-070	8-1.25 x 70	25	75.81
CSMC-08-080	8-1.25 x 80	25	104.46
CSMC-08-090	8-1.25 x 90	25	104.46
CSMC-08-100	8-1.25 x 100	25	105.09

Order No.	Size MM	Pkg.	Per C
CSMC-10-016	10-1.50 x 16	50	40.35
CSMC-10-020	10-1.50 x 20	50	43.50
CSMC-10-025	10-1.50 x 25	50	44.13
CSMC-10-030	10-1.50 x 30	50	49.14
CSMC-10-035	10-1.50 x 35	25	52.17
CSMC-10-040	10-1.50 x 40	25	55.77
CSMC-10-050	10-1.50 x 50	25	62.70
CSMC-10-060	10-1.50 x 60	25	78.66
CSMS-10-070	10-1.50 x 70	25	92.58
CSMC-10-080	10-1.50 x 80	25	118.12
CSMC-10-090	10-1.50 x 90	25	134.12
CSMC-10-100	10-1.50 x 100	25	143.85

Order No.	Size MM	Pkg.	Per C
CSMC-12-020	12-1.75 x 20	25	86.88
CSMC-12-025	12-1.75 x 25	25	86.88
CSMC-12-030	12-1.75 x 30	25	90.42
CSMC-12-035	12-1.75 x 35	25	90.42
CSMC-12-040	12-1.75 x 40	25	97.92
CSMC-12-050	12-1.75 x 50	25	102.75
CSMC-12-060	12-1.75 x 60	15	107.61
CSMC-12-070	12-1.75 x 70	15	123.48
CSMC-12-080	12-1.75 x 80	10	162.55
CSMC-12-090	12-1.75 x 90	10	177.98
CSMC-12-100	12-1.75 x 100	10	195.65

NEW PRICES AS OF 6/27/2019


Order No.	Size MM	Pkg.	Per C
CSMC-14-080	14-2.00 x 80	10	2.1298
CSMC-14-100	14-2.00 x 100	10	3.0497

Order No.	Size MM	Pkg.	Per C
CSMC-16-030	16-2.00 x 30	10	153.13
CSMC-16-040	16-2.00 x 40	10	170.19
CSMC-16-050	16-2.00 x 50	10	191.31
CSMC-16-060	16-2.00 x 60	10	207.03
CSMC-16-070	16-2.00 x 70	10	236.31
CSMC-16-080	16-2.00 x 80	10	261.31
CSMC-16-090	16-2.00 x 90	10	351.63
CSMC-16-100	16-2.00 x 100	10	376.63

Order No.	Size MM	Pkg.	Per C
CSMC-20-040	20-2.50 x 40	10	295.95
CSMC-20-050	20-2.50 x 50	10	321.87
CSMC-20-060	20-2.50 x 60	10	368.47
CSMC-20-070	20-2.50 x 70	10	498.62
CSMC-20-080	20-2.50 x 80	10	561.28
CSMC-20-090	20-2.50 x 90	10	611.94
CSMC-20-100	20-2.50 x 100	10	617.27

Dealer Schedule: Full Package304
Broken Package102

CALL FOR OTHER SIZES AVAILABLE ON REQUEST.



HEX HEAD CAP SCREWS

Grade 5 - Heat Treated - Zinc Plated - Coarse (N.C.) Threads

Order No.	Dia. x Lgth.	Pkg.	Per C
CS5C-04-0008 ...	1/4 x 1/2	100	\$6.67
CS5C-04-0012 ...	1/4 x 3/4	100	7.92
CS5C-04-0100 ...	1/4 x 1	100	9.26
CS5C-04-0104 ...	1/4 x 1-1/4	100	10.79
CS5C-04-0108 ...	1/4 x 1-1/2	100	12.05
CS5C-04-0112 ...	1/4 x 1-3/4	100	13.79
CS5C-04-0200 ...	1/4 x 2	100	15.18
CS5C-04-0208 ...	1/4 x 2-1/2	100	18.87
CS5C-04-0300 ...	1/4 x 3	100	22.74
CS5C-04-0308 ...	1/4 x 3-1/2	100	28.74
CS5C-04-0400 ...	1/4 x 4	100	34.15
CS5C-04-0408 ...	1/4 x 4-1/2	100	39.67
CS5C-04-0500 ...	1/4 x 5	100	43.92
CS5C-04-0600 ...	1/4 x 6	100	52.05

CS5C-05-0008 ...	5/16 x 1/2	100	10.72
CS5C-05-0012 ...	5/16 x 3/4	100	12.28
CS5C-05-0100 ...	5/16 x 1	100	13.64
CS5C-05-0104 ...	5/16 x 1-1/4	100	16.15
CS5C-05-0108 ...	5/16 x 1-1/2	100	18.03
CS5C-05-0112 ...	5/16 x 1-3/4	100	20.95
CS5C-05-0200 ...	5/16 x 2	100	22.74
CS5C-05-0204 ...	5/16 x 2-1/4	100	24.23
CS5C-05-0208 ...	5/16 x 2-1/2	100	27.69
CS5C-05-0300 ...	5/16 x 3	100	32.36
CS5C-05-0308 ...	5/16 x 3-1/2	50	41.03
CS5C-05-0400 ...	5/16 x 4	50	43.28
CS5C-05-0408 ...	5/16 x 4-1/2	50	48.56
CS5C-05-0500 ...	5/16 x 5	50	57.18
CS5C-05-0508 ...	5/16 x 5-1/2	50	70.21
CS5C-05-0600 ...	5/16 x 6	50	74.21

CS5C-06-0008 ...	3/8 x 1/2	100	15.10
CS5C-06-0012 ...	3/8 x 3/4	100	16.90
CS5C-06-0014 ...	3/8 x 7/8	100	19.25
CS5C-06-0100 ...	3/8 x 1	100	20.21
CS5C-06-0104 ...	3/8 x 1-1/4	100	22.54
CS5C-06-0108 ...	3/8 x 1-1/2	100	25.95
CS5C-06-0112 ...	3/8 x 1-3/4	100	30.38
CS5C-06-0200 ...	3/8 x 2	100	39.20
CS5C-06-0204 ...	3/8 x 2-1/4	50	37.59
CS5C-06-0208 ...	3/8 x 2-1/2	50	39.85
CS5C-06-0300 ...	3/8 x 3	50	47.79
CS5C-06-0308 ...	3/8 x 3-1/2	50	56.05
CS5C-06-0400 ...	3/8 x 4	50	65.79
CS5C-06-0408 ...	3/8 x 4-1/2	50	77.08
CS5C-06-0500 ...	3/8 x 5	50	83.03
CS5C-06-0508 ...	3/8 x 5-1/2	50	94.10
CS5C-06-0600 ...	3/8 x 6	50	127.64
CS5C-06-0608 ...	3/8 x 6-1/2	50	139.09
CS5C-06-0700 ...	3/8 x 7	50	179.79
CS5C-06-0800 ...	3/8 x 8	50	206.82

CS5C-07-0100 ...	7/16 x 1	100	28.85
CS5C-07-0104 ...	7/16 x 1-1/4	50	31.85
CS5C-07-0108 ...	7/16 x 1-1/2	50	36.05
CS5C-07-0112 ...	7/16 x 1-3/4	50	41.90

Order No.	Dia. x Lgth.	Pkg.	Per C
CS5C-07-0200 ...	7/16 x 2	50	45.08
CS5C-07-0208 ...	7/16 x 2-1/2	50	\$54.10
CS5C-07-0300 ...	7/16 x 3	50	64.67
CS5C-07-0308 ...	7/16 x 3-1/2	25	71.59
CS5C-07-0400 ...	7/16 x 4	25	88.56
CS5C-07-0408 ...	7/16 x 4-1/2	25	99.90
CS5C-07-0500 ...	7/16 x 5	25	110.46
CS5C-07-0508 ...	7/16 x 5-1/2	25	121.13
CS5C-07-0600 ...	7/16 x 6	25	146.05

CS5C-08-0012 ...	1/2 x 3/4	50	35.79
CS5C-08-0100 ...	1/2 x 1	50	39.59
CS5C-08-0104 ...	1/2 x 1-1/4	50	44.41
CS5C-08-0108 ...	1/2 x 1-1/2	50	50.41
CS5C-08-0112 ...	1/2 x 1-3/4	50	54.26
CS5C-08-0200 ...	1/2 x 2	50	63.49
CS5C-08-0204 ...	1/2 x 2-1/4	50	71.13
CS5C-08-0208 ...	1/2 x 2-1/2	50	74.26
CS5C-08-0212 ...	1/2 x 2-3/4	50	79.41
CS5C-08-0300 ...	1/2 x 3	25	86.97
CS5C-08-0308 ...	1/2 x 3-1/2	25	99.90
CS5C-08-0400 ...	1/2 x 4	25	109.85
CS5C-08-0408 ...	1/2 x 4-1/2	25	117.64
CS5C-08-0500 ...	1/2 x 5	25	136.10
CS5C-08-0508 ...	1/2 x 5-1/2	25	142.36
CS5C-08-0600 ...	1/2 x 6	25	157.13
CS5C-08-0608 ...	1/2 x 6-1/2	25	180.82
CS5C-08-0700 ...	1/2 x 7	25	209.33
CS5C-08-0800 ...	1/2 x 8	25	235.78
CS5C-08-0900 ...	1/2 x 9	25	302.87
CS5C-08-1000 ...	1/2 x 10	25	323.79

CS5C-09-0100 ...	9/16 x 1	25	68.51
CS5C-09-0108 ...	9/16 x 1-1/2	25	78.85
CS5C-09-0200 ...	9/16 x 2	25	98.56
CS5C-09-0208 ...	9/16 x 2-1/2	25	114.97
CS5C-09-0300 ...	9/16 x 3	25	129.95
CS5C-09-0308 ...	9/16 x 3-1/2	25	138.26
CS5C-09-0400 ...	9/16 x 4	25	154.97
CS5C-09-0408 ...	9/16 x 4-1/2	25	171.49
CS5C-09-0500 ...	9/16 x 5	25	186.26
CS5C-09-0508 ...	9/16 x 5-1/2	25	212.21
CS5C-09-0600 ...	9/16 x 6	25	227.69

CS5C-10-0100 ...	5/8 x 1	15	83.59
CS5C-10-0104 ...	5/8 x 1-1/4	15	90.60
CS5C-10-0108 ...	5/8 x 1-1/2	15	95.04
CS5C-10-0112 ...	5/8 x 1-3/4	15	105.13
CS5C-10-0200 ...	5/8 x 2	15	114.53
CS5C-10-0204 ...	5/8 x 2-1/4	15	130.60
CS5C-10-0208 ...	5/8 x 2-1/2	15	138.80
CS5C-10-0300 ...	5/8 x 3	15	149.91
CS5C-10-0308 ...	5/8 x 3-1/2	15	172.65
CS5C-10-0400 ...	5/8 x 4	15	180.68
CS5C-10-0408 ...	5/8 x 4-1/2	15	210.94
CS5C-10-0500 ...	5/8 x 5	15	226.32
CS5C-10-0508 ...	5/8 x 5-1/2	15	251.11


Order No.	Dia. x Lgth.	Pkg.	Per C
CS5C-10-0600 ...	5/8 x 6	15	265.81
CS5C-10-0608 ...	5/8 x 6-1/2	15	\$320.21
CS5C-10-0700 ...	5/8 x 7	15	353.33
CS5C-10-0708 ...	5/8 x 7-1/2	15	392.49
CS5C-10-0800 ...	5/8 x 8	15	404.96
CS5C-10-0900 ...	5/8 x 9	15	503.08
CS5C-10-1000 ...	5/8 x 10	15	551.97

CS5C-12-0100 ...	3/4 x 1	10	139.15
CS5C-12-0108 ...	3/4 x 1-1/2	10	149.24
CS5C-12-0112 ...	3/4 x 1-3/4	10	159.25
CS5C-12-0200 ...	3/4 x 2	10	181.28
CS5C-12-0204 ...	3/4 x 2-1/4	10	187.14
CS5C-12-0208 ...	3/4 x 2-1/2	10	198.97
CS5C-12-0300 ...	3/4 x 3	10	231.54
CS5C-12-0308 ...	3/4 x 3-1/2	10	257.69
CS5C-12-0400 ...	3/4 x 4	10	281.03
CS5C-12-0408 ...	3/4 x 4-1/2	10	302.82
CS5C-12-0500 ...	3/4 x 5	10	333.85
CS5C-12-0508 ...	3/4 x 5-1/2	10	363.33
CS5C-12-0600 ...	3/4 x 6	10	413.59
CS5C-12-0608 ...	3/4 x 6-1/2	10	481.84
CS5C-12-0700 ...	3/4 x 7	10	482.87
CS5C-12-0800 ...	3/4 x 8	10	586.67
CS5C-12-0900 ...	3/4 x 9	10	707.99
CS5C-12-1000 ...	3/4 x 10	10	746.21
CS5C-12-1200 ...	3/4 x 12	10	1242.11

CS5C-14-0108 ...	7/8 x 1-1/2	15	216.24
CS5C-14-0200 ...	7/8 x 2	5	268.21
CS5C-14-0208 ...	7/8 x 2-1/2	5	296.92
CS5C-14-0300 ...	7/8 x 3	5	347.69
CS5C-14-0308 ...	7/8 x 3-1/2	5	378.97
CS5C-14-0400 ...	7/8 x 4	5	417.44
CS5C-14-0408 ...	7/8 x 4-1/2	5	457.44
CS5C-14-0500 ...	7/8 x 5	5	494.87
CS5C-14-0600 ...	7/8 x 6	5	576.41
CS5C-14-0700 ...	7/8 x 7	5	614.36
CS5C-14-0800 ...	7/8 x 8	5	715.38
CS5C-14-0900 ...	7/8 x 9	5	1032.64
CS5C-14-1000 ...	7/8 x 10	5	1036.53

CS5C-16-0200 ...	1 x 2	5	391.79
CS5C-16-0208 ...	1 x 2-1/2	5	468.67
CS5C-16-0300 ...	1 x 3	5	512.82
CS5C-16-0308 ...	1 x 3-1/2	5	556.41
CS5C-16-0400 ...	1 x 4	5	654.36
CS5C-16-0408 ...	1 x 4-1/2	5	714.36
CS5C-16-0500 ...	1 x 5	5	760.51
CS5C-16-0508 ...	1 x 5-1/2	5	823.08
CS5C-16-0600 ...	1 x 6	5	866.67
CS5C-16-0700 ...	1 x 7	5	974.87
CS5C-16-0800 ...	1 x 8	5	1085.04
CS5C-16-0900 ...	1 x 9	5	1169.23
CS5C-16-1000 ...	1 x 10	5	1157.22

www.CentralSupplyandRubber.com



Flanged Whiz Lock Screws

Grade 5 - Hex Washer Head - Zinc Plated - Coarse (N.C.) Threads


Order No.	Dia. x Lgth.	Pkg.	Per C
FS5C-04-0008 ...	1/4 x 1/2	100	\$17.95
FS5C-04-0012 ...	1/4 x 3/4	100	18.26
FS5C-04-0100 ...	1/4 x 1	100	26.75
FS5C-04-0108 ...	1/4 x 1-1/2	100	34.15

FS5C-07-0100 ...	7/16 x 1	50	31.85
FS5C-07-0104 ...	7/16 x 1-1/4	50	36.05
FS5C-07-0108 ...	7/16 x 1-1/2	50	41.90

Order No.	Dia. x Lgth.	Pkg.	Per C
FS5C-05-0008 ...	5/16 x 1/2	100	\$24.83
FS5C-05-0012 ...	5/16 x 3/4	100	32.42
FS5C-05-0100 ...	5/16 x 1	100	36.18
FS5C-05-0108 ...	5/16 x 1-1/2	100	43.70

Order No.	Dia. x Lgth.	Pkg.	Per C

<tbl_r cells




HEX HEAD CAP SCREWS

Grade 5 - Heat Treated - Zinc Plated - FINE (N.F.) THREADS

Order No.	Dia. x Lgth.	Pkg.	Per C	Order No.	Dia. x Lgth.	Pkg.	Per C
CS5F-04-0012	1/4 x 3/4	100	\$11.28	CS5F-06-0300	3/8 x 3	50	\$59.00
CS5F-04-0100	1/4 x 1	100	12.42	CS5F-07-0108	7/16 x 1-1/2	50	51.42
CS5F-04-0108	1/4 x 1-1/2	100	16.50	CS5F-07-0200	7/16 x 2	50	65.99
CS5F-04-0112	1/4 x 1-3/4	100	18.61	CS5F-07-0208	7/16 x 2-1/2	50	80.55
CS5F-04-0200	1/4 x 2	100	19.89	CS5F-08-0100	1/2 x 1	50	49.00
CS5F-04-0208	1/4 x 2-1/2	100	23.31	CS5F-08-0108	1/2 x 1-1/2	50	61.89
CS5F-04-0300	1/4 x 3	100	31.28	CS5F-08-0200	1/2 x 2	50	76.73
CS5F-05-0012	5/16 x 3/4	100	15.78	CS5F-08-0208	1/2 x 2-1/2	50	91.06
CS5F-05-0100	5/16 x 1	100	17.75	CS5F-08-0300	1/2 x 3	25	128.49
CS5F-05-0108	5/16 x 1-1/2	100	23.39	CS5F-10-0108	5/8 x 1-1/2	25	107.12
CS5F-05-0200	5/16 x 2	100	30.78	CS5F-10-0200	5/8 x 2	25	128.01
CS5F-05-0208	5/16 x 2-1/2	100	35.06	CS5F-10-0208	5/8 x 2-1/2	25	153.79
CS5F-05-0300	5/16 x 3	100	41.81	CS5F-10-0300	5/8 x 3	25	181.57
CS5F-05-0400	5/16 x 4	50	65.08	CS5F-12-0200	3/4 x 2	20	223.49
CS5F-06-0012	3/8 x 3/4	100	22.03	CS5F-12-0208	3/4 x 2-1/2	20	261.97
CS5F-06-0100	3/8 x 1	100	25.28	CS5F-12-0300	3/4 x 3	20	295.44
CS5F-06-0108	3/8 x 1-1/2	100	32.54				
CS5F-06-0200	3/8 x 2	100	41.39				
CS5F-06-0208	3/8 x 2-1/2	50	50.73				

GRADE 8 HEX HEAD CAP SCREWS

Heat Treated - Zinc Plated - Coarse (N.C.) Threads



Order No.	Dia. x Lgth.	Pkg.	Per C	Order No.	Dia. x Lgth.	Pkg.	Per C	Order No.	Dia. x Lgth.	Pkg.	Per C
CS8C-04-0012	1/4 x 3/4	50	\$15.17	CS8C-07-0108	7/16 x 1-1/2	25	54.89	CS8C-10-0600	5/8 x 6	10	367.81
CS8C-04-0100	1/4 x 1	50	16.28	CS8C-07-0200	7/16 x 2	25	64.67	CS8C-10-0700	5/8 x 7	10	549.86
CS8C-04-0104	1/4 x 1-1/4	50	17.45	CS8C-07-0208	7/16 x 2-1/2	25	74.56	CS8C-10-0800	5/8 x 8	10	568.10
CS8C-04-0108	1/4 x 1-1/2	50	18.61	CS8C-07-0300	7/16 x 3	25	88.40	CS8C-10-1000	5/8 x 10	10	876.46
CS8C-04-0200	1/4 x 2	50	23.28	CS8C-07-0308	7/16 x 3-1/2	10	115.56	CS8C010-1200	5/8 x 12	10	890.52
CS8C-04-0208	1/4 x 2-1/2	50	27.58	CS8C-07-0400	7/16 x 4	10	121.40	CS8C-12-0108	3/4 x 1-1/2	10	203.91
CS8C-04-0300	1/4 x 3	50	37.23	CS8C-08-0100	1/2 x 1	25	61.56	CS8C-12-0200	3/4 x 2	10	240.30
CS8C-05-0012	5/16 x 3/4	50	17.89	CS8C-08-0108	1/2 x 1-1/2	25	70.34	CS8C-12-0208	3/4 x 2-1/2	10	269.19
CS8C-05-0100	5/16 x 1	50	20.17	CS8C-08-0200	1/2 x 2	25	85.45	CS8C-12-0300	3/4 x 3	10	315.58
CS8C-05-0104	5/16 x 1-1/4	50	22.11	CS8C-08-0208	1/2 x 2-1/2	25	97.79	CS8C-12-0308	3/4 x 3-1/2	10	344.47
CS8C-05-0108	5/16 x 1-1/2	50	24.89	CS8C-08-0300	1/2 x 3	25	117.68	CS8C-12-0400	3/4 x 4	10	380.54
CS8C-05-0200	5/16 x 2	50	36.86	CS8C-08-0308	1/2 x 3-1/2	10	128.34	CS8C-12-0408	3/4 x 4-1/2	10	419.20
CS8C-05-0208	5/16 x 2-1/2	50	40.44	CS8C-08-0400	1/2 x 4	10	140.57	CS8C-12-0500	3/4 x 5	10	455.59
CS8C-05-0300	5/16 x 3	50	45.95	CS8C-08-0408	1/2 x 4-1/2	10	165.29	CS8C-12-0600	3/4 x 6	10	544.21
CS8C-05-0308	5/16 x 3-1/2	25	59.12	CS8C-08-0500	1/2 x 5	10	186.13	CS8C-12-0700	3/4 x 7	10	803.63
CS8C-05-0400	5/16 x 4	25	76.23	CS8C-08-0508	1/2 x 5-1/2	10	235.57	CS8C-12-0800	3/4 x 8	10	862.01
CS8C-06-0012	3/8 x 3/4	50	25.67	CS8C-08-0600	1/2 x 6	10	248.63	CS8C-12-1000	3/4 x 10	10	1231.21
CS8C-06-0100	3/8 x 1	50	28.72	CS8C-08-0700	1/2 x 7	10	515.22	CS8C-14-0308	7/8 x 3-1/2	5	657.83
CS8C-06-0104	3/8 x 1-1/4	50	31.84	CS8C-08-0800	1/2 x 8	10	603.96	CS8C-14-0400	7/8 x 4	5	746.17
CS8C-06-0108	3/8 x 1-1/2	50	36.95	CS8C-10-0108	5/8 x 1-1/2	10	126.40	CS8C-14-0600	7/8 x 6	5	1004.52
CS8C-06-0200	3/8 x 2	50	44.28	CS8C-10-0200	5/8 x 2	10	144.73	CS8C-14-0700	7/8 x 7	5	1251.21
CS8C-06-0208	3/8 x 2-1/2	25	53.67	CS8C-10-0208	5/8 x 2-1/2	10	164.46	CS8C-16-0400	1 x 4	5	910.07
CS8C-06-0300	3/8 x 3	25	60.89	CS8C-10-0300	5/8 x 3	10	188.90	CS8C-16-0408	1 x 4-1/2	5	997.86
CS8C-06-0308	3/8 x 3-1/2	25	74.34	CS8C-10-0308	5/8 x 3-1/2	10	200.57	CS8C-16-0500	1 x 5	5	1080.00
CS8C-06-0400	3/8 x 4	25	97.45	CS8C-10-0400	5/8 x 4	10	226.96	CS8C-16-0600	1 x 6	5	1241.21
CS8C-06-0408	3/8 x 4-1/2	25	119.23	CS8C-10-0408	5/8 x 4-1/2	10	249.19	CS8C-16-0700	1 x 7	5	1512.90
CS8C-06-0500	3/8 x 5	25	124.57	CS8C-10-0500	5/8 x 5	10	265.58	CS8C-16-0800	1 x 8	5	1711.25
CS8C-06-0600	3/8 x 6	25	\$172.44	CS8C-10-0508	5/8 x 5-1/2	10	330.86	CS8C-16-1000	1 x 10	5	2150.20

Dealer Schedule: This Page: Full Pkg.....304 Broken Pkg.....102

Centralize with Central Supply & Rubber Co.

Order Online at: www.CentralSupplyandRubber.com

CARRIAGE SCREWS

Grade 2 - Zinc Plated Coarse Threads (N.C.)

Nuts Not Included



Order No.	Dia. x Lgth.	Pkg.	Per C
CB2C-04-0012 ...	1/4 x 3/4	100	\$7.46
CB2C-04-0100 ...	1/4 x 1	100	7.95
CB2C-04-0104 ...	1/4 x 1-1/4	100	8.97
CB2C-04-0108 ...	1/4 x 1-1/2	100	11.45
CB2C-04-0200 ...	1/4 x 2	100	13.99
CB2C-04-0208 ...	1/4 x 2-1/2	100	18.27
CB2C-04-0300 ...	1/4 x 3	100	22.13
CB2C-04-0308 ...	1/4 x 3-1/2	100	23.43
CB2C-04-0400 ...	1/4 x 4	100	24.61
CB2C-05-0012 ...	5/16 x 3/4	100	11.83
CB2C-05-0100 ...	5/16 x 1	100	12.50
CB2C-05-0108 ...	5/16 x 1-1/2	100	16.11
CB2C-05-0200 ...	5/16 x 2	100	20.09
CB2C-05-0208 ...	5/16 x 2-1/2	100	23.20
CB2C-05-0300 ...	5/16 x 3	100	27.42
CB2C-05-0308 ...	5/16 x 3-1/2	50	31.74
CB2C-05-0400 ...	5/16 x 4	50	34.78
CB2C-05-0500 ...	5/16 x 5	50	51.12
CB2C-05-0600 ...	5/16 x 6	50	77.94

Order No.	Dia. x Lgth.	Pkg.	Per C
CB2C-06-0100 ...	3/8 x 1	100	\$26.79
CB2C-06-0108 ...	3/8 x 1-1/2	100	31.92
CB2C-06-0200 ...	3/8 x 2	100	37.75
CB2C-06-0208 ...	3/8 x 2-1/2	50	44.33
CB2C-06-0300 ...	3/8 x 3	50	46.08
CB2C-06-0308 ...	3/8 x 3-1/2	50	47.25
CB2C-06-0400 ...	3/8 x 4	50	49.56
CB2C-06-0408 ...	3/8 x 4-1/2	50	55.56
CB2C-06-0500 ...	3/8 x 5	50	72.09
CB2C-06-0508 ...	3/8 x 5-1/2	50	72.87
CB2C-06-0600 ...	3/8 x 6	50	78.99


Grade 2
Nuts Not Included

Order No.	Dia. x Lgth.	Pkg.	Per C
CB2C-08-0108 ...	1/2 x 1-1/2	50	\$50.82
CB2C-08-0200 ...	1/2 x 2	50	59.31
CB2C-08-0208 ...	1/2 x 2-1/2	50	66.45
CB2C-08-0300 ...	1/2 x 3	25	72.78
CB2C-08-0308 ...	1/2 x 3-1/2	25	82.67
CB2C-08-0400 ...	1/2 x 4	25	97.15
CB2C-08-0408 ...	1/2 x 4-1/2	25	101.67
CB2C-08-0500 ...	1/2 x 5	25	115.51
CB2C-08-0508 ...	1/2 x 5-1/2	25	117.23
CB2C-08-0600 ...	1/2 x 6	25	130.90

CARRIAGE SCREWS

GRADE 5 - Zinc Plated Coarse Threads (N.C.)

Nuts Not Included



Order No.	Dia. x Lgth.	Pkg.	Per C
CB5C-04-0012 ...	1/4 x 3/4	100	\$14.56
CB5C-04-0100 ...	1/4 x 1	100	15.49
CB5C-04-0104 ...	1/4 x 1-1/4	100	16.85
CB5C-04-0108 ...	1/4 x 1-1/2	100	19.49
CB5C-04-0200 ...	1/4 x 2	100	23.60
CB5C-04-0208 ...	1/4 x 2-1/2	100	32.07
CB5C-04-0300 ...	1/4 x 3	100	34.27
CB5C-05-0012 ...	5/16 x 3/4	100	22.26
CB5C-05-0100 ...	5/16 x 1	100	24.90
CB5C-05-0104 ...	5/16 x 1-1/4	100	27.67
CB5C-05-0108 ...	5/16 x 1-1/2	100	29.64
CB5C-05-0200 ...	5/16 x 2	100	33.41
CB5C-05-0208 ...	5/16 x 2-1/2	100	45.46
CB5C-05-0300 ...	5/16 x 3	100	52.18
CB5C-05-0308 ...	5/16 x 3-1/2	50	59.85
CB5C-06-0012 ...	3/8 x 3/4	100	35.36
CB5C-06-0100 ...	3/8 x 1	100	39.05
CB5C-06-0104 ...	3/8 x 1-1/4	100	41.87
CB5C-06-0108 ...	3/8 x 1-1/2	100	46.03
CB5C-06-0112 ...	3/8 x 1-3/4	100	50.74
CB5C-06-0200 ...	3/8 x 2	100	57.64
CB5C-06-0208 ...	3/8 x 2-1/2	50	65.64
CB5C-06-0300 ...	3/8 x 3	50	79.64
CB5C-06-0308 ...	3/8 x 3-1/2	50	84.21
CB5C-06-0400 ...	3/8 x 4	50	92.26

Order No.	Dia. x Lgth.	Pkg.	Per C
CB5C-07-0104 ...	7/16 x 1-1/4	50	\$64.10
CB5C-07-0108 ...	7/16 x 1-1/2	50	79.64
CB5C-07-0112 ...	7/16 x 1-3/4	50	89.69
CB5C-07-0200 ...	7/16 x 2	50	94.67
CB5C-07-0208 ...	7/16 x 2-1/2	50	113.33
CB5C-07-0300 ...	7/16 x 3	50	118.62
CB5C-07-0308 ...	7/16 x 3-1/2	25	141.13
CB5C-07-0400 ...	7/16 x 4	25	162.67
CB5C-08-0100 ...	1/2 x 1	50	77.31
CB5C-08-0104 ...	1/2 x 1-1/4	50	79.22
CB5C-08-0108 ...	1/2 x 1-1/2	50	89.44
CB5C-08-0200 ...	1/2 x 2	50	106.10
CB5C-08-0208 ...	1/2 x 2-1/2	50	119.49
CB5C-08-0300 ...	1/2 x 3	50	141.33
CB5C-08-0308 ...	1/2 x 3-1/2	25	142.09
CB5C-08-0400 ...	1/2 x 4	25	175.18
CB5C-08-0500 ...	1/2 x 5	25	190.05
CB5C-08-0600 ...	1/2 x 6	25	216.10

BATTERY BOLT

with HEX NUT

Zinc Plated




Number	Dia. x Lgth.	Per C
BBCN-05-0106 ..	5/16-18 x 1-1/4	\$60.85

Dealer Schedule:
Full Box.....104
Broken Box....Net

ELEVATOR BOLTS

Zinc Plated




Number	Dia. x Lgth.	Per C
EB-04-12	1/4 x 3/4	\$20.82
EB-04-16	1/4 x 1	22.61
EB-04-20	1/4 x 1-1/4	24.05
EB-04-24	1/4 x 1-1/2	26.24
EB-05-16	5/16 x 1	42.61
EB-05-24	5/16 x 1-1/2	45.28

Dealer Schedule:
Full Box.....102
Broken Box....Net

Dealer Schedule:
Full Box.....304 Broken Box.....402


All Prices Are Subject To Change Without Notice.

Hex Nuts**GRADE 5**

&

GRADE 8

N.C. Coarse - Zinc Plated



Gr. 5 No.	Gr. 8 No.	Dia.	Pkg.	Gr. 5 Per C	Gr. 8 Per C
HN5C-04 ...	HN8C-04	1/4"	100	\$4.31	\$9.33
HN5C-05 ...	HN8C-05	5/16"	100	7.18	12.95
HN5C-06 ...	HN8C-06	3/8"	100	9.45	17.61
HN5C-07 ...	HN8C-07	7/16"	50	17.56	30.56
HN5C-08 ...	HN8C-08	1/2"	50	20.73	39.89
HN5C-09		9/16"	25	48.77	N.A.
HN5C-10 ...	HN8C-10	5/8"	25	49.95	71.12
HN5C-12 ...	HN8C-12	3/4"	20	59.03	106.70
HN5C-14 ...	HN8C-14	7/8"	15	96.85	173.39
HN5C-16 ...	HN8C-16	1"	10	153.95	306.99

Dealer Schedule: Full Package 304
Broken Package 102

JAM NUTS N.C. & N.F. Thread

(THIN HEX NUTS) ZINC PLATED



Apply where extra thin nut is required.
Also used in conjunction with regular nut
when locking action is needed. Jam nut is
applied first, with regular nut following.
Threads per inch same as standard nuts.

Coarse	Fine	Size	Thickness	Per C
JNC-04 ...	JNF-04	1/4	5/16	100 \$5.47
JNC-05 ...	JNF-05	5/16	9/16	100 8.10
JNC-06 ...	JNF-06	3/8	7/32	100 10.44
JNC-07 ...	JNF-07	7/16	1/4	50 18.07
JNC-08 ...	JNF-08	1/2	5/16	50 24.27
JNC-10 ...	JNF-10	5/8	3/8	25 43.61
JNC-12 ...	JNF-12	3/4	27/64	20 83.35
JNC-14 ...	JNF-14	7/8	31/64	15 108.36
JNC-16 ...	JNF-16	1	35/64	10 158.70
JNF-18		1-1/8		10 386.00

Dealer Schedule:

Full Package N.C. 304
Broken Package N.C. 203
N.F. 203
N.F. 102

TWO-WAY LOCK NUTS

Coarse & Fine - Zinc Plated




Coarse	Fine	Dia.	Pkg.	Per C
LNT-04	LNTF-04	1/4	100	\$8.69
LNT-05	LNTF-05	5/16	100	11.06
LNT-06	LNTF-06	3/8	100	14.59
LNT-07	LNTF-07	7/16	50	23.37
LNT-08	LNTF-08	1/2	50	28.07
LNT-09		9/16	25	54.33
LNT-10	LNTF-10	5/8	25	62.94
LNT-12	LNTF-12	3/4	20	124.83
LNT-14	LNTF-14	7/8	15	196.24
LNT-16	LNTF-16	1	10	291.87

Dealer Schedule: Full Pkg. (Coarse) 304
Broken Pkg. (Coarse) 102
Full Pkg. (Fine) 102
Broken Pkg. (Fine) 201

STANDARD HEX NUTS

U.S.S. COARSE---S.A.E. FINE

(Grade 2 - Zinc Plated)



USS No.	SAE No.	Dia.	Pkg.	Coarse Per C	Fine Per C
HN2C-04 ...	HN2F-04	1/4	100	\$2.61	\$3.39
HN2C-05 ...	HN2F-05	5/16"	100	4.14	4.94
HN2C-06 ...	HN2F-06	3/8"	100	5.72	6.61
HN2C-07 ...	HN2F-07	7/16"	50	11.50	12.61
HN2C-08 ...	HN2F-08	1/2"	50	13.78	15.67
HN2C-09 ...	HN2F-09	9/16"	25	23.22	25.00
HN2C-10 ...	HN2F-10	5/8"	25	28.45	30.67
HN2C-12 ...	HN2F-12	3/4"	20	45.70	52.09
HN2C-14 ...	HN2F-14	7/8"	15	72.23	84.08
HN2C-16 ...	HN2F-16	1"	10	123.34	141.68
HN2C-18 ...	HN2F-18	1-1/8"	10	201.41	236.96
HN2C-20 ...	HN2F-20	1-1/4"	10	272.24	312.80
HN2C-24		1-1/2"	5	608.38	N.A.

Dealer Schedule:

Coarse: Full Pkg.....304 Broken Pkg.....102
Fine: Full Pkg.....203 Broken Pkg.....251

10 lb. Cartons**Standard Hex Nuts**

N.C. Coarse - Zinc Plated



No.	Size	Approx. Qty.	Per Ctn
HNB-04	1/4"-20	143	\$31.69
HNB-05	5/16"-18	904	31.69
HNB-06	3/8"-16	633	31.69
HNB-07	7/16"-14	375	31.69
HNB-08	1/2"-13	272	31.69
HNB-10	5/8"-11	137	31.69
HNB-12	3/4"-10	87	31.69
HNB-14	7/8"-9	53	31.69
HNB-16	1"-8	36	31.69

Dealer Schedule.....304

NYLON INSERT**LOCK NUTS**

Zinc Plated Coarse & Fine

Coarse	Fine	Dia.	Pkg.	Per C
LNC-04	LNF-04	1/4	100	\$8.34
LNC-05	LNF-05	5/16	100	9.33
LNC-06	LNF-06	3/8	100	13.59
LNC-07	LNF-07	7/16	50	16.96
LNC-08	LNF-08	1/2	50	29.95
LNC-09		9/16	25	52.33
LNC-10	LNF-10	5/8	25	58.23
LNC-12	LNF-12	3/4	20	95.66
LNC-14	LNF-14	7/8	15	190.03
LNC-16	LNF-16	1	10	291.87

Dealer Schedule: Full Pkg. (Coarse) 304
Broken Pkg. (Coarse) 102
Full Pkg. (Fine) 102
Broken Pkg. (Fine) 201



N.C. STEEL WING NUTS

N.C. Coarse - Zinc Plated

No.	Size	Pkg.	Per C
WNC-03	3/16" (10-24)	100	\$16.00
WNC-04	1/4"-20	100	17.86
WNC-05	5/16"-18	100	32.48
WNC-06	3/8"-16	100	50.36
WNC-07	7/16"-14	50	91.54
WNC-08	1/2"-13	50	119.25
Dealer Schedule (Full Package)		204	
(Broken Package)		102	

SLOTTED HEX NUTS




N.C. (Coarse)

No.	Size	Thread	Pkg.	Each
SNC-08	1/2"	13	50	\$.72
SNC-09	9/16"	12	25	1.40
SNC-10	5/8"	11	25	1.40
SNC-12	3/4"	10	20	1.45
SNC-14	7/8"	9	15	1.82
SNC-16	1"	8	10	2.75
SNC-18	1-1/8"	7	10	4.65
SNC-20	1-1/4"	7	10	5.65
SNC-24	1-1/2"	6	5	7.77

WHIZ LOCK NUTS

N.C. Coarse - Zinc Plated



No.	Dia.	Pkg.	Per C
LNW-04	1/4"-20	100	\$7.56
LNW-05	5/16"-18	100	10.65
LNW-06	3/8"-16	100	14.40
LNW-07	7/16"-14	50	33.36
LNW-08	1/2"-13	50	37.87
LNW-10	5/8"-11	25	89.62
LNW-12	3/4"-10	20	137.86
Dealer Schedule: Full Package		304	
Broken Package		102	

CASTLE NUTS

N.F. (Fine)

Plain Finish



No.	Size	Thread	Pkg.	Each
CNF-08	1/2"-20	20	50	\$2.28
CNF-09	9/16"-18	18	25	3.27
CNF-10	5/8"-18	18	25	3.79
CNF-12	3/4"-16	16	20	4.63
CNF-14	7/8"-14	14	15	6.82
CNF-16	1"-14	14	10	9.40
CNF-18	1-1/8"-12	12	10	13.35
CNF-20	1-1/4"-12	12	10	17.90
Dealer Schedule: Full Package		203		
Broken Package		102		

TOP LOCK NUTS

"C" Type - Coarse - Zinc Plated

Nut can be threaded all the way before a wrench is required. Withstands severe vibration and shock loads.



Order No.	Size	Pkg.	Per C
LNTOP-04	1/4"-20	100	\$8.60
LNTOP-05	5/16"-18	100	12.37
LNTOP-06	3/8"-16	100	17.77
LNTOP-07	7/16"-14	50	24.61
LNTOP-08	1/2"-13	50	38.93
LNTOP-10	5/8"-11	25	85.88
LNTOP-12	3/4"-10	20	146.67
LNTOP-14	7/8"-9	15	170.39
LNTOP-16	1"-8	10	196.10
Dealer Schedule: Full Pkg.		304	
Broken Pkg.		102	

Slotted Nut Assortment

N.F. (Fine)

(Box Size: 19-1/4" x 9-1/8" x 2")


No.

Price


SNF-A Contains 10 ea. 1/4", 5/16", 3/8", 7/16",
1/2"; 5 ea. 9/16", 5/8", 3/4"; 4 ea. 7/8",
1"; 2 ea. 1-1/8", 1-1/4" Net \$53.84

**For Fast Shipment
You Can Rely On
Central Supply!**

**We ship over 95% of our orders
the Same Day they are received!**




**Internal & External
Lock Washers**
Zinc Plated



Internal	External	Size	Pkg.	Per C
LWI-04.....	LWE-04.....	1/4"	100.....	\$4.49
LWI-05.....	LWE-05.....	5/16"	100.....	6.27
LWI-06.....	LWE-06.....	3/8"	100.....	8.66
LWI-07.....	LWE-07.....	7/16"	100.....	10.68
LWI-08.....	LWE-08.....	1/2"	100.....	18.47

Dealer Schedule.....304
Sold In Full Packages Only!

**Nut, Bolt & Thread Gauge**

This gauge does it all. Measure length, size, and threads, in both english & metric with this one easy to use tool!

No.		List
NBT-100.....	Nut, Bolt & Thread Gauge	\$4.99

Dealer Schedule: 5 or more.....152 & 05 Less Than 5.....152



S.A.E. Flat Washers
Zinc Plated
Sold In Full Packages

Bolt	No.	Size	O.D.	I.D.	Pkg. Qty	Per C
SFW-03.....	#10.....	.500.....	.210.....	.100.....	100.....	\$3.33
SFW-04.....	1/4"	.625.....	.281.....	.100.....	100.....	4.27
SFW-05.....	5/16"	.688.....	.344.....	.100.....	100.....	5.83
SFW-06.....	3/8"	.812.....	.406.....	.100.....	100.....	7.30
SFW-07.....	7/16"	.922.....	.469.....	.100.....	100.....	11.87
SFW-08.....	1/2"	1.062.....	.531.....	.100.....	100.....	14.60
SFW-09.....	9/16"	1.156.....	.594.....	.100.....	100.....	27.01
SFW-10.....	5/8"	1.312.....	.656.....	.50.....	50.....	16.94
SFW-12.....	3/4"	1.469.....	.812.....	.25.....	25.....	23.75
SFW-14.....	7/8"	1.750.....	.938.....	.25.....	25.....	31.38
SFW-16.....	1"	2.000.....	1.062.....	.25.....	25.....	41.85

Dealer Schedule.....304



**QUICK REPAIR
STEEL OVER
LATCH WASHERS**

Order No.	I.D.	O.D.	Each
QRW-12.....	3/4"	1-3/4"	\$4.80
QRW-14.....	7/8"	1-7/8"	4.80
QRW-16.....	1"	2"	4.90
QRW-18.....	1-1/8"	2-1/8"	5.10
QRW-20.....	1-1/4"	2-1/4"	5.60
QRW-22.....	1-3/8"	2-3/8"	5.60
QRW-24.....	1-1/2"	2-1/2"	5.60
QRW-28.....	1-3/4"	2-3/4"	5.60
QRW-32.....	2"	3"	5.60
Dealer Schedule:	Bundle Of 10	304	
	Less Than 10	102	

LOCK WASHERS

Std. Spring Lock Type
Zinc Plated



NEW PRICES AS OF 6/27/2019

No.	Size	Pkg.	Per C
LW-03.....	3/16"	100.....	\$2.33
LW-04.....	1/4"	100.....	2.58
LW-05.....	5/16"	100.....	3.39
LW-06.....	3/8"	100.....	4.34
LW-07.....	7/16"	50.....	7.95
LW-08.....	1/2"	50.....	10.22
LW-09.....	9/16"	25.....	15.45
LW-10.....	5/8"	25.....	20.89
LW-12.....	3/4"	20.....	30.70
LW-14.....	7/8"	15.....	47.04
LW-16.....	1"	10.....	69.73
LW-18.....	1-1/8"	10.....	110.01
LW-20*	1-1/4"	10.....	146.12
LW-24.....	1-1/2"	5.....	294.62

Full Packages Only Dealer Schedule.....304

Wrought "Cut" Washers

U.S.S. - Zinc Plated



No.	Size	I.D.	O.D.	Pkg.	Per C
FWU-03.....	3/16	1/4	9/16	100.....	\$2.83

No.	Size	I.D.	O.D.	Approx. Qty.	Per Lb.
WW-03.....	3/16	1/4	9/16	1625	\$4.32
WW-04.....	1/4	5/16	3/4	670	3.60
WW-05.....	5/16	3/8	7/8	390	3.60
WW-06.....	3/8	7/16	1	301	3.41
WW-07.....	7/16	1/2	1-1/4	185	3.41
WW-08.....	1/2	9/16	1-3/8	117	3.18
WW-09.....	9/16	5/8	1-1/2	99	3.11
WW-10.....	5/8	11/16	1-3/4	59	3.11
WW-12.....	3/4	13/16	2	41	3.11
WW-14.....	7/8	15/16	2-1/4	29	3.11
WW-16.....	1	1-1/16	2-1/2	24	3.11
WW-18.....	1-1/8	1-1/4	2-3/4	20	3.60
WW-20.....	1-1/4	1-3/8	3	17	3.60
WW-24.....	1-1/2	1-5/8	3-1/2	12	3.60

Large Sized Wrought Washers

No.	Size	I.D.	O.D.	Each
WW-26.....	1-5/8	1-3/4	3-3/4	\$3.52
WW-28.....	1-3/4	1-7/8	4	3.97
WW-30.....	1-7/8	2	4-1/4	5.39
WW-32.....	2	2-1/8	4-1/2	5.87

Dealer Schedule.....304



NEW PRICES AS OF 3/17/2020

STEEL FENDER WASHERS


Sold In Full Packages Only

EXTRA LARGE O.D. Pkg.

No.	Size	O.D.	Gauge	Qty.	Per C
FW-316.....	3/16"	1"	18	100.....	\$9.43
FW-416.....	7/4"	1-1/4"	18	100.....	13.37
FW-516.....	5/16"	1-1/2"	16	100.....	18.43
FW-616.....	3/8"	1-1/2"	16	100.....	21.36

Dealer Schedule.....304

Machinery Bushing Assortment



NARROW RIM

Consists of the following in 14 gauge:
9/16, 5/8, 3/4, 7/8, 1, 1-1/8, 1-1/4, 1-3/8,
1 1/2, 1-3/4, 1-7/8, 2, 2-1/8 and 2-1/4.

WIDE RIM


Consists of the following in 18 gauge:
3/4, 7/8, 1, 11/8, 11/4, 1-3/8,
1-1/2, 13/4 and 2.

No. List
HB3 Bushing Assortment ... \$179.25

Dealer Schedule.....204

Display contains
200 bushings.

Narrow Rim Machinery Bushings



Packed In Assortment

Order No.	I.D.	O.D.	Quantity in Pkg.			Per. Pkg.
			18	14	10	
MBN-08	1/2	7/8	25			\$3.90
MBN-09	9/16	15/16	25			4.28
MBN-10	5/8	1	15	10		4.75
MBN-12	3/4	1-1/4	15	10		6.08
MBN-14	7/8	1-3/8	15	10		6.83
MBN-16	1	1-1/2	10	10	5	9.30
MBN-18	1-1/8	1-3/4	10	10	5	12.51
MBN-20	1-1/4	1-7/8	10	10	5	14.66
MBN-22	1-3/8	2-1/8	10	10	5	18.23
MBN-24	1-1/2	2-1/4	20	5		22.44
MBN-26	1-5/8	2-3/8	20	5		23.55
MBN-28	1-3/4	2-1/2	20	5		27.81
MBN-30	1-7/8	2-7/8	20	5		41.90
MBN-32	2	3	20	5		42.30
MBN-34	2-1/8	3-1/8	8	2		18.90
MBN-36	2-1/4	3-1/4	8	2		22.24
MBN-38	2-3/8	3-3/8	8	2		25.11
MBN-40	2-1/2	3-1/2	8	2		29.77
						Dealer Schedule.....204

Wide Rim Machinery Bushings

Order No.	I.D.	O.D.	Pkg.	Per C
MBW-12	3/4	1-1/2	25	\$37.44
MBW-14	7/8	1-3/4	25	64.32
MBW-16	1	2	25	87.64
MBW-18	1-1/8	2-1/8	25	90.00
MBW-20	1-1/4	2-1/4	25	93.00

Order No.	I.D.	O.D.	Pkg.	Per C
MBW-22	1-3/8	2-1/2	25	100.32
MBW-24	1-1/2	3	25	167.68
MBW-26	1-5/8	3-1/8	20	193.80
MBW-28	1-3/4	3-1/4	20	223.20
MBW-30	1-7/8	3-3/8	20	250.60

Order No.	I.D.	O.D.	Pkg.	Per C
MBW-32	2	3-1/2	10	266.30
MBW-34	2-1/8	3-5/8	10	319.50
MBW-36	2-1/4	3-3/4	10	334.60
MBW-40	2-1/2	3-7/8	10	346.30
				Dealer Schedule.....405


Narrow Rim Machinery Bushings (Open Stock)

Order No.	I.D.	O.D.	Gauge	Per C
MBN-08-18	1/2	7/8	18	\$15.60
MBN-09-18	9/16	15/16	18	17.12
MBN-10-18	5/8	1	18	17.88
MBN-10-14	5/8	1	14	20.72
MBN-12-18	3/4	1-1/4	18	18.68
MBN-12-14	3/4	1-1/4	14	32.84
MBN-12-10	3/4	1-1/4	10	41.48
MBN-14-18	7/8	1-3/8	18	24.72
MBN-14-14	7/8	1-3/8	14	31.20
MBN-14-10	7/8	1-3/8	10	61.20
MBN-16-18	1	1-1/2	18	24.68
MBN-16-14	1	1-1/2	14	39.52
MBN-16-10	1	1-1/2	10	57.62

Order No.	I.D.	O.D.	Gauge	Per C
MBN-18-18	1-1/8	1-3/4	18	\$33.24
MBN-18-14	1-1/8	1-3/4	14	48.64
MBN-18-10	1-1/8	1-3/4	10	86.60
MBN-20-18	1-1/4	1-7/8	18	44.36
MBN-20-14	1-1/4	1-7/8	14	47.96
MBN-20-10	1-1/4	1-7/8	10	108.40
MBN-22-18	1-3/8	2-1/8	18	45.84
MBN-22-14	1-3/8	2-1/8	14	75.00
MBN-22-10	1-3/8	2-1/8	10	122.50
MBN-24-18	1-1/2	2-1/4	18	60.76
MBN-24-14	1-1/2	2-1/4	14	80.24
MBN-24-10	1-1/2	2-1/4	10	128.00
MBN-26-14	1-5/8	2-3/8	14	81.76
MBN-26-10	1-5/8	2-3/8	10	143.56

Order No.	I.D.	O.D.	Gauge	Per C
MBN-28-18	1-3/4	2-1/2	18	\$82.44
MBN-28-14	1-3/4	2-1/2	14	102.80
MBN-28-10	1-3/4	2-1/2	10	145.12
MBN-30-14	1-7/8	2-7/8	14	147.00
MBN-30-10	1-7/8	2-7/8	10	255.40
MBN-32-14	2	3	14	143.88
MBN-32-10	2	3	10	249.76
MBN-34-14	2-1/8	3-1/8	14	172.50
MBN-34-10	2-1/8	3-1/8	10	254.08
MBN-36-14	2-1/4	3-1/4	14	186.76
MBN-36-10	2-1/4	3-1/4	10	353.08
MBN-38-14	2-3/8	3-3/8	14	287.80
MBN-38-10	2-3/8	3-3/8	10	417.00
MBN-40-14	2-1/2	3-1/2	14	268.10
MBN-40-10	2-1/2	3-1/2	10	416.12

Dealer Schedule.....405




Stepped Key Stock

12 Inch Lengths


Order No.	A	B	C	D	Price
SK01-1	1/8"	3/32"	3/16"	1/16"	\$19.50
SK03-2	3/16"	3/32"	1/4"	1/8"	16.41
SK04-2	1/4"	1/8"	5/16"	1/8"	16.08
SK06-2	1/4"	1/8"	3/8"	3/16"	17.55
SK08-1	5/16"	5/32"	3/8"	3/16"	27.06
SK11-1	3/8"	3/16"	1/2"	1/4"	31.26
SK15-2	1/2"	1/4"	5/8"	5/16"	54.96

Dealer Schedule.....152



METRIC Key Stock

One Foot Lengths - Zinc Plated



METRIC SQUARE

No.	Size	List	No.	Size	List
KSM-0404	4mm	\$1.55	KSM-0707	7mm	\$3.50
KSM-0505	5mm	1.90	KSM-0808	8mm	3.75
KSM-0606	6mm	2.43	KSM-1010	10mm	4.95
			KSM-1212	12mm	6.50
No.	Description				List
KSMZY-031	Metric Sq. Key Stock Assortment (5 ea. 4, 5, 6, 7mm, 3 ea. 8, 10, 12mm)				\$74.25
					Key Stock Dealer Schedule.....33/133


Square Machinery Key Kit

Assortment of 50 Square Machinery Keys 1-1/2" long, packaged in a 6 compartment box.
Box Size: 7"x3-1/2"x1-1/4"

Kit Contains The Following Keys:

No.	Qty.	No.	Qty.	No.	Qty.
1/8" Sq.	15	1/4" Sq.	8	3/8" Sq.	4
3/16" Sq.	15	5/16" Sq.	6	1/2" Sq.	2
No.	Description			Dealer Net	
H-13082	Square Machinery Key Kit				\$18.00



Dealer Schedule.....405



**Solid Safety
Shaft Collars**
Round Bore
Plated

No.	Shaft Size	Each	No.	Shaft Size	Each
SC-01	1/488	SC-19	1-3/16	4.26
	5/16	1.04	SC-20	1-1/4	4.26
SC-06	3/8	1.23	SC-21	1-5/16	4.54
SC-07	7/16	1.33	SC-22	1-3/8	4.99
SC-08	1/2	1.56	SC-23	1-7/16	4.99
SC-10	5/8	1.66	SC-24	1-1/2	4.99
SC-12	3/4	1.96	SC-26	1-5/8	5.99
SC-14	7/8	2.32	SC-28	1-3/4	8.10
SC-15	15/16 ...	2.42	SC-30	1-7/8	8.10
SC-16	1	2.94	SC-31	1-15/16 ..	8.97
SC-18	1-1/8	3.38	SC-32	2	8.97

Dealer Schedule.....304



**HEX BORE
SET COLLARS**
MILD STEEL
Black Finish


Order No.	Bore	O.D.	Width	Price
152H1000	5/8	1-1/2	9/16	\$10.38
152H1200	3/4	1-5/8	5/8	10.89
152H1400	7/8	1-3/4	5/8	11.51
152H1600	1	1-13/16	5/8	11.88
152H1800	1-1/8	2	5/8	12.84
152H2000	1-1/4	2-1/8	11/16	14.08

Dealer Schedule.....203

2 Piece Shaft Collar

Black Oxide Finish

Socket Cap Screws Installed



No.	Bore	O.D.	Width	Screw	List
SC2-03	3/16"	5/8"	5/16"	4-40	\$6.77
SC2-04	1/4"	11/16"	5/16"	4-40	6.77
SC2-05	5/16"	11/16"	5/16"	4-40	6.77
SC2-06	3/8	7/8"	7/16"	6-32	7.03
SC2-07	7/16"	15/16"	3/8"	6-32	7.15
SC2-08	1/2"	1-1/8"	11/32"	8-32	7.38
SC2-10	5/8"	1-5/16"	7/16"	10-32	8.00
SC2-12	3/4"	1-1/2"	1/2"	1/4"-28	8.40
SC2-14	7/8"	1-5/8"	1/2"	1/4"-28	8.88
SC2-15	15/16"	1-3/4"	1/2"	1/4"-28	9.73
SC2-16	1"	1-3/4"	1/2"	1/4"-28	9.73
SC2-18	1-1/8"	1-7/8"	1/2"	1/4"-28	9.73
SC2-19	1-3/16"	2-1/16"	1/2"	1/4"-28	10.25
SC2-20	1-1/4"	2-1/16"	1/2"	1/4"-28	10.25
SC2-22	1-3/8"	2-1/4"	9/16"	1/4"-28	11.15
SC2-23	1-7/16"	2-1/4"	9/16"	1/4"-28	11.15
SC2-24	1-1/2"	2-3/8"	9/16"	1/4"-28	11.65
SC2-26	1-5/8"	2-5/8"	11/16"	5/16"-24	13.42
SC2-27	1-11/16"	2-3/4"	11/16"	5/16"-24	14.56
SC2-28	1-3/4"	2-3/4"	11/16"	5/16"-24	14.56
SC2-30	1-7/8"	2-7/8"	11/16"	5/16"-24	14.56
SC2-31	1-15/16"	3"	11/16"	5/16"-24	15.67
SC2-32	2"	3"	11/16"	5/16"-24	15.67

Dealer Schedule.....304

Steel Key Stock

12 Inch Lengths

**SQUARE**

No.	Size	Price	No.	Size	Price
KS1-0200	1/8"	\$.93	KS1-0800	1/2"	\$4.74
KS1-0300	3/16"	1.23	KS1-1000	5/8"	7.44
KS1-0400	1/4"	1.62	KS1-1200	3/4"	10.74
KS1-0500	5/16"	2.34	KS1-1400	7/8"	18.63
KS1-0600	3/8"	2.94	KS1-1600	1"	20.67
KS1-0700	7/16"	4.23			

ROUND

No.	Size	Price	No.	Size	Price
KS2-0200	1/8"	13.08	KS2-0700	7/16"	14.94
KS2-0300	3/16"	10.29	KS2-0800	1/2"	19.14
KS2-0400	1/4"	10.80	KS2-1000	5/8"	19.14
KS2-0500	5/16"	10.86	KS2-1200	3/4"	19.71
KS2-0600	3/8"	12.06			

RECTAGULAR

No.	Size	Price	No.	Size	Price
KS3-0403	1/4 x 3/16 ...	\$1.76	KS3-0706	7/16 x 3/8 ...	\$12.12
KS3-0504	5/16 x 1/4 ...	2.36	KS3-0805	1/2 x 5/16 ...	7.26
KS3-0604	3/8 x 1/4 ...	2.82	KS3-0806	1/2 x 3/8 ...	6.50
KS3-0605	3/8 x 5/16 ...	3.48	KS3-1008	5/8 x 1/2 ...	8.61
KS3-0704	7/16 x 1/4 ...	7.65	KS3-1208	3/4 x 1/2 ...	9.69

Key Stock Assortments


No.	Description	Price
KS4-31	Sq. Key Stock Assortment (5 ea. 1/8, 3/16, 1/4, 5/16, 3/8, 1 ea. 7/16, 1/2")	\$104.73
KS5-7	Sq. Key Stock Assortment. 1 ea. 1/8 thru 1/2	18.03
KS6-7	Rd. Key Stock Assortment, 1 ea. 1/8 thru 1/2	72.03

Key Stock Dealer Schedule.....33/133

Split Shaft Collar

Black Oxide Finish

Socket Cap Screw Installed



No.	Bore	O.D.	Width	Screw	List
SC1-03	3/16"	5/8"	5/16"	4-40	\$4.24
SC1-04	1/4"	11/16"	5/16"	4-40	4.24
SC1-05	5/16"	1-1/16"	5/16"	4-40	4.24
SC1-06	3/8"	7/8"	7/16"	6-32	4.43
SC1-07	7/16"	15/16"	3/8"	6-32	4.43
SC1-08	1/2"	1-1/8"	11/32"	8-32	4.78
SC1-10	5/8"	1-5/16"	7/16"	10-32	5.33
SC1-12	3/4"	1-1/2"	1/2"	1/4"-28	5.70
SC1-14	7/8"	1-5/8"	1/2"	1/4"-28	6.27
SC1-15	15/16"	1-3/4"	1/2"	1/4"-28	7.15
SC1-16	1"	1-3/4"	1/2"	1/4"-28	7.15
SC1-18	1-1/8"	1-7/8"	1/2"	1/4"-28	7.15
SC1-19	1-3/16"	2-1/16"	1/2"	1/4"-28	7.53
SC1-20	1-1/4"	2-1/16"	1/2"	1/4"-28	7.53
SC1-22	1-3/8"	2-1/4"	9/16"	1/4"-28	8.40
SC1-23	1-7/16"	2-1/4"	9/16"	1/4"-28	8.40
SC1-24	1-1/2"	2-3/8"	9/16"	1/4"-28	8.97
SC1-26	1-5/8"	2-5/8"	11/16"	5/16"-24	10.79
SC1-27	1-11/16"	2-3/4"	11/16"	5/16"-24	11.78
SC1-28	1-3/4"	2-3/4"	11/16"	5/16"-24	11.78
SC1-30	1-7/8"	2-7/8"	11/16"	5/16"-24	11.78
SC1-31	1-15/16"	3"	11/16"	5/16"-24	12.85
SC1-32	2"	3"	11/16"	5/16"-24	12.85

Dealer Schedule.....304

Set Screws - Square Head - Cup Point

N.C. Coarse Threads
Plain Finish
20 Per Package




Order No.	Dia.	Lgth.	Per C
SSS-04-08	1/4	1/2	\$10.73
SSS-04-12	1/4	3/4	14.42
SSS-04-16	1/4	1	20.77
SSS-04-20	1/4	1-1/4	26.40
SSS-05-08	5/16	1/2	16.64
SSS-05-12	5/16	3/4	23.67
SSS-05-16	5/16	1	29.80
SSS-05-20	5/16	1-1/4	30.59
SSS-05-24	5/16	1-1/2	36.05
SSS-06-08	3/8	1/2	30.17
SSS-06-12	3/8	3/4	36.17
SSS-06-16	3/8	1	43.61
SSS-06-20	3/8	1-1/4	46.11
SSS-06-24	3/8	1-1/2	50.73
SSS-07-12	7/16	3/4	47.39
SSS-07-16	7/16	1	58.03
SSS-07-20	7/16	1-1/4	65.07
SSS-07-24	7/16	1-1/2	65.98
SSS-08-12	1/2	3/4	66.53
SSS-08-16	1/2	1	76.67
SSS-08-20	1/2	1-1/4	83.33
SSS-08-24	1/2	1-1/2	104.33
SSS-08-28	1/2	1-3/4	105.20
SSS-08-32	1/2	2	105.95

Dealer Schedule:

Full Package (20).....304 Broken Package.....102

Square Head Set Screw Assortment

N.C. Coarse Threads




Square Head Set Screw Assortment consisting of 18 different sizes. Packaged in a transparent plastic box with heavy duty hinges and snap-tight lid.

Box size 8-1/2 x 4-3/4 x 1-1/2 inches.

Qty.	Size	Qty.	Size
10	1/4"-20 x 1/2"	5	3/8"-16 x 3/4"
10	1/4"-20 x 3/4"	5	3/8"-16 x 1"
10	1/4"-20 x 1"	2	3/8"-16 x 1-1/4"
5	1/4"-20 x 1-1/4"	5	7/16"-14 x 3/4"
10	5/16"-18 x 1/2"	5	7/16"-14 x 1"
10	5/16"-18 x 3/4"	2	7/16"-14 x 1-1/4"
5	5/16"-18 x 1"	2	1/2"-13 x 3/4"
5	5/16"-18 x 1-1/4"	2	1/2"-13 x 1"
10	3/8"-16 x 1/2"	1	1/2"-13 x 1-1/4"

No.	Description	Price
SSS-A	Square Head Set Screw Assortment ...	\$29.90

Dealer Schedule.....304



SOCKET HEAD SET SCREWS

Cup Point - Coarse & Fine - Plain Finish
25 Per Package

Coarse No.	Fine No.	Dia.	Lgth.	Per C
SSC-03-03	SSF-03-03	No. 10	3/16	\$6.55
SSC-03-04	SSF-03-04	No. 10	1/4	6.55
SSC-03-06	SSF-03-06	No. 10	3/8	7.02
SSC-03-08	SSF-03-08	No. 10	1/2	10.35
SSC-03-20		No. 10	1-1/4	26.08
SSC-04-04	SSF-04-04	1/4	1/4	7.14
SSC-04-05	SSF-04-05	1/4	5/16	7.49
SSC-04-06	SSF-04-06	1/4	3/8	7.55
SSC-04-08	SSF-04-08	1/4	1/2	11.70
SSC-04-10		1/4	5/8	18.92
SSC-04-12		1/4	3/4	12.69
SSC-04-16		1/4	1	16.26
SSC-05-05	SSF-05-05	5/16	5/16	10.42
SSC-05-06	SSF-05-06	5/16	3/8	10.65
SSC-05-08	SSF-05-08	5/16	1/2	11.41
SSC-05-10		5/16	5/8	15.27
SSC-05-12	SSF-05-12	5/16	3/4	20.70
SSC-05-16		5/16	1	20.88
SSC-06-06	SSF-06-06	3/8	3/8	15.84
SSC-06-08	SSF-06-08	3/8	1/2	18.97
SSC-06-10	SSF-06-10	3/8	5/8	20.86
SSC-06-12		3/8	3/4	20.70
SSC-06-16		3/8	1	28.26
SSC-07-07		7/16	7/16	32.76
SSC-07-08		7/16	1/2	36.86
SSC-07-12		7/16	3/4	52.65
SSC-07-16		7/16	1	61.50
SSC-08-08		1/2	1/2	32.18
SSC-08-10		1/2	5/8	40.66
SSC-08-12	SSF-08-12	1/2	3/4	45.60
SSC-08-16	SSF-08-16	1/2	1	51.67
SSC-10-10		5/8	5/8	170.82

Dealer Schedule:

N.C. Coarse	N.F. Fine
Full Package	304
Broken Package	102
Full Package	203
Broken Package	101



S.A.E. Socket Set Screw Assortment



160 N.F. Socket Set Screws consisting of 17 different sizes. Packaged in a transparent plastic box with heavy duty hinges and snap-tight lid. Box size 8-1/2 x 4-3/4 x 1-1/2 inches.

Qty.	Size	Qty.	Size
10	#10-32 x 3/16"	10	5/16"-24 x 3/8"
10	#10-32 x 1/4"	10	5/16"-24 x 1/2"
10	#10-32 x 3/8"	10	5/16"-24 x 3/4"
10	#10-32 x 1/2"	10	3/8"-24 x 3/8"
10	1/4"-28 x 1/4"	10	3/8"-24 x 1/2"
10	1/4"-28 x 5/16"	10	3/8"-24 x 5/8"
10	1/4"-28 x 3/8"	5	1/2"-20 x 3/4"
10	1/4"-28 x 1/2"	5	1/2"-20 x 1"
10	5/16"-24 x 5/16"		

No.	Description	Price
SSF-A	N.F. Socket Hd. Set Screw Ass't	\$28.75


Dealer Schedule.....304

SOCKET SCREW KEYS**SHORT & LONG ARM**

(Please specify short arm or long arm when ordering)

Fits Set	Pkg.	Fits Cap	#HK-	#HKL-
Key Dia.	Screw Qty.	Screw	Short Per C	Long Per C
.050	#3 & 4	20	\$47.00	N/A
1/16	#5 & 6	20	13.24	\$26.05
5/64	#8	20	#2 & 3	13.63
3/32	#10	20	#4 & 5	17.32
7/64		20	#6	19.55
1/8	1/4"	20		32.95
9/64"		20	#8	38.39
5/32	5/16"	20	#10	N/A
3/16	3/8"	20	1/4"	41.25
7/32	7/16"	10		50.00
1/4	1/2"	10	5/16"	70.00
5/16	5/8"	8	3/8"	80.00
3/8	3/4"	5	7/16" & 1/2"	169.00
1/2	7/8"	3	5/8"	307.00
				367.00
				640.00
				N/A

Dealer Schedule: Full Package 304
Broken Package 102

N.C. Socket Set Screw Assortment**Hex Socket - Cup Point**

150 N.C. Socket Head Set Screws consisting of 18 different sizes in a transparent plastic box with heavy duty hinges and snap-tight lid.

Box size 8-1/2 x 4-3/4 x 1-1/2 in.


Qty.	Size	Qty.	Size
10	1/4"-20 x 1/4"	10	3/8"-16 x 3/8"
10	1/4"-20 x 5/16"	10	3/8"-16 x 1 1/2"
10	1/4"-20 x 3/8"	10	3/8"-16 x 5/8"
10	1/4"-20 x 1/2"	5	3/8"-16 x 3/4"
10	1/4"-20 x 3/4"	5	7/16"-14 x 1 1/2"
10	5/16"-18 x 5/16"	5	7/16"-14 x 3/4"
10	5/16"-18 x 3/8"	5	1/2"-13 x 1 1/2"
10	5/16"-18 x 1/2"	5	1/2"-13 x 3/4"
10	5/16"-18 x 3/4"	5	1/2"-13 x 1"

No. Description Price
SSC-A Socket Head Set Screw Assortment \$29.95
Dealer Schedule.....304

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Socket Head Cap Screws

(N.C. - Plain Finish)




Dealer Schedule:
Full Package...304
Broken Package...102

BONDHUS FOLDING HEX KEY WRENCH SETS (9 Pcs.)

NEW PRICES AS OF 9/11/2019	#14589 Sizes 5/64, 3/32, 7/64, 1/8, 5/64, 5/32, 3/16, 7/32, 1/4	Each
	#14591 Sizes .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16	
	#14592 Sizes 1.5, 2, 2.5, 3, 4, 5, 6	
	HK-14589 Folding Metal Hex Key Set, 9 Pcs.	\$8.87
	HK-14591 Folding Metal Hex Key Set, 9 Pcs.	7.03
	HK-14592 Folding METRIC Hex Key Set, 7 Pcs.	7.29
	Dealer Schedule.....152	

BONDHUS FOLDING TORX WRENCH SET (7 Pcs.)

NEW PRICES AS OF 9/11/2019
7 Pieces, in the following sizes:
T10, T15, T20, T25, T27, T30, T40



No.	HK-14534 Folding Torx Wrench Set, 7 pc.	Each
	Dealer Schedule.....152	

BONDHUS**ProHold Balldriver Set (Plastic Holder Clam Shell)**

NEW PRICES AS OF 9/11/2019
Hold screw tight everytime! ProHold button is non-magnetic. Allows for maximum torque without distortion of button. Made with Titanium High Torque Steel. Sizes: .050 - 3/8"

No.	HK-74937 PROHOLD Balldriver Set, 13 pc.	Each
	Dealer Schedule.....152	

Hex Key Wrench Sets (Plastic Holder Clam Shells)

NEW PRICES AS OF 9/11/2019
HK13 Sizes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, and 3/8".


12299 Sizes: 1, 2, 2.5, 3, 4, 5, 6, 8, 10mm.

(In Vinyl Pouch)

HK7S Sizes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"

No.	GN-HK13L ... Long Hex Wrench Set, 13 pc.	Each
	GN-HK13S .. Short Hex Wrench Set, 13 pc.	\$7.95
	GN-HK7S Hex Key Wrench Set, 7 pc.	5.45
	HK-12299 Metric Hex Wrench Set, 9 pc.	2.98
	Dealer Schedule.....152	10.73

</



CLEVIS AND CORN PICKER PINS

Sold Only In Packages Of 10 each

Order No.	Dia. x Lgth.	Per C	Order No.	Dia. x Lgth.	Per C	Order No.	Dia. x Lgth.	Per C
PP-03-012	3/16 x 3/4	\$16.63	PP-05-112	5/16 x 1-3/4	\$32.69	PP-07-100	7/16 x 1	\$50.02
PP-03-100	3/16 x 1	17.30	PP-05-114	5/16 x 1-7/8	34.38	PP-07-104	7/16 x 1-1/4	50.78
PP-03-104	3/16 x 1-1/4	17.84	PP-05-200	5/16 x 2	36.48	PP-07-108	7/16 x 1-1/2	53.90
PP-03-108	3/16 x 1-1/2	18.32	PP-05-204	5/16 x 2-1/4	39.88	PP-07-112	7/16 x 1-3/4	58.86
PP-03-112	3/16 x 1-3/4	19.81	PP-05-206	5/16 x 2-3/8	41.75	PP-07-200	7/16 x 2	61.22
PP-03-200	3/16 x 2	21.69	PP-05-208	5/16 x 2-1/2	42.61	PP-07-204	7/16 x 2-1/4	65.25
PP-03-208	3/16 x 2-1/2	25.34	PP-05-212	5/16 x 2-3/4	45.09	PP-07-208	7/16 x 2-1/2	69.64
.....	PP-05-214	5/16 x 2-7/8	46.78	PP-07-300	7/16 x 3	80.84
PP-04-012	1/4 x 3/4	17.39	PP-05-300	5/16 x 3	49.54	PP-07-308	7/16 x 3-1/2	85.95
PP-04-100	1/4 x 1	18.48	PP-05-308	5/16 x 3-1/2	62.14	PP-07-400	7/16 x 4	93.94
PP-04-104	1/4 x 1-1/4	19.84	PP-05-400	5/16 x 4	65.67
PP-04-106	1/4 x 1-3/8	21.24	PP-08-100	1/2 x 1	63.85
PP-04-108	1/4 x 1-1/2	21.97	PP-06-100	3/8 x 1	40.99	PP-08-104	1/2 x 1-1/4	63.85
PP-04-110	1/4 x 1-5/8	23.18	PP-06-104	3/8 x 1-1/4	42.74	PP-08-108	1/2 x 1-1/2	69.13
PP-04-112	1/4 x 1-3/4	24.04	PP-06-108	3/8 x 1-1/2	46.52	PP-08-112	1/2 x 1-3/4	72.06
PP-04-114	1/4 x 1-7/8	25.41	PP-06-110	3/8 x 1-5/8	48.15	PP-08-200	1/2 x 2	75.30
PP-04-200	1/4 x 2	26.08	PP-06-112	3/8 x 1-3/4	49.54	PP-08-204	1/2 x 2-1/4	80.58
PP-04-204	1/4 x 2-1/4	27.86	PP-06-114	3/8 x 1-7/8	51.10	PP-08-208	1/2 x 2-1/2	89.39
PP-04-208	1/4 x 2-1/2	29.89	PP-06-200	3/8 x 2	53.52	PP-08-212	1/2 x 2-3/4	94.73
PP-04-212	1/4 x 2-3/4	32.02	PP-06-204	3/8 x 2-1/4	56.25	PP-08-300	1/2 x 3	98.13
PP-04-300	1/4 x 3	33.23	PP-06-206	3/8 x 2-3/8	59.05	PP-08-308	1/2 x 3-1/2	114.70
PP-04-400	1/4 x 4	47.25	PP-06-208	3/8 x 2-1/2	60.80	PP-08-400	1/2 x 4	123.80
.....	PP-06-210	3/8 x 2-5/8	61.69
PP-05-100	5/16 x 1	23.02	PP-06-212	3/8 x 2-3/4	64.49	PP-10-108	5/8 x 1-1/2	97.37
PP-05-103	5/16 x 1-3/16	24.90	PP-06-300	3/8 x 3	68.97	PP-10-112	5/8 x 1-3/4	108.53
PP-05-104	5/16 x 1-1/4	26.27	PP-06-308	3/8 x 3-1/2	79.21	PP-10-200	5/8 x 2	120.65
PP-05-106	5/16 x 1-3/8	27.83	PP-06-400	3/8 x 4	87.39	PP-10-208	5/8 x 2-1/2	141.92
PP-05-108	5/16 x 1-1/2	29.19	Dealer Schedule: 10 of a size.....	152	PP-10-300	5/8 x 3	163.13
.....	30 or more of a size.....	203	PP-10-308	5/8 x 3-1/2	186.83



COILED SPRING PINS

Sold In Packages Of 10 Each Only!

Standard Medium Duty - Plain Oil Finish

Order No.	Dia. x Lgth.	Per C
SPR-116	1/8 x 1	\$13.26
SPR-120	1/8 x 1-1/4	14.82
SPR-124	1/8 x 1-1/2	17.82
SPR-128	1/8 x 1-3/4	34.95
SPR-132	1/8 x 2	36.95
SPR-195	3/16 x 1	23.73
SPR-199	3/16 x 1-1/4	26.61
SPR-203	3/16 x 1-1/2	29.49
SPR-207	3/16 x 1-3/4	35.37
SPR-211	3/16 x 2	39.96
SPR-213	3/16 x 2-1/4	40.38
SPR-215	3/16 x 2-1/2	41.50
SPR-269	1/4 x 1	34.32

Dealer Schedule.....33/133

Order No.	Dia. x Lgth.	Per C
SPR-273	1/4 x 1-1/4	\$39.13
SPR-277	1/4 x 1-1/2	43.23
SPR-281	1/4 x 1-3/4	49.38
SPR-285	1/4 x 2	51.51
SPR-287	1/4 x 2-1/4	55.11
SPR-289	1/4 x 2-1/2	79.30
SPR-309	5/16 x 1	47.64
SPR-311	5/16 x 1-1/4	56.64
SPR-315	5/16 x 1-1/2	69.21
SPR-319	5/16 x 1-3/4	79.54
SPR-323	5/16 x 2	84.42
SPR-325	5/16 x 2-1/4	98.95
SPR-327	5/16 x 2-1/2	108.70

Order No.	Dia. x Lgth.	Per C
SPR-329	5/16 x 2-3/4	\$118.40
SPR-331	5/16 x 3	126.90
SPR-351	3/8 x 1	85.23
SPR-352	3/8 x 1-1/4	86.67
SPR-355	3/8 x 1-1/2	122.80
SPR-375	3/8 x 1-3/4	141.60
SPR-385	3/8 x 2	196.55
SPR-387	3/8 x 2-1/4	219.63
SPR-390	3/8 x 2-1/2	242.70
SPR-393	3/8 x 2-3/4	262.70
SPR-396	3/8 x 3	340.13
SPR-524	1/2 x 1-1/2	160.40
SPR-528	1/2 x 1-3/4	193.30
SPR-532	1/2 x 2	226.10
SPR-536	1/2 x 2-1/4	259.00
SPR-540	1/2 x 2-1/2	291.90
SPR-544	1/2 x 2-3/4	327.00
SPR-548	1/2 x 3	360.00


Order No.	Size	No.	Price
25000	1/16"	1	\$5.90
25001	5/64"	2	6.20
25002	3/32"	3	6.60
25003	1/8"	4	6.80
25004	5/32"	5	7.65
25005	3/16"	6	7.81
25006	7/32"	7	9.00
25007	1/4"	8	10.15
25008	5/16"	9	11.11
25009	3/8"	10	12.12
25010	7/16"	11	13.76
25011	1/2"	12	15.46
62254 Set (No. 1 to 12 inclusive) Plastic Kit			123.31
62258 Same as 62254 but in wood display box			157.75
62250 Set (No. 4 to 09 inclusive) Plastic Kit			60.15

Dealer Schedule.....203


MAYHEW PILOT PUNCHES

Coiled Spring Pin/Expan Pin Extractors


Designed to speed up pin removal safely, to center perfectly over pin, eliminate damage to pin wall or hole, and to drive pin completely thru hole without sticking punch.




#62250



#62254



#62258





EXPAN PINS

Sold In Packages of 10 Only - Plated

Dia. x Lgth.	Per C	Dia. x Lgth.	Per C	Dia. x Lgth.	Per C	Dia. x Lgth.	Per C	Dia. x Lgth.	Per C
1/16 x 5/8	\$4.10	1/8 x 2	\$11.10	7/32 x 3/4	\$13.50	1/4 x 1-7/8	\$22.60	3/8 x 1-3/4	\$5.90
1/16 x 3/4	4.80	5/32 x 5/8	6.40	7/32 x 7/8	13.00	1/4 x 2	29.10	3/8 x 2	78.50
1/16 x 1	4.20	5/32 x 3/4	6.90	7/32 x 1	15.00	1/4 x 2-1/4	29.40	3/8 x 2-1/4	78.90
5/64 x 1/2	4.00	5/32 x 7/8	8.20	7/32 x 1-1/8	16.40	1/4 x 2-1/2	36.00	3/8 x 2-1/2	80.00
5/64 x 5/8	4.20	5/32 x 1	8.20	7/32 x 1-1/4	18.90	1/4 x 3	44.90	3/8 x 2-3/4	82.40
5/64 x 3/4	4.40	5/32 x 1-1/8	8.90	7/32 x 1-3/8	18.70	5/16 x 3/4	20.40	3/8 x 3	89.30
5/64 x 1	5.10	5/32 x 1-1/4	9.30	7/32 x 1-1/2	19.90	5/16 x 1	21.20	3/8 x 3-1/4	109.70
3/32 x 1/2	4.00	5/32 x 1-3/8	10.20	7/32 x 1-5/8	22.00	5/16 x 1-1/8	25.60	3/8 x 3-1/2	110.00
3/32 x 5/8	4.40	5/32 x 1-1/2	10.70	7/32 x 1-3/4	24.00	5/16 x 1-1/4	28.10	7/16 x 1	72.90
3/32 x 3/4	4.80	5/32 x 1-3/4	12.00	7/32 x 1-7/8	24.60	5/16 x 1-3/8	30.00	7/16 x 1-1/4	74.00
3/32 x 1	5.70	5/32 x 2	13.30	7/32 x 2	28.80	5/16 x 1-1/2	32.00	7/16 x 1-1/2	78.50
3/32 x 1-1/8	5.90	3/16 x 3/4	9.40	7/32 x 2-1/4	29.50	5/16 x 1-3/4	35.80	7/16 x 1-3/4	89.50
3/32 x 1-1/4	6.40	3/16 x 7/8	9.50	7/32 x 2-1/2	30.70	5/16 x 2	42.10	7/16 x 2	89.90
3/32 x 1-3/8	6.90	3/16 x 1	11.40	7/32 x 2-3/4	34.40	5/16 x 2-1/4	47.00	7/16 x 2-1/2	105.80
3/32 x 1-1/2	7.20	3/16 x 1-1/8	10.40	7/32 x 3	36.50	5/16 x 2-1/2	51.50	7/16 x 2-3/4	123.20
1/8 x 1/2	5.50	3/16 x 1-1/4	11.50	1/4 x 1/2	13.10	5/16 x 2-3/4	60.70	7/16 x 3	126.00
1/8 x 5/8	5.90	3/16 x 1-3/8	12.20	1/4 x 3/4	13.10	5/16 x 3	70.60	1/2 x 1	78.40
1/8 x 3/4	6.50	3/16 x 1-1/2	12.80	1/4 x 7/8	13.10	5/16 x 3-1/4	75.70	1/2 x 1-1/4	78.40
1/8 x 7/8	6.50	3/16 x 1-5/8	15.10	1/4 x 1	16.70	5/16 x 3-1/2	76.80	1/2 x 1-1/2	80.50
1/8 x 1	8.00	3/16 x 1-3/4	15.20	1/4 x 1-1/8	16.80	5/16 x 3-3/4	80.30	1/2 x 1-3/4	101.20
1/8 x 1-1/8	7.50	3/16 x 1-7/8	15.60	1/4 x 1-1/4	18.20	3/8 x 1	34.70	1/2 x 2	101.50
1/8 x 1-1/4	8.10	3/16 x 2	16.80	1/4 x 1-3/8	20.00	3/8 x 1-1/4	40.80	1/2 x 2-1/4	109.10
1/8 x 1-3/8	8.70	3/16 x 2-1/4	18.70	1/4 x 1-1/2	22.40	3/8 x 1-3/8	53.60	1/2 x 2-1/2	123.10
1/8 x 1-1/2	9.10	3/16 x 2-1/2	19.80	1/4 x 1-5/8	22.70	3/8 x 1-1/2	45.90	1/2 x 2-3/4	143.80
1/8 x 1-3/4	10.00	7/32 x 5/8	12.10	1/4 x 1-3/4	24.50	3/8 x 1-5/8	62.50	1/2 x 3	143.90

Dealer Schedule: Packs of 10 Only.....33/133

Order Number = EP(Dia)-(Lgth) Example: EP38-214 = 3/8"x2-1/4"




EXPAN PIN ASSORTMENT

A compact low cost assortment of carbon steel plated spring pins in the most commonly used sizes.

No. AGR-4018 . Spring Pin Assortment . \$12.90

Dealer Schedule.....33/133



Expans Pin Assortment #300-10

Contains 300 pieces. Dia.: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8. - Four Popular lengths of each diameter.


Dealer Net.....\$33.00

ROLL PIN MATING

Diam.	Fits Into
5/64	1/8
3/32	5/32
1/8	7/32
5/32	1/4
3/16	5/16
7/32	3/8
5/16	1/2

**Centralize
with
Central!**
1-800-444-8666


Clevis / Picker Pin Assortment



320 total pieces in 32 sizes, packaged in a 3"x18"x12" heavy-duty metal case. Catched lid and scooped compartments for easy parts removal.

Order No. PPA-320 Picker Pin Ass't.... \$108.41

DUE TO
MARKET
CONDITIONS,
ALL PRICES
ARE SUBJECT
TO CHANGE
WITHOUT
NOTICE!



Consisting of 12 different sizes in a transparent plastic box with heavy duty hinges and snap-tight lid. Box size 8-1/2 x 4-3/4 x 1-1/2 in.

No. EA300 ... E Clip Ass't.....\$39.00

Dealer Schedule.....152




E-Clips (Packages Of 10)

No.	Size	Qty. In Ass't.	Pkg. Price
E06	1/16"	0	\$1.40
E12	1/8"	40	1.40
E18	3/16"	30	1.40
E21	7/32"	30	1.40
E25	1/4"	30	1.40
E31	5/16"	30	1.60
E37	3/8"	30	1.60
E43	7/16"	20	1.60
E50	1/2"	20	1.60
E62	5/8"	20	2.00
E75	3/4"	20	2.00
E87	7/8"	20	2.00
E98	1"	10	3.25

Dealer Schedule.....152

FAX TOLL-FREE 1-800-342-7252

SNAP RING ASSORTMENTS**No 300-12 External Assortment**


Contains 300 snap rings in 12 sizes from 1/4 to 1-1/4 inch in diameter.

Dealer Net \$30.00

No 150-14 Internal Assortment

Contains 150 snap rings in 14 sizes from 1/2 to 1-3/4 inch in diameter.

Dealer Net \$31.12


Woodruff Keys

No.	Size	Per C
WK-213	3/8 x 1/8	\$48.13
WK-001	1/2 x 1/16	25.04
WK-002	1/2 x 3/32	25.04
WK-003	1/2 x 1/8	25.04
WK-004	5/8 x 3/32	25.04
WK-005	5/8 x 1/8	25.98
WK-006	5/8 x 5/32	29.72
WK-061	5/8 x 3/16	31.02
WK-007	3/4 x 1/8	33.65
WK-008	3/4 x 5/32	33.69
WK-009	3/4 x 3/16	34.65
WK-091	3/4 x 1/4	40.17
WK-010	7/8 x 5/32	38.92
WK-011	7/8 x 3/16	40.84
WK-012	7/8 x 7/32	51.11
WK-00A	7/8 x 1/4	73.31
WK-013	1 x 3/16	56.44
WK-014	1 x 7/32	73.37
WK-015	1 x 1/4	75.19
WK-00B	1 x 5/16	92.75
WK-152	1 x 3/8	131.00
WK-141	15/16 x 1/4	89.04
WK-016	1-1/8 x 3/16	70.30

SNAP RING REFILLS (Sold In Full Packages Only!)

External No.	Size	Pkg.	Each	Internal No.	Size	Pkg.	Each
SRE-00416	1/4	10	\$.16	SRI-00716	7/16	10	\$.20
SRE-00516	5/16	1016	SRI-00816	1/2	1020
SRE-00616	3/8	1016	SRI-00916	9/16	1018
SRE-00716	7/16	1016	SRI-01016	5/8	1018
SRE-00816	1/2	1016	SRI-01116	11/16	1019
SRE-00916	9/16	1016	SRI-01216	3/4	1028
SRE-01016	5/8	1016	SRI-01316	13/16	1028
SRE-01116	11/16	1018	SRI-01416	7/8	1030
SRE-01216	3/4	1018	SRI-01516	15/16	1030
SRE-01316	13/16	1018	SRI-10000	1	1032
SRE-01416	7/8	1018	SRI-10116	1-1/16	835
SRE-01516	15/16	1018	SRI-10216	1-1/8	835
SRE-10000	1	1018	SRI-10316	1-3/16	838
SRE-10216	1-1/8	1025	SRI-10416	1-1/4	838
SRE-10316	1-3/16	1025	SRI-10516	1-5/16	842
SRE-10416	1-1/4	1028	SRI-10616	1-3/8	542
SRE-10516	1-5/16	639	SRI-10716	1-7/16	545
SRE-10616	1-3/8	642	SRI-10816	1-1/2	545
SRE-10716	1-7/16	643	SRI-10916	1-9/16	548
SRE-10816	1-1/2	644	SRI-11016	1-5/8	554
SRE-10916	1-9/16	353	SRI-11116	1-11/16	558
SRE-11016	1-5/8	356	SRI-11216	1-3/4	558
SRE-11116	1-11/16	375	SRI-11316	1-13/16	370
SRE-11216	1-3/4	390	SRI-11416	1-7/8	381
SRE-11316	1-13/16	2	1.09	SRI-11516	1-15/16	390
SRE-11416	1-7/8	2	1.09	SRI-20000	2	295
SRE-11516	1-15/16	2	1.09	SRI-20416	2-1/4	2	1.12
SRE-20000	2	2	1.09	SRI-20616	2-3/8	2	1.71
SRE-20416	2-1/4	2	1.51	SRI-20816	2-1/2	2	1.71
SRE-20616	2-3/8	2	1.70	SRI-21016	2-5/8	2	1.71
SRE-20816	2-1/2	2	1.93	SRI-21216	2-3/4	2	2.58
SRE-21016	2-5/8	2	2.12	SRI-21416	2-7/8	2	2.58
SRE-21216	2-3/4	2	2.12	SRI-30000	3	2	2.58
SRE-21416	2-7/8	2	2.59				
SRE-30000	3	2	2.59				


Dealer Schedule.....152

RETAINING RING PLIER KIT

Consists of one external and one internal plier. Two pair each of .035 diam. 90°: .045 diam. straight: .045 diam. 45°: .060 diam. 60° tips.

No.	Price
4440R Snap Ring Plier Kit	\$43.96
4482R Replaceable Tip Kit	19.87
Dealer Schedule	152

No.	Size	Per C
WK-017	1-1/8 x 7/32	\$90.26
WK-018	1-1/8 x 1/4	95.95
WK-00C	1-1/8 x 5/16	125.94
WK-019	1-1/4 x 3/16	106.70
WK-020	1-1/4 x 7/32	109.10
WK-021	1-1/4 x 1/4	127.00
WK-00E	1-1/4 x 3/8	194.20
WK-00D	1-1/4 x 5/16	157.72
WK-022	1-3/8 x 1/4	145.50
WK-023	1-3/8 x 5/16	176.90
WK-00F	1-3/8 x 3/8	234.00
WK-024	1-1/2 x 1/4	162.20
WK-025	1-1/2 x 5/16	186.03
WK-00G	1-1/2 x 3/8	304.70
WK-126	2-1/8 x 3/16	153.00
WK-127	2-1/8 x 1/4	163.00
WK-128	2-1/8 x 5/16	192.00
WK-129	2-1/8 x 3/8	226.00
WK-026	2-1/8 x 3/16	128.30
WK-027	2-1/8 x 1/4	223.00
WK-028	2-1/8 x 5/16	237.40
WK-029	2-1/8 x 3/8	260.00

#WKA-178**Woodruff
Key
Assortment**

Packaged in transparent plastic box with heavy duty hinges and a snap tight lid. 178 keys, 18 size Box size 8-1/2 x 4-3/4 x 1-1/2 inches.

Qty.	Key No	Qty.	Key No
10	001	10	091
10	002	10	010
10	003	10	011
10	004	10	012
10	005	10	00A
10	006	10	015
10	007	10	016
10	008	10	018
10	009	8	00D

Dealer Schedule:

Pkg. of 10.....405 Broken Pkg.....102

Assortment.....Dealer Net: \$47.50

COTTER PIN "AG" ASSORTMENTS

Packaged in clear boxes and are plated finish



50AG		100AG	
Pieces	Size	Pieces	Size
5	3/32 x 3/4	10	3/32 x 3/4
5	3/32 x 1	10	3/32 x 1
2 ..	3/32 x 1-1/2	4 ..	3/32 x 1-1/2
5	1/8 x 1	10	1/8 x 1
5	1/8 x 1-1/4	10	1/8 x 1-1/4
4	1/8 x 1-1/2	8	1/8 x 1-1/2
2 ..	5/32 x 1-1/2	4 ..	5/32 x 1-1/2
6 ..	3/16 x 1-1/2	10	3/16 x 1
6	3/16 x 2	10	3/16 x 1-1/2
3	1/4 x 1-1/2	8	3/16 x 2
3	1/4 x 2	6	1/4 x 1-1/2
2	5/16 x 2	6	1/4 X 2
2	5/16 x 2-1/2	2	5/16 x 2
		2 ..	5/16 x 2-1/2
50 Total		100 Total	

No.	Price
50AG	Cotter Pin Assortment \$6.76
100AG	Cotter Pin Assortment 10.53

Dealer Schedule.....203

EXTERNAL HITCH PIN CLIPSGeneral purpose snap-on clip
Spring steel wire - Clear zinc plated

Order No.	Wire Dia.	Overall Length	Eye I.D.	Fits Pin Groove	Each
HP-414-X	0.125"	2-1/16"	7/16"	25/32"	\$.26
HP-417-X	0.187"	2-7/8"	7/8"	3/4"	.42

Dealer Schedule.....102



Central
**Hitch Pin Clip
Assortment
#HP-A11**


11 SIZES --- 185 HAIR PINS

185 Hair Pin Clips consisting of 11 different sizes. Packaged in a transparent plastic box with heavy-duty hinges and snap tight lid. Box size 10-1/2 x 6-1/2 x 1-3/4 inches.

Qty.	No.	Qty.	No.
20	HP-22	20.....	HP-11
20	HP-17	20.....	HP-10
20	HP-03	10.....	HP-06
20	HP-16	10.....	HP-08
20	HP-07	5.....	HP-19
20	HP-14		

No.	Price
HP-A11	Hair Pin Assortment \$59.59

Dealer Schedule.....304

Hammer-Lock Cotter Pins

Size Pkg. Per C

1/32 x 1/2 100 \$4.29

1/16 x 3/4 100 5.23

1/16 x 1 100 5.79

1/16 x 1-1/2 100 6.92

3/32 x 1/2 100 4.64

3/32 x 3/4 100 5.08

3/32 x 1 100 5.37

3/32 x 1-1/4 100 5.97

3/32 x 1-1/2 100 6.45

3/32 x 2 100 7.27

7/64 x 3/4 100 5.51

7/64 x 1 100 6.15

7/64 x 1-1/4 100 6.75

7/64 x 2 100 8.65

1/8 x 3/4 100 5.51

1/8 x 1 100 6.15

1/8 x 1-1/4 100 6.75

1/8 x 1-1/2 100 7.42

1/8 x 2 100 8.65

1/8 x 2-1/2 100 9.90

5/32 x 1 100 7.34

5/32 x 1-1/4 100 8.29

5/16 x 2 50 25.52

5/16 x 2-1/4 50 28.69

5/16 x 2-1/2 50 30.21

5/16 x 3 10 38.73

5/16 x 3-1/2 10 43.12

5/16 x 4 10 47.59


3/8 x 2 10 63.80

3/8 x 3 10 76.15

3/8 x 4 10 88.63

#934 SPRING CASE ASSORTMENT


128 Springs--40 Sizes



This sturdy case with hinged cover contains 40 different popular zinc plated springs. 116 extension and 12 compression. Each size placed in individual coded compartment.

No.	Price
934 Spring Assortment	\$251.60
Dealer Schedule.....	152

Extension Spring Assortment



One hundred zinc plated springs, 50 sizes, 2 each from one inch to four inches in length. 3/32 to 7/16 inch in diameter. Weight 1-1/2 lbs.

No.	Price
E-100C Extension Spring Assortment	\$72.40
Dealer Schedule.....	152

GIB HEAD KEYS


Used on power transmission shafts for holding pulleys and gears on tightly.
1/8" Taper Per Foot - Cold Finish Steel

SOLD ONLY IN PACKAGES OF 5 EACH

Order No.	Size	Each	Order No.	Size	Each
GIB-04-100	1/4" x 1"	\$3.93	GIB-06-100	3/8" x 1"	\$4.32
GIB-04-108	1/4" x 1-1/2"	4.16	GIB-06-108	3/8" x 1-1/2"	4.71
GIB-04-200	1/4" x 2"	4.67	GIB-06-200	3/8" x 2"	5.36
GIB-04-208	1/4" x 2-1/2"	4.98	GIB-06-208	3/8" x 2-1/2"	5.74
GIB-04-300	1/4" x 3"	5.10	GIB-06-300	3/8" x 3"	6.24
GIB-05-100	5/16" x 1"	4.27	GIB-08-100	1/2" x 1"	6.02
GIB-05-108	5/16" x 1-1/2"	4.71	GIB-08-108	1/2" x 1-1/2"	6.52
GIB-05-200	5/16" x 2"	5.25	GIB-08-200	1/2" x 2"	6.95
GIB-05-208	5/16" x 2-1/2"	5.39	GIB-08-208	1/2" x 2-1/2"	7.45
GIB-05-300	5/16" x 3"	5.63	GIB-08-300	1/2" x 3"	7.94

Dealer Schedule.....33/133


Agricultural Extension Spring Assortment



Twenty-five cadmium plated and burnished springs. From 2 to 12 inches in length, 1/4 to 3/4 inches in diameter. Ten springs in this assortment are specially designed for corn planters and check-rowers. Weight 3-3/4 lbs.


No.	Price
36-C Extension Spring Assortment	\$68.30
Dealer Schedule.....	152

Compression Spring Assortment



Eight cadmium plated springs from 1/4 to 27/32 inch in diameter, 12 inch in length. Wt. 1-1/4 lbs.

No.	Price
8-C Compression Spring Assortment ..	\$47.90
Dealer Schedule.....	152




GIB KEY Assortment (38 Keys Total)


Consisting of 2 each of 19 different sizes, in a transparent poly box with heavy duty hinges and snap-tight lid. Box size 14 x 9 x 2 in.

No.	Net
GIB-A Assortment, 38 Keys	\$87.95


PRICES SUBJECT TO CHANGE WITHOUT NOTICE.




EXTENSION SPRINGS--ZINC PLATED



Wire						Wire						Wire					
No.	Ga.	O.D.	Lgth.	Pkg.	Each	No.	Ga.	O.D.	Lgth.	Pkg.	Each	No.	Ga.	O.D.	Lgth.	Pkg.	Each
E00C	.0230	3/16	1	12	\$1.25	E34C*	.0348	3/8	2-3/4	12	\$1.83	V19C	.1055	27/32	6	3	\$5.55
E01C	.0230	3/16	1-1/4	12	1.30	E35C*	.0348	3/8	3	12	1.83	V20C*	.0915	47/64	6	3	5.55
E02C	.0230	3/16	3/16	1-1/2	1.31	E36C*	.0475	3/8	1-1/2	12	1.50	V21C*	.0800	41/64	6	3	4.74
E03C	.0230	3/16	1-3/4	12	1.32	E37C*	.0475	3/8	1-3/4	12	1.61	V22C*	.0720	37/64	6	3	4.14
E04C	.0230	3/16	2	12	1.42	E38C*	.0475	3/8	2	12	1.63	V23C*	.0625	1/2	6	3	3.51
E05C	.0230	3/16	2-1/4	12	1.43	E39C*	.0475	3/8	2-1/4	12	1.67	V24C*	.0540	7/32	6	6	3.30
E06C	.0230	3/16	2-1/2	12	1.43	E40C*	.0475	3/8	2-1/2	12	1.67	V25C*	.0475	3/8	6	6	3.12
E07C	.0286	1/4	1	12	1.40	E41C*	.0475	3/8	2-3/4	12	2.01	V26C*	.0410	21/64	6	6	2.85
E08C	.0286	1/4	1-1/4	12	1.41	E42C*	.0475	3/8	3	12	2.01	V27C*	.0348	9/32	6	6	2.64
E09C	.0286	1/4	1-1/2	12	1.42	E43C*	.0475	7/16	2-1/2	12	2.01	V28C*	.0317	1/4	6	6	2.64
E10C*	.0286	1/4	1-3/4	12	1.43	E44C*	.0475	7/16	2-3/4	12	2.01	V29C*	.0286	15/64	6	12	2.64
E11C*	.0286	1/4	2	12	1.44	E45C*	.0475	7/16	3	12	2.24	V30C*	.0258	13/64	6	12	2.64
E12C*	.0286	1/4	2-1/4	12	1.45	E46C*	.0475	7/16	3-1/4	12	2.24	V31C	.0230	3/16	6	12	2.64
E13C*	.0286	1/4	2-1/2	12	1.52	E47C*	.0475	7/16	3-1/2	12	2.24	V32C	.0204	5/32	6	12	2.64
E14C*	.0286	5/16	1	12	1.45	E48C*	.0475	7/16	3-3/4	12	2.44	V33C	.0180	9/64	6	12	2.64
E15C*	.0286	5/16	1-1/4	12	1.46	E49C*	.0475	7/16	4	12	2.44	V34C	.0160	1/8	6	12	2.64
E16C*	.0286	5/16	1-1/2	12	1.48	V01C	.1205	31/32	4	3	5.34	V35C	.1205	31/32	8	3	8.53
E17C*	.0286	5/16	1-3/4	12	1.61	V02C	.1055	27/32	4	3	3.51	V36C	.1055	27/32	8	3	8.53
E18C*	.0286	5/16	2	12	1.61	V03C*	.0915	47/64	4	3	3.51	V37C	.0915	47/64	8	3	6.78
E19C*	.0286	5/16	2-1/4	12	1.61	V04C*	.0800	41/64	4	3	3.51	V38C	.0800	41/64	8	3	6.28
E20C*	.0286	5/16	2-1/2	12	1.62	V05C*	.0720	37/64	4	3	3.30	V39C	.0720	37/64	8	3	6.28
E21C*	.0348	5/16	1	12	1.40	V06C*	.0625	1/2	4	3	3.22	V40C	.0625	1/2	8	3	5.55
E22C*	.0348	5/16	1-1/4	12	1.41	V07C*	.0540	7/16	4	6	2.64	V41C	.0540	7/16	8	3	4.92
E23C*	.0348	5/16	1-1/2	12	1.43	V08C*	.0475	3/8	4	6	2.64	V42C	.0475	3/8	8	3	4.32
E24C*	.0348	5/16	1-3/4	12	1.61	V09C*	.0410	21/64	4	6	2.44	V43C	.0410	21/64	8	6	4.32
E25C*	.0348	5/16	2	12	1.61	V10C*	.0348	9/32	4	6	2.31	V44C	.0348	9/32	8	6	4.14
E26C*	.0348	5/16	2-1/4	12	1.61	V11C*	.0317	1/4	4	6	2.31	V45C	.0317	1/4	8	6	4.14
E27C	.0348	5/16	2-1/2	12	1.63	V12C*	.0286	15/64	4	12	2.31	V46C	.0286	15/64	8	6	4.14
E28C*	.0348	3/8	1-1/4	12	1.46	V13C*	.0258	13/64	4	12	1.82	V47C	.0258	13/64	8	12	4.14
E29C*	.0348	3/8	1-1/2	12	1.48	V14C	.0230	3/16	4	12	1.82	V48C	.0230	3/16	8	12	4.14
E30C*	.0348	3/8	1-3/4	12	1.61	V15C	.0204	5/32	4	12	1.82	V49C	.0200	5/32	8	12	4.14
E31C*	.0348	3/8	2	12	1.61	V16C	.0181	9/64	4	12	1.82	V50C	.0180	9/64	8	12	4.14
E32C*	.0348	3/8	2-1/4	12	1.63	V17C	.0162	1/8	4	12	1.82	V51C	.0160	1/8	8	12	4.14
E33C*	.0348	3/8	2-1/2	12	1.65	V18C	.1205	31/32	6	3	5.81						



COMPRESSION SPRINGS--ZINC PLATED



Wire					
No.	Ga.	O.D.	Lgth.	Pkg.	Each
C01C*	.0230	3/16	1-1/4	12	\$1.39
C04C*	.0230	3/16	2	12	1.39
C07C*	.0286	1/4	1	12	1.39
C13C*	.0286	1/4	2-1/2	12	1.75
C14C*	.0286	5/16	1	12	1.75
C18C*	.0286	5/16	2	12	1.75
C21C*	.0348	5/16	1	12	1.75
C28C*	.0348	3/8	1-1/4	12	1.75
C36C*	.0475	3/8	1-1/2	12	1.75
C38C*	.0475	3/8	2	12	1.75
C42C*	.0475	3/8	3	12	2.43
C43C*	.0475	7/16	2-1/2	12	2.43
C45C	.0475	7/16	3	12	2.43

Wire					
No.	Ga.	O.D.	Lgth.	Pkg.	Each
8C11C	.1205	31/32	12	3	\$5.16
8C12C	.1050	27/32	12	3	4.47
8C13C*	.0915	47/64	12	3	4.11
8C14C*	.0800	41/64	12	3	3.67
8C15C*	.0720	37/64	12	3	3.43
8C16C*	.0625	1/2	12	3	3.43
8C17C	.0540	7/16	12	3	3.43
8C18C*	.0475	3/8	12	6	3.43
8C19C	.0410	21/64	12	6	3.43
8C20C*	.0348	9/32	12	6	3.43
8C21C	.0217	1/4	12	12	3.43
8C22C*	.0286	15/64	12	12	3.43
8C23C	.0258	13/64	12	12	3.43
8C24C	.0230	3/16	12	12	3.43

Note: * Denotes Spring in #934 Assortment on next page.

COT SPRINGS-ZINC PLATED



Wire					
No.	Ga.	O.D.	Lgth.	Pkg.	Each
G37COT	.1055	11/16	2-3/4	12	\$2.09
G37ACOT	.1055	23/32	1-5/8	12	1.94
G38COT	.0800	1/2	1-23/32	12	1.62
G39COT	.1205	23/32	3-3/8	12	2.28

DEALER SCHEDULE THIS PAGE:

Full Package.....102

Broken Package.....101

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

TURNBUCKLES


Eye To Eye-Galvanized


Order No.	Size	Take-up	Each
TB-11712	3/8"	6"	\$15.70
TB-11716	1/2"	6"	17.63


Hook To Eye-Galvanized

Order No.	Size	Take-up	Each
TB-11812	3/8"	6"	\$15.70
TB-11816	1/2"	6"	17.63


Jaw To Jaw-Galvanized


Order No.	Size	Take-up	Each
TB-11112	3/8"	6"	\$20.14
TB-11116	1/2"	6"	22.22
TB-11140	3/4"	6"	30.75


Stub-End-Oil Finish

Order No.	Size	Take-up	Each
TB-10512	3/8"	6"	\$9.08
TB-10516	1/2"	6"	10.60
TB-10528	5/8"	6"	14.46
TB-10540	3/4"	6"	22.50

Dealer Schedule: One 102
Two Or More 152

CONTINUOUS STEEL HINGES UNPLATED - EQUAL LEAVES


Sold In 8 Foot Lengths Only Plain finish - No holes

Order No.	Ga.	Open Width	Pin Dia.	Each
S065032	16	2"	3/16"	\$27.85
S076056	14	3-1/2"	1/4"	42.12

Dealer Schedule: 1 to 3.....203 4 or More....253

Sprayon Wire Rope Lubricant



Penetrates pores of gear teeth and wire ropes thru foaming action. Requires no heating, sprays in seconds. Black color aids in determining adequate coverage. Penetrates to core of wire rope minimizing internal friction. Will not become brittle or break down. Withstands extreme pressure loads and severe temperatures. Will not wash weather or rub off. "Travels" on metal surface, displacing water to give high rust protection.

No.	Each
00201 .. Cable Lube, 13 oz. Pressurized	\$12.55
Full Case (12)..... 253 Broken Case 102	

NEW PRICES AS OF 3/1/2019

**We Ship
Over 95%
Of Our Orders
The Same Day!**

**For Same Day Shipment Call
Central Supply**

**Toll-Free
1-800-444-8666**
**Fax Toll-Free
1-800-342-7252**

Wire Rope Thimbles Galvanized



Hot galvanized with round points and scores. Accurately formed from heavy gauge metal of weight commensurate with the thimble size.

No.	Size	Per C	No.	Size	Per C
87195 3/16	\$49.22	87895 5/8	\$155.87
87295 1/4	53.32	87905 3/4	184.58
87395 5/16	57.43	86915 7/8	422.50
87495 3/8	64.13	86925 1	522.20
87695 1/2	69.73			

Dealer Schedule.....152

**Tired of waiting
for your shipments?**

***Central Supply
ships over 95% of all
orders the same day
they are received!***

Call 1-800-444-8666

Farm Cable Cut To Length For Farmhand Machines

(6x19 wire)

Order No.	Dia.	Length	Each
FCC-05058 5/16"	58'	\$67.34
FCC-06054 3/8"	54'	77.27
FCC-06058 3/8"	58'	83.00

Dealer Schedule: 10 Assorted Cables 152
Less Than 10 Cables 102


Cable Clamps Malleable Wire Rope Clips



Standard galvanized. Resistant to corrosion. The threads are clean and the nut will spin on. U-bolt has extra long threads, clean cuts, rounded ends. Perfect fitting nuts, easily started.

No.	Size	Per C	No.	Size	Per C
86090 1/8	\$49.75	86690 1/2	\$149.95
86190 3/16	54.29	86890 5/8	189.26
86290 1/4	71.60	86900 3/4	270.31
86390 5/16	79.56	86910 7/8	393.66
86490 3/8	103.42	86920 1	499.00
86590 7/16	133.34			

Dealer Schedule.....203




Galvanized Aircraft Cable

(Minimum 25' Lengths)




No.	Size	Wire	Strength	Per C/Ft.
GAC-02 1/8"	7x19	2100 lbs.	\$24.68
GAC-03 3/16"	7x19	4700 lbs.	38.92
GAC-04 1/4"	7x19	8200 lbs.	57.26
GAC-05 5/16"	7x19	12500 lbs.	73.14
GAC-06 3/8"	7x19	18000 lbs.	111.30

Dealer Schedule: 500 ft. Lengths 13/133
250 to 499 ft. Lengths 192
25 to 249 ft. Lengths 202



Farm Cable (Fiber Core)


(6x19 wire)



Approx. Wt.		Breaking		
No.	Size	Per C/Ft.	Strength	Per C/Ft.
FC-04 1/4"	10 lbs.	5480 lbs.	\$83.08
FC-05 5/16"	16 lbs.	8520 lbs.	116.10
FC-06 3/8"	23 lbs.	12200 lbs.	143.10
FC-07 7/16"	32 lbs.	16540 lbs.	162.10
FC-08 1/2"	42 lbs.	21400 lbs.	184.40

Dealer Schedule: 500 ft. Spool 253
250 ft. Spool 103
1 to 249 ft. (No Spool) 151

Centralized With Central!

"Quick Links"

For easy assembly or repair of chain, links open and close in a jiffy. Zinc plated to resist corrosion. No tools required. Also great for repairing tire chains.

Note—Use only with chain of equal or lower working load limit. Quick Links are not heat treated.

No.	Chain Size	Working Load Limit	Ctn. Qty.	Per C
81901	1/8"	220 lbs.	20	\$86.00
81001	3/16"	615 lbs.	20	103.87
81101	1/4"	880 lbs.	20	123.76
81201	5/16"	1540 lbs.	20	203.32
81301	3/8"	1980 lbs.	10	265.20
81501	1/2"	3300 lbs.	10	553.00

Dealer Schedule: Full Ctn. 203
Broken Ctn. 102

Clevis-Pin Type Grab & Slip Hooks

Drop Forged---Heat Treated

ZINC PLATED

GRAB HOOKS

No.	Size	Working Load Limit	Each
M804L	1/4" Grab Hook	2600 lbs.	\$5.00
M805L	5/16" Grab Hook	4000 lbs.	6.65
M806L	3/8" Grab Hook	5400 lbs.	8.45
M807L	7/16" Grab Hook	7200 lbs.	13.05
M808L	1/2" Grab Hook	9200 lbs.	17.60
M810L	5/8" Grab Hook	11500 lbs.	51.00
M812L	3/4" Grab Hook	16200 lbs.	57.50

SLIP HOOK

M904L	1/4" Slip Hook	2600 lbs.	5.60
M905L	5/16" Slip Hook	4000 lbs.	6.85
M906L	3/8" Slip Hook	5400 lbs.	8.75
M907L	7/16" Slip Hook	7200 lbs.	16.70
M908L	1/2" Slip Hook	9200 lbs.	18.30
M910L	5/8" Slip Hook	11500 lbs.	51.40


Dealer Schedule.....33/133

Weld-On Grab Hooks

Grade 43 Forged Steel

No.	Size	Each
322-259	5/16"	\$7.90
322-260	3/8"	12.30
322-261	1/2"	18.80

Dealer Schedule.....33/133

**Missing Links**

Drop Forged---Heat Treated
All Sizes Have Rivet Holes Countersunk
Packed 10 Of A Size Per Package

ZINC PLATED

No.	Size	Dim. Overall	Load Limit	Each
82191	1/4	1-1/2 x 1	1400 lbs.	\$5.95
82291	5/16	1-11/16 x 1-5/32	2000 lbs.	6.53
82391	3/8	2-1/16 x 1-3/8	2800 lbs.	6.90
82591	1/2	2-21/32 x 1-23/32	4750 lbs.	10.72

Dealer Schedule: Package Of 10 33/133
Broken Box 102

Forged Mild Steel Cold Shuts

Made from the best grade soft steel and of the standard pattern. Furnished with plain ends.


No.	Description	Load Limit	Per C
51190	1/4" Cold Shut	800 lbs.	\$86.70
51290	5/16" Cold Shut	1300 lbs.	99.50
51390	3/8" Cold Shut	1900 lbs.	146.00
51490	7/16" Cold Shut	2100 lbs.	260.00
51590	1/2" Cold Shut	2650 lbs.	285.00

Dealer Schedule: Package Of 10 33/133
Broken Package 102

**LAP REPAIR LINKS**

No.	Diam.	Lgth.	Load Limit	Per C
84090	3/16	1	225 lbs.	\$64.31
84290	1/4	1-1/4	400 lbs.	90.04
84590	5/16	1-1/2	675 lbs.	124.30
84790	3/8	1-5/8	1050 lbs.	195.10
84990	1/2	2-1/2	1525 lbs.	481.00

Dealer Schedule: Pkg. of 10 ea. 152
Broken Pkg. 151

**MID-LINKS**


For Repairing Or Joining Log Chains

No.	Chain Size	Each
M605	1/4" or 5/16"	\$7.00
M606	3/8"	8.21
M608	7/16" or 1/2"	16.81
M610	5/8"	27.00

Dealer Schedule.....33/133

PROOF COIL CHAIN

Zinc Plated



NOT TO BE USED FOR OVERHEAD LIFTING

Working Load Limit

3/16"	800 lbs.	1/4"	1300 lbs.
5/16"	1900 lbs.	3/8"	2650 lbs.


In Pails (No Broken Pails)

Order No.	Size	Description	Per Pail
2116-403-04	3/16"	175' Pail, Wt. 68 lbs.	\$213.80
671421	1/4"	100' Pail, Wt. 63 lbs.	182.50
671422	5/16"	70' Pail, Wt. 66 lbs.	160.15
671423	3/8"	45' Pail, Wt. 63 lbs.	145.50

Dealer Schedule.....152

HIGH TEST CHAIN

Bright Finish - Heat Treated



NOT TO BE USED FOR OVERHEAD LIFTING

Trade Size	Wire Diameter	Inside Dimensions	Load Limit	Wt./ 100 Ft.	Ft./ Drum
Inches	Inches	Inches	Lbs.*	Lbs.*	
1/4	9/32	.82	.39	2600	75
5/16	11/32	1.01	.48	3900	111
3/8	13/32	1.15	.56	5400	157
1/2	17/32	1.50	.81	9200	278

No.	Size	Description	Per C/Ft.
HT-04	1/4 in.	High Test Chain	\$188.76
HT-05	5/16 in.	High Test Chain	257.30
HT-06	3/8 in.	High Test Chain	378.62
HT-08	1/2 in.	High Test Chain	539.70

Dealer Schedule.....203

**Twist Lock
Clevis Grab Hook
Grade 80 - Zinc Plated**


Easy to install, easy to use.

Most secure latch on the market.

Prevents inadvertent re-hooking.

Prevents accidental release of chain from hook connection.

Working

No.	Size	Load Limit	Each
G8-200-04	1/4" Twist Lock Hook	3500 lbs.	\$19.73
G8-200-05	5/16" Twist Lock Hook	4500 lbs.	23.03
G8-200-06	3/8" Twist Lock Hook	7100 lbs.	25.93
G8-200-08	1/2" Twist Lock Hook	12000 lbs.	34.91
G8-200-10	5/8" Twist Lock Hook	18100 lbs.	53.26

Dealer Schedule.....203

NEW PRICES AS OF 1/25/2019

G-7 Coil Chain

The New G-7 Transport Chain is smaller and lighter than the regular proof coil chain. It is primarily used in the trucking logging and construction industries. Other applications are towing, tiedowns, load binding and farm uses. Especially desirable where a high strength-to weight ratio is required.

G-7 meets Department of Transportation specifications.

NOT TO BE USED FOR OVERHEAD LIFTING

Trade Size	Wire Diameter	Inside Dimensions	Load Limit	Wt./ 100 Ft.	Ft./ Fibre Drum
Inches	Inches	Inches	Inches	Lbs.*	
1/4	9/32	.82	.39	3100	75
5/16	11/32	1.01	.48	4700	111
3/8	13/32	1.15	.56	6600	157
1/2	17/32	1.43	.72	11300	273

No.	Size	Description	Per C/Ft.
G7-04	1/4 in.	G7 Coil Chain	\$385.40
G7-05	5/16 in.	G7 Coil Chain	391.55
G7-06	3/8 In.	G7 Coil Chain	500.20
G7-08	1/2 In.	G7 Coil Chain	1228.00

Dealer Schedule.....203

NOTE---Not Available On Reels



Slip Hook

**G-7 Transport Grade
Grab & Slip Hooks**

USE WITH G-7 COIL CHAIN
NOT TO BE USED ON
OVERHEAD LIFTING



Grab Hook


Order No.	Description	Working Load	Price
M804A	Grab Hook 1/4" G7	4350 lbs.	\$11.05
M805T	Grab Hook 5/16" G7	5375 lbs.	8.95
M806T	Grab Hook 3/8" G7	6600 lbs.	11.70
M808A	Grab Hook 1/2" G7	11250 lbs.	29.45
3570-025-05	Slip Hook 1/4" G7	3150 lbs.	7.15
3570-035-05	Slip Hook 5/16" G7	4500 lbs.	9.30
3570-045-05	Slip Hook 3/8" G7	6600 lbs.	11.90
3570-065-05	Slip Hook 1/2" G7	11300 lbs.	30.90

Replacement Latch Kits for G7 Slip Hooks

3590-411-05	Latch Kit f/ 1/4" G7 Slip Hook	60
3590-511-05	Latch Kit f/ 5/16" G7 Slip Hook	1.02
3590-611-05	Latch Kit f/ 3/8" G7 Slip Hook	1.25
3590-711-05	Latch Kit f/ 1/2" G7 Slip Hook	1.45

Dealer Schedule.....33/133

Log Chains



HEAT TREATED LOG CHAIN

Clevis Grab Hooks Attached---Working Load 5400 lbs.

No.	Price
52334-23 3/8" x 14' Log Chain	\$59.95
52314-23 3/8" x 20' Log Chain	79.95

G-7 LOG CHAIN


Clevis Grab Hooks Attached---Working Load 6600 lbs.

52620-53 3/8" x 14' G-7 Log Chain	78.50
52621-53 3/8" x 16' G-7 Log Chain	92.91
52623-53 3/8" x 20' G-7 Log Chain	96.31

Dealer Schedule:	3 Or More	152
	Less Than 3	102

Note---Chains May Be Assorted For Quantity Discount.

Central CHAIN TIGHTENER



A small compact tool, 11-1/2" long, weighs less than two pounds, but with a leverage of over 700 pounds and a stress load of 2000 lbs.

No.	Description	Price
CT2000	Central Tightener	\$17.60

Dealer Schedule.....152

Ratchet Load Binders

ALLOY HOOKS
USE WITH G-7 COIL CHAIN



Working


Load

Price

Order No.	Description	Working Load	Price
8592-236-14 ...	5/16" G7 & 3/8" HT Chain ...	5400#.....	\$76.70
8592-238-14 ...	3/8" G7 & 1/2" HT Chain	9200#.....	87.90

Dealer Schedule.....203

Swivel Load Binders



(For Proof Coil & High Test Chain)

Free turning 360° swivels on both hooks for easier handling and better utility. Front tongue for greater take-up. Special handle angle prevents finger trap. Drop forged, short reach hooks for maximum take-up. Solid slot prevents handle spreading. Tie down hole in handle can be locked and/or tied down for security and safety. Locks on ears prevent clevis from spreading.

No.	Description	Chain Size	Price
48314	For P.C. & H.T. Chain	3/16" or 1/4"	\$40.82
48315	For P.C. & H.T. Chain	5/16" or 3/8"	65.00
48316	For Proof Coil Chain Only	1/2"	81.52

Dealer Schedule.....203

G-7 Load Binders



ALLOY HOOKS - USE WITH G-7 COIL CHAIN

Unique design requires a smaller slot in handle for more rigidity and ultimate strength.

Handle closes down away from the load for more leverage in binding and releasing without extra tools.

Handles are special bar quality heat-treated steel.

No.	Description	Working Load	Price
48311	For 5/16" G7 & 3/8" HT Chain	5400.....	\$66.76
48306	For 3/8" G7 & 1/2" HT Chain	9200.....	101.41

Dealer Schedule.....203

**Fax Toll-Free
1-800-342-7252**

Chain Repair Tool



Does the work of hammer and punch in less than half the time. Does not damage side plates of the chain.

KAN-AM Hyd. Roller Chain Breaker Parts


No.	Description	Net
Pins For CB-4 Chain Breaker		
CB-01-103	1/8"x2-3/4" Pin for 35, 40, 41, 2040	\$7.54
CB-01-104	3/16"x2-7/8" Pin for 50, 2050	7.77
CB-01-108	1/4"x2-3/4" Pin for 80, 2080	9.30
CB-01-109	1/4"x2-7/8" Pin for 80, 2080	9.30
CB-01-111	5/16"x2-7/8" Pin for 100	10.23

Parts Only For Older KAN-AM Chain Breakers

Pins For CB-1 & CB-3 Chain Breaker (Long Style)	Net
CB-01-017 ... Pin, 1/8" for 35, 40, 41, 2040	\$6.80
CB-01-023 ... Pin, 5/16" for 100	10.23
Pins For CB-3 Chain Breaker (Short Style)	
CB-01-016 ... Pin, 1/8" for 35, 40, 41, 2040	6.80
CB-01-020 ... Pin, 1/4" for 80, 2080	9.30
CB-01-022 ... Pin, 5/16" for 100	10.23

ROLLER CHAIN HOLDER

For 35 Thru 60 Chain



Allows chain to be pulled or released without dropping in the dirt or readjusting sprockets when removing or inserting master links.

For a broken chain, first remove broken link plate with a roller chain breaker. Hold the chain in position with holder. Pry out the broken link and insert new master or replacement link.


No.	Price
CH-1	\$10.90

Dealer Schedule.....152

No.	Price
PE-113	#1 Roller Chain Tool (25 to 100 Chain) \$26.77
PE-135	#2 Roller Chain Tool (101 to 160 Chain) 47.44
PE-160	#3 Roller Chain Tool (120 to 160 Chain) 187.62
Replacement Parts	
PE-113-103	Replacement Screw with Handle & Tip for No. 1 Chain Tool 7.98
PE-135-103	Replacement Screw with Tip, Less Handle for No. 2 Chain Tool 14.22
PE-113-108	Tip for No. 1 Chain Tool 2.27
PE-135-108	Tip for No. 2 Chain Tool 2.63
PE-160-108	Tip for No. 3 Chain Tool 5.74
PE-135-110	Handle Only for No. 2 Tool 3.50
Dealer Schedule: 1 to 2 Tools 152 3 Or More Tools 203 Replacement Parts 152	

S/V Chain Detacher

For Standard Riveted Roller Chain



A compact heavy duty tool with ductile body. Long hardened steel punch pushes the pin all the way out while the clamping sleeve assures perfect alignment. Makes repairs quickly to roller chain on farm machinery and industrial equipment without damaging adjacent links.

No.	List
A-8050	Fits 50, 60, 80, 60H, 80H Chain \$82.60
B-5035	Fits 35, 40, 41, 50 Chain 72.28

PARTS FOR A -8050

A-8053	Punch	11.36
A-8054	Sleeve	11.45
A-8008	Screw	11.00

PARTS FOR B-5035

B-5038	Punch	12.08
B-5039	Sleeve	8.70
A-4053	Screw	8.67

Dealer Schedule: Tools 203
Parts 152


Call: 1-800-444-8666



USA CHAIN



SINGLE STRAND ROLLER CHAIN




Chain No.	Pitch	Roller Width	Weight Per Ft. Lbs.	Chain Price Per Ft.	Connecting Links Each	Roller Links Each	Offset Links Each	Spring Clips Per C	Bolt & Cotter f/Offset Links Per C	Cotter Keys Per C	Cotter Hook Each
035	3/8"	3/16"	.23	\$8.22	1.7386	\$3.00	\$56.00	\$ N.A.	\$ N.A.	\$ N.A.
041	1/2"	1/4"	.20	7.58	1.7196	5.46	34.00	221.00	N.A.	N.A.
040	1/2"	5/16"	.43	6.53	1.77	1.09	4.01	40.00	N.A.	12.00	N.A.
050	5/8"	3/8"	.72	8.10	2.04	1.21	3.79	56.00	N.A.	12.00	N.A.
060	3/4"	1/2"	1.00	10.18	2.36	1.60	4.78	67.00	372.00	12.00	N.A.
080	1"	5/8"	1.68	20.17	**4.75	4.99	10.98	72.00	N.A.	N.A.	2.39
100	1-1/4"	3/4"	2.62	35.60	7.45	9.84	16.98	N.A.	475.00	N.A.	2.52
120	1-1/2"	1"	3.75	49.85	8.98	14.39	25.37	N.A.	N.A.	N.A.	2.54
140*	1-3/4"	1"	5.00	68.52	13.34	20.22	28.08	N.A.	N.A.	N.A.	2.60
160	2"	1-1/4"	6.55	83.90	18.90	27.42	36.05	N.A.	N.A.	N.A.	2.95

*NOTE—#140 Chain has 10 ft. 2-1/2 inches in a roll.

HEAVY SINGLE STRAND ROLLER CHAIN

060H	3/4"	1/2"	1.14	13.76	4.60	2.36	6.51	N.A.	665.00	N.A.	N.A.
080H	1"	5/8"	1.93	28.04	6.68	7.60	14.28	N.A.	N.A.	N.A.	N.A.
100H	1-1/4"	3/4"	3.06	44.25	9.07	16.49	20.11	N.A.	695.00	N.A.	N.A.
120H	1-1/2"	1"	4.30	56.97	12.46	N.A.	27.32	N.A.	N.A.	N.A.	N.A.
140H	1-3/4"	1"	5.54	88.19	18.23	N.A.	40.06	N.A.	N.A.	N.A.	N.A.

DOUBLE STRAND ROLLER CHAIN



040-2	1/2"	5/16"	.84	20.33	3.09	N.A.	8.37	N.A.	N.A.	N.A.	N.A.
050-2	5/8"	3/8"	1.40	22.74	3.50	N.A.	9.97	N.A.	N.A.	N.A.	N.A.
060-2	3/4"	1/2"	1.96	33.29	5.13	N.A.	11.13	N.A.	450.00	N.A.	N.A.
060H-2	3/4"	1/2"	2.50	45.28	8.06	N.A.	16.89	N.A.	N.A.	N.A.	N.A.
080-2	1"	5/8"	3.25	61.29	8.50	N.A.	23.90	N.A.	N.A.	N.A.	N.A.
100-2	1-1/4"	3/4"	5.10	97.85	13.38	N.A.	36.65	N.A.	N.A.	N.A.	N.A.

EXTENDED PITCH ROLLER CHAIN





Figure 8 Side Plates



A2040

1" 5/16" 30 8.81 2.04 1.05 3.77 53.00

A2050 ... 1-1/4" 3/8" 45 6.51 2.96 1.36 4.40 53.00

A2060 ... 1-1/2" 1/2" 68 14.68 3.09 4.65 5.74 98.00

A2040

1" 5/16" 38 11.30 **2.39 1.08 6.79

C2050 ... 1-1/4" 3/8" 59 16.60 **2.78 1.46 4.78

C2060H 1-1/2" 1/2" 1.05 16.74 **5.94 N.A. 5.79

**Specify Spring Clip or Cotter Pin Connecting Links


Dealer Schedule.....152

- • • • • • • • • • • • • • •
- Order Numbers
- RCA-(Chain No)-(Suffix)
- Examples:
- RCA-060-010 = #60 in 10' Roll
- RCA-060-C = #60 Conn. Link
- RCA-100-2-O = #100-2 Off. Link
- • • • • • • • • • • • • • •

DRIVES USA Chain

Available in the Following Lengths

Chain	10'	50'	100'	Chain	10'	50'	100'	Chain	10'	50'	100'	Chain	10'	50'	100'
Roll	Roll	Roll	Chain	Roll	Roll	Roll	Chain	Roll	Roll	Roll	Chain	Roll	Roll	Roll	
35	X.....	X.....	N.A.	120	X.....	N.A.	N.A.	140H	X.....	N.A.	N.A.	A2040	X.....	X.....	X
41	X.....	X.....	X	140	10' 2-1/2"	...N.A.	N.A.	40-2	X.....	X.....	X	A2050	X.....	X.....	X
40	X.....	X.....	X	160	X.....	N.A.	N.A.	50-2	X.....	X.....	N.A.	A2060	X.....	X.....	N.A.
50	X.....	X.....	X	60H	X.....	X	X	60-2	X.....	X.....	N.A.	C2040	X.....	X.....	N.A.
60	X.....	X.....	X	80H	X.....	X	N.A.	60H-2	X.....	X	N.A.	C2050	X.....	N.A.	N.A.
80	X.....	X.....	N.A.	100H	X.....	X	N.A.	80-2	X.....	N.A.	N.A.	C2060H	X.....	N.A.	N.A.
100	X.....	X.....	N.A.	120H	X.....	X	N.A.	100-2	X.....	N.A.	N.A.				

**SINGLE STRAND ROLLER CHAIN**

Chain No.	Pitch	Width	Weight Per Ft.	Chain Lbs.	Conn. Per Ft.	Price Each	Links Each	Offset Each
035	3/8"	3/16"	.22	.22	\$.315	\$.65	\$1.20
043 (65)	1/2"	1/8"	.20	.20	1.33	.61	1.44
041	1/2"	1/4"	.28	.28	2.69	.86	1.64
040	1/2"	5/16"	.41	.41	3.19	.86	1.64
050	5/8"	3/8"	.68	.68	4.94	1.05	2.06
060	3/4"	1/2"	.96	.96	5.82	1.20	2.58
080	1"	5/8"	1.70	1.70	11.53	2.58	5.21
100	1-1/4"	3/4"	2.70	2.70	19.49	4.98	10.10
120	1-1/2"	1"	4.00	4.00	28.09	5.46	10.97
140	1-3/4"	1"	4.90	4.90	32.55	7.72	15.65
160	2"	1-1/4"	6.85	6.85	33.29	12.02	24.15
180	2-1/4"	1.40"	9.10	9.10	57.27		

NOTE—#140 Chain has 10 ft. 2-1/2 inches in a roll.

HEAVY ROLLER CHAIN

050H	5/8"	3/8"	.77	.77	6.85	2.06	3.15
060H	3/4"	1/2"	1.14	1.14	8.13	1.76	3.32
080H	1"	5/8"	1.93	1.93	15.81	3.28	6.45
100H	1-1/4"	3/4"	3.06	3.06	24.51	6.36	15.86

DOUBLE STRAND ROLLER CHAIN

040-2	1/2"	5/16"	.82	.82	7.35	1.64	3.13
050-2	5/8"	3/8"	1.38	1.38	10.82	2.06	4.14
060-2	3/4"	1/2"	1.86	1.86	12.43	2.58	5.21
080-2	1"	5/8"	3.30	3.30	25.31	5.21	10.44
100-2	1-1/4"	3/4"	5.20	5.20	39.27	10.10	20.27

EXTENDED PITCH ROLLER CHAIN**Figure 8 Side Plates**

A2040	1"	5/16"	.30	.30	3.02	1.13	2.33
A2050	1-1/4"	3/8"	.45	.45	4.01	1.64	3.13
A2060	1-1/2"	1/2"	.68	.68	4.96	1.87	3.68

Straight Side Plates

C2040	1"	5/16"	.38	.38	2.29	.87	1.71
C2050	1-1/4"	3/8"	.59	.59	3.89	1.39	2.34
C2060H	1-1/2"	1/2"	1.05	1.05	4.71	1.79	4.05
C2062H	1-1/2"	1/2"	1.42	1.42	8.09	1.79	4.05
C2080H	2"	5/8"	1.56	1.56	8.30	4.50	8.89
C2082H	2"	5/8"	2.31	2.31	14.02	4.50	10.50

STAINLESS STEEL ROLLER CHAIN (10' rolls only)

SS-040	1/2"	5/16"	.42	.42	11.32	1.37	2.59
SS-050	5/8"	3/8"	.70	.70	18.08	2.10	3.57
SS-060	3/4"	1/2"	1.01	1.01	26.51	2.89	4.89
SS-A2050	1-1/4"	3/8"	.47	.47	16.85	4.10	5.93


Dealer Schedule: 10' to 99'.....152 100' or More.....152 & 150

Links & Parts.....152

- Order Numbers = IRC-(Chain No)-(Suffix)
- Examples: IRC-043-100 = #43 in 100' Roll
- IRC-C2080H-C = #C2080H Conn. Link
- IRCSS-060-O = #60 S.S. Offset Link

Steel Chain Detacher

For separating all sizes of Detachable Steel Chain and steel attachment links.



No.	Description	Each
CD-415	Steel Chain Detacher	\$24.50

Dealer Schedule.....203

IMPORTED ROLLER CHAIN

MEETS ANSI STANDARDS

Imported Roller Chain

Available In The Following Lengths

Chain	10'	50'	100'	10'	50'	100'
Roll	Roll	Roll	Chain	Roll	Roll	Roll
35	X	N.A.	X	40-2	X	N.A.
43 (65)	X	N.A.	X	50-2	X	N.A.
41	X	N.A.	X	60-2	X	N.A.
40	X	N.A.	X	80-2	X	N.A.
50	X	N.A.	X	100-2	X	N.A.
60	X	N.A.	A2040	X	X	X
80	X	N.A.	A250	X	N.A.	X
100	X	N.A.	A260	X	N.A.	X
120	X	N.A.	C2040	X	N.A.	X
140	10' 2-1/2"	N.A.	C2050	X	N.A.	N.A.
160	X	N.A.	C2060H	X	N.A.	N.A.
50H	X	N.A.	C2062H	X	N.A.	N.A.
60H	X	N.A.	C2080H	X	N.A.	N.A.
80H	X	N.A.	C2082H	X	N.A.	N.A.
100H	X	N.A.	N.A.	N.A.	N.A.	N.A.

*Stainless Steel in 10' rolls only!***Sprayon****Open Chain Lubricant**

Excellent for chain drive equipment. Penetrates, protects and provides a cleansing action. Moly additive enables moisture displacement. May be used as a protective coating for metal parts while in storage. Withstands extreme temperatures. Increases chain life up to 3 times longer when applied on a regular basis. 12 Per Case.

No.	Each
00202	Open Chain Lubricant, 12 oz. \$9.90

Sprayon**Dry Moly Chain Lube**


Dry Moly Lube is a high solids, molybdenum disulfide coating that withstands high pressures. This product bonds to all clean surfaces that are not adversely affected by alcohol or aromatic hydrocarbons, such as toluene or xylene.

NSF reg. no. 131583; H2 rated - Penetrates pores of substrate and bonds to surface for long-lasting lubrication - High-pressure, high-solids molybdenum disulfide coating - Withstands pressures up to 50,000 psi - Air dries in 5-10 minutes; cures in 2 hours at room temperature - Maintains effectiveness under high temperatures (650°F constant and 750°F intermittent) - Non-conductive - Equipped with EZ TOUCH® Standard Nozzle - Coefficient of friction is .23 per ASTM D4518 - Works as a boundary lube at cold as -200°F

Recommended Uses: Assembly and run-in lubrication, automotive and industrial gaskets, sliding surfaces and gears, chutes and bins, bearings, chain drives, intricate mechanisms, vending machines, parking meters, roller chains and conveyor belts where heat is present.

No.	Description	Each
00200	Dry Moly Chain Lube, 10 oz. \$12.10	


Dealer Schedule: Full Case of 12 253
Broken Case 102



NEW PRICES AS OF 3/1/2019

DETACHABLE STEEL CHAIN

Sold In 10' Rolls Only



No.	Chain	M	P	T	In 10'	Per Ft.
DC-25	25	.45/64	.904	.073	133	\$4.35
DC-32	32	.15/16	1.157	.090	104	4.78
DC-32W	32W	1-1/16	1.157	.095	104	4.88
DC-33*	33	1-15/16"	1.402	.095	86	4.66
DC-42	42	1-7/32	1.375	.105	87	4.87
DC-50H	50H	1-9/32	1.375	.125	87	5.77
DC-51	51	1-3/32	1.133	.100	106	5.83
DC-52	52	1-13/32	1.508	.120	80	5.30
DC-55	55	1-9/32	1.630	.125	74	5.18
DC-62	62	1-9/16	1.654	.148	73	7.28
DC-62A	62A	1-15/16	1.664	.170	72	13.10
DC-62H	62H	1-7/8	1.654	.155	73	8.92
DC-67H	67H	1-7/8	2.313	.185	52	9.89
DC-67XH	67XH	1-7/8	2.313	.200	52	12.61
DC-72	72	1-15/16	2.025	.170	59	11.46
DC-S	S	1-15/16	2.906	.170	41	10.80

*WILL NOT replace 33/34 Endgate Seeder Chain

Dealer Schedule.....152

STEEL ATTACHMENT LINKSA1 - Right & Left
Left Link Shown AboveA2 - Right & Left
Left Link Shown AboveAS - Right & Left
Left Link Shown Above

C1

G27 - Right & Left - has 1 hole
Left Link Shown Above

COUPLER



HB4



K1




SD

Sold Individually

Order No.	Each	Order No.	Each
DCL-55-A1R	\$1.41	DCL-62-C1	\$2.41
DCL-55-A1L	1.41	DCL-62-G27R	2.90
DCL-55-C1	1.97	DCL-62-G27L	2.90
DCL-55-G27R	2.00	DCL-62-HB4	4.50
DCL-55-G27L	2.00	DCL-62-K1	3.00
DCL-55-HB4	2.90	DCL-62-SD	3.00
DCL-55-K1	2.90	DCL-62 Coupler	9.75
DCL-55-SD	2.16	DCL-67H-ASR	3.86
DCL-55 Coupler	8.50	DCL-67H-ASL	3.86
DCL-62-A1R	2.20	DCL-67XH-ASR	4.60
DCL-62-A1L	2.20	DCL-67XH-ASL	4.60
DCL-62-A2R	3.70	DCL-SBR	4.70
DCL-62-A2L	3.70	DCL-SBL	4.70

Dealer Schedule.....152

IMPLEMENT ROLLER CHAIN

Replacement for No. 55 and No. 62 Detachable Steel Chain.

Roller Drive Chain—Relieved Side Bars.

Order No.	Size	P	W	Per Roll	Per Ft.	Wt.
RC-A550	A550	1.630	.797	11#	\$18.36	
RC-A620	A620	1.654	.984	13.8#	22.25	

Roller Conveyor Chain—Straight Side Bars.

RC-CA550	CA550	1.630	.797	13#	18.36
RC-CA551X	CA551X	1.630	.797	24.3#	42.80
RC-CA555	CA555	1.630	.500	10.3#	18.36
RC-CA557	CA557	1.630	.797	17.3#	19.01
RC-CA620	CA620	1.654	.984	15.7#	22.25

Above Sold In 10' Rolls Only.

Order No.	Description	Each
RC-A550-C	A550 Connecting Link	\$4.40
RC-A620-C	A620 Connecting Link	5.05
RC-CA550-C	CA550 C/P Connecting Link	4.40
RC-CA550-C-SC	CA550 S/C Connecting Link	4.40
RC-CA551X-C	CA551X C/P Connection Link	7.86
RC-CA555-C	CA555 Connecting Link	4.40
RC-CA557-C	CA557 C/P Connecting Link	5.92
RC-CA620-C	CA620 Connecting Link	5.05
RC-A550-R	A550 Roller Link	4.81
RC-A620-R	A620 Roller Link	5.15
RC-CA550-R	CA550 Roller Link	5.15
RC-CA555-R	CA555 Roller Link	4.22
RC-CA620-R	CA620 Roller Link	5.15
RC-A550-O	A550 Offset Link	4.81
RC-A620-O	A620 Offset Link	7.75
RC-CA550-O	CA550 Offset Link	4.81
RC-CA551X-O	CA551X Offset Link	8.20
RC-CA555-O	CA555 Offset Link	5.37
RC-CA557-O	CA557 Offset Link	6.00
RC-CA620-O	CA620 Offset Link	7.75

Order No.	Description	Each
RC-A550-PC	Pin & Cotter for 550 Offset Links	\$2.75
RC-CA555-PC	Pin & Cotter for CA555 Offset Links	2.75
RC-A620-PC	Pin & Cotter for 620 Offset Links	2.85

Dealer Schedule.....152

FLATHEAD RIVETS FOR ATTACHMENT LINKS
(Sold Only In Packages Of 50 Each)

Order No.	Size	Chain Series	Per C
RVF-0250-0500	1/4" x 1/2"	55, 62, 662	\$22.79
RVF-0312-0750	5/16" x 3/4"	67H, 67X, 667H, 667X	39.40

Dealer Schedule.....152



NEW HOLLAND ROUND BALER CHAINS

FLOOR CHAINS

Order Number	Reference Number	New Holland Number	Description	Wt.	Price Each
C5881	NH846/7F	714619	CA550-61-C5E-1521	\$182.80
C4220	NH845/46/47RS	Repair Section	CA550-3-C5E-108	9.90
C4221	NH851/2F	Repair Section	CA550-3-C5EB-1	1	10.95

All floor chains are individually boxed and labeled. Hot dip lubrication. Chains include one cottered connector link for assembly.
Note—C5EB indicates wear bar.

UPPER CHAIN REPAIR SECTIONS

Order Number	Reference Number	New Holland Number	Description	Wt.	Price Each
E4101	NH851/52RS	639219	CA557-3-U16-1	1.3	\$30.70

NOTE---Bolts NOT Furnished Outside Hole Use 5/16" x 1-1/2" Grade 5 Center Holes Use 3/8" x 1-1/2" Grade 5



FEED WAGON LIFT CHAINS

For Blair Mfg. (Kelly-Ryan) Wagons.

9' 8" Long Chains, Attachments every 6th link spaced 9-5/8" C to C

Sold In Pairs Only

#C4126
Shown

No.	Description	Wt.	Per Pair
C5729	Each chain consists of 71-CA550 and 12-G50A links	30	\$518.40

3-LINK ATTACHMENT REPLACEMENTS

No.	Description	Each
C4127	Consists of 3-CA550 and 1-G50AL links	\$16.35
C4126	Consists of 3-CA550 and 1-G50AR links	16.35

No.	Description	Chain Type	Each
KR551XG50R	Attachment Link RH	CA551X-G50 RH	\$13.00
KR551XG50L	Attachment Link LH	CA551X-G50 LH	13.00


QUICK-TACH CHAIN LINKS

Chain No.	P Pitch	D Inside Width	W Outside Width	T Thickness	Approx. Links in 10'	Wt. Per C	Ave. Ultimate Strength	Max. Working Load
AL67-T	2.550"	1.125"	2.000"	0.312"	47	42 lbs.	16,000 lbs.	2,285 lbs.
AL88-T	2.773"	1.093"	2.000"	0.312"	43	53 lbs.	16,000 lbs.	2,285 lbs.
AL67-T-ROD	2.388"	1.125"	2.500"	0.437"	50	40 lbs.	16,000 lbs.	2,285 lbs.

No.	Desc.	Per Link
AL67-T	T Bar Link	\$3.25
AL88-T	T Bar Link	5.10
AL67-T-ROD	T Rod Link	3.10

DEALER SCHEDULE THIS PAGE.....152

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.





Call Toll Free: 1-800-444-8666

#67H & 67XH

SPREADER CONVEYOR CHAIN ASSEMBLIES

#662, 667H & 667X



Available in No. 67H & 67XH steel detachable chain and in No. 662, 667H & 667X steel pintle chain.
Save - Using original slats and replacing worn out chain only.

FULL ASSEMBLY: Full assembly consists of a matched pair of 20 foot chains with attachment spaced every seventh pitch.

#CC-1000 consists of 126 plain links and 21 "AS" attachment links per chain. All other numbers consist of 90 plain links, 15 "AS" attachment links per chain.

ADD ON SECTION: Add on sections and loose links allow assembly to be altered to exact O.E.M. length.

#CC-2000 consists of a pair of 1' sections with 6 plain links and 1 "AS" attachment. All other other numbers consists of a pair of 1'3" sections consisting with 6 plain links and 1 "AS" attachment.

LOOSE LINKS & PINS

(For Pintle Chain Links See Next Section Below)

ASSEMBLIES


Sold In Matched Pairs Only

Order No.	Description	Wt.	Per Pair
CC-1000	662 Spreader Chain Ass'y	47.0	\$686.80
CC-1001	67H Spreader Chain Ass'y	58.8	488.34
CC-1002	67XH Spreader Chain Ass'y	63.2	570.00
CC-1003	667H Spreader Chain Ass'y	55.0	619.10
CC-1004	667X Spreader Chain Ass'y	85.0	843.40
CC-2000	662 Add On Section	1.8	32.70
CC-2001	67H Add On Section	3.8	34.80
CC-2002	67XH Add On Section	4.2	36.90
CC-2003	667H Add On Section	3.4	36.70
CC-2004	667X Add On Section	4.4	53.00

Dealer Schedule.....152

Order No.	Description	Each
DCL-67H-ASL	Left Attachment Link	\$3.86
DCL-67H-ASR	Right Attachment Link	3.86
DCL-67XH-ASL	Left Attachment Link	4.60
DCL-67XH-ASR	Right Attachment Link	4.60
AL662-PC	Pin and Cotter (Serrated)	3.10
AL662-PC-TD	Tear Drop Pin & Cotter	3.10
AL667H-PC	Pin and Cotter (Serrated)	4.20
AL667H-PC-TD	Tear Drop Pin & Cotter	4.20
AL667X-PC	Pin and Cotter (Serrated)	5.06
AL667X-PC-TD	Tear Drop Pin & Cotter	5.06
AL667K-PC	Pin and Cotter (Serrated)	5.00
AL667K-PC-TD	Tear Drop Pin & Cotter	5.00
AL667XH-PC	Pin and Cotter (Serrated)	5.16
AL667XH-PC-TD	Tear Drop Pin & Cotter	5.16
AL88XH-PC	Pin and Cotter (Serrated)	5.67
AL88XH-PC-TD	Tear Drop Pin & Cotter	5.67

STEEL PINTLE CHAIN



PINTLE CHAIN SPECIFICATIONS TABLE

Chain No.	P Pitch	D Pin Dia.	Overall Width	C Inside Width	H Height	T Thickness	Approx. Lks. Per 10 ft.	Min. Ave. Strength
AL662	1.664"	.281"	1-5/8"	29/32"	.720"	.125"	72	8,500 lbs.
AL667H	2.313"	.312"	1-47/64"	1"	.875"	.125"	52	9,500 lbs.
AL667X	2.250"	.437"	1.61/64"	1-1/16"	.937"	.170"	53	15,000 lbs.
AL667K	2.250"	.437"	2.1/8"	1.078"	1.062"	.200"	53	20,000 lbs.
AL667XH	2.250"	.469"	2-5/16"	1-5/64"	1.062"	.224"	53	26,000 lbs.
AL88XH	2.609"	.500"	2-41/64"	1-1/4"	1.125"	.250"	46	30,000 lbs.

This chain has open barrel construction elimination freeze-ups and pin heads are coined on four sides (tent staked) reducing possible pin rotation.

AL667H is interchangeable with #667 type manufactured by others. AL667X is the same as AL667H but is of heavier construction throughout and is adaptable to much heavier loads. AL662 is interchangeable with #662 type chains manufactured by others and can also be used to replace #62 Steel Detachable Chain without replacing sprockets.

No.	Description	Per 10 Ft.
AL662	Pintle Chain	\$120.15
AL667H	Pintle Chain	116.75
AL667X	Pintle Chain	170.55
AL667K	Pintle Chain	257.35
AL667XH	Pintle Chain	272.35
AL88XH	Pintle Chain	335.28

Note Sold Only in 10 ft. Rolls.

DEALER SCHEDULE.....152


No.	Description	Per Link
AL662-CO	Plain Coupler Link	\$6.05
AL667H-CO	Plain Coupler Link	7.22
AL667X-CO	Plain Coupler Link	8.40
AL667K-CO	Plain Coupler Link	14.05
AL667XH-CO	Plain Coupler Link	15.60
AL88XH-CO	Plain Coupler Link	18.70
AL662-AS-CO	Coupler Link w/Bar	6.40
AL667H-AS-CO	Coupler Link w/Bar	8.98
AL667X-AS-CO	Coupler Link w/Bar	17.58
AL667K-AS-CO	Coupler Link w/Bar	19.20
AL667XH-AS-CO	Coupler Link w/Bar	18.24
AL88XH-AS-CO	Coupler Link w/Bar	21.00

Note: Serrated head pins & cotter included.

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

HUB CITY PTO ADAPTERS


Standard Duty Up To 75 H.P.



Order No.	Female Spline	Male Spline	Length	Extends PTO	Secured By	Price
03-32-03531	1-1/8-6	1-3/8-6	5-1/2	3-9/16	Cross Pin	\$34.50
03-32-00377	1-1/8-6	1-1/8-6	5-3/8	4-1/16	Cross Pin	61.05
03-32-00420	1-3/8-6	1-1/8-6	5-1/8	2-13/16	Cross Pin	59.45
03-32-00371	1-3/8-6	1-3/8-6	6-1/2	4-9/16	Cross Pin	66.10
03-32-00378	1-3/8-6	1-3/8-6	5-1/8	2-15/16	Cross Pin	64.10
03-32-00373	1-3/8-21	1-3/8-6	6-1/2	4-1/2	Set Screw	62.80
03-32-00401	1-3/4-6	1-3/8-6	6-1/2	4-3/4	Cross Pin	107.05

HEAVY DUTY PTO ADAPTERS

Designed For High Horsepower Tractors Up To 125 H.P.



Order No.	Female Spline	Male Spline	Length	Extends PTO	Secured By	Price
03-32-00001	1-3/8-21	1-3/8-21	6-7/8	4-13/16	Set Screw	\$239.90
03-32-00002	1-3/8-21	1-3/8-6	6-7/8	4-13-16	Set Screw	239.90
03-32-00004	1-3/8-6	1-3/8-21	6-7/8	4-13/16	Set Screw	239.90

PTO ADAPTERS

For Tractors with 1-3/4-20 Spline PTO Up To 75 H.P.


03-32-00070



Order No.	Female Spline	Male Spline	Length	Extends PTO	Price
03-32-00070	1-3/8-21	1-3/4-20	7-3/16	4-15/16	\$186.40
8-47-12-44-038	1/2 x 1 SAE Socket Set Screw				2.55
8-47-16-14-001	1/2 SAE Self Locking Nut				1.60

NEW CLAMP TYPE PTO ADAPTERS

For Tractors with 1-3/4-20 Spline PTO Up To 75 H.P.




Order No.	Female Spline	Male Spline	Length	Extends PTO	Price
03-32-01476	1-3/4-20	1-3/8-6	7-13/16	4-15/16	\$154.60
03-32-01477	1-3/4-20	1-3/8-21	7-13/16	4-15/16	154.60

HEAVY-DUTY PTO ADAPTERS

For Tractors with 1-3/4-20 Spline PTO Up To 125 H.P.



Order No.	Secured By	Female Spline	Male Spline	Length	Extends PTO	Price
03-32-00094	Clamp Type	1-3/8-21	1-3/4-20	7	4-1/2	217.36
03-32-01490	Clamp Type	1-3/4-20	1-3/8-6	8-3/16	4-15/16	215.70
03-32-01491	Clamp Type	1-3/4-20	1-3/8-21	8-3/16	5-7/16	215.70
847-11-44103	Socket Cap Screw for Above PTO Adapters					3.08
847-16-11013	Lock Washer for Above PTO Adapters					.27




**HUB CITY
CLAMP TYPE PTO ADAPTER
For Up To 75 HP**

Order No.	Female Spline	Male Spline	Length	Extends PTO	Price
03-32-01354	1-1/8-6	1-3/8-6	7-5/16	4-5/8	\$185.45
03-32-00087	1-3/8-21	1-3/8-6	7-5/16	4-3/8	183.50

**SLEEVE TYPE SPLINED ADAPTERS
For Up To 75 HP**



Order No.	Female Spline	Male Spline	Length	Price
03-32-00352	1-1/8-6	1-3/8-6	2-1/4	\$24.36
03-32-00363	1-1/8-6	1-3/8-6	2	16.60
(Replaces Ford 231082)				
03-32-00355	31/32-10	1-3/8-6	2-1/4	35.55
(IHC Cub & Kubota)				



**"FORGED" PTO ADAPTER
For Up To 75 HP**

Forged internal spline. Universal quick detach slot and bolt holes. Can be used with any American, British, or European PTO system. Furnished with 5/16" x 1-1/16" spring pin for direct connection to PTO. Overall length 3 inches. Extends PTO 1-1/8 inch.

Order No.	Female Spline	Male Spline	Length	Extends PTO	Price
03-32-00018	1-1/8-6	1-3/8-6	3	1-1/8	\$23.60


KWIK-LO-ACH OVER-RUNNING COUPLERS

Heavy Duty Tractor Models --- Up To 125 HP

Maximum Recommended Operating Speed 1000 RPM




Order No.	Female Spline	Male Spline	Fits Tractors	Price
03-31-00010	1-3/8-6	1-3/8-6	All 1-3/8-6 Spline	\$436.60
03-31-00011	1-3/8-6	1-3/8-21	All 1-3/8-6 Spline	385.00



**OVER-RUNNING COUPLERS
Standard Duty Tractor Models --- Up To 75 HP
Maximum Recommended Operating Speed 1000 RPM**

Order No.	Female Spline	Male Spline	Fits Tractors	Price
03-31-00660	1-3/8-6	1-3/8-6	All w/Cross Pin Hole Including Ford	\$130.60
03-31-00670	1-1/8-6	1-3/8-6	All w/Cross Pin Hole Including Ford	130.60

OVER-RUNNING COUPLER REPAIR KIT




Kit contains all parts except inner sleeve and outer housing. Inner component parts are not sold separately.

Order No.	Price
03-37-00076	\$39.25

DEALER SCHEDULE THIS PAGE.....152

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



KWIK-D-TACH PTO SPLINED ADAPTERS

For Up To 75 HP


Push Button Type

Spring Loaded Collar
Rotates About 30 Degrees

Order No.	Female Spline	Male Spline	Length	Extends PTO	Type	Price
03-32-00010	1-3/8-6	1-3/8-6	6-1/2	4-5/16	Twist Collar	\$108.10
03-32-00013	1-3/8-6	1-3/8-21	6-1/2	4-5/16	Twist Collar	108.10
03-32-00092	1-3/8-6	1-3/8-21	6-1/2	4-5/16	Push Button	60.45
03-32-00015	1-3/8-6	1-1/8-6	6-1/2	4-5/16	Twist Collar	111.90
03-32-01373	1-3/8-21	1-3/8-6	6-1/2	4-5/16	Twist Collar	112.20
03-32-01375	1-3/8-21	1-3/8-6	6-1/2	4-5/16	Push Button	65.95
03-32-02121	1-3/8-21	1-3/8-21	6-1/2	4-5/16	Twist Collar	125.40
03-36-00182	New Style Pin & Spring w/Roll Pin f/#03-32-01375					17.30



HUB CITY SPLINED PUMP DRIVE ADAPTERS



PTO pin included with all 1-3/8 6 spline pump drives. 1-3/8 21 spline pump drives are supplied with set screws.

Order No.	Female Spline	Female Round*	Keyway	Length	Price
03-32-00407	1-3/8-6	.625	3/16 x 3/32	4-11/32	\$76.80
03-32-00408	1-3/8-6	.750	3/16 x 3/32	4-11/32	76.80
03-32-00409	1-3/8-6	.875	3/16 x 3/32	4-11/32	76.80
03-32-00413	1-3/8-6	.937	1/4 x 1/8	4-11/32	100.70
03-32-00410	1-3/8-6	1.000	1/4 x 1/8	4-11/32	76.80
03-32-00411	1-3/8-6	1.125	1/4 x 1/8	4-11/32	78.60
03-32-00612	1-3/8-21	.937	1/4 x 1/8	4-3/8	112.20
03-32-00611	1-3/8-21	1.125	1/4 x 1/8	4-3/8	112.20
03-32-00610	1-3/8-1	1.000	1/4 x 1/8	4-3/8	112.20

*Nominal +.002"

KWIK-D-TACH SPLINED PUMP DRIVE




Order No.	Female Spline	Female Round*	Keyway	Length	Price
03-32-00040	1-3/8-6	.937	1/4 x 1/8	4-13/32	\$109.30
03-32-00016	1-3/8-6	1.000	1/4 x 1/8	4-13/32	109.30
03-32-00017	1-3/8-6	1.125	1/4 x 1/8	4-13/32	109.30


*Nominal +.002"

ROUND SHAFT ADAPTERS

For Up To 75 HP




Order No.	Female Round	Keyway	Male Spline	Length	Extends PTO	Price
03-32-00376	1	1/4	1-3/8-6	5-3/4	3-1/4	\$68.30
03-32-00430	1-1/8	1/4	1-3/8-6	5-11/16	3-3/16	78.40
03-32-00431	1-1/4	1/4	1-3/8-6	5-11/16	3-3/16	90.90
03-32-00432	1-3/8	5/16	1-3/8-6	5-11/16	3-3/16	93.40



HUB CITY ROUND BORE COUPLINGS

Order No.	Bore Size	Keyway	O.D.	Length	Price
03-32-00379	1-1/2	3/8	2-1/4	3	\$52.05
03-32-00380	3/4	3/16	1-1/2	2-3/4	27.45
03-32-00381	7/8	3/16	1-1/2	2-3/4	27.45
03-32-00382	1	1/4	1-3/4	2-3/4	27.45
03-32-00384	1-1/8	1/4	2	3	48.30
03-32-00388	1-3/8	5/16	2-1/8	3	51.10




HUB CITY SPLINED COUPLINGS

Order No.	Spline Size	O.D.	Length	Price
03-32-00341	1-6	1-3/8	2-3/4	\$37.75
03-32-00344	1-1/8-6	1-9/16	2-3/4	35.40
03-32-00345	1-3/8-6	1-3/4	3-3/4	40.41
03-32-00320	1-3/4-20	2-1/4	3-3/4	45.20



HUB CITY SPLINED COUPLING

Order No.	No. of Splines	Spline O.D.	Cplg. O.D.	Cplg. Lgth.	Price
03-32-00350	21	1.375	1-3/4	3	\$45.20




HUB CITY SPLINED SHAFT

Order No.	No. of Splines	Spline O.D.	Shaft Length	Price
03-32-00395	21	1.375	10	\$107.30



HUB CITY SPLINED SHAFT

Order No.	Size	Spline	Length	Price
03-32-00394	1-3/8	6	10	\$42.45




HUB CITY EXTENSION SHAFT

Order No.	Male Spline	Male Spline	Length	Price
03-32-00356	1-3/8-6	1-3/8-6	9	\$63.80



HUB CITY SPLINED WELD-ONS

Order No.	Spline	Length	Price
03-32-00359	1-3/8-6	5-1/2	\$36.25
03-32-00019	1-3/8-21	5-1/2	59.80




NEAPCO Driveline Components

0675 Series Yokes


Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-10-4373	15-5336	5/8" Rd.	3/16"	2-1/2"	\$26.46
NE-10-0413	15-5111	3/4" Rd.	3/16"	2-1/2"	18.83
NE-10-0313	15-5183	3/4" Rd. Slip Yoke	3/16"	5-1/2"	70.96
NE-10-4173	15-5112	13/16" Rd.	1/4"	2-1/2"	25.90
NE-10-4453	15-5113	7/8" Rd.	1/4"	2-1/2"	42.55
NE-10-0333	15-5184	7/8" Rd. Slip Yoke	5-1/2"	48.93
NE-10-5213	15-5213	7/8" Rd., Double Keyed	3/16"-1/4"	2-1/2"	32.46
NE-10-0473	15-5114	15/16" Rd.	1/4"	2-1/2"	23.58
NE-10-4573	15-5115	1" Rd.	1/4"	2-1/2"	22.95
NE-10-5215	15-5215	1" Rd., Double Keyed	3/16"-1/4"	2-1/2"	27.55
NE-10-0422	15-5171	3/4" Sq.	2-1/2"	25.56
NE-10-1758	15-5148	3/4" Sq. Slip Yoke	5-1/2"	82.43
NE-10-0383	15-5186	1" Rd. Slip Yoke	1/4"	5-1/2"	36.91
NE-10-4163	15-5191	1-1/16" Rd.	1/4"	2-1/2"	27.63
NE-10-4473	15-5116	1-1/8" Rd.	5/16"	2-1/2"	55.76
NE-10-5216	15-5216	1-1/8" Rd., Double Keyed	1/4"-5/16"	2-1/2"	33.61
NE-10-3183	15-5199	1-1/8" Rd. Slip Yoke	5/16"	5-1/2"	63.03
NE-10-5374	15-5217	1-3/16" Rd., Double Keyed	1/4"-5/16"	2-1/2"	56.60
NE-10-4193	15-5118	1-1/4" Rd.	5/16"	2-1/2"	19.42
NE-10-5218	15-5218	1-1/4" Rd., Double Keyed	1/4"-5/16"	2-1/2"	26.58
NE-10-3163	15-5338	1-1/4" Rd. Slip Yoke	5/16"	5-1/2"	54.28
NE-10-3173	15-5376	1-1/4" Rd. Slip Yoke	1/4"	5-1/2"	97.83
NE-10-0412	15-5189	7/8" Sq.	2-1/2"	17.39
NE-10-0452	15-5193	1" Sq.	2-1/2"	21.99
NE-10-0322	15-5178	7/8" Sq. Slip Yoke	5-1/2"	48.80
NE-10-3122	15-5305	1" Sq. Slip Yoke	5-1/2"	57.64
NE-10-1557	15-5138	1-1/8" Sq.	2-1/2"	35.07
NE-10-1769	15-5341	3/4"x7/8" Slip Yoke	5-1/2"	58.04
NE-10-4282	15-5373	7/8" Hex	2-1/2"	23.76
NE-10-3162	15-5377	7/8" Hex Slip Yoke	5-1/2"	47.92
NE-10-0432	15-5172	1-1/8" Hex	2-1/2"	30.45
NE-10-0332	15-5173	1-1/8" Hex Slip Yoke	5-3/16"	33.44
NE-10-5366	15-5366	1" 15 Spl. Quick Detach (Lawn & Garden)	2-13/16	46.17
NE-10-4139	15-5409	1-3/8" 6 Spl. Quick Detach	3-9/16"	52.08
NE-10-5411	15-5411	1-3/8" 21 Spl. Quick Detach	3-9/16"	144.75
NE-10-5129	15-5129	3/4"x7/8" Rect. Shaft Weld	2-1/2"	57.50
NE-10-5131	15-5131	1"x1-1/8" Rect. Tube Weld	2-3/4"	57.52

6N Series Yokes

Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-16-6111	L6111	3/4" Rd.	3/16"	2-1/2"	\$29.35
NE-16-6213	L613A	7/8" Rd., Double Keyed	3/16"-1/4"	2-1/2"	34.90
NE-16-6114	L6114	15/16" Rd.	1/4"	2-1/2"	35.30
NE-16-6215	L615A	1" Rd., Double Keyed	3/16"-1/4"	2-1/2"	27.96
NE-16-6216	L616A	1-1/8" Rd., Double Keyed	1/4"-5/16"	2-1/2"	33.55
NE-16-6217	L617A	1-3/16" Rd.	5/16"	2-1/2"	93.17
NE-16-6218	L618A	1-1/4" Rd., Double Keyed	1/4"-5/16"	2-1/2"	34.24
NE-16-6171	L6171	3/4" Square	2-1/2"	43.89
NE-16-6409	16-6101	1-3/8" x 6 Spl. Quick Detach	3-9/16"	58.02
NE-16-0621	L61U1X	1-3/8" x 21 Spl. Quick Detach	3-9/16"	59.29
NE-16-6129	L6129	3/4"x7/8" Rect. Shaft Weld	2-1/2"	31.88
NE-16-6131	L6131	1"x1-1/8" Rect. Tube Weld	2-3/4"	34.43
NE-16-6132	L6132	Torque Tube Weld Yoke	3"	55.37



NEAPCO Driveline Components



12N Series Yokes

Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-12-1133	11133	7/8" Rd.	1/4"	2-3/4"	\$54.62
NE-12-1215	1" Rd. Double Keyed	3/16"-1/4"	3-1/2"	52.96
NE-12-1316	111E5	1" Rd. Slip Yoke	1/4"	5-1/4"	67.13
NE-12-1216	1-1/8" Rd. Double Keyed	1/4"-5/16"	3-1/2"	62.39
NE-12-1118	11118	1-3/16" Rd.	5/16"	3-1/2"	56.90
NE-12-1218	1118A	1-1/4" Rd., Double Keyed	1/4"-5/16"	3-1/2"	48.15
NE-12-1174	11174	1-1/4" Rd. Slip Yoke	5/16"	5-1/4"	63.83
NE-12-1120	11120	1-3/8" Rd.	5/16"	3-1/2"	42.24
NE-12-1175	11175	1-1/2" Rd.	3/8"	2-3/4"	46.40
NE-12-1301	7/8" & 1" Square	3-1/2"	133.53
NE-12-1148	11148	1-1/8" Square	3-1/2"	85.69
NE-12-1168	11168	1-1/8" Hex	2-3/4"	38.21
NE-12-1173	11173	1-1/8" Hex Slip Yoke	5-1/4"	64.81
NE-12-1321	111EY	1-1/4" Square	2-3/4"	53.17
NE-12-1172	1-3/8" 6 Spl. Implement Yoke	3-1/2"	48.63
NE-12-1190	11101X	1-3/8" 6 Spl. Quich Detach	3-5/8"	75.66
NE-12-1193	11193	1-3/8" 21 Spl. Quick Detach	3-5/8"	91.19
NE-12-1340	111P1	1"x1-1/8" Rect. Shaft Weld	2-15/16"	66.98
NE-12-1318	111E8	1-9/32"x1-13/32" Rect. Tube Weld	2-15/16"	65.21
NE-12-1334	111P4	Torque Tube Weld	3-3/4"	93.78


14N Series Yokes

Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-20-9115	19115	1" Rd.	1/4"	3-3/4"	\$52.31
NE-20-9117	19117	1-1/8" Rd.	5/16"	3-3/4"	52.29
NE-20-9217	1917A	1-3/16" Rd., Double Keyed	1/4"-5/16"	3-3/4"	125.21
NE-20-9218	1918A	1-1/4" Rd., Double Keyed	1/4"-5/16"	3-3/4"	55.16
NE-20-9120	19120	1-3/8" Rd.	5/16"	3-3/4"	58.48
NE-20-9154	19154	1-7/16" Rd.	3/8"	3-3/4"	64.83
NE-20-9307	191C8	1-1/2" Rd.	3/8"	3-3/4"	49.97
NE-20-9310	191L2	7/8" or 1" Square	3-3/4"	85.40
NE-20-9183	19183	1-1/8" Sq. Bore Yoke	3-3/4"	93.07
NE-20-9127	19127	1-1/4" Sq. Bore Yoke	3-9/16"	93.82
NE-20-9309	20-9101	1-3/8" 6 Spl. Quick Detach	4-13/16"	51.73
NE-20-9325	191N5X	1-3/8" 21 Spl. Quick Detach	4-1/4"	71.02
NE-20-9126	19126	1"x1-1/8" Rect. Shaft Weld	3-3/16"	46.48
NE-20-9129	19129	1"x1-1/8" Rect. Shaft Weld (Phased for Weasler)	3-3/16"	60.53
NE-20-9131	19131	Torque Tube Weld	4"	48.93
NE-20-9313	19313	1-9/32"x1-13/32" Rect. Tube Weld (Phased for Weasler)	3-3/16"	55.24	


NEW PRICES AS OF 5/13/2021

1800 Series Yokes

Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-18-7119	17119	1-1/4" Rd.	5/16"	3-3/4"	\$64.79
NE-18-7120	17120	1-3/8" Rd.	5/16"	3-3/4"	68.61
NE-18-7313	171C8	1-1/2" Rd.	3/8"	3-1/4"	79.95
NE-18-7404	1-3/8" 6 Spl. (Implement End Only)	4-14"	131.94
NE-18-7128	17128	1-1/8" Hexagon	3-3/4"	74.09
NE-18-7125	17125	1" Square	3-5/8"	77.06
NE-18-7127	17127	1-1/4" Square	3-1/4"	98.75
NE-18-7403	1-3/8" 6 Spl. Quich Detach Pin Type (Tractor End)	4-1/4"	80.07
NE-18-7406	1-3/8" 21 Spl. Quich Detach Pin Type (Tractor End)	4-1/4"	174.08
NE-18-7339	1-3/8"-21 Spl. Quick Detach Collar Type (Tractor End)	4-11/32"	107.07	
NE-18-7327	1"x1-1/8" Rect. Shaft Weld	3-3/8"	52.21
NE-18-7328	1-9/32"x1-13/32" Rect. Tube Weld	3-3/8"	71.94
NE-18-7305	Torque Tube Weld	3-1/2"	60.90



NEAPCO Driveline Components



35N Series Yokes

Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-22-1131	21131	1" Rd.	1/4"	4-3/16"	\$66.59
NE-22-1132	21132	1-1/8" Rd.	1/4"	4-3/16"	64.77
NE-22-1129	21129	1-3/16" Rd.	1/4"	4-3/16"	61.63
NE-22-1218	2118A	1-1/4" Rd., Double Keyed	1/4"-5/16"	4-3/16"	57.45
NE-22-1219	2119A	1-3/8" Rd., Double Keyed	5/16"-3/8"	4-3/16"	56.45
NE-22-1178	21178	1-7/16" Rd.	3/8"	4-3/16"	66.88
NE-22-1120	21120	1-1/2" Rd.	3/8"	4-3/16"	60.25
NE-22-1338	211V7	1-5/8" Rd.	3/8"	4-3/8"	138.63
NE-22-1316	211D4	1-3/4" Rd.	3/8"	4-3/8"	150.90
NE-22-1125	21125	1" Sq.		4-3/16"	102.68
NE-22-1124	21124	1-1/8" Sq.		4-3/16"	73.38
NE-22-1190	21190	1-3/16" Sq. (Implement End, No Shield Grooves)		4-1/2"	64.35
NE-22-1130	21130	1-1/2" Sq.		4-1/8"	132.55
NE-22-1126	21126	1-5/8" Sq.		4-1/8"	144.65
NE-22-2312	22-1101	1-3/8" 6 Spl. Quick Detach		4-13/16"	60.51
NE-22-1140	21140	1-3/8" 6 Spl. Clamp Type		4-3/4"	78.19
NE-22-2317	211CVX	1-3/8" 21 Spl. Quick Detach		4-13/16"	78.12
NE-22-1105	21105	1-3/8" 21 Spl. Clamp Type		4-3/4"	80.07
NE-22-1344	211Z4	1-3/16" Sq. Shaft Weld		3-5/8"	59.59
NE-22-1325	211F2	Torque Tube Weld (for Std. 2-1/8" O.D. tube w/0.12 wall)		4-1/2"	55.97
NE-22-1307		Torque Tube Weld (for 2-1/8" O.D. tube w/0.083 wall)		4-1/2"	70.06
NE-22-1343		Torque Tube Weld (for 2-1/4" OD Tube)		4-1/2"	56.39
NE-22-2275		1-3/4" 20 Spl. Clamp Type		4-13/16"	159.34

44R Series Yokes

Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-44-2256	N44N2256-37	1-3/8" Rd., Double Keyed	1/4" & 5/16"	4-1/8"	\$110.29
NE-44-2456		1-1/2" Rd., Double Keyed	5/16" & 3/8"	4-1/8"	178.72
NE-44-2610	N44RYR26-1	1-5/8" Rd.	3/8"	4-1/8"	104.00
NE-44-2820	N44RYR28-2	1-3/4" Rd.	3/8"	4-1/8"	92.11
NE-44-2220	N44N220-20	1-3/8" 6 Spl. Quick Detach		4-7/8"	102.37
NE-44-4475		1-3/4" 20 Spl. Clamp Type		5"	128.08
NE-44-2201	N44N220-TQD	1-3/8" 21 Spl. Quick Detach		4-7/8"	118.40
NE-44-6300		1-3/4" 20 Spl. Quick Detach		4-7/8"	169.65
NE-44-2100	N44NWY2100	1-5/16" Sq. Shaft Weld		4-1/8"	122.54
NE-44-2200	N44NWY2200	Tube Weld		5-5/16"	116.06

55N Series Yokes

Order No.	Old No.	Size/Description	Keyway	Lgth.	Price
NE-55-9306		1-3/8" 6 Spl. Quick Detach		5-13/16"	\$191.21
NE-55-9321		1-3/8" 21 Spl. Quick Detach		5-13/16"	217.75
NE-55-9320		1-3/4" 20 Spl. Quick Detach		6-3/8"	345.25
NE-55-2836		1-3/4" 20 Spl. Clamp Type		5-1/8"	318.98
NE-55-2410		1-1/2" Rd.	3/8"	4-1/16"	182.67
NE-55-2600		1-5/8" Rd.	3/8"	4-1/16"	195.62
NE-55-2800		1-3/4" Rd.	3/8"	4-1/16"	187.74
NE-55-3240		2" Rd.	1/2"	5-9/16"	257.55
NE-55-2130		1-5/16" Sq. Shaft Weld		4-1/2"	199.68
NE-55-3640		Tube Weld		4-3/4"	193.03

Slip Sleeves

Order No.	Old No.	Hole Dimension	Length	Fits	Price
NE-53-0634	0634-1	3/4"x7/8" Rect.	4"	0675, 6N	\$41.85
NE-53-2034	2034A	1"x1-1/8" Rect.	5"	12N, 14N	46.69
NE-53-2434		1-3/16" Sq.	5"	35N (2-1/4" OD Tube)	64.00
NE-53-2435	2434-20A	1-3/16" Sq.	5"	35N (2-1/8" OD Tube)	55.93
NE-53-2643	2643-14R	1-5/16" Sq.	5"	44R, 55N (2-1/2" OD Tube)	71.25
NE-53-2644	2643-1A	1-5/16" Sq.	5"	44R, 55N (2-3/4" OD Tube)	70.06

NEAPCO Quick Disconnect Pin Kits




Order No.	Fits	Price
NE-56-1857	All Standard 1-3/8"-6 Spl. and 21 Spl.	\$10.68
NE-56-2446	All Standard 1-3/4"-20 Spl.	78.06
NE-56-0040	All Metric 1-3/8"-6 Spl. and 21 Spl.	9.32
NE-56-0940	Fits Metric 1-3/4"-20 Spl. Yoke	9.90

Shield No.	Overall Length	Shield Bell O.D.	Inner Tube O.D.	Outer Tube O.D.	Price
NE-69-0648	51"	5-3/16"	2-1/16"	2-5/16"	\$77.43
NE-69-1248	51"	6-1/8"	2-1/2"	2-3/4"	71.31
NE-69-2248	51"	7-3/16"	2-3/4"	3"	98.40
NE-69-2648	51"	7-3/8"	3-7/16"	3-11/16"	159.74

(See Bearing & Shield Interchange On Next Page)

Bearing No.	Price	Bearing No.	Price
NE-56-2000	\$11.04	NE-56-6105	\$17.24
NE-56-2200	14.23	NE-56-6106	19.00
NE-56-0844	17.58	NE-56-1600	7.46
NE-56-2600	17.33	NE-56-0600	8.65
NE-56-2101	18.25	NE-56-2122	12.94
NE-56-2102	13.50	NE-56-2223	17.33
NE-56-4103	12.98	NE-56-2324	17.83

Dealer Schedule.....203

NEAPCO'S WORLD SHIELD**NEAPCO Journal Assemblies**

Order No.	Series No.	Rated H.P. @ 540 RPM	Rated H.P. @ 1000 RPM	Overall Lgth.	Journal Lgth.	Journal Diam.	Bearing Diam.	Type*	Price
NE-1-0170	1000	15	24	2-5/16"	2-1/8"	35/64"	15/16"	A	\$19.92
NE-1-1475	6N	15	24	2-5/16"	1-31/32"	35/64"	31/32"	A	18.43
NE-1-1275	12N	25	40	2-9/16"	2-5/16"	41/64"	1-1/16"	A	21.32
NE-1-1875	1800	30	48	3-1/8"	2-7/8"	37/64"	1"	A	24.98
NE-1-2075	14N	35	56	2-5/8"	2-13/32"	23/32"	1-1/8"	B	24.66
NE-2-2275	35N	58	93	3-7/32"	2-15/16"	27/32"	1-1/4"	B	28.72
NE-2-3501**	35N**	58	93	3-7/32"	2-15/16"	27/32"	1-1/4"	A	39.10
NE-3-0044	44R	75	N.A.	4-1/32"	3-3/4"	27/32"	1-5/16"	A	43.74
NE-3-0045	55N	100	N.A.	4-21/64"	4-1/64"	1-1/64"	1-17/32"	B	66.75
NE-3-0188	2600	100	144	4-3/16"	3-7/8"	57/64"	1-3/8"	B	33.57
NE-1-0616	1000 to 6N Kit	15	24	2-5/16"	2-1/16"	35/64"	15/16"-31/32"	A	24.93

*Type A - Snap Ring Grooves In Bearings, Type B - Snap Ring Grooves In Yokes.

**Internal Snap Rings used on Howse Mowers.

Dealer Schedule: 1 to 7.....203 8 Or More (Assorted).....203 & 130

NEAPCO Car & Truck U-Joint Repair Kits

Order No.	Bearing Diameter	Lock-up Inside	Lock-up Outside	Application	Price
NE-1-0153	1-1/16	3-7/32	60-87 AMC, 73-83 Buick, 55-87 Chevy, 63-68 Ford Car, 49-62 Lincoln, 55-69 & 77-79 Mercury, 70-80 Pontiac, 54-87 Jeep, 55-88 Chevy & GMC Truck, 75-81 Dodge Truck, 53-88 Ford Truck, 55-Present IHC, 38-Present Kenworth, 75-81 Plymouth Truck, 49-Present White Truck.	\$15.38
NE-1-0297	1-3/16	2-3/16	80-86 Mercury, 79-88 Jeep, 67-88 Chevy & GMC Truck, 73-88 Dodge Truck, 73-86 Ford Truck, 74-82 IHC, 75-88 Plymouth Truck	32.96
NE-1-0170	15/16	1-1/2	47-Present American La France, 63-81 Dodge Truck	19.92
NE-1-4635	1-1/16-1-1/8	2-3/8	3-7/32	61-80 Ford, 60-80 Mercury	24.68
NE-1-6301	1-5/64	2-1/8	75-78 AMC, 57-88 Chrysler, 66-86 Jeep, 63-88 Dodge Truck, 75-88 Plymouth Truck	19.46
NE-2-0053	1-3/16	3-5/8	84-88 Buick, 82-85 Cadillac, 82-88 Chevy, 77-88 Oldsmobile, 77-88 Pontiac, 47-Present American La France, 55-88 Chevy & GMC Truck, 63-71 Dodge Truck, 53-88 Ford Truck	23.07
NE-2-0054	1-3/16	4-3/16	(Same as #NE-2-0053 shown above.)	28.70
NE-2-3011	1-1/8	2-9/16	57-88 Buick, 57-88 Cadillac, 64-88 Chevy, 57-88 Oldsmobile, 56-88 Pontiac, 67-88 Chevy & GMC Truck, 74-88 Dodge Truck, 75-88 Plymouth Truck	22.01
NE-2-4800	1-1/16	2-25/32	3-5/8	58-62 Cadillac, 65-73 Chrysler, 63-88 Ford, 61-88 Mercury, 68-81 Chevy & GMC Truck, 68-88 Ford Truck	22.11
NE-2-4900	1-1/16-1-1/8	2-25/32	3-5/8	63-80 Ford, 61-79 Mercury, 65-69 Oldsmobile, 73-88 Ford Truck	22.28

Dealer Schedule.....203

BEARING AND SHIELD INTERCHANGE INFORMATION

INDEXED BY BEARING I.D.

Brg. I.D.	Brg. Width	Brg. Part #	Shield Part #	PTO Manufacturer	PTO Mfg's Series
1-1/2"	9/32"	56-0600	69-0648	Neapco	0600
1-19/32" (1-11/32")	5/32"	56-2101	69-0648	Bondioli & Pavesi	1
1-21/32"	5/32"	56-2122	69-0648	Walterscheid	2100
1-13/16"	9/32"	56-1600	69-0648	G&G Neapco Rockwell Weasler	6N L600 6R 6
1-7/8" (1-19/32")	5/32"	56-2102	69-0648	Bondioli & Pavesi	2
2"	5/32"	56-2223	69-1248	Walterscheid	2200,I,2300
2-1/16"	11/32"	56-2000	69-1248	Agmaster (Walt.) G&G Neapco Rockwell Weasler	1140,1240 12N,14N 1200,1800,2000 12R,14R 12,14
					1340 35N 2200 L35N 35
2-3/32" (1-13/16")	5/32"	56-4103	69-1248	Bondioli & Pavesi	3,4
2-15/32" (2-3/32")	5/32"	56-6105	69-2248	Bondioli & Pavesi	5
2-1/2"	3/16"	56-2324	69-2248	Walterscheid	2400
2-5/8"	13/32"	56-0844	69-2648	Agmaster (Walt.) G&G Neapco Rockwell Weasler	1440 44N N44 44R 44
2-11/16" (2-11/32")	5/32"	56-6106	69-2248	Bondioli & Pavesi	6
2-7/8"	11/32"	56-2600	69-2648	Agmaster (Walt.) Neapco	1480 2600

Dimensions in parenthesis denote bearing groove O.D. of inner yoke/tube assembly VS. bearing groove O.D. of outer yoke/tube assembly.

INDEXED BY PTO MANUFACTURER & SERIES

PTO Manufacturer	PTO Mfg's Series	Bearing Part #	Groove O.D.	Groove Width	Shield Part #
Agmaster (Walt.)	1140,1240	56-2000	2-1/16"	11/32"	69-1248
		1340	2-1/16"	11/32"	69-2248
		1440	2-5/8"	13/32"	69-2648
		1480	2-7/8"	11/32"	69-2648
Bondioli & Pavesi	1	56-2101	1-19/32" (1-11/32")	5/32"	69-0648
		56-2102	1-7/8" (1-19/32")	5/32"	69-0648
		56-4103	2-3/32" (1-13/32")	5/32"	69-1248
		56-6105	2-15/32" (2-3/32")	5/32"	69-2248
		56-6106	2-11/16" (2-11/32")	5/32"	69-2248
G&G	6N 12N,14N	56-1600	1-13/16"	5/16"	69-0648
		56-2000	2-1/16"	3/8"	69-1248
		56-2200	2-1/16"	3/8"	69-2248
		56-0844	2-5/8"	7/16"	69-2648
Neapco	0600 L600 1200,1800,2000	56-0600	1-1/2"	5/16"	69-0648
		56-1600	1-13/16"	5/16"	69-0648
		56-2000	2-1/16"	11/32"	69-1248
		56-2200	2-1/16"	11/32"	69-2248
		56-2600	2-7/8"	11/32"	69-2648
		N44	56-0844	2-5/8"	13/32"
Rockwell	6R 12R,14R	56-1600	1-13/16"	5/16"	69-0648
		56-2000	2-1/16"	11/32"	69-1248
		56-2200	2-1/16"	11/32"	69-2248
		56-0844	2-5/8"	13/32"	69-2648
Walterscheid	2100 2200,I,2300 2400	56-2122	1-5/8"	5/32"	69-0648
		56-2223	1-31/32"	7/32"	69-1248
		56-2324	2-15/32"	7/32"	69-2248
Weasler	6 12,14 35 44	56-1600	1-13/16"	5/16"	69-0648
		56-2000	2-1/16"	11/32"	69-1248
		56-2200	2-1/16"	11/32"	69-2248
		56-0844	2-5/8"	13/32"	69-2648

Dimensions in parenthesis denote bearing groove O.D. of inner yoke/tube assembly VS. bearing groove O.D. of outer yoke/tube assembly.

Neapco Metric Journal Assembly Specifications


Part Number	Style	Series Number	Rated H.P. @540 RPM	Rated H.P. @1000 RPM	Overall Length	Bearing Diameter
NE-1-0121	Bondioli & Pavesi	1	15	24	2-1/8" (54.0 MM)	7/8" (22.0 MM)
NE-1-0221	Bondioli & Pavesi	2	15	24	2-13/32" (61.3 MM)	15/16" (23.8 MM)
NE-1-0321	Bondioli & Pavesi	3	25	40	2-3/4" (70.0 MM)	1-1/16" (27.0 MM)
NE-1-0421	Bondioli & Pavesi	4	30	48	2-15/16" (74.6 MM)	1-1/16" (27.0 MM)
NE-2-0521	Bondioli & Pavesi	5	58	93	3-5/32" (80.0 MM)	1-3/16" (30.2 MM)
NE-3-0621	Bondioli & Pavesi	6	58	93	3-5/8" (92.0 MM)	1-3/16" (30.2 MM)
NE-3-0721	Bondioli & Pavesi	7	100	144	3-11/16" (94.0 MM)	1-3/8" (35.0 MM)
NE-3-0821	Bondioli & Pavesi	8	100	144	4-3/16" (106.5 MM)	1-3/8" (35.0 MM)
NE-1-1001	Walterscheid	2100	15	24	2-11/64" (55.0 MM)	7/8" (22.0 MM)
NE-1-0221	Walterscheid	2200	15	24	2-13/32" (61.3 MM)	15/16" (23.8 MM)
NE-1-0321	Walterscheid	1	30	48	2-3/4" (70.0 MM)	1-1/16" (27.0 MM)
NE-1-0421	Walterscheid	2300	30	48	2-15/16" (74.6 MM)	1-1/16" (27.0 MM)
NE-2-2421	Walterscheid	2400	58	93	3" (76.0 MM)	1-17/64" (32.0 MM)
NE-3-2521	Walterscheid	2500	75	100	3-1/2" (89.0 MM)	1.417" (36.0 MM)

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

1 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)	Overall length (L)		Price
Part No.	mm inches	mm	inches	
NE-1-0121	22.0 7/8	54.0	2-1/8	\$25.00




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	Length (L)		Price
	mm inches	mm	inches	
NE-8-1012	1-3/8"-6 Spline	92.00	3-5/8	\$43.41
NE-8-1021	1-3/8"-21 Spline	92.00	3-5/8	50.60



Inner Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-1030	26.5 1-1/32	80.0 3-1/8	NE-70-0105	\$44.16




Inner Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0105	26.5 1-1/32	3.5 9/64	NE-8-1030	\$68.80



Outer Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-1020	32.5 1-9/32	80.0 3-1/8	NE-70-0104	\$44.27



Outer Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0104	32.5 1-9/32	2.6 7/64	NE-8-1020	\$65.08




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	Length (L)	Price
	mm inches	mm inches	
NE-50-0412	8.0 5/16	60.3 2-3/8	\$15.88




Implement Yokes

Part No.	Bore	Length (L)	Hole		Price
	mm inches	mm inches	Keyway	Size	
NE-8-1008	25.4 1	78.0 3-1/16	1/4"	3/8"-16....	\$52.61
NE-8-1010	31.75 1-1/4	78.0 3-1/16	1/4"	3/8"-16....	51.71




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
	mm inches	mm inches	
NE-69-0648	51"	5-1/4"	\$77.43



Shield Bearing Set (2 per box)


Part No.	Bearing I.D.	Bearing Width	Use With	Price
	Outer 1-19/32"	5/32"	Shield No.	
NE-56-2101	Outer 1-19/32"	5/32"	NE-69-0648 ...	\$18.25
	Inner 1-11/32"	5/32"		



2 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)	Overall length (L)	Price
Part No.	mm inches	mm inches	
NE-1-0221	23.8 15/16	61.3 2-13/32	\$27.94




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	Length (L)	Price
	mm inches	mm inches	
NE-8-2012	1-3/8"-6 Spline	98.00 3-7/8	\$57.33
NE-8-2021	1-3/8"-21 Spline	98.00 3-7/8	63.22



Inner Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-2030	29.0 1-9/64	84.0 3-5/16	NE-70-0205	\$51.18




Inner Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0205	29.0 1-9/64	4.0 5/32	NE-8-2030	\$72.50




Outer Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-2020	36.0 ... 1-13/32	84.0 3-5/16	NE-70-0305	\$53.32



Outer Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0305	36.0 ... 1-13/32	3.2 1/8	NE-8-2020	\$80.13




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	Length (L)	Price
	mm inches	mm inches	
NE-50-0412	8.0 5/16	60.3 2-3/8	\$15.88




Implement Yokes

Part No.	Bore	Length (L)	Hole	Keyway	Size	Price
	mm inches	mm inches	Keyway	Size		
NE-8-2008	25.4 1	80.0 3-5/32	1/4"	3/8"-16	3/8"-16	\$64.20
NE-8-2010	31.75 1-1/4	80.0 3-5/32	1/4"	3/8"-16	3/8"-16	55.72




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
	mm inches	mm inches	
NE-69-0648	51"	5-1/4"	\$77.43




Shield Bearing Set (2 per box)

Part No.	Bearing I.D.	Bearing Width	Use With	Price
	Outer 1-7/8"	5/32"	Shield No.	
NE-56-2102	Outer 1-7/8"	5/32"	NE-69-0648 ...	\$13.50
	Inner 1-19/32"	5/32"		



PTO Drive Shaft Assemblies (Less Equipment End Yoke)


Part No.	A	B	Tractor QD Yoke	Price
	mm inches	mm inches		
NE-8-0100	39.76"	43.58"	1-3/8"-6 Spl. ...	\$198.32
NE-8-0101	51.57"	55.39"	1-3/8"-6 Spl. ...	217.78



3 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)	Overall length (L)	Price
Part No.	mm inches	mm inches	
NE-1-0321	27.0 1-1/16	70.0 2-3/4	\$35.68




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

	Bore	Length (L)	Price
Part No.	mm inches	mm inches	
NE-8-3012	1-3/8"-6 Spline	104.00 4-3/32	\$58.98
NE-8-3021	1-3/8"-21 Spline	95.00 3-3/4	68.97



Inner Profile Yoke

	Bore	Length (L)	Use with	Price
Part No.	mm inches	mm inches	Tube No.	
NE-8-3030	36.0 ... 1-27/64	80.0 3-5/32	NE-70-0305	\$58.62




Inner Profile Tube - 59" Length (L)

	O.D.	Wall Thickness	Use with	Price
Part No.	mm inches	mm inches	Yoke No.	
NE-70-0305	36.0 ... 1-27/64	3.2 1/8	NE-8-3030	\$80.13




Outer Profile Yoke

	Bore	Length (L)	Use with	Price
Part No.	mm inches	mm inches	Tube No.	
NE-8-3020	43.5 ... 1-11/16	80.0 3-5/32	NE-70-0304	\$58.88




Outer Profile Tube - 59" Length (L)

	O.D.	Wall Thickness	Use with	Price
Part No.	mm inches	mm inches	Yoke No.	
NE-70-0304	43.5 ... 1-11/16	3.4 9/64	NE-8-3020	\$90.54




Tube Pin (Fits both inner and outer profile yokes)

	Diameter	Length (L)	Price
Part No.	mm inches	mm inches	
NE-50-0412	8.0 5/16	60.3 2-3/8	\$15.88




Implement Yokes

	Bore	Length (L)	Hole	Price	
Part No.	mm inches	mm inches	Keyway	Size	
NE-8-3011	25.4 1	92.0 3-5/8	1/4"	3/8"-16	\$60.23
NE-8-3010	31.75 1-1/4	92.0 3-5/8	1/4"	3/8"-16	58.98
NE-8-3016	34.93 1-3/8	92.0 3-5/8		3/8" D.T.	131.82




World Shield - Plastic

	Overall Length	Bell O.D.	Price
Part No.			
NE-69-1248	51"	6-1/8"	\$71.31




Shield Bearing Set (2 per box)

	Bearing I.D.	Bearing Width	Use With	Price
Part No.			Shield No.	
NE-56-4103	Outer 2-3/32"	5/32"	NE-69-1248	\$12.98
	Inner 1-13/16"	5/32"		



PTO Drive Shaft Assemblies (Less Equipment End Yoke)


	A	B	Tractor QD Yoke	Price
Part No.				
NE-8-0102	41.73"	45.75"	1-3/8"-6 Spl.	\$225.89
NE-8-0103	53.54"	57.56"	1-3/8"-6 Spl.	246.03



4 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)	Overall length (L)			
Part No.	mm inches	mm	inches	Price	
NE-1-0421	27.0 1-1/16	74.6	2-15/16	\$34.38	



Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

	Bore	Length (L)			
Part No.	mm inches	mm	inches	Price	
NE-8-4012	1-3/8"-6 Spline	107.00	4-7/32	\$64.00	
NE-8-4021	1-3/8"-21 Spline	107.00	4-7/32	80.86	



Inner Profile Yoke

	Bore	Length (L)		Use with	
Part No.	mm inches	mm	inches	Tube No.	Price
NE-8-4030	36.0 ... 1-27/64	93.5	3-11/16	NE-70-0405	\$65.52




Inner Profile Tube - 59" Length (L)

	O.D.	Wall Thickness		Use with	
Part No.	mm inches	mm	inches	Yoke No.	Price
NE-70-0405	36.0 ... 1-27/64	4.5	11/64	NE-8-4030	\$104.00



Outer Profile Yoke

	Bore	Length (L)		Use with	
Part No.	mm inches	mm	inches	Tube No.	Price
NE-8-4020	43.5 ... 1-11/16	93.5	3-11/16	NE-70-0304	\$65.52



Outer Profile Tube - 59" Length (L)

	O.D.	Wall Thickness		Use with	
Part No.	mm inches	mm	inches	Yoke No.	Price
NE-70-0304	43.5 ... 1-11/16	3.4	9/64	NE-8-4020	\$90.54




Tube Pin (Fits both inner and outer profile yokes)

	Diameter	Length (L)			
Part No.	mm inches	mm	inches	Price	
NE-50-0412	8.0 5/16	60.3	2-3/8	\$15.88	




Implement Yokes

	Bore	Length (L)		Hole		
Part No.	mm inches	mm	inches	Keyway	Size	Price
NE-8-4010	31.75 1-1/4	95.0	3-3/4	1/4"	3/8"-16	\$65.23
NE-8-4011	34.93 1-3/8	95.0	3-3/4	5/16"	3/8"-16	66.61
NE-8-4016	34.93 1-3/8	89.5	3-17/32		3/8" D.T. ..	96.54




World Shield - Plastic

	Overall Length	Bell O.D.		Price	
Part No.					
NE-69-1248	51"	6-1/8"		\$71.31	




Shield Bearing Set (2 per box)

	Bearing I.D.	Bearing Width	Use With		
Part No.			Shield No.	Price	
NE-56-4103	Outer 2-3/32"	5/32"	NE-69-1248 ...	\$12.98	
	Inner 1-13/16"	5/32"			



PTO Drive Shaft Assemblies (Less Equipment End Yoke)


	A	B	Tractor QD Yoke		Price	
Part No.						
NE-8-0104	41.73"	46.02"	1-3/8"-6 Spl. ...		\$228.46	
NE-8-0105	53.54"	57.83"	1-3/8"-6 Spl. ...		249.69	



5 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)	Overall length (L)	Price
Part No.	mm inches	mm inches	
NE-2-0521	30.2 1-3/16	80.0 3-5/32	\$47.09




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	Length (L)	Price
	mm inches	mm inches	
NE-8-5012	1-3/8"-6 Spline	111.00 4-3/8	\$81.53
NE-8-5021	1-3/8"-21 Spline	111.00 4-3/8	105.15



Inner Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-5030	45.0 ... 1-25/32	98.5 3-7/8	NE-70-0505	\$93.92



Inner Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0505	45.0 ... 1-25/32	4.0 5/32	NE-8-5030	\$119.55



Outer Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-5020	51.6 2-1/32	98.5 3-7/8	NE-70-0504	\$93.63




Outer Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0504	51.6 ... 2-1/32	3.0 1/8	NE-8-5020	\$105.25




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	Length (L)	Price
	mm inches	mm inches	
NE-50-0612	10.0 25/64	70.0 2-3/4	\$32.52




Implement Yokes

Part No.	Bore	Length (L)	Hole	Keyway	Size	Price
	mm inches	mm inches	Keyway	Size		
NE-8-5010	31.75 1-1/4	98.0 ... 3-27/32	1/4"	1/4"	3/8"-16	\$96.79
NE-8-5011	34.93 1-3/8	98.0 ... 3-27/34	5/16"	5/16"	3/8"-16	96.79
NE-8-5016	34.93 1-3/8	98.0 ... 3-27/32		3/8"	D.T. ...	101.53




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
	mm inches	mm inches	
NE-69-2248	51"	7-1/16"	\$98.40




Shield Bearing Set (2 per box)

Part No.	Bearing I.D.	Bearing Width	Use With	Price
	Outer 2-15/32"	5/32"	Shield No.	
NE-56-6105	Outer 2-15/32"	5/32"	NE-69-2248	\$17.24
	Inner 2-3/32"	5/32"		



PTO Drive Shaft Assemblies (Less Equipment End Yoke)


Part No.	A	B	Tractor QD Yoke	Price
	mm inches	mm inches		
NE-8-0106	39.76"	44.17"	1-3/8"-6 Spl.	\$286.41
NE-8-0107	51.57"	55.98"	1-3/8"-6 Spl.	300.96



6 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)		Overall length (L)		Price
Part No.	mm	inches	mm	inches	
NE-3-0621	30.2	1-3/16	92.0	3-5/8	\$43.51



Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	Length (L)		Price
		mm	inches	
NE-8-6012	1-3/8"-6 Spline	118.00	4-21/32	\$98.15
NE-8-6021	1-3/8"-21 Spline	118.00	4-21/32	101.82



Inner Profile Yoke

Part No.	Bore	Length (L)		Use with Tube No.	Price	
	mm	inches	mm	inches		
NE-8-6030	45.0	1-25/32	107.0	4-7/32	NE-70-0505	\$93.55




Inner Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness		Use with Yoke No.	Price	
	mm	inches	mm	inches		
NE-70-0505	45.0	1-25/32	4.0	5/32	NE-8-6030	\$119.55



Outer Profile Yoke

Part No.	Bore	Length (L)		Use with Tube No.	Price	
	mm	inches	mm	inches		
NE-8-6020	54.0	2-1/8	107.0	4-7/32	NE-70-0704	\$104.86



Outer Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness		Use with Yoke No.	Price	
	mm	inches	mm	inches		
NE-70-0704	54.0	2-1/8	4.0	5/32	NE-8-6020	\$137.12




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	Length (L)		Price	
	mm	inches	mm	inches	
NE-50-0612	10.0	25/64	70.0	2-3/4	\$32.52




Implement Yokes

Part No.	Bore	Length (L)		Keyway	Hole Size	Price	
	mm	inches	mm	inches			
NE-8-6010	31.75	1-1/4	105.0	4-9/64	1/4"	3/8"-16	\$104.59
NE-8-6011	34.93	1-3/8	105.0	4-9/64	5/16"	3/8"-16	96.01
NE-8-6016	34.93	1-3/8	105.0	4-9/64	3/8"	D.T. ..	94.59




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
	51"		
NE-69-2248		7-1/16"	\$98.40




Shield Bearing Set (2 per box)

Part No.	Bearing I.D.	Width	Use With Shield No.	Price
	Outer 2-11/16"			
NE-56-6106	Inner 2-11/32"	5/32"	NE-69-2248 ...	\$19.00



PTO Drive Shaft Assemblies (Less Equipment End Yoke)


Part No.	A	B	Tractor QD Yoke	Price
	39.76"	44.17"		
NE-8-0108	51.57"	56.38"	1-3/8"-6 Spl. ...	\$326.63
NE-8-0109			1-3/8"-6 Spl. ...	349.07



7 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)	Overall length (L)	Price
Part No.	mm inches	mm inches	
NE-3-0721	35.0 1-3/8	94.0 3-11/16	\$82.47




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	Length (L)	Price
	mm inches	mm inches	
NE-8-7012	1-3/8"-6 Spline	122.00 4-13/16	\$110.58
NE-8-7021	1-3/8"-21 Spline	122.00 4-13/16	114.41
NE-8-7014	1-3/4"-20 Spline	122.00 4-13/16	124.84



Inner Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-7030	45.0 1-3/4	110.0 ... 4-7/32	NE-70-0705	\$102.97



Inner Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0705	45.0 1-3/4	5.5 7/32	NE-8-7030	\$213.97



Outer Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-7020	54.0 2-1/8	107.0 ... 4-7/32	NE-70-0704	\$102.97



Outer Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-0704	54.0 2-1/8	4.0 5/32	NE-8-7020	\$137.12




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	Length (L)	Price
	mm inches	mm inches	
NE-50-1080	10.0 25/64	80.0 3-5/32	\$27.04




Implement Yokes

Part No.	Bore	Length (L)	Hole	Keyway	Price
	mm inches	mm inches	Size		
NE-8-7011	35.0 1-3/8	110.0 ... 4-5/16	5/16"	3/8"-16	\$88.34




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
NE-69-2248	51"	7-1/16"	\$98.40




Shield Bearing Set (2 per box)

Part No.	Bearing I.D.	Bearing Width	Use With	Price
	Outer	Inner	Shield No.	
NE-56-6106	2-11/16"	5/32"	NE-69-2248	\$19.00



PTO Drive Shaft Assemblies (Less Equipment End Yoke)


Part No.	A	B	Tractor QD Yoke	Price
NE-8-0110	39.76"	44.17"	1-3/8"-6 Spl.	\$394.26
NE-8-0111	51.57"	56.38"	1-3/8"-6 Spl.	436.98



8 Series - Neapco Metric Series - Bondioli & Pavesi Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)		Overall length (L)		Price
Part No.	mm	inches	mm	inches	
NE-3-0821	35.0	1-3/8	106.5	4-3/16	\$60.76




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	mm	inches	Length (L)	Price
NE-8-8012	1-3/8"-6 Spline	126.00	4-31/32		\$136.21
NE-8-8021	1-3/8"-21 Spline	126.00	4-31/32		143.92
NE-8-8014	1-3/4"-20 Spline	126.00	4-31/32		149.60



Inner Profile Yoke

Part No.	Bore	mm	inches	Length (L)	Use with	Price
	mm	inches	mm	inches	Tube No.	
NE-8-8030	54.0	2-1/8	120.0	4-23/32	NE-70-0704	\$119.72



Inner Profile Tube - 59" Length (L)

Part No.	O.D.	mm	inches	Wall Thickness	mm	inches	Use with	Yoke No.	Price
NE-70-0704	54.0	2-1/8		4.0	5/32	...	NE-8-8030	...	\$137.12



Outer Profile Yoke

Part No.	Bore	mm	inches	Length (L)	Use with	Tube No.	Price
	mm	inches	mm	inches	Tube No.		
NE-8-8020	63.0	2-1/2	120.0	4-23/32	NE-70-0804	...	\$136.29




Outer Profile Tube - 59" Length (L)

Part No.	O.D.	mm	inches	Wall Thickness	mm	inches	Use with	Yoke No.	Price
NE-70-0804	63.0	2-1/2		4.0	5/32	...	NE-8-8020	...	\$239.35




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	mm	inches	Length (L)	mm	inches	Price
NE-50-1280	12.0	15/32		80.0	3-5/32	...	\$51.50




Implement Yokes

Part No.	Bore	mm	inches	Length (L)	Keyway	Hole	Price
	mm	inches	mm	inches		Size	
NE-8-8011	35.0	1-3/8	120.0	4-23/32	5/16"	3/8"-16....	\$130.52
NE-8-8015	38.0	1-1/2	120.0	4-23/32	5/16"	3/8"-16....	132.99
NE-8-8016	44.5	1-3/4	120.0	4-23/32	3/8"	3/8"-16....	139.15




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
NE-69-2648	51"	8"	\$159.74




Shield Bearing Set (2 per box)

Part No.	Bearing I.D.	Bearing Width	Use With	Shield No.	Price
NE-56-8108	Outer 3-3/16"	1/4"	NE-69-2648 ...		\$24.18
	Inner 2-11/16"	1/4"			



PTO Drive Shaft Assemblies (Less Equipment End Yoke)


Part No.	A	B	Tractor QD Yoke	Price
NE-8-0112	37.80"	42.72"	1-3/8"-6 Spl. ...	\$662.26
NE-8-0113	49.61"	54.53"	1-3/8"-6 Spl. ...	715.32



2100 Series - Neapco Metric Series - Walterscheid Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)		Overall length (L)		Price
Part No.	mm	inches	mm	inches	
NE-1-1001	22.0	7/8	55.0	2-11/64	\$25.75




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

	Bore		Length (L)		Price
Part No.	mm	inches	mm	inches	
NE-8-2112	1-3/8"-6 Spline	89.0	3-1/2		\$43.56
NE-8-2121	1-3/8"-21 Spline	89.0	3-1/2		61.80



Inner Profile Yoke

	Bore		Length (L)		Use with		Price
Part No.	mm	inches	mm	inches	Tube No.		
NE-8-2130	23.5	59/64	66.0	2-19/32	NE-70-2105		\$44.87




Inner Profile Tube - 59" Length (L)

	O.D.		Wall Thickness		Use with		Price
Part No.	mm	inches	mm	inches	Yoke No.		
NE-70-2105	23.5	59/64	3.6	9/64	NE-8-2130		\$104.27




Outer Profile Yoke

	Bore		Length (L)		Use with		Price
Part No.	mm	inches	mm	inches	Tube No.		
NE-8-2120	30.0	1-3/16	66.0	2-19/32	NE-70-2104		\$51.54




Outer Profile Tube - 59" Length (L)

	O.D.		Wall Thickness		Use with		Price
Part No.	mm	inches	mm	inches	Yoke No.		
NE-70-2104	30.0	1-3/16	2.85	7/64	NE-8-2120		\$66.55




Tube Pin (Fits both inner and outer profile yokes)

	Diameter		Length (L)				Price
Part No.	mm	inches	mm	inches			
NE-50-0112	8.0	5/16	50.0	1-31/32			\$18.06




Implement Yokes

	Bore		Length (L)		Hole Size		Price
Part No.	mm	inches	mm	inches			
NE-8-2108	25.4	1	78.0	3-5/64	5/16" D.T. ..		\$61.88
NE-8-2110	31.75	1-1/4	78.0	3-5/64	3/8" D.T. ..		49.99




World Shield - Plastic

	Overall Length		Bell O.D.		Price
Part No.					
NE-69-0648	51"		5-1/4"		\$77.43



Shield Bearing Set (2 per box)


	Bearing I.D.		Bearing Width		Use With		Price
Part No.					Shield No.		
NE-56-2122	1-21/32"		5/32"		NE-69-0648 ...		\$12.94



2200 Series - Neapco Metric Series - Walterscheid Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)	Overall length (L)	Price
Part No.	mm inches	mm inches	
NE-1-0221	23.8 15/16	61.3 2-13/32	\$27.94




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	Length (L)	Price
	mm inches	mm inches	
NE-8-2012	1-3/8"-6 Spline	98.0 3-55/64	\$57.33
NE-8-2021	1-3/8"-21 Spline	98.0 3-55/64	63.22




Inner Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-2230	34.5 ... 1-23/64	75.0 ... 2-61/64	NE-70-2205	\$50.87




Inner Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-2205	34.5 ... 1-23/64	3.95 5/32	NE-8-2230	\$82.65




Outer Profile Yoke

Part No.	Bore	Length (L)	Use with	Price
	mm inches	mm inches	Tube No.	
NE-8-2220	41.25 ... 1-5/8	75.0 ... 2-61/64	NE-70-2204	\$49.55




Outer Profile Tube - 59" Length (L)

Part No.	O.D.	Wall Thickness	Use with	Price
	mm inches	mm inches	Yoke No.	
NE-70-2204	41.25 ... 1-5/8	2.85 7/64	NE-8-2220	\$71.08




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	Length (L)	Price
	mm inches	mm inches	
NE-50-2212	10.0 13/32	60.0 2-23/64	\$35.70




Implement Yokes

Part No.	Bore	Length (L)	Hole	Keyway	Price
	mm inches	mm inches	Size		
NE-8-2008	25.4 1	80.0 3-5/32	3/8"-16	1/4"	\$64.20
NE-8-2010	31.75 1-1/4	80.0 3-5/32	3/8"-16	1/4"	55.72




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
NE-69-1248	51"	6-1/8"	\$71.31



Shield Bearing Set (2 per box)


Part No.	Bearing I.D.	Bearing Width	Use With	Shield No.	Price
NE-56-2223	2"	5/32"	NE-69-1248	...	\$17.33



I Series - Neapco Metric Series - Walterscheid Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)		Overall length (L)		Price
Part No.	mm	inches	mm	inches	
NE-1-0321	27.0	1-1/16	70.0	2-3/4	\$35.68




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore	mm	Length (L)	inches	Price
NE-8-3012	1-3/8"-6 Spline	104.0	4-3/32	\$58.98
NE-8-3021	1-3/8"-21 Spline	95.0	3-3/4	68.97



Inner Profile Yoke

Part No.	Bore	mm	Length (L)	inches	Use with	Price
	mm	inches	mm	inches	Tube No.	
NE-8-0130	34.5	1-23/64	80.0	3-5/32	NE-70-2205	\$63.04




Inner Profile Tube - 59" Length (L)

Part No.	O.D.	mm	Wall Thickness	inches	Use with	Price
	mm	inches	mm	inches	Yoke No.	
NE-70-2205	34.5	1-23/64	3.95	5/32	NE-8-0130	\$82.65



Outer Profile Yoke

Part No.	Bore	mm	Length (L)	inches	Use with	Price
	mm	inches	mm	inches	Tube No.	
NE-8-0120	41.25	1-5/8	80.0	3-5/32	NE-70-2204	\$63.04




Outer Profile Tube - 59" Length (L)

Part No.	O.D.	mm	Wall Thickness	inches	Use with	Price
	mm	inches	mm	inches	Yoke No.	
NE-70-2204	41.25	1-5/8	2.85	7/64	NE-8-0120	\$71.08




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter	mm	Length (L)	inches	Price
NE-50-2312	10.0	13/32	65.0	2-9/16	\$37.06




Implement Yokes

Part No.	Bore	mm	Length (L)	inches	Hole	Keyway	Size	Price
	mm	inches	mm	inches				
NE-8-3011	25.4	1	92.0	3-5/8	1/4"	3/8"-16	...	\$60.23
NE-8-3010	31.75	1-1/4	92.0	3-5/8	1/4"	3/8"-16	58.98
NE-8-3016	35.0	1-3/8	92.0	3.58	3/8"	D.T.	...	131.82




World Shield - Plastic

Part No.	Overall Length	Bell O.D.	Price
NE-69-1248	51"	6-1/8"	\$71.31



Shield Bearing Set (2 per box)


Part No.	Bearing I.D.	Bearing Width	Use With	Price
NE-56-2223	2"	5/32"	NE-69-1248 ...	\$17.33



2300 Series - Neapco Metric Series - Walterscheid Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)		Overall length (L)		
Part No.	mm	inches	mm	inches	Price
NE-1-0421	27.0	1-1/16	74.6	2-15/16	\$34.38




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

	Bore		Length (L)		
Part No.	mm	inches	mm	inches	Price
NE-8-4012	1-3/8"-6 Spline	107.0	4-7/32	\$64.00	
NE-8-4021	1-3/8"-21 Spline	107.0	4-7/32	80.86	




Inner Profile Yoke

	Bore		Length (L)		Use with		
Part No.	mm	inches	mm	inches	Tube No.		Price
NE-8-2330	34.5 ...	1-23/64	85.0 ...	3-11/32	NE-70-2205		\$60.48




Inner Profile Tube - 59" Length (L)

	O.D.		Wall Thickness		Use with		
Part No.	mm	inches	mm	inches	Yoke No.		Price
NE-70-2205	34.5 ...	1-23/64	3.95	5/32	NE-8-2330		\$82.65




Outer Profile Yoke

	Bore		Length (L)		Use with		
Part No.	mm	inches	mm	inches	Tube No.		Price
NE-8-2320	41.25	1-5/8	85.0 ...	3-11/32	NE-70-2204		\$63.79




Outer Profile Tube - 59" Length (L)

	O.D.		Wall Thickness		Use with		
Part No.	mm	inches	mm	inches	Yoke No.		Price
NE-70-2204	41.25 ...	1-5/8	2.85	7/64	NE-8-2320		\$71.08




Tube Pin (Fits both inner and outer profile yokes)

	Diameter		Length (L)				
Part No.	mm	inches	mm	inches		Price	
NE-50-2312	10.0	13/32	65.0	2-9/16		\$37.06	




Implement Yokes

	Bore		Length (L)		Hole		
Part No.	mm	inches	mm	inches	Keyway	Size	Price
NE-8-4010	31.75	1-1/4	95.0	3-3/4	1/4"	3/8"-16.	\$65.23
NE-8-4011	34.93	1-3/8	95.0	3-3/4	5/16"	3/8"-16....	66.61
NE-8-4016	34.93	1-3/8	89.5 ...	3-17/32		3/8" D.T. ..	96.54




World Shield - Plastic

	Overall Length		Bell O.D.			
Part No.						Price
NE-69-1248	51"		6-1/8"			\$71.31



Shield Bearing Set (2 per box)


	Bearing I.D.		Bearing Width		Use With		
Part No.					Shield No.		Price
NE-56-2223	2"		5/32"		NE-69-1248 ...		\$17.33



2400 Series - Neapco Metric Series - Walterscheid Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)		Overall length (L)		
Part No.	mm	inches	mm	inches	Price
NE-2-2421	32.0	1-17/64	76.0	3	\$58.98




Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

	Bore		Length (L)		
Part No.	mm	inches	mm	inches	Price
NE-8-2412	1-3/8"-6 Spline		112.0	4-13/32	\$101.93
NE-8-2421	1-3/8"-21 Spline		112.0	4-13/32	108.28



Inner Profile Yoke

	Bore		Length (L)		Use with		
Part No.	mm	inches	mm	inches	Tube No.		Price
NE-8-2430	39.5	1-9/16	92.0	3-5/8	NE-70-2405		\$97.94




Inner Profile Tube - 59" Length (L)

	O.D.		Wall Thickness		Use with		
Part No.	mm	inches	mm	inches	Yoke No.		Price
NE-70-2405	39.5	1-9/16	4.5	11/64	NE-8-2430		\$106.05




Outer Profile Yoke

	Bore		Length (L)		Use with		
Part No.	mm	inches	mm	inches	Tube No.		Price
NE-8-2420	48.0	1-57/64	102.0	4-1/64	NE-70-2404		\$87.88




Outer Profile Tube - 59" Length (L)

	O.D.		Wall Thickness		Use with		
Part No.	mm	inches	mm	inches	Yoke No.		Price
NE-70-2404	48.0	1-57/64	3.8	5/32	NE-8-2420		\$104.96




Tube Pin (Fits both inner and outer profile yokes)

	Diameter		Length (L)				
Part No.	mm	inches	mm	inches			Price
NE-50-0512	10.0	13/32	75.0	61/64			\$24.10




Implement Yokes

	Bore		Length (L)		Hole		
Part No.	mm	inches	mm	inches	Keyway	Size	Price
NE-8-2410	31.75	1-1/4	105.0	4-1/8	1/4"	3/8"-16	\$98.82
NE-8-2411	34.93	1-3/8	105.0	4-1/8		1/2" D.T.	95.64




World Shield - Plastic

	Overall Length		Bell O.D.				
Part No.							Price
NE-69-2248	51"		7-1/16"				\$98.40



Shield Bearing Set (2 per box)


	Bearing I.D.		Bearing Width		Use With		
Part No.					Shield No.		Price
NE-56-2324	2-1/2"		3/16"		NE-69-2248 ...		\$17.83



2500 Series - Neapco Metric Series - Walterscheid Style


Cross & Bearing Kit: Outside Lock-Up

	Bearing Diameter (B)		Overall length (L)		Price
Part No.	mm	inches	mm	inches	
NE-3-2521	36.0	1.417	89.0	3-1/2	\$61.01



Tractor Yokes: Pin Type Quick Disconnect (tractor end use only)

Part No.	Bore		Length (L)		Price
	mm	inches	mm	inches	
NE-8-2512	1-3/8"-6 Spline		118.0	4-5/8	\$103.77
NE-8-2521	1-3/8"-21 Spline		118.0	4-5/8	138.30
NE-8-2514	1-3/4"-20 Spline		118.0	4-5/8	147.53



Inner Profile Yoke

Part No.	Bore		Length (L)		Use with	Price
	mm	inches	mm	inches	Tube No.	
NE-8-2530	51.0	2	106.0	4-5/32	NE-70-2505	\$128.47




Inner Profile Tube - 59" Length (L)

Part No.	O.D.		Wall Thickness		Use with	Price
	mm	inches	mm	inches	Yoke No.	
NE-70-2505	51.0	2			NE-8-2530	\$328.09




Outer Profile Yoke

Part No.	Bore		Length (L)		Use with	Price
	mm	inches	mm	inches	Tube No.	
NE-8-2520	61.0	2-13/32	112.0	4-13/32	NE-70-2504	\$136.83




Outer Profile Tube - 59" Length (L)

Part No.	O.D.		Wall Thickness		Use with	Price
	mm	inches	mm	inches	Yoke No.	
NE-70-2504	61.0	2-13/32	4.5	11/64	NE-8-2520	\$230.78




Tube Pin (Fits both inner and outer profile yokes)

Part No.	Diameter		Length (L)		Price
	mm	inches	mm	inches	
NE-50-1090	10.0	13/32	90.0	3-1/2	\$26.63




Implement Yokes

Part No.	Bore		Length (L)		Hole	Keyway	Size	Price
	mm	inches	mm	inches				
NE-8-2511	34.93	1-3/8	118.0	4-21/64	3/8"	3/8"	16...	\$179.97
NE-8-2515	38.1	1-1/2	118.0	4-21/64	3/8"	3/8"	16...	181.75




Shear Pin Yokes

Part No.	Bore		Length (L)		Drill Thru	Price
	mm	inches	mm	inches		
NE-8-2535	38.1	1-1/2	118.0	4-41/64	1/2" D.T.	\$181.77




World Shield - Plastic

Part No.	Overall Length		Bell O.D.		Price
	mm	inches	mm	inches	
NE-69-2248	51"		7-1/16"		\$98.40



Shield Bearing Set (2 per box)


Part No.	Bearing I.D.		Bearing Width		Use With	Shield No.	Price
	mm	inches	mm	inches			
NE-56-2324	2-1/2"		3/16"		NE-69-2248	...	\$17.83



G & G

PTO REPAIR AND REPLACEMENT CENTER

6N Series	12N Series	14N Series	35N Series	Brg. & S/H Kits
134-1214 -----2	134-1618 -----2	140-1400 -----1	136-1900 -----1	128-0600 -----4
138-1214 -----2	138-1618 -----2	177-1400 -----2	140-3500 -----1	128-1200 -----8
177-0600 -----2	177-1200 -----2	181-1400 -----2	177-3500 -----1	02010300 -----4
180-0600 -----2	180-1200 -----2	18231406 -----4	181-3500 -----1	02010306 -----10
18230606 -----4	18231206 -----4	18231421 -----2	18233506 -----3	02010321 -----2
18230621 -----1	18231221 -----1	184-1416 -----2	18233521 -----1	02010495 -----4
184-0612 -----1	184-1216 -----4	184-1418 -----2	184-3518 -----1	
184-0614 -----1	184-1218 -----2	184-1420 -----2	184-3520 -----2	
184-0615 -----1	184-1220 -----2	184-1422 -----2	184-3522 -----2	
184-0616 -----4	184-1222 -----1	184-1423 -----2	184-3523 -----1	
184-0618 -----2	186-1200 -----1	185-1400 -----1	184-3524 -----2	
184-0620 -----2	188-1200 -----1	188-1400 -----1	185-3500 -----1	
186-0600 -----1	302-1200 -----10	194-1400 -----2	188-3500 -----1	
188-0600 -----1	303-1248 -----1	302-1400 -----10	194-3500 -----2	
302-0600 -----6		303-1248 -----1	302-3500 -----6	
303-0648 -----1			303-3548 -----1	

**ORDER NO. 002-0155**


Display includes items to cover most repair and replacement needs for 6N, 12N, 14N, and 35N U-Joints and PTO shafts, with 48" x 66" display rack with hooks. Assortment of tubing and shafting in 5' lengths not shown in photo. We suggest the tubing and shafting not be stored on display rack. Approx. Weight 500 lbs.

002-0155.....PTO Display..... \$6308.02

Dealer Schedule.....203

G & G

PTO REPAIR AND REPLACEMENT CENTER



6N Series	12N Series	14N Series	35N Series
177-0600 -----2	177-1200 -----2	177-1400 -----2	177-3500 -----2
180-0600 -----2	180-1200 -----2	181-1400 -----2	181-3500 -----2
18230606 -----2	18231206 -----2	18231406 -----2	18233506 -----2
18230621 -----1	18231221 -----1	18231421 -----1	18233521 -----1
184-0616 -----2	184-1216 -----2	184-1418 -----1	184-3520 -----1
184-0618 -----1	184-1218 -----1	184-1420 -----2	184-3522 -----1
184-0620 -----1	184-1220 -----1	184-1422 -----1	184-3524 -----2
302-0600 -----4	302-1200 -----6	302-1400 -----6	302-3500 -----4




STOCK NO. 002-150

Display includes popular yokes for 6N, 12N, 14N, and 35N U-Joints. Repair kits and splined adapters with 36" x 54" display rack with hooks. Approx. Weight 180 lbs.

002-0150.....PTO Display..... \$2706.70

Dealer Schedule.....203

Call Toll-Free 1-800-444-8666

SEAMLESS SQUARE - RECTANGULAR TUBING & SHAFTING
SOLD IN 5/6 OR 10/12 FT. LENGTHS
TUBING & SHAFTING

SQUARE TUBING

6 ft. No.	12 ft. No.	Wall	O.D.	Telescope	Per ft
132-1200	133-1200	1/8	1	3/4	\$23.13
132-1400	133-1400	1/8	1-1/8	7/8	17.25
132-1500	133-1500	1/8	1-3/16	15/16	18.34
132-1600	133-1600	1/8	1-1/4	1	18.77
132-1601	133-1601	3/16	1-3/8	1	30.41
132-1800	133-1800	1/8	1-3/8	1-1/8	20.31
132-1900	133-1900	5/32	1-1/2	1-3/16	30.97
132-2000	133-2000	3/16	1-5/8	1-1/4	34.00
132-2100	133-2100	7/32	1-3/4	1-5/16	40.66
132-2200	133-2200	3/16	1-3/4	1-3/8	38.43
132-2400	133-2400	3/16	1-7/8	1-1/2	41.22

MATERIAL: 1010/1020 Power Take Off Tubing.

6 ft. No.	12 ft. No.	Size	Per ft.
136-1200	137-1200	3/4	\$10.79
136-1400	137-1400	7/8	14.30
136-1500	137-1500	15/16	16.48
136-1600	137-1600	1	18.77
136-1800	137-1800	1-1/8	23.67
136-1900	137-1900	1-3/16	26.47
136-2000	137-2000	1-1/4	29.04
136-2100	137-2100	1-5/16	32.10
136-2200	137-2200	1-3/8	35.20
136-2400	137-2400	1-1/2	41.73

MATERIAL: 1045 Cold Drawn.

RECTANGULAR TUBING


6 ft. No.	12 ft. No.	Wall	O.D.	Telescope	Per ft
134-1214	135-1214	1/8	1x1-1/8	3/4x7/8	\$18.53
134-1618	135-1618	1/8	1-1/4x1-3/8	1x1-1/8	25.23

MATERIAL: Mandrel Drawn PTO Tubing.

RECTANGULAR SHAFTING

6 ft. No.	12 ft. No.	Size	Per ft.
138-1214	139-1214	3/4 x 7/8	\$13.61
138-1618	139-1618	1 x 1-1/8	22.77

MATERIAL: 1045 Cold Drawn.


ROUND REPAIR TUBING

Seamless Mechanical Tubing.

MATERIAL: Cold Drawn Butt Weld.

1/8 INCH WALL

5 ft. No.	10 ft. No.	O.D.	I.D.	Per ft.
13021006*	5/8	3/8	\$10.10
13021208	13121208	3/4	1/2	10.76
13021410	13121410	7/8	5/8	11.32
13021612	13121612	1	3/4	13.40
13021814	13121814	1-1/8	7/8	13.59
13022016	13122016	1-1/4	1	13.78
13022218	13122218	1-3/8	1-1/8	16.26
13022420	13122420	1-1/2	1-1/4	17.40
13022622	13122622	1-5/8	1-3/8	20.87
13022824	13122824	1-3/4	1-1/2	21.87
13023026	13123026	1-7/8	1-5/8	24.20
13023228	13123228	2	1-3/4	25.85
13023430	13123430	2-1/8	1-7/8	26.94
13023632	13123632	2-1/4	2	28.25
13023834*	2-3/8	2-1/8	21.50
13024036	13124036	2-1/2	2-1/4	38.20
13024440	13124440	2-3/4	2-1/2	53.46
13024642*	2-7/8	2-5/8	25.30
13024844*	3	2-3/4	43.34

3/16 INCH WALL

13031408*	7/8"	1/2"	12.56
13031610*	1"	5/8"	13.37
13031812*	1-1/8"	3/4"	20.21
13032216*	1-3/8"	1"	20.21

1/4 INCH WALL

13041608	13141608	1	1/2	\$24.93
13041810	13141810	1-1/8	5/8	25.51
13042012	13142012	1-1/4	3/4	25.72
13042214	13142214	1-3/8	7/8	29.98

* -- (WILL NOT TELESCOPE) Specify 5 ft. or 10 ft. Lengths.
 ** -- (WILL NOT TELESCOPE) Specify 2-1/2 ft., 5 ft. or 10 ft. Lengths.

NOTE: 10 & 12 ft. lengths CAN NOT be shipped by U.P.S.
 DEALER SCHEDULE THIS PAGE.....203
 Call for price and availability of sizes not listed.

3/8 INCH WALL

13062412**	1-1/2	3/4	36.10
13062816**	1-3/4"	1"	36.67
13063018**	1-7/8"	1-1/8"	38.80
13063220**	2"	1-1/4"	40.76
13063422**	2-1/8"	1-3/8"	43.88
13063624**	2-1/4"	1-1/2"	46.51
13063826**	2-3/8"	1-5/8"	49.30
13064028**	2-1/2"	1-3/4"	50.39
13064230**	2-5/8"	1-7/8"	53.22
13064432**	2-3/4"	2"	59.25
13064836**	3"	2-1/2"	65.50

7/16 INCH WALL


13072410**	1-1/2"	5/8"	39.10
13083216**	2'	1"	48.33

1/2 INCH WALL

13083620**	2-1/4"	1-1/4"	68.85
13084024**	2-1/2"	1-1/2"	74.70
13084832**	3"	2"	76.60
13085640**	3-1/2"	2-1/2"	101.60

5/8 INCH WALL


13104828**	3"	1-3/4"	81.84
------------------	-------	----------	--------------	-------

METAL PTO SAFETY SHIELDS**COMPLETE SET OF SHIELDS INCLUDES BOTH INNER & OUTER SHIELDS.**

Complete with bells for Dim. L 48" or 72" PTO Shafts. Sold in set only. For shorter length PTO simply cut shields to length.

Order No.	Series	Dim. L	Weight	Each
301-0648	6N	48"	11.71	\$115.41
301-1248	12N-14N	48"	13.12	130.80
301-3548	35N	48"	14.17	203.02
301-4448	44R-55N	48"	16.43	294.89
301-0672	6N	72"	18.37	170.13
301-1272	12N-14N	72"	21.55	194.35
301-3572	35N	72"	22.52	254.45

Dealer Schedule.....203

BEARING SHIELD KIT

Each kit contains nylon bearing, thrust washer and snap ring

Order No.	Fits PTO Series	Price
128-0600	6N	\$4.64
128-1200	12N, 14N, 35N	5.50
128-5500	44R, 55N	10.29
	Dealer Schedule.....	203

KEYED SHAFTING


Available in
3' & 6' lengths



Material:
C1018 Drawn

3' No.	6' No.	O.D.	Keyway	Wt.	Price
3' No.	6' No.	O.D.	Keyway	Per Ft.	Per Ft.
144-0800	145-0800	1/2"	1/8 x 1/16	0.67	\$9.44
144-1000	145-1000	5/8"	3/16 x 3/32	1.04	10.44
144-1100	145-1100	11/16"	3/16 x 3/32	1.26	11.86
144-1200	145-1200	3/4"	3/16 x 3/32	1.50	12.01
144-1300	145-1300	13/16"	3/16 x 3/32	1.76	17.89
144-1400	145-1400	7/8"	3/16 x 3/32	2.04	13.52
144-1600	145-1600	1"	1/4 x 1/8	2.67	14.96
144-1800	145-1800	1-1/8"	1/4 x 1/8	3.38	16.80
144-1900	145-1900	1-3/16"	1/4 x 1/8	3.77	18.24
144-2000	145-2000	1-1/4"	1/4 x 1/8	4.17	19.50
144-2005	145-2005	1-1/4"	5/16" x 5/32	4.17	24.84
144-2100	145-2100	1-5/16"	5/16 x 5/32	4.60	20.82
144-2200	145-2200	1-3/8"	5/16 x 5/32	5.05	22.56
144-2300	145-2300	1-7/16	3/8 x 3/16	5.52	24.38
144-2400	145-2400	1-1/2"	3/8 x 3/16	5.89	25.96
144-2800	145-2800	1-3/4"	3/8 x 3/16	8.18	32.86

Dealer Schedule.....152

PLASTIC PTO SAFETY SHIELDS**COMPLETE SET OF SHIELDS INCLUDEDS BOTH INNER & OUTER SHIELDS WITH NOTCHES.**

Complete with bells for Dim. L 48" PTO Shafts.
For shorter length PTO simply cut shields to length.

Order No.	Series	Dim. L	Weight	Each
300-0648	6N	48"	2.00	\$67.69
300-1248	12N-14N	48"	2.20	82.71
300-3548	35N	48"	2.55	93.86
300-4448	44R-55N	48"	3.40	159.69

Dealer Schedule Complete Shields.....203

Outer PTO Shield Half Only

300O0648	6N	48"	1.24	35.25
300O1248	12N-14N	48"	1.39	44.19
300O3548	35N	48"	1.51	50.14
300O4448	44R-55N	48"	2.09	82.43

Inner PTO Shield Half Only

300I0648	6N	48"	1.14	32.94
300I1248	12N-14N	48"	1.17	38.52
300I3548	35N	48"	1.28	44.00
300I4448	44R-55N	48"	1.90	77.40

Dealer Schedule Shield Halves.....102

HEXAGON SHAFTING

Material: 1045 Cold Drawn.




6 ft. No.	12 ft. No.	O.D.	Per ft.
142-0900	143-0900	9/16	\$10.90
142-1000	143-1000	5/8	14.08
142-1200	143-1200	3/4	16.85
142-1400	143-1400	7/8	18.85
142-1600	143-1600	1	24.39
142-1800	143-1800	1-1/8	32.26
142-2000	143-2000	1-1/4	37.76
142-2400	143-2400	1-1/2	44.97
142-2800	143-2800	1-3/4	61.39

Dealer Schedule.....203


PTO TORQUE TUBING

MATERIAL: Hot Rolled Electric Welded.



6 ft. No.	12 ft. No.	Series	O.D.	I.D.	Per ft.
140-0600	141-0600	6N	1-5/8	1-15/32	\$48.44
140-1400	141-1400	14N	2	1-13/16	24.17
140-3500	141-3500	35N	2-1/8	1-7/8	39.42
NE-70-2250		35N	2-1/4	2-1/64	26.79
140-4400	141-4400	44R-55N	2-1/2	2-15/64	61.17

Dealer Schedule.....203




G&G UNIVERSAL JOINT REPAIR KITS

Fits U-Joint Order No.	Overall Series No.	Bearing Length	Diameter	Price
302-0400	4P	2-1/64	7/8	\$23.94
302-0600	6N	2-5/16	31/32	14.70
302-0675	0675	2-5/16	15/16	20.88
302-1200	12N	2-9/16	1-1/16	16.22
302-1400	14N	2-5/8	1-1/8	20.28
302-1875	1800	3-3/16	1	27.52
302-3500	35N	3-7/32	1-1/4	24.64
302-4400	44R	4-1/32	1-5/16	36.98
302-5500	55N	4-5/16	1-17/32	63.20

Dealer Schedule.....203

Repair Kits are complete with bushings, center cross, retainers, lube fittings and washers.

G&G U-JOINT CROSS REFERENCE



G&G Kit	G&G Rock. Std.	Chain Belt	Neapco	Spicer	APC	Weasler
Order No.	Series	Series	Series	Series	Series	Series
302-0600	6N L6N		L600	6N	L6W/6RW	
302-1200	12N L12N	R12N/R31N/120	1200	1140	12N	12RW
302-1400	14N L14N	R14N/140	2000	1240	14N	GN/14NW
302-3500	35N 35N	R35N/350	2200	1340	35N	35RW/DN/35NW
302-4400	44R 44R	440	44R	1440	44N	
302-5500	55N 55N					L55/55NW
302-0675			0675	1000		
302-1875			1800			

HORSEPOWER TABLE

6N	8HP
12N	20HP
14N	30 HP
35N	50 HP
55N	100 HP

Yoke Identification & Horsepower Rating Chart


Series No.	C	D	E	Bearing Type	HP @ 540 RPM	Rec. Torq. Ft-Lbs	Rec. Max. Oper. Angle	HP @ 1000 RPM	REC. TORQ. Ft-Lbs	REC. MAX. Oper. Angle
						@ 540 RPM	@ 540 RPM		@ 1000 RPM	@ 1000 RPM
K1C				Plain	3	29.17	15°	5	26.26	7°
4P	7/8 1-23/64			Plain	5	48.62	15°	9	47.26	7°
0675	15/16 ... 1-31/64			Needle	12	116.71	15°	22	115.54	7°
6N	31/32 1-7/16			Needle	12	116.71	15°	22	115.54	7°
12N	1-1/16 ... 1-13/16			Needle	28	272.33	15°	51	267.85	7°
14N	1-1/8	2-29/32		Needle	36	350.13	15°	66	346.63	7°
35N	1-1/4	3-31/64		Needle	65	632.19	15°	120	630.24	7°
44R	1-5/16 ... 2-51/64			Needle	90	875.33	15°	166	871.83	7°
55N	1-17/32 4-5/8			Needle	110	1069.85	15°	203	1066.16	7°

PTO Cross Reference

G & G	Neapco	Weasler									
177-0600	16-6129 300-0600		182-3506	22-2312 102-3506		184-1220	12-1218 800-1220		186-0600	64-1639 11000648	
177-1200	12-1340 300-1200		182-3521	22-2317 102-3521		184-1222	12-1120 800-1222		186-1200	64-2739 11001248	
177-1400	20-9126 300-1400		182-4406	44-2220 102-4406		184-1416	20-9115 800-1416				
177-3500	22-1344 300-3500		182-4421	44-2201 102-4421		184-1418	20-9117 800-1418		188-0600	65-1639 10000648	
177-4400	44-2100 300-4400		182-5506	102-5506		184-1420	20-9218 800-1420		188-1200	65-2839 10001248	
177-5500	300-5500		182-5520	102-5520		184-1422	20-9120 800-1422		188-1400	65-2840 10001448	
180-0600	16-6131 700-0600		182-5521	102-5521		184-1423	20-9154 800-1423		188-3500	65-2639 10003548	
180-1200	12-1318 700-1200		184-0512	10-0413		184-1424	20-9307 800-1424		188-4400		10004448
180-1400	700-1400		184-0513	10-4173		184-3516	22-1131 800-3516				
181-1200	12-1334 701-1200		184-0514	10-4453		184-3518	22-1132 800-3518		194-0600	53-0634	
181-1400	20-9131 701-1400		184-0516	10-4573		184-3519	22-1129 800-3519		194-1400	53-2034 500-1400	
181-3500	22-1325 701-3500		184-0520	10-4193		184-3520	22-1218 800-3520		194-3500	53-2435 500-3500	
181-4400	44-2200 701-4400		184-0610	16-6210 800-0610		184-3522	22-1219 800-3522		194-4400	53-2644 500-4400	
181-5500	701-5500		184-0612	16-6111 800-0612		184-3523	22-1178 800-3523				
182-0606	16-6409 102-0606		184-0614	16-6213 800-0614		184-3524	22-1120 800-3524		302-0600	1-1475 200-0600	
182-0621	16-0621 102-0621		184-0615	16-6114 800-0615		184-4422	44-2256 800-4422		302-0675	1-0675 200-0675	
182-1206	12-1190 102-1206		184-0616	16-6215 800-0616		184-4424	44-2460 800-4424		302-1200	1-1275 200-1200	
182-1221	12-1193 102-1221		184-0618	16-6216 800-0618		184-4426	44-2610		302-1400	1-2075 200-1400	
182-1406	20-9309 102-1406		184-0620	16-6218 800-0620		184-4428	44-2820		302-1875	1-1875 200-1875	
182-1421	20-9325 102-1421		184-1216	12-1115 800-1216		185-1400	64-2470 11001448		302-3500	2-2275 200-3500	
			184-1218	12-1117 800-1218		185-3500	64-2539 11003548		302-4400	3-0044 200-4400	
						185-4400	11004448		302-5500	3-0045 200-5500	

G & G SNAP HITCH PIN KITS

EACH KIT CONTAINS A NEW SPRING AND TRAILING SNAP HITCH PIN. ORDER BY STOCK NUMBER.




WELDED YOKE

6N, 12N, 14N, 35N, 44R

APPROX. WT.

Fits 1-3/8 x 6 Spline Yokes or Spline Adapters. STOCK NO. 02010306	.13
Fits 1-3/8 x 21 Spline Yokes or Spline Adapters. STOCK NO. 02010321	.19

STOCK NO. 02010306



STOCK NO. 02010321




Fits 55N Series 1-3/8 x 6 Spline Yoke. STOCK NO. 02015506	.20
Fits 55N Series 1-3/8 x 21 Spline Yoke. STOCK NO. 02015521	.21
Fits 55N Series 1-3/4 x 20 Spline Yoke. STOCK NO. 02015520	.20

STOCK NO. 02015506



STOCK NO. 02015521



STOCK NO. 02015520




FIELD REPLACEMENT INSTRUCTIONS FOR NEW STYLE TRAILING SNAP HITCH PIN KITS

CAUTION: ALWAYS WEAR EYE PROTECTION WHEN PERFORMING THIS OPERATION.

- 1) Remove the old hitch pin and yoke.
- 2) Place the yoke on a hard surface with the closed end of the pin tube down on the surface.
- 3) Place spring and pin into the open end of the tube.
- 4) Using a 1/8" drift punch, nail set or similar tool and a medium size hammer, deform the end of the tube in 4 or 5 places around the hole periphery while depressing the pin with your thumb. Care should be taken as not to over-stake the pin, which may cause it to stick. Check the crimp to make sure that the pin is secured without sticking.

NOTE:

**Snap Ring Type
Repair Kits Are
No Longer Available!**




All The Above Pin Kits

List: \$8.26

Dealer Schedule.....203

NEW PRICES AS OF 12/14/2018

READY MADE PTO SHAFTS




Equipped with Safety Orange Plastic Shields, Dim. M, 1-3/8 x 6 S.H., Dim. L 48 inch.

Order No.	Series	KWY & SS	Price
306-4816	6N	1" Rd.	\$318.90
306-4818	6N	1-1/8" Rd.	318.90
306-4820	6N	1-1/4" Rd.	318.90
312-4816	12N	1" Rd.	391.06
312-4818	12N	1-1/8" Rd.	391.06
312-4820	12N	1-1/4" Rd.	391.06
314-4818	14N	1-1/8" Rd.	449.55
314-4820	14N	1-1/4" Rd.	449.55
314-4822	14N	1-3/8" Rd.	449.55
314-4824	14N	1-1/2" Rd.	449.55
335-4820	35N	1-1/4" Rd.	572.47
335-4822	35N	1-3/8" Rd.	572.47
335-4824	35N	1-1/2" Rd.	572.47
344-4824	44R	1-1/2" Rd.	729.35
355-4824	55N	1-1/2" Rd.	1109.29

READY MADE PTO SHAFTS

LESS EQUIPMENT END YOKE



PTO Shafts furnished without center cross and end yoke on equipment end. Order center cross and end yoke as required. When center cross and end yoke are installed the overall length of PTO will be 48 inches. Standard Plastic Shields are furnished.

Order No.	U-Joint Series	Price
305-0648	6N	\$295.54
305-1248	12N	358.15
305-1448	14N	440.97
305-3548	35N	521.00
305-4448	44R	627.66
305-5548	55N	928.55

YOKE & BAR ASSEMBLIES




YOKE & TUBE ASSEMBLIES



Order No.	Series	Tubing I.D.	C	Price
186-0600	6N	3/4 x 7/8	37-7/8	\$67.88
186-1200	12N	1 x 1-1/8	36-5/8	86.80

BALL TYPE SNAP HITCH REPAIR KIT




Fits 1-3/8" x 6 or 21 Spline Snap Hitch, Also Half Yokes, and Spline Adapters, Repair Kit includes: a coiled spring, three ball bearings, a retaining shell, and snap ring.

Order No.	Each
02010300	Snap Hitch Repair Kit \$12.58

YOKE & TUBE ASSEMBLIES

WITH SLIP SLEEVE





Order No.	Series	Tube Size	Slip Sleeve	C	Price
185-1400	14N	2 x 1-13/16	1 x 1-1/8	36-3/16	\$106.02
185-3500	35N	2-1/8 x 1-7/8	1-3/16 Sq.	34-1/4	158.30
185-4400	44R	2-1/2 x 2-15/16	1-5/16 Sq.	33-7/8	215.43

*Centralize with Central
Call 1-800-444-8666*

**ROUND BORE
YOKE
FURNISHED
W/STD. KW & SS**

YOKES


Order No.	Series	A	B	F	Price
184-0410	4P	5/8	2-3/8	1-1/4	\$18.36
184-0412	4P	3/4	2-3/8	1-1/4	18.36
184-0414	4P	7/8	2-3/8	1-1/4	18.36
184-0416	4P	1	2-3/8	1-1/4	18.36
184-0512	0675	3/4	2-1/2	1	22.18
184-0514*	0675	7/8	2-1/2	1	27.00
184-0516	0675	1	2-1/2	1	22.18
184-0518	0675	1-1/8	2-1/2	1	27.48
184-0520**	0675	1-1/4	2-1/2	1	25.68
184-0521	0675	1-1/4	2-1/2	1	25.68
184-0610	6N	5/8	2-1/2	1-1/8	21.70
184-0612	6N	3/4	2-1/2	1-1/8	21.70
184-0614	6N	7/8	2-1/2	1-1/8	21.70
184-0615	6N	15/16	2-1/2	1-1/8	21.70
184-0616	6N	1	2-1/2	1-1/8	21.70
184-0618	6N	1-1/8	2-1/2	1-1/8	27.50
184-0620	6N	1-1/4	2-1/2	1-1/8	27.50
184-1216	12N	1	3-1/2	2	35.67
184-1218	12N	1-1/8	3-1/2	2	35.67
184-1220	12N	1-1/4	3-1/2	2	36.06
18451220**	12N	1-1/4	3-1/2	2	39.50
184-1222	12N	1-3/8	3-1/2	2	35.06



Order No.	Series	A	B	F	Price
184-1416	14N	1	3-1/2	1-3/4	\$36.38
184-1418	14N	1-1/8	3-1/2	1-3/4	36.38
184-1420	14N	1-1/4	3-1/2	1-3/4	36.38
18451420**	14N	1-1/4	3-1/2	1-3/4	39.50
184-1422	14N	1-3/8	3-1/2	1-3/4	38.63
184-1423	14N	1-7/16	3-1/2	1-3/4	38.63
184-1424	14N	1-1/2	3-1/2	1-3/4	38.63
184-3516	35N	1	4-5/32	2-3/16	53.97
184-3518	35N	1-1/8	4-5/32	2-3/16	53.97
184-3520	35N	1-1/4	4-5/32	2-3/16	53.97
184-3522	35N	1-3/8	4-5/32	2-3/16	53.97
184-3523	35N	1-7/16	4-5/32	2-3/16	53.97
184-3524	35N	1-1/2	4-5/32	2-3/16	53.97
184-3528	35N	1-3/4	4-5/32	2-3/16	65.23
184-4422	44R	1-3/8	4-7/32	1-11/16	84.14
184-4424	44R	1-1/2	4-7/32	1-11/16	84.14
184-4428	44R	1-3/4	4-7/32	1-11/16	84.14
184-5516	55N	1 plain	5-9/16	2-7/8	174.92
184-5524	55N	1-1/2	5-9/16	2-7/8	174.92
184-5528	55N	1-3/4	5-9/16	2-7/8	174.92
184-5532	55N	2	5-9/16	2-7/8	231.93

*Keyway 1/4". **Keyway 5/16".

**YOKE IDENTIFICATION
HORSEPOWER
RATING CHART**



Series	C	D	E	HP @ 540 RPM
No.				
K1C**				3
4P**	7/8			5
0675*	15/16	1-31/64		12
6N*	31/32	1-7/16		12
12N*	1-1/16	1-13/16		28
14N*	1-1/8		2-29/32	36
35N*	1-1/4		3-31/64	65
44R*	1-5/16	2-51/64		90
55N	1-17/32		4-5/8	110


*Needle Bearing Type. **Plain Bearing Type.

Note - - - All have a maximum operating angle of 15 degrees.


Order No.	Series	A	B	C	D	E	Step O.D.	Step Width	O.L.	Price
194-0600	6N	3/4 x 7/8	1-1/2	1-15/32	1	5				\$38.67
194-0615	6N	1" x 15 Spline	1-1/2	1-15/32	1/2	3				36.87
194-1400	12N, 14N	1 x 1-1/8	2	1-13/16	3/4	5				40.66
194-3500*	35N	1-3/16 Sq.	2-1/8	1-7/8	3/4	5				42.01
194-4400*	44R	1-5/16 Sq.	2-1/2	2-15/64	1	5				45.99
194-5500*	55N	1-3/8 Sq.	2-1/2	2-15/64	1	5				65.85

*Slip Sleeve Hardened.



**SHEAR
PIN
YOKE**



Order No.	Series	A	B	F	Hole	Price
196-0616	6N	1	2-1/2	1-7/64	1/4	\$33.00
196-0618	6N	1-1/8	2-1/2	1-7/64	1/4	33.00
196-0620	6N	1-1/4	2-1/2	1-7/64	1/4	33.00
196-1216	12N	1	3-1/2	1-29/32	1/4	43.19
196-1218	12N	1-1/8	3-1/2	1-29/32	1/4	43.19
196-1220	12N	1-1/4	3-1/2	1-29/32	1/4	43.85
196-1222	12N	1-3/8	3-1/2	1-29/32	1/4	43.85
196-1418	14N	1-1/8	3-1/2	1-41/64	1/4	44.66
196-1420	14N	1-1/4	3-1/2	1-41/64	1/4	44.66
196-1422	14N	1-3/8	3-1/2	1-41/64	1/4	46.89
196-1424	14N	1-1/2	3-1/2	1-41/64	1/4	46.89
196-3520	35N	1-1/4	4-1/8	2-9/64	1/4	62.21
196-3522	35N	1-3/8	4-1/8	2-9/64	1/4	62.21
196-3524	35N	1-1/2	4-1/8	2-9/64	1/4	62.21

SLIP SLEEVES

DEALER SCHEDULE THIS PAGE.....203



SLIP SLEEVE YOKE




FURNISHED WITH GREASE ZERK

Order No.	Series	A	B	F	Price
19100414	4P	7/8 Square	5-1/16	3-15/16	\$31.97
191-0614	6N	7/8 Round with 1/4" KW	5-3/8	4-	63.88
191-0616	6N	1 Round with 1/4" KW	5-3/8	4-	86.78
19100612	6N	3/4 Square	5-3/8	4-	31.97
19100614	6N	7/8 Square	5-3/8	4-	31.97
19100616	6N	3/4 x 7/8 Rect.	5-3/8	4-	31.97

Shear Pin

Order No.	Series	A	B	Dia.	Price
195-0606	6N	1-3/8 x 6	4-23/32	1/4	\$129.51
195-1206	12N	1-3/8 x 6	4-15/32	5/16	129.51
195-1406	14N	1-3/8 x 6	5-3/32	5/16	137.97
195-1421	14N	1-3/8 x 21	5-3/32	5/16	137.97
195-3506	35N	1-3/8 x 6	6-1/2	3/8	204.99
195-3521	35N	1-3/8 x 21	6-1/2	1/2	204.99
195-4406	44R	1-3/8 x 6	7-1/4	7/16	258.02
195-4421	44R	1-3/8 x 21	7-1/4	7/16	258.02
195-5506	55N	1-3/8 x 6	6-15/16	7/16	325.11
195-5521	55N	1-3/8 x 21	6-15/16	7/16	325.11

PIN SNAP HITCH SHEAR YOKE



BALL BEARING TYPE



HEX BORE YOKES



Furnished With Set Screw



Order No.	Series	A	B	C	F	Price
197-0614	6N	7/8	2-1/2	2-1/8	1-7/64	\$27.50
197-0616	6N	1	2-1/2	2-1/8	1-7/64	27.50
197-0618	6N	1-1/8	2-1/2	2-1/8	1-7/64	27.50
197-1214	12N	7/8	3-1/2	2-1/8	1-29/32	37.90
197-1216	12N	1	3-1/2	2-1/8	1-29/32	37.90
197-1218	12N	1-1/8	3-1/2	2-1/8	1-29/32	37.90
197-1416	14N	1	3-1/2	2-1/2	1-41/64	40.62
197-1418	14N	1-1/8	3-1/2	2-1/2	1-41/64	40.62
197-1420	14N	1-1/4	3-1/2	2-1/2	1-41/64	40.62
197-3518	35N	1-1/8	4-5/32	2-1/2	2-9/64	86.03
197-3520	35N	1-1/4	4-5/32	2-1/2	2-9/64	86.03

Hex Bore Yokes
(with Snap Hitch Pin)



182H3518 . 35N ... 1-1/8 ... 4-1/2..... 2-1/2 2-1/2 71.03
182H3520 . 35N ... 1-1/4 ... 4-1/2..... 2-1/2 2-1/2 71.03

G & G PIN SNAP HITCH YOKES



Order No.	Series	A	B	F	Price
182-0606	6N	1-3/8 x 6	4-1/64	2-5/8	\$53.54
182-0621	6N	1-3/8 x 21	4-1/64	2-5/8	53.54
182-1206	12N	1-3/8 x 6	4-7/32	2-5/8	55.00
182-1221	12N	1-3/8 x 21	4-7/32	2-5/8	55.00
182-1406	14N	1-3/8 x 6	4-7/64	2-1/4	58.23
182-1421	14N	1-3/8 x 21	4-7/64	2-1/4	58.23
182-3506	35N	1-3/8 x 6	4-57/64	2-7/8	70.36
182-3521	35N	1-3/8 x 21	4-57/64	2-7/8	70.36
182-4406	44R	1-3/8 x 6	4-15/16	2-1/2	105.49
182-4421	44R	1-3/8 x 21	4-15/16	2-1/2	105.49
182-5506	55N	1-3/8 x 6	5-13/16	3-5/8	187.31
182-5521	55N	1-3/8 x 21	5-13/16	3-5/8	187.31



See Pages 201-202 For G&G Snap Hitch Repair Kits

Call Toll-Free
1-800-444-8666

COLLAR BALL SNAP HITCH YOKES




COLLAR BALL SNAP HITCH SHEAR YOKE




6N, 12N, & 14N

Order No.	Series	A	B	F	Price
18230606	6N	1-3/8"-6	4-1/2 3-7/64 \$53.54
18230615	6N	1"-15	3-41/64 .. 2-1/4 55.92
18230621	6N	1-3/8"-21	4-1/2 3-7/64 53.54
18231206	12N	1-3/8"-6	4-11/16 .. 3-3/32 55.00
18231215	12N	1"-15	3-27/32 .. 2-1/4 57.95
18231221	12N	1-3/8"-21	4-11/16 .. 3-3/32 55.00
18231406	14N	1-3/8"-6	4-61/64 .. 3-3/32 58.23
18231421	14N	1-3/8"-21	4-61/64 .. 3-3/32 58.23
02010300	Repair Kit f/1-3/8" 6 or 21, 6N or 12N	12.58
02011516	Repair Kit f/1"-15, 6N or 12N	15.89



18233506	... 35N 1-3/8 x 6 5-19/64 .. 3-21/64 70.36
18233521	... 35N 1-3/8 x 21 5-19/64 .. 3-21/64 70.36
18234406	... 44R 1-3/8 x 6 5-13/16 .. 3-3/8 106.49
18234421	... 44R 1-3/8 x 21 5-13/16 .. 3-3/8 106.49
02010495	Repair Kit f/ 35N, 44R	28.91




18233520	... 35N 1-3/4 x 20 5-3/32 2-31/32 ... 145.95
18234420	... 44R 1-3/4 x 20 5-35/64 .. 3-5/32 196.02
18235520	... 55R 1-3/4 x 20 6-25/64 .. 3-3/4 341.83
02010595	Repair Kit f/ 35N, 44R, 55N	55.45

DEALER SCHEDULE THIS PAGE.....203

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.


495 STYLE



35N, 44R, & 55N

Shear Pin





Order No.	Series	A	B	Dia.	Price
495-0606	6N 1-3/8 x 6 6-27/64 1/4 \$257.53
495-1206	12N 1-3/8 x 6 6-5/8 5/16 223.48
495-1406	14N 1-3/8 x 6 6-29/32 5/16 236.36
495-1421	14N 1-3/8 x 21 6-29/32 5/16 236.36
495-3506	35N 1-3/8 x 6 7-13/64 3/8 259.05
495-3521	35N 1-3/8 x 21 7-13/64 3/8 259.05
495-4406	44R 1-3/8 x 6 7-11/16 7/16 259.13
495-4421	44R 1-3/8 x 21 7-11/16 7/16 259.13
495-5506	55N 1-3/8 x 6 8-5/8 7/16 535.47
495-5521	55N 1-3/8 x 21 8-5/8 7/16 535.47
02010300	Repair Kit f/ 6N, 12N, 14N 6-Spline	12.58	
02010495	Repair Kit f/ 35N, 44R, 55N 21 Spline	28.91	



595 STYLE




Shear Pin

Order No.	Series	A	B	Dia.	Price
595-3520	35N 1-3/4 x 20 7-3/8 3/8 \$412.25
595-4420	44R 1-3/4 x 20 7-7/8 7/16 412.91
595-5520	55N 1-3/4 x 20 8-13/16 7/16 667.08
02010595	Repair Kit f/ 35N, 44R, 55N 20 Spline	..	55.45	

**SQUARE
BORE
YOKE**

**TORQUE
TUBE WELD
YOKE**


Order No.	Series	A	B	F	Price
183-0616	6N	1	2-1/2	1-1/8	\$27.50
183-0620	6N	1-1/4	2-1/2	1-1/8	27.50
183-1216	12N	1	3-1/2	2	37.90
183-1220	12N	1-1/4	3-1/2	2	37.90
183-3520	35N	1-1/4	4-5/32	2-3/16	86.03



Order No.	Series	A	B	F	Price
181-0600	6N	1-15/32	3-9/16	2-3/16	\$28.50
181-1200 ...	12N	1-13/16	4-13/32	2-1/2	37.26
181-1400 ...	14N	1-13/16	4-1/32	2-11/32	39.89
181-3500 ...	35N	1-7/8	4-5/8	2-11/16	55.00
181-4400 ...	44R	2-15/64	5-13/32	2-7/8	82.18
181-5500 ...	55N	2-15/64	5-9/16	2-13/16	166.71

**BAR
WELD
YOKE**

**SPLINE
BORE
YOKE**


Order No.	Series	A	B	F	Price
177-0600	6N	3/4 x 7/8	2-17/32	1-3/16	\$22.95
177-1200 ...	12N	1 x 1-1/8	2-29/32	1-3/8	31.84
177-1400 ...	14N	1 x 1-1/8	3-5/32	1-15/32	36.38
177-3500 ...	35N	1-3/16 Sq.	3-21/32	1-25/32	48.73
177-4400 ...	44R	1-5/16 Sq.	4-7/32	1-11/16	80.38
177-5500 ...	55N	1-3/8 Sq.	4-3/4	3-1/8	166.71

Order No.	Series	A	B	F	Price
192-0622	6N	1-3/8 x 6	2-1/2	1-1/8	\$27.50
192-1222	12N	1-3/8 x 6	3-1/2	2	37.90
192-1422	14N	1-3/8 x 6	3-1/2	1-3/4	40.66
192-3522	35N	1-3/8 x 6	4-5/32	2-3/16	86.03


ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

**TUBE
WELD
YOKE**


Order No.	Yoke No.	Series	Counter Bore Dia.	Price
178-0600	179-0600	6N	1-1/2	\$67.60
178-1200	179-1200	12N	1-1/2	75.58
178-1400	179-1400	14N	1-1/2	97.24
178-3500	179-3500	35N	2	137.84

Weld-A-Joint Yokes

Order No.	Description	Price
179-0600	Yoke Only for 6N Weldajoint	\$19.47
179-1200	Yoke Only for 12N Weldajoint	25.89
179-1400	Yoke Only for 14N Weldajoint	40.66
179-3500	Yoke Only for 35N Weldajoint	55.00



WELDAJOINTS


(Joints Use Standard Replacement Crosses)

WELDAJOINT BUSHINGS



ROUND BORE





Order No.	Bore	O.D.	Fits U-Joint Series	Price
160-0800	1/2	1-1/2	K1C, 6N, 12N, 14N	\$12.18
160-1000	5/8	1-1/2	K1C, 6N, 12N, 14N	12.18
160-1100	11/16	1-1/2	K1C, 6N, 12N, 14N	12.18
160-1200	3/4	1-1/2	K1C, 6N, 12N, 14N	12.18
160-1400	7/8	1-1/2	K1C, 6N, 12N, 14N	12.18
160-1600	1	1-5/8	K1C, 6N, 12N, 14N	13.70
16001600	1	2	35N	18.90
160-1700	1-1/16	1-3/4	K1C, 6N, 12N, 14N	24.10
16001800	1-1/8	2	K1C, 6N, 12N, 14N, 35N	18.90
16002000	1-1/4	2	K1C, 6N, 12N, 14N, 35N	21.55
160-2200	1-3/8	2-1/8	K1C, 6N, 12N, 14N	24.10
16002200	1-3/8	2-1/4	35N	27.07
16002300	1-7/16	2-1/4	35N	25.30
160-2400	1-1/2	2-1/4	K1C, 6N, 12N, 14N	27.07
16002400	1-1/2	2-1/4	35N	27.07
16002800	1-3/4	2-1/2	35N	27.07


NOTE --- All of the above are 2-1/4" in length.

Made from cold rolled steel -- Machineable -- Weldable.
We recommend using low hydrogen electrodes for welding
Weldajoint parts. Rounds with keyway.



SNAP HITCH BUSHINGS



Order No.	Bore	Lgth.	Fits Series	Each
165-2206	1-3/8 x 6	3	K1C, 6N, 12N, 14N	\$47.02
165-2221	1-3/8 x 21	3	K1C, 6N, 12N, 14N	47.02





RECTANGULAR BORE



Order No.	Bore	O.D.	Fits Series	Each
162-1214	3/4 x 7/8	1-5/8	K1C, 6N, 12N, 14N	\$20.48
16201618	1 x 1-1/8	2	K1C, 6N, 12N, 14N	26.69

The above are 2-1/4" in length.

STAR BORE




Order No.	Bore	O.D.	Fits Series	Each
16401416	7/8 & 1 SQ.	2	K1C, 6N, 12N, 35N	\$26.71

The above is 2-1/4" in length.

BLOCK & PIN U-JOINTS

Furnished with 1/4 x 1/8 Keyway & (2) 5/16-18 Set Screws.
Material: 1025 Cast Steel




Order No.	Description	Price
UJPB-1	1" Rd. x 1" Rd. Block & Pin U-Joint	\$33.80
	Max. Static Torque: 100 lb. ft.	

TARP U-JOINTS


Order No.	Description	Price
UJY5	1-3/8-21 Spl. x 1-1/4 Rd.	\$61.32
UJY5-E	1-3/8-21 Spline Shaft	25.50
	Max. Static Torque: 100 lb. ft.	

WELDAJOINT BUSHINGS




SPLINE BORE

Order No.	Bore	O.D.	Lgth.	Fits U-Joint Series	Price
163-1413	7/8 x 13	1-1/2	2-1/4	K1C, 6N, 12N, 14N	\$15.34
163-1606	1 x 6	1-1/2	2-1/4	K1C, 6N, 12N, 14N	17.10
163-1615	1 x 15	1-1/2	2-1/4	K1C, 6N, 12N, 14N, 35N	17.10
163-1806	1-1/8 x 6	1-5/8	2-1/4	K1C, 6N, 12N, 14N	22.11
16302006	1-1/4 x 6	2	2-1/4	K1C, 6N, 12N, 14N, 35N	26.71
16302014	1-1/4 x 14	2	2-1/4	K1C, 6N, 12N, 14N, 35N	26.71
16302206	1-3/8 x 6	2	2-1/4	K1C, 6N, 12N, 14N, 35N	26.71
16702206	1-3/8 x 6	2	5	K1C, 6N, 12N, 14N, 35N	56.39
16602221	1-3/8 x 21	2	2-1/4	K1C, 6N, 12N, 14N, 35N	26.71
16302806	1-3/4 x 6	2-1/2	2-1/4	35N	41.86
16302820	1-3/4 x 20	2-1/2	2-1/4	35N	41.86



SQUARE BORE WELDAJOINT BUSHINGS




HEXAGON BORE WELDAJOINT BUSHINGS

Order No.	Bore	O.D.	Fits U-Joint Series	Price
161-0800	1/2	1-1/2	K1C, 6N, 12N, 14N	\$15.13
161-1000	5/8	1-5/8	K1C, 6N, 12N, 14N	17.06
161-1200	3/4	1-5/8	K1C, 6N, 12N, 14N	17.06
161-1400	7/8	1-7/8	K1C, 6N, 12N, 14N	23.54
16101600	1	2	K1C, 6N, 12N, 14N, 35N	26.69
16101800 ...	1-1/8	2	K1C, 6N, 12N, 14N, 35N	26.69
161-1900 ...	1-3/16 ..	2-1/4	K1C, 6N, 12N, 14N	33.77
16101900 ..	1-3/16 ..	2-1/4	35N	33.77
161-2000 ...	1-1/4 ...	2-1/4	K1C, 6N, 12N, 14N	33.77
16102000 ...	1-1/4 ...	2-1/4	35N	33.77
16102100 ...	1-5/16 ..	2-1/2	35N	41.54
16102200 ...	1-3/8 ...	2-1/2	35N	41.54
16102400 ...	1-1/2	3	35N	60.54
16102600 ...	1-5/8	3	35N	60.54

The above are 2-1/4" in length.

DEALER SCHEDULE THIS PAGE.....203

**Need it FAST?
Over 95% of all orders
Ship The Same Day!**




HEX BORE SET COLLARS MILD STEEL

Order No.	Bore	O.D.	Width	Price
152H1000	5/8	1-1/2	9/16	\$10.38
152H1200	3/4	1-5/8	5/8	10.89
152H1400	7/8	1-3/4	5/8	11.51
152H1600	1	1-13/16	5/8	11.88
152H1800	1-1/8	2	5/8	12.84
152H2000	1-1/4	2-1/8	11/16	14.08

SHAFT COUPLERS



Round and Hexagon Bore




Order No.	A Bore	B O.D.	C Overall Length	D Keyway	E Set Screws	Price
126-0900	9/16 Hex	1-1/2	2-1/2	None	1/4-20	\$15.32
126-1000	5/8 Hex	1-1/2	2-1/2	None	1/4-20	15.95
126-1200	3/4 Hex	1-5/8	3	None	1/4-20	17.60
126-1400	7/8 Hex	1-3/4	3	None	1/4-20	21.55
126-1600	1 Hex	1-13/16	3	None	5/16-18	19.65
126-1800	1-1/8 Hex	2	4-1/2	None	5/16-18	26.08
126-2000	1-1/4 Hex	2-1/8	4-1/2	None	5/16-18	37.40
126-2400	1-1/2 Hex	2-3/4	4-1/2	None	1/2-13	39.00
126-2800	1-3/4 Hex	3	4-1/2	None	1/2-13	44.15
127-0800	1/2 Rd.	1-1/4	2	1/8	1/4-20	10.60
127-1000	5/8 Rd.	1-1/2	2-1/2	3/16	1/4-20	11.90
127-1200	3/4 Rd.	1-5/8	3	3/16	1/4-20	13.88
127-1400	7/8 Rd.	1-3/4	3-1/2	3/16	1/4-20	14.86
127-1600	1 Rd.	1-5/8	3	1/4	5/16-18	15.10
127-1604	1 Rd.	1-3/4	4	1/4	5/16-18	19.04
127-1800	1-1/8 Rd.	2	4-1/2	1/4	5/16-18	28.80
127-1900	1-3/16 Rd.	2	4-1/2	1/4	5/16-18	22.88
127-2000	1-1/4 Rd.	2-1/8	4-1/2	1/4	5/16-18	26.10
127-2005	1-1/4 Rd.	2-1/8	4-1/2	5/16	5/16-18	26.94
127-2200	1-3/8 Rd.	2-5/16	4-1/2	5/16	3/8-16	29.12
127-2300	1-7/16 Rd.	2-5/16	4-1/2	3/8	3/8-16	29.12
127-2400	1-1/2 Rd.	2-1/2	4-1/2	3/8	3/8-16	32.64
127-2600	1-5/8 Rd.	2-5/8	4-1/2	3/8	3/8-16	43.35
127-2800	1-3/4 Rd.	2-3/4	4-1/2	3/8	3/8-16	43.35
127-3100	1-15/16 Rd.	3-5/16	4-1/2	1/2	1/2-13	71.50
127-3200	2 Rd.	3-5/16	4-1/2	1/2	1/2-13	71.50
DEALER SCHEDULE.....203						

NEW PRICES AS OF 12/1/2018


G & G FLEX COUPLINGS



Standard



Heavy Duty





No.	A	B	C	D	E	F	G	H
3	1-1/8	2-1/4	2.35		3/4	7/8	2-7/8	1
3R	1-1/8	2-1/4	2.35	2-3/4	3/4	7/8	2-7/8	1



Order No.	Coupling #	Bore	Price
233-0306	3	3/8"	\$32.10
233-0307	3	7/16"	32.10
233-0308	3	1/2"	32.10
233-0310	3	5/8"	32.10
233-0312	3	3/4"	32.10
233-0314	3	7/8"	32.10
233-0315	3	15/16"	32.10
233-0316	3	1"	32.10
233-0318	3	1-1/8"	32.10
234-0300	3	Std. Insert	10.92
234-H300	3	H.D. Insert	25.00

TYPE L JAW COUPLINGS

Outside
Diameter



Outside
Diameter



L-JAW COUPLING RATING


Rated

Coupling Number	Torque Lbs. In.	100	300	1200	1800	3600	Max. Bore
L-050 -----	28.1 -----	0.04	0.12	0.48	0.72	1.44	5/8
L-075 -----	73 -----	0.12	0.36	1.44	2.16	4.32	1-1/32
L-090 -----	126 -----	0.20	0.60	2.40	3.60	7.20	1-1/8
L-095 -----	169 -----	0.28	0.84	3.36	5.04	10.08	1-1/8
L-099 -----	260 -----	0.42	1.26	5.04	7.56	15.10	1-13/32
L-100 -----	370 -----	0.60	1.80	7.20	10.8	21.60	1-13/32
L-110 -----	680 -----	1.10	3.30	13.20	19.8	39.60	1-7/8




Order No.	Cpling No.	Bore Size	Outside Dia.	LTB	Price
L05014NK5 ..	L050	2.....	1/4	1-7/64 ..	1-1/16 .. \$6.05
L05038NK5 ..	L050	2.....	3/8	1-7/64 ..	1-1/16 .. 6.05
L0507165	L050	2.....	7/16	1-7/64 ..	1-1/16 .. 6.05
L050125	L050	2.....	1/2	1-7/64 ..	1-1/16 .. 6.05
L050585	L050	2.....	5/8	1-7/64 ..	1-1/16 .. 6.05
L075MPB5	L075	3.....	1/4	1-3/4 ..	1-9/32 .. 10.15
L0757165	L075	3.....	7/16	1-3/4 ..	1-9/32 .. 10.15
L075125	L075	3.....	1/2	1-3/4 ..	1-9/32 .. 10.15
L075585	L075	3.....	5/8	1-3/4 ..	1-9/32 .. 10.15
L075345	L075	3.....	3/4	1-3/4 ..	1-9/32 .. 10.15
L075785	L075	3.....	7/8	1-3/4 ..	1-9/32 .. 10.15
L095MPB5	L095	3.....	1/4	2-1/8 ..	1-1/2 .. 15.95
L0957165	L095	3.....	7/16	2-1/8 ..	1-1/2 .. 15.95
L095125	L095	3.....	1/2	2-1/8 ..	1-1/2 .. 15.95
L0959165	L095	3.....	9/16	2-1/8 ..	1-1/2 .. 15.95
L095585	L095	3.....	5/8	2-1/8 ..	1-1/2 .. 15.95
L095345	L095	3.....	3/4	2-1/8 ..	1-1/2 .. 15.95
L095785	L095	3.....	7/8	2-1/8 ..	1-1/2 .. 15.95
L09515165	L095	3.....	15/16	2-1/8 ..	1-1/2 .. 15.95
L09515	L095	3.....	1	2-1/8 ..	1-1/2 .. 15.95
L0951185	L095	3.....	1-1/8	2-1/8 ..	1-1/2 .. 15.95
L100MPB5	L100	3.....	1/4	2-1/2 ..	2-1/32 .. 25.80
L100585	L100	3.....	5/8	2-1/2 ..	2-1/32 .. 25.80
L100345	L100	3.....	3/4	2-1/2 ..	2-1/32 .. 28.50
L100785	L100	3.....	7/8	2-1/2 ..	2-1/32 .. 25.80
L10015	L100	3.....	1	2-1/2 ..	2-1/32 .. 25.80
L1001185	L100	3.....	1-1/8	2-1/2 ..	2-1/32 .. 25.80
L1001145	L100	3.....	1-1/4	2-1/2 ..	2-1/32 .. 25.80
L1001385	L100	3.....	1-3/8	2-1/2 ..	2-1/32 .. 25.80
L1001125	L100	3.....	1-1/2	2-1/2 ..	2-1/32 .. 25.80
L110MPB5	L110	3.....	1/4	3-11/32 ..	2-1/2 .. 43.85
L110585	L110	3.....	5/8	3-11/32 ..	2-1/2 .. 43.85
L110345	L110	3.....	3/4	3-11/32 ..	2-1/2 .. 43.85
L110785	L110	3.....	7/8	3-11/32 ..	2-1/2 .. 43.85
L11015	L110	3.....	1	3-11/32 ..	2-1/2 .. 43.85
L1101185	L110	3.....	1-1/8	3-11/32 ..	2-1/2 .. 43.85
L1101145	L110	3.....	1-1/4	3-11/32 ..	2-1/2 .. 43.85
L1101385	L110	3.....	1-3/8	3-11/32 ..	2-1/2 .. 43.85
L1101125	L110	3.....	1-1/2	3-11/32 ..	2-1/2 .. 43.85
L1101585	L110	3.....	1-5/8	3-11/32 ..	2-1/2 .. 43.85

BUNA-N SPIDER COUPLING INSERTS

Order No.	Coupling No.	Each
L050N5	L050N	\$2.45
L075N5	L075N	5.70
L090N5	L090/095N	6.05
L099N5	L099/100N	12.00
L110N5	L110N	19.40



G&G ROLLER CHAIN FLEXIBLE COUPLING



COUPLING CHAIN

Order No.	Chain Size	No. of Teeth	Each
030-1050	50	10	\$12.99
030-1060	60	10	18.66
030-1260	60	12	21.87
030-1280	80	12	46.18

COUPLING HALF


Order No.	Bore	No. of Teeth	Chain Size	O.D.	Lgth Thru	Each
029-1000	5/8	10	50	2-19/32	1-1/8	\$23.07
029-1200	3/4	10	50	2-19/32	1-1/8	23.07
029-1400	7/8	10	50	2-19/32	1-1/8	23.07
031-1000	5/8	10	60	3-1/8	1-1/4	31.37
031-1200	3/4	10	60	3-1/8	1-1/4	31.37
031-1400	7/8	10	60	3-1/8	1-1/4	31.37
031-1500	15/16	10	60	3-1/8	1-1/4	31.37
031-1600	1	10	60	3-1/8	1-1/4	31.37
031-1800	1-1/8	10	60	3-1/8	1-1/4	31.37
032-1000	5/8	12	60	3-9/16	1-7/16	38.09
032-1200	3/4	12	60	3-9/16	1-7/16	38.09
032-1400	7/8	12	60	3-9/16	1-7/16	38.09
032-1500	15/16	12	60	3-9/16	1-7/16	38.09
032-1600	1	12	60	3-9/16	1-7/16	38.09
032-1800	1-1/8	12	60	3-9/16	1-7/16	38.09
032-1900	1-3/16	12	60	3-9/16	1-7/16	38.09
032-2000	1-1/4	12	60	3-9/16	1-7/16	38.09
032-2200	1-3/8	12	60	3-9/16	1-7/16	38.09
032-2300	1-7/16	12	60	3-9/16	1-7/16	38.09
033-1600	1	12	80	4-25/32	2	70.60
033-1800	1-1/8	12	80	4-25/32	2	70.60
033-2000	1-1/4	12	80	4-25/32	2	70.60
033-2200	1-3/8	12	80	4-25/32	2	70.60
033-2400	1-1/2	12	80	4-25/32	2	70.60
033-2800	1-3/4	12	80	4-25/32	2	70.60

Furnished with standard keyway and set screw.

Order No.	Bore	No. of Teeth	Chain Size	Hub Dia.	Lgth. Thru	Each
025-1000	5/8	12	50	1-15/16	1-1/4	\$30.86
025-1400	7/8	12	50	1-15/16	1-1/4	30.86
025-1600	1	12	50	1-15/16	1-1/4	30.86
025-1800	1-1/8	12	50	1-15/16	1-1/4	30.86
025-2000	1-1/4	12	50	1-15/16	1-1/4	30.76
027-1600	1	16	50	2-17/32	1-7/16	44.82

Furnished with standard keyway and set screw.

COUPLER SPROCKETS (FITS LINK-BELT NO. 50 COUPLER CHAIN)



ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.


DEALER SCHEDULE THIS PAGE.....203

Rely on Central Supply for Fast Shipment of your order!

G & G Hardened Tooth Weld-A-Sprockets

Standard Hardness is Rockwell "C" 35 to 50.

The teeth are induction hardened leaving the area around the bore soft for reboring or welding.



#40 Chain

Order No.	Series	Teeth	Price
00304012	V	12	\$12.65
00304013	V	13	13.25
00304014	V	14	13.87
00304015	V	15	14.53
00304016	W	16	15.52
00304017	W	17	16.37
00304018	W	18	17.12
00304019	W	19	18.02
00304020	X	20	18.90
00304021	X	21	19.88
00304022	X	22	20.76
00304023	X	23	21.94
00304024	X or XX	24	22.79
00304025	X or XX	25	23.93
00304026	X or XX	26	24.93
00304027	X or XX	27	25.77
00304028	X or XX	28	26.60
00304029	X or XX	29	27.50
00304030	X or XX	30	28.83

50 Chain

Order No.	Series	Teeth	Price
00305010	V	10	13.74
00305011	V	11	14.94
00305012	W	12	16.05
00305013	W	13	17.36
00305014	W	14	18.49
00305015	W	15	19.65

50 Chain continued

Order No.	Series	Teeth	Price
00305016	W	16	\$20.95
00305017	X	17	22.08
00305018	X	18	23.24
00305019	X	19	24.37
00305020	X or XX	20	25.74
00305021	X or XX	21	27.11
00305022	X or XX	22	28.63
00305023	X or XX	23	30.11
00305024	X or XX	24	31.67
00305025	X or XX	25	33.30
00305026	X or XX	26	34.84
00305027	X or XX	27	38.20
00305028	X or XX	28	39.93
00305029	X or XX	29	41.62
00305030	X or XX	30	43.61

#60 Chain

Order No.	Series	Teeth	Price
00306009	V	9	17.31
00306010	V	10	18.66
00306011	W	11	20.22
00306012	W	12	21.70
00306013	W	13	23.63
00306014	W	14	25.55
00306015	X	15	27.76
00306016	X	16	30.00
00306017	X or XX	17	32.53

60 Chain continued

Order No.	Series	Teeth	Price
00306018	X or XX	18	\$34.90
00306019	X or XX	19	37.56
00306020	X or XX	20	40.10
00306021	X or XX	21	42.80
00306022	X or XX	22	45.62
00306023	X or XX	23	48.45
00306024	X or XX	24	51.47
00306025	X or XX	25	54.10
00306026	X or XX	26	57.39
00306027	X or XX	27	67.15
00306028	X or XX	28	70.92
00306029	X or XX	29	75.80
00306030	X or XX	30	79.65


#80 Chain

Order No.	Series	Teeth	Price
00308009	W	9	\$29.49
00308010	W	10	32.53
00308011	W	11	35.85
00308012	X	12	39.40
00308013	X	13	43.70
00308014	X or XX	14	47.55
00308015	X or XX	15	51.51
00308016	X or XX	16	56.24
00308017	X or XX	17	61.80
00308018	X or XX	18	66.17
00308019	X or XX	19	71.28
00308020	X or XX	20	77.32

Dealer Schedule.....203

WELDASPROCKETS

For Steel Pintle Chain
Steel Detachable Chain
and Implement Roller Chain



CHAIN NO. A550

Order No.	No. of Teeth	O.D.	Fits Hub Series	Each
01550655	6	3-3/4	W	\$35.59
01550755	7	4-1/4	X	39.40
01550855	8	4-3/4	X	43.96
01550955	9	5-1/4	X	51.13
01551055	10	5-3/4	X	57.16
01551155	11	6-1/4	X	68.16
01551255	12	6-3/4	X	80.57
01551355*	13	7-1/4	X	87.42
01551455*	14	7-3/4	X	98.38
01551555*	15	8-1/2	X	104.73

CHAIN NO. A620

Order No.	No. of Teeth	O.D.	Fits Hub Series	Each
01620662	6	3-7/8	W	\$58.66
01620762	7	4-1/2	W	64.48
01620862	8	4-7/8	X	69.59
01620962	9	5-3/8	X	76.21
01621062	10	5-7/8	X	83.14
01621162	11	6-1/2	X	96.81
01621262	12	7	X	103.19
01621362*	13	7-1/2	Y	105.95
01621462*	14	8	Y	111.75
01621562*	15	8-1/2	Y	128.91

Dealer Schedule:

Stock Items.....203

*Non-Stock Items.....102

CAST IRON STOCK BORE SPROCKETS

For Steel Detachable Chain Only

CHAIN NO. 55 ALSO FITS NO. 45

Order No.	No. of Teeth	O.D.	Bore Size	Each
01350655	6	3-3/4	3/4	\$16.76
01350755	7	4-1/4	1/2	13.76
01350855	8	4-3/4	3/4	15.66
01350955	9	5-1/4	3/4	20.20
01351055	10	5-3/4	3/4	27.48
01351155	11	6-1/4	3/4	31.84
01351255	12	6-3/4	3/4	32.30
01351555	15	8-3/8	7/8	32.64

CHAIN NO. 62 ALSO FITS NO. 72-1/2

01360662	6	3-7/8	3/4	13.26
01360762	7	4-1/2	3/4	13.76
01360862	8	4-7/8	3/4	15.66
01361062	10	5-7/8	3/4	27.48

CHAIN NO. 67H ALSO FITS NO. 667 Pintle Chain


(Will Not Work on 67-T bar links)

01370667	6	4-7/8"	3/4"	74.04
01370867	8	6-1/2"	3/4"	75.04


Dealer Schedule.....203



WELDASPROCKETS



Factory recommends using Low Hydrogen Electrodes for welding Weldasprocket parts.



No. 35 Roller Chain (3/8" Pitch)

Sprocket Order No.	No. of Teeth	Outside Diam.	Hub Series	Each
00103515	15	1.989	V	\$6.86
00103516	16	2.110	V	6.96
00103517*	17	2.231	V	7.16
00103518*	18	2.352	V	7.28
00103519*	19	2.472	V	7.40
00103520*	20	2.593	V	7.60
00103521*	21	2.713	V	7.90
00103522*	22	2.833	W	8.20
00103523*	23	2.953	W	8.40
00103524*	24	3.074	W	8.68
00103525*	25	3.194	W	8.76
00103526*	26	3.314	W	8.80
00103527*	27	3.434	W	9.20
00103528*	28	3.553	W	9.60
00103530*	30	3.793	W	10.16
00103532*	32	4.032	W	10.70
00103535*	35	4.390	W	12.30
00103536*	36	4.511	W	11.82
00103540*	40	4.990	W	13.20
00103545	45	5.588	W	14.86
00103548*	48	5.946	W	16.34
00103554	54	6.664	W	18.94
00103560	60	7.381	W	22.54
00103572	72	8.814	W	28.34
00103584*	84	10.247	W	34.74
00103596*	96	11.680	W	43.36

No. 41 Roller Chain (1/2" Pitch)

00104112	12	2.166	V	5.50
00104113*	13	2.329	V	5.78
00104114*	14	2.491	V	6.00
00104115*	15	2.653	V	6.26
00104116*	16	2.814	W	6.44
00104117*	17	2.975	W	6.84
00104118*	18	3.136	W	7.14
00104119*	19	3.297	W	7.36
00104120*	20	3.457	W	7.74
00104121*	21	3.618	W	8.18
00104122*	22	3.778	W	8.62
00104123*	23	3.938	W	9.22
00104124*	24	4.098	W	9.62
00104125*	25	4.258	W	10.10
00104126*	26	4.418	W	10.90
00104127*	27	4.578	W	11.65
00104128*	28	4.738	W	12.05
00104130*	30	5.057	W	13.30
00104132*	32	5.377	W	14.95
00104135*	35	5.856	W	15.68
00104136*	36	6.015	W	17.60
00104140	40	6.653	W	19.80
00104142*	42	6.972	W	21.15
00104145	45	7.451	W	24.05
00104148	48	7.927	W	28.15
00104154	54	8.885	W	33.90
00104160*	60	9.841	W	41.50
00104172*	72	11.752	W	61.56

Dealer Schedule: (All Except *) 203


* Denotes Dealer Schedule 102

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Sprocket Order No.	No. of Teeth	Outside Diam.	Hub Series	Each
00104012	12	2.166	V	\$5.20
00104013	13	2.329	V	5.32
00104014	14	2.491	V	5.52
00104015	15	2.653	V	6.00
00104016	16	2.814	W	6.15
00104017	17	2.975	W	6.86
00104018	18	3.136	W	7.40
00104019	19	3.297	W	7.60
00104020	20	3.457	X	7.95
00104021	21	3.618	X	8.80
00104022	22	3.778	X	9.40
00104023	23	3.938	X	10.12
00104024	24	4.098	X	10.85
00104025	25	4.258	X	11.35
00104026	26	4.418	X	11.70
00104027	27	4.578	X	12.20
00104028	28	4.738	X	12.60
00104029	29	4.898	X	13.10
00104030	30	5.057	X	13.70
00104032	32	5.377	X	14.75
00104035	35	5.856	X	16.91
00104036	36	6.015	X	17.70
00104038	38	6.334	X	21.71
00104040	40	6.653	X	20.53
00104042	42	6.972	X	23.10
00104045	45	7.451	X	25.50
00104046	46	7.609	X	39.35
00104048	48	7.927	X	28.55
00104054	54	8.885	X	35.45
00104060	60	9.841	X	41.35
00104070	70	11.434	X	56.90
00104072	72	11.752	X	89.40
00104080*	80	13.026	X	74.18
00104084*	84	13.663	X	95.05
00104096*	96	15.573	X	98.70
001040112*	112	18.125	X	176.14
No. 50 Roller Chain (5/8" Pitch)				
00105010	10	2.299	V	6.00
00105011	11	2.504	V	7.10
00105012	12	2.708	W	7.30
00105013	13	2.911	W	7.60
00105014	14	3.114	W	7.90
00105015	15	3.316	W	8.55
00105016	16	3.517	W	8.80
00105017	17	3.719	X	9.95
00105018	18	3.919	X	10.35
00105019	19	4.121	X	11.00
00105020	20	4.321	X	12.60
00105021	21	4.521	X	12.80
00105022	22	4.722	X	13.30
00105023	23	4.922	X	14.05
00105024	24	5.123	X	14.60
00105025	25	5.323	X	15.80

No. 50 Roller Chain Sprockets (5/8" Pitch)
Continued on Next Page

Note - - - Hub NOT Included in Price



WELDASPROCKETS

No. 60 Roller Chain (3/4" Pitch) Continued

Sprocket Order No.	No. of Teeth	Outside Diam.	Hub Series	Each	Hub Series	Each
00106036	36	9.023	X	\$49.15		
00106038	38	9.501	X	56.10		
00106039	39	9.740	X	85.47		
00106040	40	9.980	X	61.25		
00106041	41	10.291	X	63.50		
00106042	42	10.458	X	65.70		
00106045	45	11.176	X	68.75		
00106048	48	11.893	X	85.20		
00106050*	50	12.371	X	92.20		
00106054	54	13.327	X	105.90		
00106060	60	14.761	X	120.70		
00106072*	72	17.628	X	223.70		
00106080*	80	19.539	X	295.62		
No. 80 Roller Chain (1" Pitch)						
00108009	9	3.347	W	15.00		
00108010	10	3.678	W	19.25		
00108011	11	4.000	W	15.60		
00108012	12	4.332	X	16.20		
00108013	13	4.657	X	17.70		
00108014	14	4.982	X	20.10		
00108015	15	5.305	X	22.10		
00108016	16	5.627	X	24.60		
00108017	17	5.950	X	28.15		
00108018	18	6.271	X	32.35		
00108019	19	6.593	X	36.15		
00108020	20	6.914	X	40.75		
00108021	21	7.235	X	44.65		
00108022	22	7.555	X	48.20		
00108023	23	7.875	X	71.43		
00108024	24	8.196	X	52.25		
00108025*	25	8.516	X	54.60		
00108026	26	8.836	X	57.60		
00108027*	27	9.156	X	100.70		
00108028	28	9.475	X	63.20		
00108029*	29	9.795	X	99.42		
00108030*	30	10.114	X	74.85		
00108032*	32	10.753	X	94.61		
00108033*	33	11.072	X	98.35		
00108034*	34	11.392	X	132.55		
00108035*	35	11.711	X	139.19		
00108036*	36	12.030	X	112.65		
00108040*	40	13.306	X	132.45		
00108045*	45	14.901	X	220.55		
00108048*	48	15.857	X	247.85		
00108060*	60	19.681	Y	259.30		
No. 100 Roller Chain (1-1/4" Pitch)						
00110010*	10	4.598	X	53.54		
00110011*	11	5.008	X	57.87		
00110012*	12	5.415	X	63.41		
00110013*	13	5.821	X	69.06		
00110014*	14	6.228	Y	74.84		
00110015*	15	6.631	Y	80.55		
00110016*	16	7.034	Y	85.84		
00110017*	17	7.438	Y	91.10		
00110018*	18	7.839	Y	96.15		
00110019*	19	8.241	Y	103.21		
00110020*	20	8.643	Y	110.79		
00110021*	21	9.044	Y	120.27		
00110022*	22	9.444	Y	130.11		
00110023*	23	9.844	Y	140.02		
00110024*	24	10.245	Y	150.57		
00110025*	25	10.645	Y	158.79		
00110026*	26	11.045	Y	166.68		
00110028*	28	11.844	Y	180.36		
00110030*	30	12.643	Y	197.59		
00110032*	32	13.441	Y	227.20		
00110035*	35	14.639	Y	264.68		
00110036*	36	15.040	Y	277.77		

No. 50 Roller Chain (5/8" Pitch) Continued


Sprocket Order No.	No. of Teeth	Outside Diam.	Hub Series	Each
00105026	26	5.523	X	\$17.15
00105027	27	5.723	X	18.80
00105028	28	5.922	X	18.90
00105029	29	6.122	X	19.40
00105030	30	6.321	X	20.55
00105031	31	6.521	X	21.20
00105032	32	6.721	X	22.05
00105033	33	6.920	X	23.10
00105034	34	7.120	X	26.00
00105035	35	7.319	X	27.40
00105036	36	7.519	X	29.10
00105037	37	7.718	X	41.34
00105038	38	7.918	X	31.80
00105039	39	8.117	X	44.84
00105040	40	8.316	X	34.40
00105041	41	8.516	X	48.50
00105042	42	8.715	X	37.35
00105043	43	8.914	X	54.20
00105044	44	9.114	X	40.75
00105045	45	9.313	X	42.50
00105048	48	9.911	X	47.25
00105050	50	10.309	X	50.56
00105052	52	10.708	X	60.10
00105054	54	11.106	X	64.30
00105060	60	12.306	X	70.90
00105065*	65	13.296	X	89.80
00105070	70	14.292	X	100.35
00105072	72	14.690	X	129.95
00105080	80	16.283	X	159.00
00105084*	84	17.079	X	150.40
00105096*	96	19.466	X	249.70
001050112	112	22.650	X	287.89
No. 60 Roller Chain (3/4" Pitch)				
00106009	9	2.510	V	7.95
00106010	10	2.759	V	8.60
00106011	11	3.005	W	9.35
00106012	12	3.249	W	10.15
00106013	13	3.493	W	10.35
00106014	14	3.747	W	11.40
00106015	15	3.979	X	12.75
00106016	16	4.220	X	13.10
00106017	17	4.463	X	14.25
00106018	18	4.703	X	14.60
00106019	19	4.945	X	15.80
00106020	20	5.186	X	19.05
00106021	21	5.426	X	20.95
00106022	22	5.666	X	22.85
00106023	23	5.906	X	24.25
00106024	24	6.147	X	26.15
00106025	25	6.387	X	29.60
00106026	26	6.627	X	28.05
00106027	27	6.867	X	30.25
00106028	28	7.106	X	32.30
00106029	29	7.346	X	33.90
00106030	30	7.586	X	35.75
00106031	31	7.826	X	38.80
00106032	32	8.065	X	40.60
00106033	33	8.304	X	65.40
00106034	34	8.544	X	46.30
00106035	35	8.783	X	48.15

Dealer Schedule: (All Except *) 203



* Denotes Dealer Schedule 102

NOTE - - Hub NOT Included In Price.

NEW PRICES AS OF 12/4/2018



WELDAHUBS



Factory recommends using Low Hydrogen Electrodes for welding Weldasprocket parts.

V Series Hubs A=1-1/8" B=1-7/16" C=7/16" D=3/4" E=1-3/16"	W Series Hubs A=1-5/8" B=1-13/16" C=7/16" D=1" E=1-7/16"	X Series Hubs A=2" B=2-1/2" C=7/16" D=1" E=1-7/16"	XX Series Hubs A=2" B=3" C=7/16" D=1-1/16" E=1-1/2"	Y Series Hubs A=2-3/4" B=3-3/4" C=11/16" D=1-1/16" E=1-7/8"
---	--	--	---	---

ROUND BORE

Order No.	Series	Bore	Each
00010008	V	1/2	\$6.30
00010009	V	9/16	6.30
00010010	V	5/8	6.30
00010011	V	11/16	6.30
00010012	V	3/4	6.30
00010013	V	13/16	6.30
00010014	V	7/8	6.30
00020008	W	1/2	8.05
00020009	W	9/16	8.05
00020010	W	5/8	8.05
00020011	W	11/16	8.05
00020012	W	3/4	8.05
00020013	W	13/16	8.05
00020014	W	7/8	8.05
00020015	W	15/16	8.05
00020016	W	1	8.05
00020017	W	1-1/16	8.05
00020018	W	1-1/8	8.05
00020019	W	1-3/16	8.05
00020020	W	1-1/4	8.05

ROUND BORE (Continued)

Order No.	Series	Bore	Each
00040022	XX	1-3/8	\$24.70
00040023	XX	1-7/16	24.70
00040024	XX	1-1/2	24.70
00040026	XX	1-5/8	24.70
00050016	Y	1	41.99
00050017*	Y	1-1/16	41.99
00050018*	Y	1-1/8	41.99
00050019*	Y	1-3/16	41.99
00050020	Y	1-1/4	41.99
00050021*	Y	1-5/16	41.99
00050022*	Y	1-3/8	41.99
00050023*	Y	1-7/16	41.99
00050024*	Y	1-1/2	41.99
00050026*	Y	1-5/8	41.99
00050027*	Y	1-11/16	41.99
00050028*	Y	1-3/4	41.99
00050030*	Y	1-7/8	41.99
00050031*	Y	1-15/16	41.99
00050032*	Y	2	41.99

SPLINE BORE

Order No.	Series	Bore	Each
00021413	W	7/8x13	18.32
00021606	W	1x6	18.32
00021615*	W	1x15	18.32
00021806	W	1-1/8x6	18.32
00022006	W	1-1/4x6	18.32
00022014	W	1-1/4 x14	18.32
00022206	W	1-3/8x6	18.32
00022221	W	1-3/8x21	18.32
00031413*	X	7/8x13	25.40
00031606*	X	1x6	25.40
00032006	X	1-1/4x6	25.40
00032014	X	1-1/4x14	25.40
00032206	X	1-3/8x6	25.40
00032221	X	1-3/8x21	25.40
00032806	X	1-3/4x6	25.40
00042820*	XX	1-3/4x20	30.86

Dealer Schedule (except *).....203

* Denotes Dealer Schedule.....102

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Order No.	Series	Bore	Each
00020000	W	1/2	\$7.45
00030000	X	19/32	10.55

HEXAGON BORE

Order No.	Series	Bore	Each
00026009	W	9/16	12.80
00026010	W	5/8	12.80
00026012	W	3/4	12.80
00026014	W	7/8	12.80
00026016	W	1	12.80
00026020	W	1-1/4	12.80
00036009	X	9/16	15.90
00036010	X	5/8	15.90
00036012	X	3/4	15.90
00036014	X	7/8	15.90
00036016	X	1	15.90
00036018	X	1-1/8	15.90
00036020	X	1-1/4	15.90

SQUARE BORE

Order No.	Series	Bore	Each
0002S010*	W	5/8	21.12
0002S012	W	3/4	21.12
0002S014*	W	7/8	21.12
0002S016	W	1	21.12
0003S012*	X	3/4	22.11
0003S014	X	7/8	22.11
0003S015*	X	15/16	22.11
0003S016	X	1	22.11
0003S018	X	1-1/8	22.11
0003S020	X	1-1/4	22.11


METRIC ROUND BORE

Order No.	Series	Bore	Each
00020025M	W	25MM	\$18.32
00030025M	X	25MM	25.40
00030030M	X	30MM	25.40

Weld-A-Hubs Continued On Next Page.

Central Supply!
1-800-444-8666


ROUND BORE WELD-A-HUB (With Special Keyway)



Order No Series Bore Keyway Price
00030520 X 1-1/4 5/16 \$23.13

Dealer Schedule 203

O.E.M. WELD-ON HUBS



Round bore with standard keyway and Two Set Screws.
Hub Dimensions: A-2", B-2-1/2", C-7/16", D-1", E-1-7/16".
Other sizes are available. Dimensions and prices on request.

No.	Bore	Series	Price
008-6116	1 in.	X	\$10.55
008-6118	1-1/8 in.	X	10.55
008-6120	1-1/4 in.	X	10.55
008-6122	1-3/8 in.	X	10.45
008-6124	1-1/2 in.	X	10.55

Dealer Schedule 152

G&G


STANDARD KEYWAY SIZES

Listed are the Standard Keyway Sizes furnished with the corresponding round bore sizes. These keyway sizes will be furnished with these round bore sizes unless a special keyway size is specified.

Bore	Keyway Size
1/2" to 9/16"	1/8"x1/16"
5/8" to 7/8"	3/16"x3/32"
15/16" to 1-1/4"	1/4"x1/8"
1-5/16" to 1-3/8"	5/16"x5/32"
1-7/16" to 1-3/4"	3/8"x3/16"
1-13/16" to 2-1/4"	1/2"x1/4"
2-5/16" to 2-3/4"	5/8"x5/16"
2-13/16" to 3"	3/4"x3/8"
3-5/16" to 3-3/4"	7/8"x7/16"
3-13/16" to 4-1/2"	1"x1/2"

COUPLER HUBS

End To End Shaft Couplers - - Same Or Different Size Shafts




Stock No.	Series	Tube Size	O.D.	I.D.
012-3226	W	1"	2"	1-5/8"
012-4032	X	1"	2-1/2"	2"

Order No.	Price
012-3226 Coupler Hub for W Series	\$7.68
012-4032 Coupler Hub for X Series	11.86

Dealer Schedule 203

WELDASPROCKET DOUBLE HUBS

(Fits X Series Weldasprockets For Double Chain)




Order No.	Bore	Series	A	D	E	Each	
000X4020	1-1/4	40	50	1-5/8	1/4	291	\$37.32
000X5012	3/4	50	50	1-7/8	5/16	376	37.32
000X5014	7/8	50	50	1-7/8	5/16	376	37.32
000X5016	1	50	50	1-7/8	5/16	376	37.32
000X5020	1-1/4	50	50	1-7/8	5/16	376	37.32
000X6012	3/4	60	60	2-1/4	7/16	449	37.32
000X6014	7/8	60	60	2-1/4	7/16	449	37.32
000X6016	1	60	60	2-1/4	7/16	449	37.32
000X6020	1-1/4	60	60	2-1/4	7/16	449	37.32

Note - - Diameter B on all of the above is 2-1/4".

Note - - Diameter C on all of the above is 2".


Dealer Schedule 203

To Order Call Toll-Free:
1-800-444-8666



TYPE B FINISH BORE ROLLER CHAIN SPROCKETS

with standard keyway and (2) set screws.



Sprockets come with (2) set screws @ 0° & 90°.

Sprockets come with (2) set screws @ 0° & 90°.

#40 - 1/2" Pitch, Roller Width 5/16", Roller Diameter .312

No.	Order	Sprocket	Bore	O.D.	Dia.	LTB	Price
12	604012105	40B12*	5/8	2.166	1-9/16^	.7/8	\$12.10
12	604012125	40B12*	3/4	2.166	1-9/16^	.7/8	12.10
12	604012145	40B12*	7/8	2.166	1-9/16^	.7/8	12.10
12	604012165	40B12*	1	2.166	1-9/16^	.7/8	12.10
13	604013085	40B13*	1/2	2.166	1-9/16^	.7/8	12.10
13	604013105	40B13*	5/8	2.329	1-9/16	.7/8	12.10
13	604013125	40B13*	3/4	2.329	1-9/16	.7/8	12.10
13	604013165	40B13*	1	2.329	1-9/16	.7/8	12.10
14	604014105	40B14*	5/8	2.490	1-11/16	.7/8	12.95
14	604014125	40B14*	3/4	2.491	1-11/16	.7/8	12.95
14	604014145	40B14*	7/8	2.491	1-11/16	.7/8	12.95
14	604014165	40B14*	1	2.491	1-11/16	.7/8	12.95
15	604015105	40B15*	5/8	2.653	1-13/16	.7/8	15.75
15	604015125	40B15*	3/4	2.653	1-13/16	.7/8	15.75
15	604015145	40B15*	7/8	2.653	1-13/16	.7/8	15.75
15	604015165	40B15*	1	2.653	1-13/16	.7/8	15.75
15	604015195	40B15*	1-3/16	2.653	1-13/16	.7/8	15.75
15	604015205	40B15*	1-1/4	2.653	1-13/16	.7/8	15.75
16	604016105	40B16*	5/8	2.814	2	.7/8	16.60
16	604016125	40B16*	3/4	2.814	2	.7/8	16.60
16	604016145	40B16*	7/8	2.814	2	.7/8	16.60
16	604016165	40B16*	1	2.814	2	.7/8	16.60
16	604016185	40B16*	1-1/8	2.814	2	.7/8	16.60
16	604016195	40B16*	1-3/16	2.814	2	.7/8	16.60
16	604016205	40B16*	1-1/4	2.814	2	.7/8	16.60
17	604017125	40B17*	3/4	2.975	2-1/8	1	17.80
17	604017145	40B17*	7/8	2.975	2-1/8	1	17.80
17	604017165	40B17*	1	2.975	2-1/8	1	17.80

Material: 1045

Keyway timed with centerline of tooth

* Teeth hardened to 30-45 Rc

^ Has recessed groove in hub for chain clearance.


Dealer Schedule.....203

For other sizes of finished bore sprockets not shown,
call Central Supply for price and availability.

**We Ship
Over 95%
Of Our Orders
The Same Day!**

No.	Order	Sprocket	Bore	O.D.	Dia.	LTB	Hub	Hub
12	605012105	50B12*	5/8	2.708	1-63/64^	.1	\$17.05
12	605012125	50B12*	3/4	2.708	1-63/64^	.1	17.05
12	605012145	50B12*	7/8	2.708	1-63/64^	.1	17.05
12	605012165	50B12*	1	2.708	1-63/64^	.1	17.05
12	605012185	50B12*	1-1/8	2.708	1-63/64^	.1	17.05
12	605012195	50B12*	1-3/16	2.708	1-63/64^	.1	17.05
12	605012205	50B12*	1-1/4	2.708	1-63/64^	.1	17.05
13	605013105	50B13*	5/8	2.911	1-7/8^	.1	18.05
13	605013125	50B13*	3/4	2.911	1-7/8^	.1	18.05
13	605013145	50B13*	7/8	2.911	1-7/8^	.1	18.05
13	605013165	50B13*	1	2.911	1-7/8^	.1	18.05
13	605013185	50B13*	1-1/8	2.911	1-7/8^	.1	18.05
13	605013195	50B13*	1-3/16	2.910	1-7/8^	.1	18.05
13	605013205	50B13*	1-1/4	2.911	1-7/8^	.1	18.05
14	605014125	50B14*	3/4	3.114	2-1/8	1	19.75
14	605014145	50B14*	7/8	3.114	2-1/8	1	19.75
14	605014165	50B14*	1	3.114	2-1/8	1	19.75
14	605014185	50B14*	1-1/8	3.114	2-1/8	1	19.75
14	605014195	50B14*	1-3/16	3.114	2-1/8	1	19.75
14	605014205	50B14*	1-1/4	3.114	2-1/8	1	19.75
15	605015125	50B15*	3/4	3.316	2-3/8	1	20.60
15	605015145	50B15*	7/8	3.316	2-3/8	1	20.60
15	605015165	50B15*	1	3.316	2-3/8	1	20.60
15	605015185	50B15*	1-1/8	3.316	2-3/8	1	20.60
15	605015195	50B15*	1-3/16	3.316	2-3/8	1	20.60
15	605015205	50B15*	1-1/4	3.316	2-3/8	1	20.60
15	605015225	50B15*	1-3/8	3.316	2-3/8	1	20.60
15	605015245	50B15*	1-1/2	3.316	2-3/8	1	20.60
16	605016105	50B16*	5/8	3.517	2-1/2	1	23.70
16	605016125	50B16*	3/4	3.517	2-1/2	1	23.70
16	605016145	50B16*	7/8	3.517	2-1/2	1	23.70
16	605016165	50B16*	1	3.517	2-1/2	1	23.70
16	605016185	50B16*	1-1/8	3.517	2-1/2	1	23.70
16	605016195	50B16*	1-3/16	3.517	2-1/2	1	23.70
16	605016205	50B16*	1-1/4	3.517	2-1/2	1	23.70
16	605016225	50B16*	1-3/8	3.517	2-1/2	1	23.70
16	605016235	50B16*	1-7/16	3.517	2-1/2	1	23.70
16	605016245	50B16*	1-1/2	3.517	2-1/2	1	23.70
17	605017125	50B17*	3/4	3.719	2-11/16	1	24.90
17	605017145	50B17*	7/8	3.719	2-11/16	1	24.90
17	605017165	50B17*	1	3.719	2-11/16	1	24.90
17	605017185	50B17*	1-1/8	3.719	2-11/16	1	24.90
17	605017195	50B17*	1-3/16	3.719	2-11/16	1	24.90
17	605017205	50B17*	1-1/4	3.719	2-11/16	1	24.90
17	605017235	50B17*	1-7/16	3.719	2-11/16	1	24.90
17	605017245	50B17*	1-1/2	3.719	2-11/16	1	24.90
18	605018125	50B18*	3/4	3.919	2-7/8	1	26.30
18	605018145	50B18*	7/8	3.919	2-7/8	1	26.30
18	605018165	50B18*	1	3.919	2-7/8	1	26.30
18	605018185	50B18*	1-1/8	3.919	2-7/8	1	26.30
18	605018195	50B18*	1-3/16	3.919	2-7/8	1	26.30
18	605018205	50B18*	1-1/4	3.919	2-7/8	1	26.30
18	605018235	50B18*	1-7/16	3.919	2-7/8	1	26.30
18	605018245	50B18*	1-1/2	3.919	2-7/8	1	26.30
19	605019165	50B19*	1	4.121	3	1	27.30
19	605019205	50B19*	1-1/4	4.121	3	1	27.30

Finished Bore Sprockets Continued on Next Page.



TYPE B FINISH BORE ROLLER CHAIN SPROCKETS

with standard keyway and (2) set screws.



#60

3/4" Pitch, Roller Width 1/2", Roller Diameter .469

Sprockets come with (2) set screws @ 0° & 90°

No.	Order No.	Sprocket	Bore	O.D.	Hub Dia.	Hub LTB	Price
12	606012145	60B12*	7/8	3.249	2-3/8^	1-1/4	\$22.10
12	606012165	60B12*	1	3.249	2-3/8^	1-1/4	22.10
12	606012185	60B12*	1-1/8	3.249	2-3/8^	1-1/4	22.10
12	606012195	60B12*	1-3/16	3.249	2-3/8^	1-1/4	22.10
12	606012205	60B12*	1-1/4	3.249	2-3/8^	1-1/4	22.10
13	606013125	60B13*	3/4	3.493	2-1/4	1-1/4	26.40
13	606013145	60B13*	7/8	3.493	2-1/4	1-1/4	26.40
13	606013165	60B13*	1	3.493	2-1/4	1-1/4	26.40
13	606013185	60B13*	1-1/8	3.493	2-1/4	1-1/4	26.40
13	606013195	60B13*	1-3/16	3.493	2-1/4	1-1/4	26.40
13	606013205	60B13*	1-1/4	3.493	2-1/4	1-1/4	26.40
13	606013225	60B13*	1-3/8	3.493	2-1/4	1-1/4	26.40
13	606013235	60B13*	1-7/16	3.493	2-1/4	1-1/4	26.40
13	606013245	60B13*	1-1/2	3.493	2-1/4	1-1/4	26.40
14	606014145	60B14*	7/8	3.736	2-9/16	1-1/4	26.75
14	606014165	60B14*	1	3.736	2-9/16	1-1/4	26.75
14	606014185	60B14*	1-1/8	3.736	2-9/16	1-1/4	26.75
14	606014205	60B14*	1-1/4	3.736	2-9/16	1-1/4	26.75
14	606014225	60B14*	1-3/8	3.736	2-9/16	1-1/4	26.75
14	606014235	60B14*	1-7/16	3.736	2-9/16	1-1/4	26.75
14	606014245	60B14*	1-1/2	3.736	2-9/16	1-1/4	26.75
15	606015145	60B15*	7/8	3.979	2-5/8	1-1/4	27.10
15	606015165	60B15*	1	3.979	2-5/8	1-1/4	27.10
15	606015185	60B15*	1-1/8	3.979	2-5/8	1-1/4	27.10
15	606015205	60B15*	1-1/4	3.979	2-5/8	1-1/4	27.10

No.	Order No.	Sprocket	Bore	O.D.	Hub Dia.	Hub LTB	Price
15	606015225	60B15*	1-3/8	3.979	2-5/8	1-1/4	\$27.10
15	606015235	60B15*	1-7/16	3.979	2-5/8	1-1/4	27.10
15	606015245	60B15*	1-1/2	3.979	2-5/8	1-1/4	27.10
15	606015265	60B15*	1-5/8	3.979	2-5/8	1-1/4	27.10
15	606015285	60B15*	1-3/4	3.979	2-5/8	1-1/4	27.10
16	606016145	60B16*	7/8	4.220	3-1/16	1-1/4	28.30
16	606016165	60B16*	1	4.220	3-1/16	1-1/4	28.30
16	606016185	60B16*	1-1/8	4.220	3-1/16	1-1/4	28.30
16	606016195	60B16*	1-3/16	4.220	3-1/16	1-1/4	28.30
16	606016205	60B16*	1-1/4	4.220	3-1/16	1-1/4	28.30
16	606016245	60B16*	1-1/2	4.220	3-1/16	1-1/4	28.30
16	606016285	60B16	1-3/4	4.220	3-1/16	1-1/4	28.30
17	606017165	60B17*	1	4.463	3-1/4	1-1/4	30.15
17	606017185	60B17*	1-1/8	4.463	3-1/4	1-1/4	30.15
17	606017205	60B17*	1-1/4	4.463	3-1/4	1-1/4	30.15
17	606017225	60B17*	1-3/8	4.463	3-1/4	1-1/4	30.15
17	606017235	60B17*	1-7/16	4.463	3-1/4	1-1/4	30.15
17	606017245	60B17*	1-1/2	4.463	3-1/4	1-1/4	30.15
17	606017315	60B17*	1-15/16	4.463	3-1/4	1-1/4	30.15
18	606018165	60B18*	1	4.703	3-1/2	1-1/4	30.80
18	606018185	60B18*	1-1/8	4.703	3-1/2	1-1/4	30.80
18	606018195	60B18*	1-3/16	4.703	3-1/2	1-1/4	30.80
18	606018205	60B18*	1-1/4	4.703	3-1/2	1-1/4	30.80
18	606018225	60B18*	1-3/8	4.703	3-1/2	1-1/4	30.80
18	606018235	60B18*	1-7/16	4.703	3-1/2	1-1/4	30.80
18	606018245	60B18*	1-1/2	4.703	3-1/2	1-1/4	30.80
18	606018265	60B18*	1-5/8	4.703	3-1/2	1-1/4	30.80
18	606018285	60B18*	1-3/4	4.703	3-1/2	1-1/4	30.80

Dealer Schedule.....203

Material: 1045

Keyway timed with centerline of tooth

* Teeth hardened to 30-45 Rc



^ Has recessed groove in hub for chain clearance.

For sizes of finished bore sprockets not shown,
call Central Supply for price and availability.

Fax Toll-Free
1-800-342-7252



PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.




IDLER SPROCKETS (Furnished With Hardened Teeth)

Order No.	Chain Size	No. of Teeth	Bore	Dia. A	Dia. B	Price
03518E08	35	18	1/2	7/16	11/16	\$17.74
03518E10	35	18	5/8	7/16	11/16	17.74
04017E08	40 or 41	17	1/2	7/16	11/16	18.84
04017E10	40 or 41	17	5/8	7/16	11/16	18.84
05013E08	50	13	1/2	7/16	11/16	26.02
05013E10	50	13	5/8	7/16	11/16	26.02
05015E08	50	15	1/2	7/16	11/16	21.28
05015E10	50	15	5/8	7/16	11/16	21.28
05017E08	50	17	1/2	7/16	11/16	23.60
05017E10	50	17	5/8	7/16	11/16	23.60
06011E08	60	11	1/2	7/16	11/16	22.46
06011E10	60	11	5/8	7/16	11/16	22.46
06013E08	60	13	1/2	7/16	11/16	23.60
06013E10	60	13	5/8	7/16	11/16	23.60
06015E08	60	15	1/2	7/16	11/16	25.74
06015E10	60	15	5/8	7/16	11/16	25.74
08011012	80	11	3/4	9/16		33.80
08012012	80	12	3/4	9/16		51.12
10010016	100	10	1	11/16		80.20

Dealer Schedule.....203

**Centralize
with
Central Supply!**

01008E11	Reducer Bushing, 5/8" O.D. x 1/2" I.D. f/Idler Bearing	2.09
02211E08	1/2" Bearing only f/G&G Idler	20.22
02211E10	5/8" Bearing only f/G&G Idler	20.22
03209012	3/4" Bearing only f/G&G Idler	37.79
	Dealer Schedule.....102	





STAMPED IDLER SPROCKETS (Furnished With Hardened Teeth)

Order No.	Chain Size	No. of Teeth	Bore	Aetna No.	Price
033-4018	40 or 41	18	1/2	AG-2318-A	\$20.52
034-4018	40 or 41	18	5/8	AG-2318	20.52
033-5017	50	17	1/2	AG-2416-A	24.31
034-5017	50	17	5/8	AG-2416	24.31
033-6015	60	15	1/2	AG-2417-A	23.67
034-6015	60	15	5/8	AG-2417	23.67
034-8550	550	8	5/8	AG-2566-2AF	60.07

Dealer Schedule.....203

G & G Idler Weld-A-Hubs

W & X Series




For a quick idler application: Pick the appropriate sprocket or pulley and then pick the corresponding idler hub. For both W or X weldasprockets and weldapulleys. Idler hubs available in 5/8" I.D. bores. Packaged with 1/2" I.D. reducer bushing. Same precision ball bearing used on idler sprockets. Idler hubs machined to eliminate special fixtures. Simply clamp idler hub to sprocket or pulley and weld.

Order No.	Series	A	B	Price
00023010	W	1-13/16	1-5/8	\$31.61
00033010	X	2-1/4	2	35.89

Dealer Schedule.....203

Aetna Idler Sprockets



Aetna - Heavy Duty - Extended Pitch Idler Sprockets (For Cornheads)

Order No.	Chain No.	Pitch	Roller Dia.	Teeth	A	B	C	D	E	F	List
AG-2427	2060	1-1/2	15/32	8643/.649	7/8	4-7/32	7/16	27/32927	\$28.25
AG-2427-1AF	2060	1-1/2	15/32	8643/.649	2-5/64	4-7/32	7/16	31/32927	27.36
AG-2438-1AF	Special	1-1/4460	11643/.649	2-5/64	4-17/32	9/16	1-1/32	1-1/32	45.50
AG-2565-2AF	555	1.630	21/32	8643/.649	2-5/64	4-3/4	7/16	1-1/16	1-3/16	29.15
AG-2565-3AF	555	1.630	21/32	8643/.649	2-5/64	4-3/4	7/16	31/32	31/32	30.51
AG-2566-2AF	550	1.630	21/32	8643/.649	2-5/64	4-3/4	11/16	1-1/16	1-3/16	29.49
AG-2566-4AF	550	1.630	21/32	8630/.636	2-5/64	4-3/4	11/16	1-1/32	1-1/32	43.16

Aetna - Single Pitch Idler Sprockets

Order No.	Chain No.	Pitch	Roller Dia.	Teeth	A	B	C	D	E	F	List
AG-2318-S	40 or 41	1/2312, .306	185/8	1	3-1/16	15/64	45/64750	\$20.52
AG-2318-A	40 or 41	1/2312, .306	18	1/2	1	3-1/16	15/64	45/64750	20.52
AG-2416	50	5/8400	175/8	7/8	3-5/8	11/32	51/64927	24.31
AG-2416-A	50	5/8400	17	1/2	7/8	3-5/8	11/32	51/64927	24.31
AG-2416-AP	50	5/8400	17	1/2	7/8	3-5/8	11/32	51/64	1-1/8	26.50
AG-2436-A*	50	5/8400	17	1/2	7/8	3-5/8	11/32	27/32927	29.65
AG-2417	60	3/4	15/32	155/8	7/8	3-29/32	7/16	53/64927	23.67
AG-2417-A	60	3/4	15/32	15	1/2	7/8	3-29/32	7/16	53/64927	23.67
AG-2437*	60	3/4	15/32	155/8	7/8	3-29/32	7/16	27/32927	23.52
AG-2437-A*	60	3/4	15/32	15	1/2	7/8	3-29/32	7/16	27/32927	24.70

* Extra Heavy Gauge Steel

Dealer Schedule.....203


AETNA SPROCKET CROSS REFERENCE TABLE

Aetna No.	John Deere	J.I. Case	Ford/N-H	White	Massey	Allis	Other
AG-2427	AN10496N	820290C91	00513327				Bush Hog 450189
AG-2427-1AF					267526M1/844076N1		
AG-2438-1AF	AH103303						
AG-2565-2AF	AN102448	176283C91	00573399				Farmhand IA60520
AG-2565-3AF	AH101219						
AG-2566-2AF				745023		70595084	
AG-2566-4AF						71359125	
AG-2318-S	AH16773	47977	00103243		833492M1	47977	Gehl 023934
AG-2318-A		607779R91		853265	834596M1	564148	Farmhand 7187-3
AG-2416	L2231C	631905R91	00103244		833491M1	854076	Farmhand 7187-2
AG-2416-A	AN10225	565442R91	00216850			47142	Gehl D9130, Farmhand 7187-4
AG-2416-AP	AH21440						
AG-2417	L2285C	582389R91	101616C92				
		H74386	00511265	W8950276	832103M1	47159	Farmhand 7187-1
AG-2417-A		571441R91	00050985		833494M1	847608	Gehl H7812, Vermeer 1813-001-1
AG-2436-A		7087398		31-2555620		7087398	
AG-2437	AN15521	629972R91				7085970	
AG-2437-A			00165271				

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Call Central Supply Toll-Free 1-800-444-8666

Aetna Belt Idlers




Order No.	Description	Type	Belt	A	C	D	E	F	Price
AG2321	V-Belt Idler			A .634/.649	2-1/4"	3-1/4"	7/8"		25.58
AG2352	Double Flange Idler			Any .643/.649	2-7/8"	3-1/4"	11/16"	27/32"	24.52
AG2365-A	Single Flange Idler			Any .516/.522	2-3/4"	3-1/2"	1-1/2"	1-11/16"	27.50
AG2367-A	Flat Straight Idler			Any .516/.522	2-3/4"		1-1/2"		29.30
AG2613	Double Flange Idler			Any .643/.649	6"	7"	1"	1-3/8"	33.67
B13516-A	V-Belt Idler			B .510/.515		4-3/8"		1"	39.70
F16424-B	Double Flange Idler			Any .635/.640	8"	9"	1-1/2"	1-15/16"	65.15
F24032-AJD	Double Flange Idler (2-Row Bearing)			Any .516/.522	5"	5-1/2"	2"	2-3/16"	72.55
F26424-BJD	Double Flange Idler (2-Row Bearing)			Any .516/.522	8"	8-3/4"	1-1/2"	1-11/16"	67.60
S25252-C	Flat Straight Idler			Any .769/.775	6-1/2"			3-1/4"	96.70
S26452-AJD	Flat Straight Idler (2-Row Bearing)			Any .516/.522	8"			3-1/4"	110.50

AETNA IDLER PULLEY CROSS REFERENCE TABLE

Aetna No.	John Deere	J.I. Case	Ford/N-H	Massey	White	Allis	Other
AG2365-A						71160426, 54478	
AG2367-A						71358077, 79008328, 70535928	
AG2613	AP245354	570265R91	00127645		W9863420		Gehl 1053688, Vermeer 2304 001
B13516-A		1315269C1					
F16324-B	AN30569					8533044	
F24032-AJD	AH96292						
F26424-BJD	AH94450	222100C1					
S25252-C	AE28573						Farmhand 7615-3
S26452-AJD	AH87119, AH93318						Gehl 09912/


Aetna Adapter Bearings



AETNA Adapter Bearings are a series of mounted ball bearing units designed for use in equipment where shafts are supported in frames or sheet metal surfaces. Typical applications include overhead doors, conveyor systems, grain augers, and other agricultural equipment. They provide a combination of features which literally give them universal adaptability; hence the name Adapter Bearing. Combining a self-aligning bearing, seals, a mounting flange, and shaft locking device in a single compact pre-lubricated installation, without further time consuming assembling or adjustment.

Order No.	A	B	C	D	E	F	List
AG1012-S	3/4	2-3/8	3-3/4	3	3/16	1-1/4	\$38.80
AG1014-S	7/8	2-3/8	3-3/4	3	3/16	1-1/4	40.65
AG1102-S	1-1/8	2-13/16	3-9/16	1/4	1-1/4		61.00
AG1103	1-3/16	2-13/16	3-9/16	1/4	1-1/4		61.00
AG1106-B	1-3/8	3-1/2	6-1/2	4-11/16	5/16	2-5/8	49.16
AG1108-B	1-1/2	3-1/2	6-1/2	4-11/16	5/16	2-5/8	52.72

V-GROOVE PULLEY BLANKS




Single Groove For "A" and "B" Series Belts.

Order No.	Hub Series	O.D.	Price
00710025	V	2 1/2	\$12.20
00710030	V	3	16.14
00720035	W	3 1/2	6.40
00720040	W	4	7.05
00720045	W	4 1/2	7.75
00720050	W	5	8.05
00720055	W	5 1/2	9.35
00720060	W	6	11.20
00720065	W	6 1/2	11.40
00720070	W	7	12.65
00720080	W	8	17.40
00720090	W	9	20.95
00720100	W	10	25.50
00720110	W	11	30.20
00720120	W	12	34.85
00720140	W	14	45.10
00720160	W	16	56.75

Single Groove For "C" Series Belts.

Order No.	Hub Series	O.D.	Price
00740060	X	6	\$24.54
00740080	X	8	34.78
00740100	X	10	43.34
00740120	X	12	65.10

Dealer Schedule.....203



Cast Steel V-Pulleys

Single Groove

"A" GROOVE PULLEYS			
Fits "2000" & "4L" Series V-Belts			
Number	O.D.	Bore	Price
7800-0006	1 3/4	1/2	\$10.15
7800-0007	1 3/4	5/8	10.15
7800-0008	1 3/4	3/4	10.15
7800-0011	2	1/2	11.35
7800-0012	2	5/8	11.35
7800-0013	2	3/4	11.35
7800-0016	2 1/4	1/2	12.10
7800-0017	2 1/4	5/8	12.10
7800-0018	2 1/4	3/4	12.10
7800-0043	3 1/2	1	14.26

"B" GROOVE PULLEYS

Fits "3000" & "5L" V-Belts

Number	O.D.	Bore	Price
7800-0066	2 1/4	1/2	\$14.60
7800-0067	2 1/4	5/8	14.60
7800-0068	2 1/4	3/4	14.60

Dealer Schedule.....203



V-BELT IDLER PULLEYS



Single Groove For "A" and "B" Series Belts.

Order No.	O.D.	Bore	Price
011-8008	5	1/2	\$27.07
011-8010	5	5/8	27.07

Dealer Schedule.....203


FLAT BELT IDLER PULLEYS



Order No.	O.D.	Bore	Price
011-4408	2 3/4"	1/2"	\$25.00
011-4410	2 3/4"	5/8"	25.00
011-6408	4"	1/2"	27.07
011-6410	4"	5/8"	27.07

Dealer Schedule.....203

Double Pulley Weld-A-Hubs



Designed to eliminate any special fixtures for pulley alignment and positioning.

Assembly in 3 easy steps

1. Clamp one pulley flush against the shoulder of the Double Pulley Hub and weld both together.
2. Slide the second pulley into the 1 5/8" diameter step.
3. Clamp so that it is tight against the first pulley and weld the pulley to the hub on the 1 5/8" diameter step.


Dimensions				
A	B	C	D	E
1 5/8" --- 1 13/16" --- 1 5/16" ----- 1" ----- 2 5/16"				

Order No.	Bore	KW	Set Screws	Price
DPH0075	3/4"	3/16"x3/32"	1/4"-20	\$11.50
DPH0875	7/8"	3/16"x3/32"	1/4"-20	11.50
DPH1000	1"	1/4"x1/8"	5/16"-18	11.50
DPH1125	1 1/8"	1/4"x1/8"	5/16"-18	11.50
DPH1250	1 1/4"	1/4"x1/8"	5/16"-18	11.50

Dealer Schedule.....203

Solid Steel V-Pulleys

AB Belt Type A Pulleys are furnished with standard keyway and (2) set screws.



SINGLE GROOVE PULLEYS

Stock No.	Outside Dia.	Bore	Size In.	Price
041-4008	2-1/2	1/2	1/2	\$10.10
041-4010	2-1/2	5/8	5/8	10.10
041-4012*	2-1/2	3/4	3/4	10.10
041-4014	2-1/2	7/8	7/8	10.10
041-4016*	2-1/2	1	1	10.10
041-4408	2-3/4	1/2	1/2	12.05
041-4410	2-3/4	5/8	5/8	12.05
041-4412	2-3/4	3/4	3/4	12.05
041-4414	2-3/4	7/8	7/8	12.05
041-4416*	2-3/4	1	1	12.05
041-4418*	2-3/4	1-1/8	1-1/8	12.05
041-4808	3	1/2	1/2	13.85
041-4810	3	5/8	5/8	13.85
041-4812	3	3/4	3/4	13.85
041-4814	3	7/8	7/8	13.85
041-4816	3	1	1	13.85
041-4818	3	1-1/8	1-1/8	13.85
041-5208	3-1/4	1/2	1/2	15.55
041-5210	3-1/4	5/8	5/8	15.55
041-5212	3-1/4	3/4	3/4	15.55
041-5214	3-1/4	7/8	7/8	15.55
041-5216	3-1/4	1	1	15.55
041-5218	3-1/4	1-1/8	1-1/8	15.55

Stock No.	Outside Dia.	Bore	Size In.	Price
041-5608	3-1/2	1/2	1/2	\$17.70
041-5610	3-1/2	5/8	5/8	17.70
041-5612	3-1/2	3/4	3/4	17.70
041-5614	3-1/2	7/8	7/8	17.70
041-5618	3-1/2	1-1/8	1-1/8	17.70
041-6008	3-3/4	1/2	1/2	19.40
041-6010	3-3/4	5/8	5/8	19.40
041-6012	3-3/4	3/4	3/4	19.40
041-6014	3-3/4	7/8	7/8	19.40
041-6016	3-3/4	1	1	19.40
041-6018	3-3/4	1-1/8	1-1/8	19.40
041-6408	4	1/2	1/2	21.10
041-6410	4	5/8	5/8	21.10
041-6412	4	3/4	3/4	21.10
041-6414	4	7/8	7/8	21.10
041-6416	4	1	1	21.10
041-6418	4	1-1/8	1-1/8	21.10
041-6814	4-1/4	7/8	7/8	23.40
041-6816	4-1/4	1	1	23.40
041-6818	4-1/4	1-1/8	1-1/8	23.40
041-7216	4-1/2	1	1	26.95
041-7218	4-1/2	1-1/8	1-1/8	26.95

DOUBLE GROOVE PULLEYS

Stock No.	Outside Dia.	Bore	Size In.	Price
042-4810	3	5/8	5/8	\$21.15
042-4814	3	7/8	7/8	21.15
042-4818	3	1-1/8	1-1/8	21.15
042-4822*	3	1-3/8	1-3/8	21.15
042-5218	3-1/4	1-1/8	1-1/8	22.55
042-5222*	3-1/4	1-3/8	1-3/8	22.55
042-5618	3-1/2	1-1/8	1-1/8	24.80
042-5622	3-1/2	1-3/8	1-3/8	24.80

TRIPLE GROOVE PULLEYS

Stock No.	Outside Dia.	Bore	Size In.	Price
043-4818	3	1-1/8	1-1/8	31.75
043-4822*	3	1-3/8	1-3/8	31.75
043-5222*	3-1/4	1-3/8	1-3/8	34.05
043-5618	3-1/2	1-1/8	1-1/8	34.05
043-5622	3-1/2	1-3/8	1-3/8	34.05

* Set Screws are @ 90° & 180° to Keyway

Dealer Schedule.....203

Centralize
your parts orders with
Central Supply
Call Us Toll-Free:

1-800-444-8666




Will not glaze or collect dirt and dust. Contains no resin or asphalt. Cleans away residual build-up of foreign materials. Performs effectively in wet, outdoor conditions. Spray from any position. Can be applied directly to belts while running, or directly to sheaves or rollers.

APPLICATIONS: Leather, rubber, canvas, fabric, flat, round or "V" belts, auto fan belt, farm machinery belting, all industrial belt drives.

No. 00607 Belt Dressing, 11 oz., Pressurized \$10.10 Each

Dealer Schedule: (Case of 12) 253
(Broken Case) 102



TYPE 1

TYPE 2

TYPE 3

Stock No.	Type	O.D.	Bore	Price
BK024-08	1	2.40"	1/2"	\$7.32
BK024-10	1	2.40"	5/8"	7.32
BK024-12	1	2.40"	3/4"	7.32
BK024-14	1	2.40"	7/8"	7.32
BK025-08	1	2.50"	1/2"	8.75
BK025-10	1	2.50"	5/8"	8.75
BK025-12	1	2.50"	3/4"	8.75
BK025-14	1	2.50"	7/8"	8.75
BK026-08	1	2.60"	1/2"	9.48
BK026-10	1	2.60"	5/8"	9.48
BK026-12	1	2.60"	3/4"	9.48
BK026-14	1	2.60"	7/8"	9.48
BK027-08	2	2.70"	1/2"	10.18
BK027-10	2	2.70"	5/8"	10.18
BK027-12	2	2.70"	3/4"	10.18
BK027-14	2	2.70"	7/8"	10.18
BK027-18	2	2.70"	1-1/8"	10.18
BK028-08	2	2.95"	1/2"	10.91
BK028-10	2	2.95"	5/8"	10.91
BK028-12	2	2.95"	3/4"	10.91
BK028-14	2	2.95"	7/8"	10.91
BK028-16	2	2.95"	1"	10.91
BK028-18	2	2.95"	1-1/8"	10.91

Cast Iron Sheaves

Single Groove Sheaves
For "4L" & "5L", "A" & "B" V-Belts

- Type 1 ----- Solid Steel
- Type 2 ----- Solid Cast Iron
- Type 3 ----- Cast Iron Spoked



Stock No.	Type	O.D.	Bore	Price
BK030-08	2	3.15"	1/2"	\$11.06
BK030-10	2	3.15"	5/8"	11.06
BK030-12	2	3.15"	3/4"	11.06
BK030-14	2	3.15"	7/8"	11.06
BK030-16	2	3.15"	1"	11.06
BK030-18	2	3.15"	1-1/8"	11.06
BK032-08	2	3.35"	1/2"	11.84
BK032-10	2	3.35"	5/8"	11.84
BK032-12	2	3.35"	3/4"	11.84
BK032-14	2	3.35"	7/8"	11.84
BK032-16	2	3.35"	1"	11.84
BK034-08	2	3.55"	1/2"	13.22
BK034-10	2	3.55"	5/8"	13.22
BK034-12	2	3.55"	3/4"	13.22
BK034-14	2	3.55"	7/8"	13.22
BK034-16	2	3.55"	1"	13.22
BK034-18	2	3.55"	1-1/8"	13.22
BK036-08	2	3.75"	1/2"	14.65
BK036-10	2	3.75"	5/8"	14.65
BK036-12	2	3.75"	3/4"	14.65
BK036-14	2	3.75"	7/8"	14.65
BK036-16	2	3.75"	1"	14.65
BK036-18	2	3.75"	1-1/8"	14.65

Stock No.	Type	O.D.	Bore	Price
BK040-08	2	3.95"	1/2"	\$16.16
BK040-10	2	3.95"	5/8"	16.16
BK040-12	2	3.95"	3/4"	16.16
BK040-14	2	3.95"	7/8"	16.16
BK040-16	2	3.95"	1"	16.16
BK040-18	2	3.95"	1-1/8"	16.16
BK045-08	2	4.25"	1/2"	17.56
BK045-10	2	4.25"	5/8"	17.56
BK045-12	2	4.25"	3/4"	17.56
BK045-14	2	4.25"	7/8"	17.56
BK045-16	2	4.25"	1"	17.56
BK045-18	2	4.25"	1-1/8"	17.56
BK047-08	2	4.45"	1/2"	17.90
BK047-10	2	4.45"	5/8"	17.90
BK047-12	2	4.45"	3/4"	17.90
BK047-14	2	4.45"	7/8"	17.90
BK047-16	2	4.45"	1"	17.90
BK047-18	2	4.45"	1-1/8"	17.90
BK050-08	3	4.75"	1/2"	18.52
BK050-10	3	4.75"	5/8"	18.52
BK050-12	3	4.75"	3/4"	18.52
BK050-14	3	4.75"	7/8"	18.52
BK050-16	3	4.75"	1"	18.52
BK050-18	3	4.75"	1-1/8"	18.52

All of the above sizes are normally stocked at our Omaha location.

Sizes listed below are non-stock but may be shipped direct. Available bore sizes are marked with their size number suffix.


P.N.	Type	O.D.	1/2"	5/8"	3/4"	7/8"	1"	1-1/8"	1-3/16"	1-1/4"	1-3/8"	1-7/16"	Retail
BK052	3	4.95"	-08	-10	-12	-14	-16	-18					\$18.83
BK055	3	5.25"	-08	-10	-12	-14	-16	-18	-19				20.05
BK057	3	5.45"			-10	-12	-14	-16	-18				20.13
BK060	3	5.75"	-08	-10	-12	-14	-16	-18	-19				21.56
BK062	3	5.95"	-08	-10	-12	-14	-16	-18	-19				22.83
BK065	3	6.25"			-10	-12	-14	-16	-18				24.39
BK067	3	6.45"			-10	-12	-14	-16	-18				25.74
BK070	3	6.75"			-10	-12	-14	-16	-18	-19	-23		26.08
BK072	3	6.95"			-12	-14	-16	-18	-22	-23			27.38
BK075	3	7.25"			-12	-14	-16	-18					30.18
BK077	3	7.45"			-12	-14	-16	-18	-22	-23			31.71
BK080	3	7.75"		-10	-12	-14	-16	-18	-19	-20	-22	-23	33.22
BK085	3	8.25"			-12	-14	-16	-18	-19	-22	-23		36.13
BK090	3	8.75"			-12	-14	-16	-18	-19	-22	-23		38.29
BK095	3	9.25"			-12	-14	-16	-18		-22	-23		39.95
BK100	3	9.75"			-12	-14	-16	-18	-19	-20	-22	-23	44.29
BK105	3	10.25"				-16				-22	-23		47.40
BK110	3	10.75"			-12		-16	-18	-19	-22	-23		51.92
BK115	3	11.25"				-16				-22	-23		56.18
BK120	3	11.75"			-12		-16		-19	-22	-23		59.30
BK130	3	12.75"			-12		-16	-18	-19		-23		66.34
BK140	3	13.75"			-12		-16		-19		-23		73.58
BK160	3	15.75"				-16	-18	-19	-20	-23			83.61
BK190	3	18.75"				-16		-19	-20	-23			88.39



Cast Iron Sheaves

Double Groove Sheaves
For "4L" & "5L", "A" & "B" V-Belts

- Type 1 ----- Solid Steel
- Type 2 ----- Solid Cast Iron
- Type 3 ----- Cast Iron Spoked

**TYPE 1****TYPE 2****TYPE 3**

Stock No.	Type	O.D.	Bore	Price
2BK025-08 .. 1 ... 2.50" 1/2" ..		2.50"	1/2"	\$14.08
2BK025-10 .. 1 ... 2.50" 5/8"		2.50"	5/8"	14.08
2BK025-12 .. 1 ... 2.50" 3/4"		2.50"	3/4"	14.08
2BK025-14 .. 1 ... 2.50" 7/8"		2.50"	7/8"	14.08
2BK027-08 .. 1 ... 2.70" 1/2"		2.70"	1/2"	16.34
2BK027-10 .. 1 ... 2.70" 5/8"		2.70"	5/8"	16.34
2BK027-12 .. 1 ... 2.70" 3/4"		2.70"	3/4"	16.34
2BK027-14 .. 1 ... 2.70" 7/8"		2.70"	7/8"	16.34
2BK027-16 .. 1 ... 2.70" 1"		2.70"	1"	16.34
2BK028-08 .. 1 ... 2.95" 1/2"		2.95"	1/2"	17.53
2BK028-10 .. 1 ... 2.95" 5/8"		2.95"	5/8"	17.53
2BK028-12 .. 1 ... 2.95" 3/4"		2.95"	3/4"	17.53
2BK028-14 .. 1 ... 2.95" 7/8"		2.95"	7/8"	17.53
2BK028-16 .. 1 ... 2.95" 1"		2.95"	1"	17.53
2BK028-18 .. 1 ... 2.95" 1-1/8" ..		2.95"	1-1/8"	17.53
2BK030-08 .. 1 ... 3.15" 1/2"		3.15"	1/2"	17.77
2BK030-10 .. 1 ... 3.15" 5/8"		3.15"	5/8"	17.77

Stock No.	Type	O.D.	Bore	Price
2BK030-12 .. 1 ... 3.15" 3/4" ..		3.15"	3/4"	\$17.77
2BK030-14 .. 1 ... 3.15" 7/8"		3.15"	7/8"	17.77
2BK030-16 .. 1 ... 3.15" 1"		3.15"	1"	17.77
2BK030-18 .. 1 ... 3.15" 1-1/8" ..		3.15"	1-1/8"	17.77
2BK032-10 .. 1 ... 3.35" 5/8"		3.35"	5/8"	18.83
2BK032-14 .. 1 ... 3.35" 7/8"		3.35"	7/8"	18.83
2BK032-16 .. 1 ... 3.35" 1"		3.35"	1"	18.83
2BK032-18 .. 1 ... 3.35" 1-1/8" ..		3.35"	1-1/8"	18.83
2BK034-10 .. 1 ... 3.55" 5/8"		3.55"	5/8"	20.88
2BK034-12 .. 1 ... 3.55" 3/4"		3.55"	3/4"	20.88
2BK034-14 .. 1 ... 3.55" 7/8"		3.55"	7/8"	20.88
2BK034-16 .. 1 ... 3.55" 1"		3.55"	1"	20.88
2BK034-18 .. 1 ... 3.55" 1-1/8" ..		3.55"	1-1/8"	20.88
2BK036-12 .. 1 ... 3.75" 3/4"		3.75"	3/4"	23.14
2BK036-14 .. 1 ... 3.75" 7/8"		3.75"	7/8"	23.14
2BK036-16 .. 1 ... 3.75" 1"		3.75"	1"	23.14
2BK036-18 .. 1 ... 3.75" 1-1/8" ..		3.75"	1-1/8"	\$23.14

Stock No.	Type	O.D.	Bore	Price
2BK036-22 .. 1 ... 3.75" .. 1-3/8" ..		3.75"	1-3/8"	23.14
2BK040-10 .. 2 ... 3.95" 5/8"		3.95"	5/8"	25.30
2BK040-12 .. 2 ... 3.95" 3/4"		3.95"	3/4"	25.30
2BK040-14 .. 2 ... 3.95" 7/8"		3.95"	7/8"	25.30
2BK040-16 .. 2 ... 3.95" 1"		3.95"	1"	25.30
2BK040-18 .. 2 ... 3.95" .. 1-1/8" ..		3.95"	1-1/8"	25.30
2BK045-16 .. 2 ... 4.25" 1"		4.25"	1"	27.61
2BK045-18 .. 2 ... 4.25" .. 1-1/8" ..		4.25"	1-1/8"	27.61
2BK045-22 .. 2 ... 4.25" .. 1-3/8" ..		4.25"	1-3/8"	27.61
2BK047-14 .. 2 ... 4.45" 7/8"		4.45"	7/8"	27.69
2BK047-16 .. 2 ... 4.45" 1"		4.45"	1"	27.69
2BK047-18 .. 2 ... 4.45" .. 1-1/8" ..		4.45"	1-1/8"	27.69
2BK050-12 .. 2 ... 4.75" 3/4"		4.75"	3/4"	29.77
2BK050-16 .. 2 ... 4.75" 1"		4.75"	1"	29.77
2BK050-18 .. 2 ... 4.75" .. 1-1/8" ..		4.75"	1-1/8"	29.77
2BK050-22 .. 2 ... 4.75" .. 1-3/8" ..		4.75"	1-3/8"	29.77
2BK052-16 .. 2 ... 4.95" 1"		4.95"	1"	29.97


All of the above sizes are normally stocked at our Omaha location.

Sizes listed below are non-stock but may be shipped direct. Available bore sizes are marked with their size number suffix.

P.N.	Type	O.D.	1/2"	5/8"	3/4"	7/8	1"	1-1/8"	1-3/16"	1-1/4"	1-3/8"	1-7/16"	Retail
2BK052 .. 2 ... 4.95"					-14		-16	-18			-22		\$29.97
2BK055 .. 2 ... 5.25"								-18			-22		32.03
2BK057 .. 2 ... 5.45"								-16	-18		-22		32.57
2BK060 .. 3 ... 5.75"						-12	-14	-16	-18		-22		34.42
2BK062 .. 3 ... 5.95"							-16	-18		-22			36.57
2BK065 .. 3 ... 6.25"								-16	-18		-22		39.27
2BK067 .. 3 ... 6.45"								-16	-18		-22		41.56
2BK070 .. 3 ... 6.75"						-12		-16	-18	-19	-20	-22	42.08
2BK080 .. 3 ... 7.75"							-12		-16	-18	-19	-20	52.91
2BK090 .. 3 ... 8.75"							-12		-16	-18	-19	-20	59.61
2BK100 .. 3 ... 9.75"							-12		-16	-19	-20	-22	69.17
2BK110 .. 3 ... 10.75"								-16		-19		-23	80.52
2BK120 .. 3 ... 11.75"								-16		-19		-23	92.08
2BK130 .. 3 ... 12.75"								-16		-19		-23	103.56
2BK140 .. 3 ... 13.75"								-16		-19		-23	115.22
2BK160 .. 3 ... 15.75"								-16		-19		-23	127.25
2BK190 .. 3 ... 18.75"									-19			-23	144.75

Dealer Schedule.....203

Call Toll-Free 1-800-444-8666



TYPE 1

TYPE 2

TYPE 3

H Series Sheaves & Hubs

Type 1 ----- Solid Steel
Type 2 --- Solid Cast Iron
Type 3 -- Cast Iron Spoked



Double Groove "H" Series Cast Iron Bushed Sheave For "4L" & "5L", "A" & "B" Groove V-Belts

Stock No.	Type	O.D.	Price
BK030H	1	3.15	\$10.73
BK032H	1	3.35	11.45
BK034H	1	3.55	12.94
BK036H	2	3.75	14.39
BK040H	2	3.95	15.77
BK045H	2	4.25	16.65
BK047H	2	4.45	17.14
BK050H	2	4.75	18.52
BK052H	2	4.95	18.60
BK055H	2	5.25	20.00
BK057H	2	5.45	20.08
BK060H	2	5.75	21.87
BK062H	2	5.95	22.94
BK065H	2	6.25	24.42
BK067H	2	6.45	25.74
BK070H	3	6.75	25.97
BK072H	3	6.95	27.43


Stock No.	Type	O.D.	Price
BK075H	3	7.25	\$30.16
BK077H	3	7.45	31.77
BK080H	3	7.75	33.22
BK085H	3	8.25	36.16
BK090H	3	8.75	38.26
BK095H	3	9.25	39.87
BK100H	3	9.75	44.16
BK105H	3	10.25	47.43
BK110H	3	10.75	51.92
BK115H	3	11.25	56.16
BK120H	3	11.75	59.22
BK130H	3	12.75	68.16
BK140H	3	13.75	73.61
BK150H	3	14.75	79.92
BK160H	3	15.75	81.30
BK190H	3	18.75	93.38

Stock No.	Type	O.D.	Price
2BK032H	1	3.35	\$18.83
2BK034H	1	3.55	20.83
2BK036H	1	3.75	23.14
2BK040H	1	3.95	25.32
2BK045H	1	4.25	27.66
2BK047H	2	4.45	27.77
2BK050H	2	4.75	29.77
2BK052H	2	4.95	29.97
2BK055H	2	5.25	32.08
2BK057H	2	5.45	32.60
2BK060H	2	5.75	34.36
2BK062H	2	5.95	36.60
2BK065H	3	6.25	\$39.32
2BK067H	3	6.45	41.53
2BK070H	3	6.75	42.16
2BK080H	3	7.75	53.01
2BK090H	3	8.75	59.84
2BK100H	3	9.75	69.27
2BK110H	3	10.75	80.68
2BK120H	3	11.75	92.21
2BK130H	3	12.75	103.69
2BK140H	3	13.75	115.38
2BK160H	3	15.75	127.32
2BK190H	3	18.75	144.91

Note – Metric bore hubs are available for direct shipment.
Sizes range from 10 thru 38MM.
Prices are the same as for the standard hubs.

"H" Series Taper Hub For Above Sheaves

All hubs are round bore with standard keyway.



No.	Bore	No.	Bore	No.	Bore	No.	Bore
H-006	3/8"	H-016	1"	H-011	11/16"	H-021	1-5/16"
H-007	7/16"	H-017	1-1/16"	H-012	3/4"	H-022	1-3/8"
H-008	1/2"	H-018	1-1/8"	H-013	13/16"	H-023	1-7/16"
H-009	9/16"	H-019	1-3/16"	H-014	7/8"	H-024	1-1/2"
H-010	5/8"	H-020	1-1/4"	H-015	15/16"		


ALL "H" Series Hubs.....Price: \$7.22

DEALER SCHEDULE THIS PAGE.....203

Call Toll-Free 1-800-444-8666



Central LIGHT DUTY V-BELTS



4L 1/2" TOP WIDTH

Central Number	Gates No.	O.D. Lgth.	Central Price	Central Number	Gates No.	O.D. Lgth.	Central Price	Central Number	Gates No.	O.D. Lgth.	Central Price
VB-4L180*	2180	18	\$5.30	VB-4L440	2440	44	\$7.23	VB-4L700*	2700	70	\$9.48
VB-4L190*	2190	19	5.30	VB-4L450	2450	45	7.31	VB-4L720*	2720	72	9.72
VB-4L200*	2200	20	5.30	VB-4L460	2460	46	7.51	VB-4L730*	2730	73	9.97
VB-4L210*	2210	21	5.30	VB-4L470	2470	47	7.67	VB-4L740*	2740	74	10.00
VB-4L220	2220	22	5.30	VB-4L480	2480	48	7.74	VB-4L750*	2750	75	10.14
VB-4L230	2230	23	5.30	VB-4L490	2490	49	7.80	VB-4L760*	2760	76	10.19
VB-4L240	2240	24	5.30	VB-4L500	2500	50	7.85	VB-4L770*	2770	77	10.28
VB-4L250	2250	25	5.30	VB-4L510	2510	51	7.91	VB-4L780*	2780	78	10.31
VB-4L260	2260	26	5.40	VB-4L520	2520	52	8.08	VB-4L790*	2790	79	10.47
VB-4L270	2270	27	5.42	VB-4L530	2530	53	8.10	VB-4L800*	2800	80	10.55
VB-4L280	2280	28	5.47	VB-4L540	2540	54	8.11	VB-4L810*	2810	81	10.64
VB-4L290	2290	29	5.49	VB-4L550	2550	55	8.18	VB-4L830*	2830	83	10.96
VB-4L300	2300	30	5.56	VB-4L560	2560	56	8.44	VB-4L840*	2840	84	11.19
VB-4L310	2310	31	5.58	VB-4L570	2570	57	8.51	VB-4L880*	2880	88	11.67
VB-4L320	2320	32	5.65	VB-4L580	2580	58	8.69	VB-4L900*	2900	90	11.99
VB-4L330	2330	33	5.73	VB-4L590	2590	59	8.75	VB-4L950*	2950	95	12.80
VB-4L340	2340	34	5.85	VB-4L600	2600	60	8.79	VB-4L970*	2970	97	12.89
VB-4L350	2350	35	6.05	VB-4L610	2610	61	8.81	VB-4L980*	2980	98	13.05
VB-4L360	2360	36	6.22	VB-4L620	2620	62	9.10				
VB-4L370	2370	37	6.33	VB-4L630	2630	63	9.21				
VB-4L380	2380	38	6.44	VB-4L640	2640	64	9.27				
VB-4L390	2390	39	6.55	VB-4L650*	2650	65	9.35				
VB-4L400	2400	40	6.67	VB-4L660*	2660	66	9.40				
VB-4L410	2410	41	6.84	VB-4L670*	2670	67	9.40				
VB-4L420	2420	42	6.88	VB-4L680*	2680	68	9.40				
VB-4L430	2430	43	7.12	VB-4L690*	2690	69	9.40				


5L 21/32" TOP WIDTH

Central Number	Gates No.	O.D. Lgth.	Central Price	Central Number	Gates No.	O.D. Lgth.	Central Price	Central Number	Gates No.	O.D. Lgth.	Central Price
VB-5L240	3240	24	\$6.22	VB-5L480	3480	48	\$10.09	VB-5L700*	3700	70	\$14.08
VB-5L260*	3260	26	6.22	VB-5L490	3490	49	10.28	VB-5L710*	3710	71	14.19
VB-5L280*	3280	28	6.52	VB-5L500	3500	50	10.60	VB-5L720*	3720	72	14.35
VB-5L290	3290	29	6.71	VB-5L510	3510	51	10.62	VB-5L730*	3730	73	14.46
VB-5L300*	3300	30	6.85	VB-5L520	3520	52	10.64	VB-5L740*	3740	74	14.58
VB-5L310*	3310	31	7.01	VB-5L530	3530	53	10.85	VB-5L750*	3750	75	14.69
VB-5L320*	3320	32	7.16	VB-5L540	3540	54	11.02	VB-5L760*	3760	76	14.80
VB-5L330	3330	33	7.28	VB-5L550	3550	55	11.36	VB-5L770*	3770	77	14.92
VB-5L340	3340	34	7.39	VB-5L560	3560	56	11.53	VB-5L780*	3780	78	15.03
VB-5L350*	3350	35	7.66	VB-5L570	3570	57	11.64	VB-5L790*	3790	79	15.14
VB-5L360	3360	36	7.83	VB-5L580	3580	58	11.75	VB-5L840*	3840	84	16.03
VB-5L370	3370	37	8.08	VB-5L590	3590	59	11.87	VB-5L870*	3870	87	16.97
VB-5L380	3380	38	8.33	VB-5L600	3600	60	12.09	VB-5L930*	3930	93	17.52
VB-5L390	3390	39	8.50	VB-5L610	3610	61	12.26				
VB-5L400	3400	40	8.78	VB-5L620	3620	62	12.43				
VB-5L410	3410	41	8.95	VB-5L630*	3630	63	12.54				
VB-5L420	3420	42	9.20	VB-5L640	3640	64	12.94				
VB-5L430	3430	43	9.23	VB-5L650	3650	65	13.22				
VB-5L440	3440	44	9.32	VB-5L660	3660	66	13.57				
VB-5L450	3450	45	9.36	VB-5L670*	3670	67	13.62				
VB-5L460	3460	46	9.70	VB-5L680	3680	68	13.70				
VB-5L470	3470	47	9.85	VB-5L690*	3690	69	13.82				

**Centralize Your Buying
With Central Supply!
Call Toll-Free:
1-800-444-8666**

ALL PRICES ARE SUBJECT TO
CHANGE WITHOUT NOTICE!

Central V-Belts Are
Fully Gauranteed Against Defects

**"A" 1/2" TOP WIDTH**

Fully Guaranteed Against Workmanship and Material Defects

Central #	Gates #	O.D.	Price
VB-A020*	A20	22	\$5.42
VB-A021*	A21	23	5.42
VB-A022*	A22	24	5.42
VB-A023*	A23	25	5.42
VB-A024	A24	26	5.20
VB-A025	A25	27	5.23
VB-A026	A26	28	5.27
VB-A027	A27	29	5.29
VB-A028	A28	30	5.32
VB-A029	A29	31	5.34
VB-A030	A30	32	5.38
VB-A031	A31	33	5.42
VB-A032	A32	34	5.49
VB-A033	A33	35	5.58
VB-A034	A34	36	5.74
VB-A035	A35	37	5.86
VB-A036	A36	38	5.99
VB-A037	A37	39	6.10
VB-A038	A38	40	6.22
VB-A039	A39	41	6.35
VB-A040	A40	42	6.47
VB-A041	A41	43	6.59
VB-A042	A42	44	6.84
VB-A043	A43	45	6.95
VB-A044	A44	46	7.12
VB-A045	A45	47	7.30
VB-A046	A46	48	7.41
VB-A047	A47	49	7.50
VB-A048	A48	50	7.62
VB-A049	A49	51	7.74
VB-A050	A50	52	7.85
VB-A051	A51	53	8.02
VB-A052	A52	54	8.14
VB-A053	A53	55	8.22
VB-A054	A54	56	8.31
VB-A055	A55	57	8.41
VB-A056	A56	58	8.50
VB-A057	A57	59	8.61
VB-A058	A58	60	8.75

Central

HEAVY DUTY V-BELTS

Fully Guaranteed Against Workmanship and Material Defects

Central #	Gates #	O.D.	Price
VB-A059	A59	61	\$8.86
VB-A060	A60	62	8.97
VB-A061	A61	63	9.10
VB-A062	A62	64	9.22
VB-A063	A63	65	9.38
VB-A064	A64	66	9.49
VB-A066	A66	68	9.74
VB-A067	A67	69	9.85
VB-A068	A68	70	9.98
VB-A069	A69	71	10.06
VB-A070	A70	72	10.32
VB-A071	A71	73	10.42
VB-A073*	A73	75	10.66
VB-A075	A75	77	10.90
VB-A076	A76	78	10.96
VB-A077	A77	79	11.32
VB-A078	A78	80	11.41
VB-A079	A79	81	11.66
VB-A080	A80	82	12.07
VB-A081	A81	83	12.16
VB-A082	A82	84	12.25
VB-A083	A83	85	12.34
VB-A084	A84	86	12.37
VB-A085	A85	87	12.43
VB-A086*	A86	88	12.61
VB-A087*	A87	89	12.77
VB-A090	A90	92	13.13
VB-A096	A96	98	13.44
VB-A097*	A97	99	13.56
VB-A098*	A98	100	13.68
VB-A099*	A99	101	13.84
VB-A105	A105	107	14.41
VB-A108*	A108	110	14.97
VB-A112	A112	114	15.82
VB-A120*	A120	122	18.14

Dealer Schedule: (except *).....325

*Denotes Dealer Schedule.....304

Call Central for all your belt needs!

Most non-stock belts are available for same day or next day direct shipment. These include A, B, C, and D heavy-duty belts; AX, BX and CX heavy duty premium notched belts; 3VX and 5VX premium notched wedge belts; B,C, D, 3V, 5V and 8V banded belts and AA, BB and CC hex (double-V) belts, timing belts and industrial V-ribbed belts.


PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

**Centralize with
Central Supply!
Toll-Free
1-800-444-8666**



Central

HEAVY DUTY V-BELTS



Fully Guaranteed Against Workmanship and Material Defects

"B" Belt
5/8" Top Width

"C" Belt
7/8" Top Width

"B" 5/8" TOP WIDTH


Central No.	Gates No.	O.D. Lgth.	Central Price	Central No.	Gates No.	O.D. Lgth.	Central Price	Central No.	Gates No.	O.D. Lgth.	Central Price
VB-B028	B28	31	\$7.06	VB-B059	B59	62	\$12.25	VB-B090	B90	93	\$18.19
VB-B029	B29	32	7.18	VB-B060	B60	63	12.31	VB-B091	B91	94	18.25
VB-B030	B30	33	7.31	VB-B061	B61	64	12.49	VB-B092	B92	95	18.48
VB-B031	B31	34	7.49	VB-B062	B62	65	12.61	VB-B093	B93	96	18.59
VB-B032	B32	35	7.67	VB-B063	B63	66	12.79	VB-B094	B94	97	18.75
VB-B033	B33	36	7.76	VB-B064	B64	67	12.92	VB-B095	B95	98	19.01
VB-B034	B34	37	7.85	VB-B065	B65	68	13.10	VB-B096	B96	99	19.26
VB-B035	B35	38	7.98	VB-B066	B66	69	13.15	VB-B097	B97	100	19.42
VB-B036	B36	39	8.28	VB-B067	B67	70	13.40	VB-B098	B98	101	19.56
VB-B037	B37	40	8.55	VB-B068	B68	71	13.51	VB-B099	B99	102	19.73
VB-B038	B38	41	8.81	VB-B069	B69	72	13.82	VB-B100	B100	103	19.85
VB-B039	B39	42	9.02	VB-B070	B70	73	13.90	VB-B103	B103	106	20.28
VB-B040	B40	43	9.19	VB-B071	B71	74	14.17	VB-B105	B105	108	20.70
VB-B041	B41	44	9.50	VB-B072	B72	75	14.31	VB-B108	B108	111	21.50
VB-B042	B42	45	9.74	VB-B073	B73	76	14.43	VB-B110* ..	B110	113	22.10
VB-B043	B43	46	9.88	VB-B074	B74	77	14.61	VB-B112	B112	115	22.53
VB-B044	B44	47	10.10	VB-B075	B75	78	14.74	VB-B113* ..	B113	118	24.01
VB-B045	B45	48	10.25	VB-B076	B76	79	14.97	VB-B116	B116	119	24.18
VB-B046	B46	49	10.54	VB-B077	B77	80	15.22	VB-B118* ..	B118	121	24.41
VB-B047	B47	50	10.66	VB-B078	B78	81	15.36	VB-B120	B120	123	24.80
VB-B048	B48	51	10.81	VB-B079	B79	82	15.53	VB-B126* ..	B126	129	25.31
VB-B049	B49	52	11.03	VB-B080	B80	83	15.89	VB-B128	B128	131	27.35
VB-B050	B50	53	11.33	VB-B081	B81	84	16.14	VB-B144	B144	147	32.21
VB-B051	B51	54	11.50	VB-B082	B82	85	16.44	VB-B148	B148	151	32.75
VB-B052	B52	55	11.58	VB-B083	B83	86	16.57	VB-B156* ..	B156	159	33.85
VB-B053	B53	56	11.68	VB-B084	B84	87	16.69	VB-B158	B158	161	35.03
VB-B054	B54	57	11.81	VB-B085	B85	88	16.93	VB-B162* ..	B162	165	36.16
VB-B055	B55	58	11.89	VB-B086	B86	89	17.12	VB-B173	B173	176	39.55
VB-B056	B56	59	11.94	VB-B087	B87	90	17.30	VB-B210* ..	B210	213	42.27
VB-B057	B57	60	12.05	VB-B088	B88	91	17.36	VB-B240	B240	243	51.98
VB-B058	B58	61	12.11	VB-B089	B89	92	17.42				

"C" 7/8" TOP WIDTH


Central No.	Gates No.	O.D. Lgth.	Central Price	Central No.	Gates No.	O.D. Lgth.	Central Price	Central No.	Gates No.	O.D. Lgth.	Central Price
VB-C051* ..	C51	54 ..	\$19.28	VB-C108	C108	112 ..	\$40.78	VB-C162	C162	166 ..	\$62.69
VB-C075....	C75	79 ..	29.12	VB-C112	C112	116 ..	42.01	VB-C173....	C173	177 ..	64.75
VB-C081....	C81	85 ..	30.58	VB-C120	C120	124 ..	44.74	VB-C195....	C195	199 ..	72.40
VB-C085....	C85	89 ..	31.63	VB-C128	C128	132 ..	48.07	VB-C255....	C255	258 ..	92.67
VB-C096....	C96	100 ..	36.33	VB-C158* ..	C158	162 ..	59.26	VB-C270* ..	C270	273 ..	98.37
VB-C105....	C105	109 ..	39.54								

Dealer Schedule: All (except *). 325 *Denotes Dealer Schedule..... 304

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.




Hobbs AGRICULTURAL HALOGEN LIGHTS



Higher Light Output - - - Up to 200,000
Candle Power

Trapezoid - - - Flood - - - Spot



Large 4 x 6 Size.

Higher Bulb Life
400 Hour Average. 12 Volt, 50 Watt

No.	Description	Price
71898-50	Flood Lamp, 80 x 30 degree (Single Pack) 12 Volt	\$43.88
71915-50	Trapezoid Lamp, 30 x 25 degree (Single Pack) 12 Volt	43.88
71902-50	Spot Lamp (Single Pack) 12 Volt	43.88
72540-50	Flood Lamp, 80 x 30 degree (Single Pack) 24 Volt	56.57
72542-50	Trapezoid Lamp, 30 x 25 degree (Single Pack) 24 Volt	56.57
72544-50	Spot Lamp (Single Pack) 24 Volt	56.57
72489	Wiring and Instruction Kit	26.09

NOTE: Single Pack - - - One Lamp Per Unit. No Wiring and Instruction Kit. Double Pack - - - Two Lamps Per Unit. No Wiring and instruction Kit.

Dealer Schedule: 1 to 9.....353 10 Or More.....173 NOTE - - 4 x 6 lights may be combined for quantity discount.


REPLACEMENT SEALED BEAMS

No.	Description	Price
71017-50	Flood Pattern Replacement Sealed Beam, 80 x 30 degree, 12 Volt.	\$32.64
71792-50	Trapezoid Pattern Replacement Sealed Beam, 30 x 25 degree, 12 Volt.	32.64
71794-50	Spot Pattern Replacement Sealed Beam, 12 Volt.	32.64
72541-50	Flood Pattern Replacement Sealed Beam, 80 x 30 degree, 24 Volt.	37.85
72543-50	Trapezoid Pattern Replacement Sealed Beam, 30 x 25 degree, 24 Volt	37.85
72545-50	Spot Pattern Replacement Beam, 24 Volt.	37.85

Dealer Schedule: 1 To 9.....353 10 Or More.....173

NOTE: To Figure Amps divide Watts by Volts. Example: 50 Watts/12 Volts=4.17 Amps

Row Brite Round Steel Shell Halogen Light



FEATURES:

Higher light output & Longer bulb life than incandescent, Smaller-
More compact, Adjustable easy-
swivel mount,

(12 Volt, 50 Watt) For Off Road Use Only

No.	Beam Pattern	Each
73468-50	80 x 30 Flood	\$53.12
73469-50	30 x 25 Trapezoid	53.12
73470-50	Spot	53.12
Dealer Schedule: 1 To 9253	
10 Or More173	

Note: Round lights may be assorted for quantity discounts.

Replacement Sealed Beams

70510-50	80 x 30 Flood	29.37
70729-50	30 x 25 Trapezoid	29.37
72774-50	Spot	29.37

(Fits All Par 36 Applications)

Dealer Schedule: 1 To 9353
10 Or More173

RECTANGULAR 3" x 5" HALOGEN LAMPS

FEATURES:

Higher light output & Longer bulb life than incandescent, Smaller-
More compact, Adjustable easy-
swivel mount,

AVAILABLE BEAM PATTERNS:

80° x 30° FLOOD & SPOT
30° x 25° TRAPEZOID


(12 Volt, 50 Watt, 4 Amp) For Off Road Use Only

No.	Beam Pattern	Each
73761-50	80 x 30 Flood	\$38.96
73763-50	30 x 25 Trapezoid	38.96
73764-50	Spot	38.96
Dealer Schedule: 1 To 9353	
10 Or More173	

NOTE: 3 x 5 lights may be assorted for quantity discount.

REPLACEMENT BULBS

72408-50	80 x 30 Flood	31.01
72801-50	30 x 25 Trapezoid	31.01
73804-50	Spot	31.01
Dealer Schedule: 1 To 9353	
10 Or More173	



Hobbs Warning Lamp With Handle and Magnetic Base

Brightly identifies implements, wagons, and other equipment being towed behind slow moving vehicles.

Hobbs introduces a Portable Warning Lamp that lives up to their reputation for providing tough dependable lighting products. This heavy duty Portable Warning Lamp features a two-way amber lens, magnetic base with 80 lbs. of pull off force, and a built-in flasher. You can quickly affix this rugged Warning Lamp to any machinery or equipment you are transporting.

Order No.	Description	Each
80470-01	Warning Lamp w/Flasher	\$41.76



L.E.D. SAFETY LIGHT



2 Functions: Flashing and Steady.
Super brightness LED visible up to 1.25 miles
Uses four "AA" size alkaline batteries.
Extra strong magnetic design

Order No.	Description	Each
LSL-A	L.E.D. Safety Light (Amber)	\$29.66
LSL-R	L.E.D. Safety Light (Red)	29.66
Dealer Schedule.....		152


Wire Terminal Assortment Kit



Contains 150 pieces in 12 of the most popular wire terminals and connectors. Wire gauges 10 thru 22. Packaged in a plastic assortment box with snap tight lid.

No.	Description	Net
H-12020	Wire Terminal Assortment	\$19.75

Hobbs Halogen Lamp With Handle and Magnetic Base




Now you can deliver the light of a rugged and reliable Hobbs Halogen when you need it and wherever you need it.

The new Portable Work Lamp operates from a cigarette lighter receptacle and features a magnetic base with 80 lbs. of pull off force and 15 feet of cable.

It's a heavy duty work lamp perfect for FARMERS, CONTRACTORS, UTILITIES, TRUCKERS SPORTSMEN and EMERGENCY uses.!

Order No.	Description	Each
80508-05 ...	3 x 5 Flood Lamp	\$70.67
80509-05 ...	3 x 5 Spot Lamp	70.67
80413-10 ...	3 x 5 Flood Lamp w/Switch	84.36
80510-10 ...	3 x 5 Spot Lamp w/Switch	84.36
80364-20 ...	Handle Only, w/mag. base & wiring	25.16

Hobbs Halogen Lamp With Built-In Switch



The Hobbs Halogens With Built-In Switch are simple to install in all kinds of equipment and are easy to operate. Imagine the convenience of being able to simply flip a switch and have a high intensity light clearly illuminate your work area.

The Hobbs Halogen with Built-In Switch provides light where you need it and when you need it. The sealed-beam construction and other quality features are what you've come to expect from Hobbs Halogens. Adjustable easy swivel mount. Shock & vibration resistant. High intensity lamp (not legal for street use). Available only in 3 x 5 flood pattern. Specifications: 12 VDC - 50 Watt - 4 Amperes

Order No.	Description	Each
77861-49	Rect. Halogen Lamp w/Switch	\$55.46

DEALER SCHEDULE HOBBS ON THIS PAGE:
1 To 9.....253 10 Or More.....173
Quantities may be assorted


Wire Stripping Crimping Pliers



Cuts and strips wire. Crimps solderless terminals.
Insulated non-slip handle.

No.	Description	Price
GN-CRT	Wire Stripper/Crimping Pliers	\$6.79

Dealer Schedule.....152



Battery Terminal 3-Way Cleaning & Cutting Tool


No.	Description	Each
D-00682	Cleaning & Cutting Tool	\$7.79
	Dealer Schedule.....	103

Heavy-Duty Replacement Side Terminal



Fits 6 to 1 gauge cables
3/8" bolt included.


No.	Description	Each
D-00351	Replacement Side Terminal	\$2.90



Heavy-Duty Universal Terminals Sold on cards of 10 only!

Bolt locks firmly from left to right. Lead Alloy. Holds clamp or strap. Threaded clamp avoids pull-out.

No.	Description	Fits Cables	Card
D-00369	Battery Terminal	6 to 2/0 gauge	\$18.94
D-00370	Battery Terminal	1 to 4/0 gauge	28.48
Dealer Schedule.....		103	



Cable Loom

Black polyethylene corrugated loom is durable and split for easy installation. For protection of wires on cars, trucks, buses, tractors and boats. (10' minimum)

No.	Description	Per Ft.
D-05750	Poly Cable Loom, 3/8" I.D.	\$.45
D-05751	Poly Cable Loom, 1/2" I.D.55
D-05752	Poly Cable Loom, 5/8" I.D.75

Dealer Schedule: Package of 100 ft. 204
10' - 99' length 102



Toggle Switch

For multi-purpose uses.
Two position On/Off.

Dimensions: 3/4" W, 1-3/8" H, 3-1/8" L, Mounting Hole - 15/32"

No.	Desc.	Volt	AMP	Price
DS167	Toggle Switch	12 / 24	50	\$6.35

Dealer Schedule: 1-5.....152, 6 or more.....253



Clamps for Battery Chargers, Test Equipment & Booter Cables



No.	Description	Card
D-00181	Test Equip. Clamp (2 ea.)	\$3.95
D-00182	EZ-Reach Booster Cable Clamps (2 ea.)	9.95
	Dealer Schedule.....	103



Battery Terminal Adapters




No.	Description	Each
D-00353	Adapts Post to Side Terminal Style	\$7.95
D-05319	Adapts Side Terminal to Post Style	2.90
	Dealer Schedule.....	103

Extra Heavy-Duty Booster Cables



12 foot cables are made of 100% copper conductor. 4 Gauge come with parrot style clamps. 6 Gauge Equipped with low-profile E-Z Reach clamps for fast, easy attachment on hard-to-reach side and top post terminals.


No.	Description	Pair
D-00162	6 gauge, w/EZ Reach Clamps	\$45.95
PBC412PCC ..	4 gauge, w/Parrot Style Clamps	49.95
	Dealer Schedule.....	103



Quick-Connect Battery Terminal

Designed for top post batteries. The cable easily detaches from the battery for anti-theft protection and to help prevent electrical drain. For use on cars, trucks, farm equipment, RVS and ATVs.

No.	Description	Each
D-00191	Quick-Connect Battery Terminal	\$7.95
	Dealer Schedule.....	103



BATTERY BOLT

50 Per
Package

Number	Dia. x Lgth.	Per C
BBCN-05-0106 ..	5/16-18 x 1-1/4	\$60.85

Dealer Schedule:
Full Box.....104 Broken Box....Net

PARMAK

Highway Warning Light



Solid state circuitry. Fully portable. One-piece Lexon non-breakable lens housing with full 18 sq. inch acrylic snap on lens. Furnished with bayonet mounting bracket & socket. Visible over 1 mile. Uses G.E. #503 bulb and standard 6V spring terminal battery. Exceeds S.A.E. specifications. Battery Not Included.

No. Price
HWL-151 .. Highway Warning Light Amber/Amber .. \$40.00

Dealer Schedule: 1 to 5.....152 6 or more.....152 & 205



No.	Description	Price
BAT-6LRI	6-volt battery	6.69
Dealer Schedule: 3 or more		254
less than 3		203

3-IN-ONE SOCKET SYSTEM

Expand a single 12-volt vehicle power socket into three 12-volt outlets, including one outlet suitable for a cigarette lighter. LED light illuminates and makes it easy to locate unit at night. 3 position adjustable offset plug allows for convenient positioning in any auto, truck, RV or marine application. Rugged, lightweight, easy to install and use. Heavy-duty, 20 Amp auto fuse.



No. Description Wt. Price
VEC038 Socket System 2 \$15.79

Dealer Schedule: 2 or more 102 & 05
1 unit 102

MAXX SST Power Converter

Converts 12 volt DC to 110 volt AC - 400W Continuous/800W Peak


Soft Start Technology - Gradually and safely ramps up the output voltage to start difficult motorized loads and protect sensitive circuits.

Automatic Reset - Restarts automatically if the inverter shuts down, after the problem is corrected.

Turbo Cooling - Extends life by keeping components cooler.

Noise Free Technology - Filtered modified sine wave. Eliminates the horizontal lines and static that can appear on TV sets. **Includes:** H-D Cable Clamps for direct battery connection and cigarette plug cord for lower wattage use.

2 AC Outlets. LED power/ fault indicators. Up to 3.6 Amps.



VEC024

No. Description Wt. Price
VEC024 Power Converter, 400 watt 2.5 \$55.89

Dealer Schedule: 2 or more 102 & 05
1 unit 102

Krylon

Spray-On Battery Protector #K1307

A valuable tool for stopping terminal corrosion. Specially formulated to assure continued high-voltage output. Helps prolong battery life. Creates an airtight, waterproof, insulated seal to help minimize leakage.



Spray-On Battery Cleaner #K1336

Adds life to battery terminals. Cuts through and dissolves power-robbing acid corrosion that can prevent uniform performance. Restores power. Provides a tough and dependable cleaning.

Uses: Battery terminals, cable connectors, casings and frames.

No.	Price
K1307 Battery Protector, 16 oz.	\$8.80
K1336 Battery Cleaner, 16 oz.	9.12

Dealer Schedule:
Full Case Of 6 Each....253 Broken Case....102


Sprayon ELECTRICAL CONTACT CLEANER AND LUBRICANT (Non-Ozone Depleting)

Leaves no residue to increase resistance. Cleans quickly without temperature control problems. Removes light contaminants, lint, dust, atmospheric oils, from precision electrical equipment. May be applied while equipment is in operation eliminating costly down time. Instant evaporation prevents clinging of airborne contaminants. Non-corrosive, non-staining. Will not harm plastic or rubber parts. Safe on all surfaces.



No. Description Price
02302 Electric Contact Cleaner N.O.D., 11 oz. \$14.25

Dealer Schedule:
Full Case Of 12 Each....253 Broken Case....102



SELF-LOCKING CABLE TIES Weather Resistant Black

No.	Diameter	Width	Length	Pkg.	Per C
SLT-50RB	1-3/4"	3/16"	7-3/8"	100	\$9.25
SLT-50IB	3"	3/16"	11-1/2"	100	16.75
SLT-50LB	4"	3/16"	14-1/2"	100	19.95
SLT-175MB	7-1/2"	3/8"	25-3/4"	25	60.00
SLT-175LB	9-1/2"	3/8"	36"	25	75.00

Dealer Schedule: Full Package 152
Broken Package 101


Oversize Load Signs

Durable yellow vinyl reinforced nylon sign with 6 grommets. Black lettering 12" high, sign size 18" x 7'. Meets AASHO Recommendation #3.04.C5



No.	Price
187WLS Oversize Load Sign	\$35.25
Dealer Schedule.....	152

757-W Stewart-Warner Hand Tachometer




For checking rotative speeds up to 4000 RPM. Operates clockwise and counter clockwise. Face dial is two color, inner circle (counter clockwise) indications are white numerals on a black background. Outer circle (clockwise) indications are black numerals on white background.

No.	Price
82682 Hand Tachometer	\$212.50
96798 Extra Cone Tip.....	6.00
96799 Extra Flat Tip	6.00
Dealer Schedule.....	202

Stewart-Warner Engine Hour Meter

Electric self-starter type meter. Indicates hours and accumulated number of hours of operation. A rotating disc in upper left segment of the face acts as an operation indicator, making one revolution a minute. Registers up to 10,000 hours, then returns to 0. Aluminum case, diameter of flanged rim, 2-7/8". Applications include tractors, trucks, marine motors, earth moving equipment, irrigation pumps, any unit driven by diesel or gasoline engines or on testing work.




DIRECT READING


No.	Price
83501 6,12,24,36 V, 4 To 15 V Range	\$101.15
M-329 Universal Bracket	13.50
Dealer Schedule.....	102

**Call Central
Toll-Free
1-800-444-8666**

Slow Moving Vehicle Emblem



SMV1



SMV1F



SMV7



SMV5



SMV6

During the night, the bright fluorescent orange solid triangle in the center of the SMV emblem is highly visible. It gains the attention and recognition of approaching motorists at distances exceeding one fifth mile. They have ample time to slow down.

At night, the reflective red border of the SMV emblem glows brilliantly in path of approaching auto headlights. The unique, hollow red triangle immediately identifies a slow moving vehicle.

NEW HIGH REFLECTIVE SMV Emblem is visible up to 1200 feet, instead of 600 feet like the standard emblem.


The emblem is a unique identification for, and shall be used only on, vehicles which are designed to travel at speeds of less than 25 miles per hour on public roads. The emblem is not a clearance marker for wide machinery, nor is it to replace either lighting or marker devices now required.

MEETS WITH NEW ASAE 5276.3 COMPLIANCE

No.	Price
SMV1 SMV Emblem, film on prepunched metal backing for direct mounting	\$10.50
SMV1FP SMV Emblem Film Decal (1 piece factory positioned) for direct mtg.	8.80
SMV2 SMV Emblem (HIGH REFLECTIVE) metal backing for direct mounting	14.50
SMV2FP SMV Emblem (HIGH REFLECTIVE) Prepositioned film decal	11.90
SMV5 Mounting Socket with nuts & bolts ...	2.30
SMV6 Pole Mounting Assembly (Mounting Socket NOT included)	5.15
SMV7 Spade Mounting Assembly (Mounting Socket NOT included)	2.85

Dealer Schedule: 12 Or More 203
Less Than 12 152

Safety Warning Reflector Kit



Set of 3 Safety Warning Triangle Reflectors with mounts complete with compact carrying case. Meets Federal Motor Vehicle Standard #125. Required equipment for all semi-trailers.

No.	Price
8TF Safety Warning Reflector Kit	\$30.50
Dealer Schedule.....	152

EZ-Slide Graphite Lubricant

SLICK AS ICE..CONVENIENT AS PAINT
Prevents hang up of High Moisture Grain &
Forage Crop in Gravity Boxes, Chutes, Forage
Boxes, Wagon Boxes.



EZ-Slide lubricants can be sprayed, brushed or rolled onto any metal or wood surface to reduce sliding friction. Drying takes just minutes, leaving a slippery, long-life coating that becomes smoother and slicker with use. Grit, dust and chaff won't stick to it. Rain, heat & freezing won't affect it.

EZ-Slide lubricants are the most effective products made to prevent hang-up of high moisture grain in hoppers and gravity boxes. So well do they protect metal against rust and corrosion many users apply them for that purpose alone.

No.	Size	Per Case	Price Each
33005F	1 qt.	4	\$15.75
33015F	1 gal.	4	42.24
33203	(Aerosol)	12 oz.	8.48
Dealer Schedule:	Full Case	203	
	Broken Case	151	

Spray-On Dry Graphite Lube

Dry Graphite Lube is a high lubricity graphite that adheres to most surfaces with minimum surface preparation. It air dries rapidly at room temperature to provide clean, long-wearing lubrication. This lube is also conductive and may be used where lubrication and electrical properties are both required. NSF reg. no. 131585; H2 rated Ideal where a dry lubricant is required or where petroleum products must be avoided. Adheres with minimum preparation. Effect up to 850°F constant and 1000°F intermittent. Excellent conductivity. Dries rapidly at room temperature. Coefficient of friction is .09, per S. I. M D4-18 Recommended Uses: Pre-assembly lubrication of moving parts, mechanisms of vending machines and parking meters, automotive and industrial gaskets, bearings, locks, springs, hinges, seating surfaces on machines, CRTs, plating nonconductors and curing ovens.

No.	Description	Each
00204	Dry Graphite Lube, 16 oz.	\$10.70

Spray-On Galvanizing Compounds

#00739 Silver Galvanizing Compound

Sacrificial coating that inhibits corrosion on ferrous metals. Excellent touch-up for repair of galvanized substrates. Produces a dry coating with the bright finish of hot-dipped galvanizing.



#00740 Zinc-Rich Cold Galvanizing Compound

Fast-drying, high-solids, epoxy-based coating. Provides maximum protection to steel exposed to corrosive environments. Fuses zinc to the metal substrate to protect against corrosion; equal to or better than hot-dipped galvanizing. 97%-pure zinc dust. May be top coated with conventional primers or finish coats. Meets or exceeds MIL-P-26915C. Outstanding weld thru primer. Highly resistant to salt corrosion and water.

No.	Each
00739 .. Silver Galvanizing Compound, 16 oz.	\$14.35
00740 .. Zinc-Rich Galv. Compound, 16 oz.	13.50

Spray-On Dealer Schedule:
Full Case Of 12 Each....253 Broken Case....102

EZ-SLIDE Powdered Graphite Seed-Flow Lubricant

Packed especially for the ag. market, in a convenient plastic shaker with an Easi-Pour spout. Designed for use in high-speed planters and other farm equipment, to ensure proper lubrication and reduce friction. Just shake it on - it helps the planter deposit 100% of the seed where you want it.

Key Features:

Maximizes yield and profit by increasing plant population per acre. Easiest, most economical way to apply seed-flow lubricant - No buildup. Helps prevent "bridging" of seeds in planter. Helps seed flow smoothly and evenly through high-speed planters. Reduces wear on planter plates. Available in 1 lb. and 5 lb. containers

No.	Description	Per Each
RM-9950-1	1 lb. bottle w/Spout (24/case)	\$6.96
RM-9950-5	5 lb. bottle w/Spout (4/case)	21.72
RM-9950-4	40 lb. plastic lined carton (1/case)	97.40

EZ-SLIDE Talc/Graphite Mixed Powder Lubricants

EZ-Slide 80/20 & 50/50 Talc/Graphite Seed-Flow Dry Powder is blended especially for use with treated seed in planting boxes. Developed for use in pressure planters for controlling moisture issues and lubrication, it also works exceptionally well in conventional air planters in replacement of pure graphite.



Key Features:

Designed exclusively for treated seed. - Use in both "gravity flow" and "air" planters. - Increases planting efficiency and maximizes yield per acre. - Reduces moisture issues, lubricates seed and equipment. - Helps prevent "seed bridging" in planter. - High-purity for less meter wear. - Non-toxic. - Apply 4-6 oz. each time hopper is filled with seed.



Maximizes yield and profit by increasing plant population per acre. - Reduces moisture generated by vacuum planters. - Helps prevent "bridging" of seeds in planter by reducing moisture. - Helps seed flow smoothly & evenly through vacuum meter planters. - Reduces wear on vacuum meter components.

No.	Description	Per Each
RM-0901	80/20 Talc/Graphite, 8 lb. Bottle (4/case)	\$31.54
RM-0901-4	80/20 Talc/Graphite, 40 lb. Plastic Lined Ctn.	54.26
RM-0902-2	50/50 Talc/Graphite, 20 lb. Plastic Lined Ctn.	57.11
RM-0902-4	50/50 Talc/Graphite, 40 lb. Plastic Lined Ctn.	82.65
RM-1900	Talc Powder Lubricant, 8 lb. Pail (4/case)	23.60

Dealer Schedule:	Full Case	203
	Broken Case	151

SPRAY-ON HEAVY DUTY PAINT AND GASKET CEMENT REMOVER

Cuts through gasket cements, sealants and adhesives. Leaves surface clean, ready to install a new gasket. Allow remover to penetrate into the old finish and do the work for you. When blistering action is completed (approximately 20 to 30 minutes) scrape off with putty knife or squeegee. Removes acrylic enamel (hi-bake and air dry), acrylic lacquer, alkyd enamel, epoxy and urethane finished, varnish, shellac, spray paint, crayon, pencil and decals from wood, glass, metal, concrete, stone, brick, ceramic tile and other surfaces.

No.	Price
00615 Paint & Gasket Cement Remover, 15 oz.	\$10.45



Sprayon Welders Anti-Spatter (Liquid Type)

Non-inflammable. Does not contain silicone. Liquid type formulation designed for the prevention of spatter build-up. Non-greasy. Use anti-spatter liquid for all types of welding. Applications: Mig nozzles, contact tips, weldments, electrode holders, fixtures, resistance welding tips and wheels.

Welders Anti-Spatter (Powder Type)

Non-flammable. Prevents adherence of spatter to metal surface during welding. Does not contain silicone. Provides a quick easy means of spraying anti-spatter to the work surface prior to welding. Eliminates the need for CHISELING, WIRE BRUSHING OR GRINDING after welding. Dries to whitish film to expose cracks in weld. After welding the powder is easily removed by brushing or wiping. Easily painted after welding.

No.	Price
00742	Anti-Spatter (Liquid) 16 oz.
00741	Anti-Spatter (Powder) 16 oz.

Sprayon P.D.R.P. (Waxy Film) Penetrant-Demoisturant-Rust Preventative

P.D.R.P. #00710 (a product similar to Cosmoline) meets performance requirements of MIL-C-16173D Grade IV for rugged, long-term outdoor or salt water protection.

APPLICATIONS: External surfaces of machines, machine tools, internal combustion engines, fabricated parts, tubings and stampings, tools, dies, outdoor electrical systems, aircraft cargo pits and landing gear, mold saver.



No.	Price
00710 P.D.R.P. (Waxy Film) 12 oz.	\$10.25

ALL-PURPOSE SILICONE LUBRICANT



All Purpose Silicone Lube is an economical lubricant for applications where petroleum based products are not desired. This 5% silicone formula protects against air and moisture to retard oxidation and corrosion. It virtually eliminates friction and sticking to improve high-speed production. Leaves a long lasting film that is compatible with most surfaces.

5% silicone formula. Reduces friction and sticking; protects against corrosion and oxidation with an invisible film that repels water. Compatible with most surfaces; will not attack most plastics. Will not interfere with painting or decorating. Effective from -50°F to +375°F. Equipped with SPRAY ANYWAY™ valve and extension tube. Recommended Uses: Rubber moldings, windows, sliding wood surfaces, sewing equipment, sliding racks, dissimilar metals, springs, leather, doors, hinges, weather-stripping and plastic assemblies.

No.	Description	Price
00206	Silicone Lubricant, 10 oz.	\$9.35

Spray-On Dealer Schedule: Full Case of 12.....253 Broken Case.....102

SPRAY-ON #711

PENETRANT-LUBRICANT, DEMOISTURANT AND RUST PREVENTATIVE



Penetrates microscopic irregularities of surface in allowing the release of frozen or corroded parts. Demoisturizes by displacing surface moisture, providing a protective barrier between moisture and the metal surface. Lubricates with a unique blend of lubricating ingredients, thus eliminating the need for silicones or old fashioned oils which leave a sticky or gummy residue. Inhibits corrosion by depositing a long lasting, rust preventative film which displaces and repels water. Will not harm plastic, rubber, fabrics or painted surfaces.

No.	Description	Price
00711	Penetrant-Lubricant, 12 oz.	\$8.60

Sprayon RUST BREAKER

Penetrates frozen nuts & bolts - Displaces moisture - Prevents corrosion - Non-flammable propellant - High dielectric strength - Jet stream spray



Rust Breaker's accelerated action quickly loosens rust, while penetrating grease and dirt. A transparent, non-staining oil, its light film also displaces moisture and acts as a corrosion preventative. Will not affect most painted surfaces.

Rust Breaker's non-flammable propellant has no flashpoint for increased safety. Applicator sprays up to two feet in a jet stream, assuring saturation of working areas only—preventing unnecessary waste and allowing safe application on moving parts.

Model	Description	Price
00103	Spray-On Rust Breaker 12 oz.	\$10.55

Sprayon BLAST 'EM Wasp & Hornet Killer



Kills wasps, hornets, yellow jackets, flies, mosquitoes, and flying moths, and is EPA registered. It contains a high amount of petroleum distillates for the best knockdown and kill rate, and its flood type valve sprays a stream 20 feet. Residual deposit will kill returning wasps & hornets. Will not harm most plastics. Dielectric strength: 33,000 volts. Read label for proper indoor use.

Ideal for utility meters and boxes; nesting areas in eaves and shrubs; doors and window frames; outdoor light fixtures, etc.

No.	Each
00857	Wasp & Hornet Killer, 12 oz.

TRI-FLOW Industrial Lubricant

Tri-Flow is a unique premium formulation of 14 ingredients including micronized Teflon, high-grade petroleum oils, corrosion inhibitors, moisture displacers, cleaners penetrating ingredients and extreme pressure additives.

Dramatically reduces friction and wear on moving parts, making them work smoother, quieter, longer.

Penetrates quickly to loosen rusted or sticky parts by washing away dirt, corrosion and contaminants. Protects against rust and corrosion even under the most severe conditions.

No.	Each
20027	TRI-FLOW Lubricant, 12 oz.

SPRAY-ON Upside-Down Marking Paints

Fluorescent High Visibility OSHA & APWA Colors



Sprayon's Upside-Down Marking Paints feature the convenient spray-through can & non-clogging tip.

For traffic, utility and general purpose marking. 20 oz. cans with non-clogging valve. Minimal finger pressure required. Use 6" distance for writing. Can be used up to 18" distance for marking.

Uses: Concrete Surface, Pavement, Utility Marking, & Excavation Marking. Good adhesion to: Grass, Soil, Gravel, Asphalt, Cement & Cable.

No.	Price
03610 Safety Red (Electrical Lines)	\$6.90
03612 Hot Pink (Construction & General Marking)	6.90
03620 Caution Blue (Water Lines)	6.90
03630 Safety Green (Sewer Lines)	6.90
03700 Alert Orange (Communication Lines)	6.90


ENAMEL SPRAY PAINT

FOR INTERNATIONAL,
AND JOHN DEERE



SPRAYON'S enamels are made from the finest materials available. They are fast drying, permanent and cannot be accidentally removed. Meets Military, Federal, ASA and Weapon Specifications.

THE DANVERN VALVE A SPRAYON EXCLUSIVE



Danvern fan spray provides a smooth elongated pattern (rotate valve tip 1/4 turn for horizontal or vertical fan spray pattern) which can be overlapped like a spray gun. This design offers significant advantages, such as, better and faster coverage, while using 10 to 12 inches required by aerosol valves. This valve permits lighter finger pressure - only 1/4 to 1/2 the pressure required of other aerosol valves while reducing overspray, resulting in clogging, producing finer atomization and instant shut-off.

ENAMELS

No.	Price
K1816 Krylon John Deere Yellow, 12 oz.	\$9.75
K1817 Krylon John Deere Green, 12 oz.	9.75
K1818 Krylon International Red, 12 oz.	9.75
K1819 Krylon Caterpillar Yellow, 12 oz.	9.75
K1927 Krylon Forn Blue, 12 oz.	9.75

PRIMERS

00342 Red Oxide Primer, 12 oz.	8.21
00341 Light Gray Primer, 12 oz.	8.21

Krylon Maintenance Engine Paint

Fast-drying, high performance acrylic enamel. Withstands temperatures up to 500° F. Matches OEM standards. Won't blister, flake, crack or peel. Oil and gas resistant.

K1611 Engine Paint, Gray, 12 oz. Spray	10.05
---	-------

Krylon Maintenance High Heat Paint

Withstands temperatures up to 1000° F. Provides a clean, durable finish. Dries to the touch in minutes. Uses: Steam pipes, heaters, boilers, diesel and gasoline engines and gas grills.

K1614 High Heat Paint, Black 12 oz. Spray	11.75
--	-------

SPRAY-ON BLUE LAYOUT FLUID

Easy to apply - saves time, mess and cleanup.

Adheres to metal and glass. Fast drying, non-flaking, non-etching, won't peel. Heat resistant and non-corrosive. SMOOTH NON-GLARE finish allows clear and precise scribe lines. Sprayon's patented Danvern Fanspray Valve reduces overspray and waste, permitting 20% more coverage.

APPLICATIONS: Inspection departments, tool & die, pattern layouts, production layouts, sheet metal.



No.	Price
00603 Blue Layout Fluid, 12 oz.	\$9.52

LAYOUT FLUID REMOVER

Specifically formulated for easy, clean and quick removal of #00603 Blue Layout Fluid. Also effective as a remover of lacquer materials. Leaves no residue. Comes with Sprayon's patented Danvern Standard valve. May harm certain plastics.

No.	Price
00606 Layout Fluid Remover, 12.75 oz.	\$8.85

Sprayon

GENERAL PURPOSE CLEANER



DOES NOT STREAK. Cleans surfaces fast and easy thru foaming action. Just spray it on and wipe it off immediately for sparkling clean surfaces everytime. Leaves no film to attract dirt and is non-staining. Contains ammonia for effective grease cutting. Excellent on glass, vinyl, finished wood, porcelain, formica and chrome.

No.	Price
00880 General Purpose Cleaner, 16 oz.	\$6.35

Sprayon Engine & General Purpose Degreaser (Water Soluble)

Powers away dirt, grease and varnish deposits. It is non-corrosive, non-staining. Will not damage wiring, insulation, distributor caps or painted surfaces. Easy to apply and flushes clean with water. Allow product to set a for minimum of 15 minutes for better cleaning results.



No.	Each
00702 Engine & General Degreaser, 12 oz.	\$9.52

Sprayon

BRAKE & PARTS CLEANER



Non-Chlorinated - Fast Evaporating Leaves No Residue

Designed for fast, effective removal of dirt, oil, grease, wax and tar. **Uses:** Electric motors, brakes, gears, clutches, molds, generators, tools, machinery, engines and mechanical equipment.

No.	Each
00705 Brake & Parts Cleaner, 14 oz.	\$6.75

Spray-On Dealer Schedule:

Full Case Of 12 Each....253 Broken Case....102

Permatex THREADLOCKER GEL-TWIST

Threadlocker Gel in the GEL TWIST pin point applicator is the true innovation in Threadlocking! Applicator leaves the Threadlocker where you want it...on the part! Threadlocker will not drip or run, and is easily portable. Reduces waste and makes it great for use in vertical applications. Extended nozzle allows for easy application in hard to reach locations. **Threadlock Blue** can be removed with hand tools. **Threadlock Red** requires heat or special tools for removal.



No.	Description	Each
PX-24010	Threadlocker Blue, Med. Strength	\$15.50
PX-27010	Threadlocker Red, High Strength	15.50

Dealer Schedule.....152

Permatex FORM-A-GASKET #2

Reliable paste-like gasket sealant/dressing/coating. Best suited for non-rigid vibrating assemblies. Use to 400°F. Resistant to gasoline and solvents. Conforms to MIL-S-45180D.

No.	Description	Each
PX-80016	Form-A-Gasket #2, 3 oz. tube, carded	\$5.25
PX-80011	Form-A-Gasket #2, 11 oz. tube, carded	11.20

Dealer Schedule.....152

Knock'er Loose


PENETRANT

An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound or frozen fasteners. Quickly permeates rust, scale, gum, grease and corrosion. 18 oz. Spray Can.



No.	Price	
1724W	Knock'er Loose Penetrant-Lubricant	\$8.25

Dealer Schedule: Full Case Of 12 Each 253
Broken Case 102



PB Blaster

Penetrating Catalyst

Quickly breaks loose the surface tension of frozen parts and protects against further rust and corrosion.

Eliminates fighting with rusted and frozen fasteners and parts, and works where other penetrating lubricants fail. PB Blaster does not evaporate and remains on the surface to lubricate and protect against further corrosion. Also an excellent cleaner for corroded fasteners.

No.	Price
PB016	PB Blaster Penetrating Catalyst, 16 oz. \$6.95
PB128	PB Blaster Penetrating Catalyst, 1 Gal. 39.20

Dealer Schedule: 16 oz. Full Case of 12 253
16 oz. Broken Case 102
Gallon 253

J-B WELD

Drill It - Grind It - Weld It

Easy to Use. Repair, Fills and Bonds. Can Be Used On Iron, Steel, Copper, Aluminum, Brass, Bronze, Pewter, Wood, Porcelain, Ceramic & Plastic.



No.	Description	Each
8265-S	J-B Weld (*Contains Two Tubes)	\$7.45
8276	J-B WELD Kwik-Set	7.45

*One tube contains metal in a liquid base. Second tube contains hardened compound.

Dealer Schedule:	6 Or More	152
	Less Than 6	102



E-Z Break Anti-Seize Compound

Copper-based anti-seize and lubricating compound. Resists rust and corrosion. Recommended for coating nuts, bolts, valves, flanges, splines, for easy break out after years of service. Meets Mil. Spec. Mil-A-907E. Authorized by USDA for use in meat and poultry plants. Temperature to 1800°F.

No.	Description	Each
LC-08910	E-Z Break, 10oz. Brush in Cap	\$21.00
LC-08916	E-Z Break, 14oz. Aerosol	25.32

Dealer Schedule.....152

Cool Gel Heat Barrier Spray



Helps prevent heat damage to components and surrounding materials during soldering, brazing, and welding. Protects painted and finished surfaces from discoloration due to adjacent torch operations. Unique gelled formula sticks to surfaces without dripping or running off. Clear, non-staining gel leaves no residue eliminating cleanup. Safe, non-toxic, harmless to skin and odorless. Reduces danger of fire to surrounding surfaces such as rubber and plastic seals and gaskets.


No.	Description	Each
LC-11509	Cool Gel Heat Barrier Spray	\$25.50

Dealer Schedule.....152

You Can Rely On
Central Supply
For Fast Shipment
Of Your Order!


Silver Duct Tape

General purpose grade. Used for waterproofing, weatherproofing, repairing, packaging & sealing.



No.	Description	Case	Per Roll
UT-1022 ..	2" x 60 yds. Duct Tape	24 ...	\$9.36

Fiberglass Reinforced Packaging Tape WATER ACTIVATED



The perfect tape for packaging needs. Two sheets of kraft paper cemented to a fiberglass webbing for 3-way strength. Pliable and Extra Tough!

No.	Description	Per Roll
BX-341	2.75" wide x 420' roll Glassweb Tape	\$12.49

Dealer Schedule: Full Case.....103 Broken Case.....202

MEAN GREEN™ Super Action Heavy-Duty Cleaners

Biodegradable
No Phosphates
No Solvents
Non-Flammable
Environmentally Friendly



Super Strength Cleaner & Degreaser is ready to use on tough jobs with the most power of any all-purpose spray cleaner. Total economical cleaning for the home, office or industrial situations in diluted solutions or at environmentally safe full strength. It is highly recommended for cleaning machinery and has been proven to be a great detergent, surface cleaner and degreaser. Mean Green works great as a carpet cleaner and floor wax stripper and is great for household ovens and outdoor grills. Mean Green is without a doubt the best engine cleaner on the market. It requires little or no scrubbing and replaces all other solvents and degreasers. USDA Authorized.

Zap Glass & All-Purpose Spray cleaner performs like two products in one. It cleans glass with no haze or streaks while tackling the tasks of all-purpose cleaners. Zap is gentle to the skin and safe for all surfaces and the environment.

Mildew Destroyer & Cleaner removes mildew, soap scum, grime and algae from the kitchen and bathroom twice as fast as other leading brands, and is environmentally safe. Mildew Destroyer & Cleaner is ideal for institutional and hotel usage.

No Scrub Tire Cleaner Plus cleans car and truck tires without scrubbing. Simply spray No Scrub on the tire and rinse to leave a rich new satin black color. No Scrub Tire Cleaner Plus also effectively degreases engines, tools and other tough cleaning tasks.


No.	Description	Case	List
MG-105	Super Strength Cleaner 8 oz.	24	\$2.39
MG-100	Super Strength Cleaner 32 oz. Spray	12	5.38
MG-101	Super Strength Cleaner 1 Gallon Refill	4	10.95
MG-200	ZAP! Glass Cleaner 32 oz. Spray	12	5.38
MG-600	Mildew Destroyer 32 oz. Spray	12	5.38
MG-900	No-Scrub Tire Cleaner 32 oz. Spray	12	5.38

Dealer Schedule: Full Case 253
Broken Case 102

Also Available In 30 & 55 Gal. Drums. Call For Pricing!

Reinforced Strapping Tape


Extra strong pressure-sensitive fiber-glass filament reinforced tape. Excellent for sealing, strapping & bundling.



No.	Description	Case	Per Roll
UT-22	1" x 60 yds. Strapping Tape	36 ...	\$5.16

Clear Adhesive Packaging Tape

General purpose polypropylene film tape for box and bag sealing applications.



No.	Description	Case	Per Roll
UT-PPP ...	2" x 55 yds. Packaging Tape	36 ...	\$3.03

Dealer Schedule: Full Case.....103 Broken Case.....202

Vinyl Electrical Tape



Standard-Duty Electrical Tape

General purpose, 7 mil, U.L. Approved.

No.	Description	Case	Per Roll
UT-602	3/4" x 60' Electrical Tape	200 ..	\$1.33

Dealer Schedule: Full Case 155
10 Rolls to Case Qty. 104
1-9 Rolls 102

Rags IN A BOX Shop Towels

Clean, white, remarkably lint-free rags. Cloth-like Strength with Sponge-like Absorbency. White, 1 Ply, 10"x13" shop rags in a pop-up dispenser box with carrying handle.



No.	Description	Count	Per Box
75600	Rags In A Box	350	\$26.95


Dealer Schedule.....152

Call Central

Toll Free:

1-800-444-8666


**NEW PRICES AS OF
11/1/2019**

Central BROWN KRAFT BAGS

BX-G Grocery bags are made of 30 weight paper.
BX-U Utility bags are made of Heavy-Duty 50 weight paper.
 (Minimum Quantity 1 Bundle)

No.	H	W	D	Bundle	Bale	Per C
BX-G02	8"	4-1/8"	2-5/8"	500....	6000	\$7.79
BX-U02	8"	4-1/8"	2-5/8"	500....	3000	9.69
BX-U06 ..	11-1/16"	6"	3-5/8"	500....	2000	10.95


Dealer Schedule.....152

Heavy-Duty Steel Parts Bin

Made of prime cold rolled steel. Will not warp, twist or sag. Modular design makes it easy to combine to make larger units.

Order No.	Description	Net
CX-40B	Steel Parts Bin, 40 Bin Unit	\$160.49


**For Other Sizes Of Parts Bins and Compartment Boxes
 Call Central Supply For Prices and Availability!**

Central BIN BOXES

The economical, efficient way to store small parts. Ideal for storerooms, repair shops, warehouses, etc. Hopper front provides fast, easy identification and access. Constructed of highest corrugated fiberboard for durability. "Snap and lock" feature keeps bin rigid. Shipped flat. Easy to assemble. (50 per bundle.)

Order No.	D	W	H	Each
BX-1224	12"	2"	4"	\$1.31
BX-1244	12"	4"	4"	1.61
BX-1264	12"	6"	4"	1.72

Dealer Schedule: Full Bundle152
 Broken Bundle151

Steel Compartment Boxes & Racks

Compartment boxes are manufactured of prime cold rolled steel and finished in rust and acid resistant baked enamel, and have high impact styrene inserts. Features: carrying handle, positive pull-down catches. Size: 18"x12"x3"


Rack is reinforced for strength and supports loaded boxes in the open position without tilting. Special stops prevent units from being accidentally pulled from the rack. Size: 20"x15"x15-3/4"

No.	Description	Net
CX-DL20	20 Scooped Compartments	\$34.95
CX-DL24	24 Scooped Compartments	34.95
CX-DL32	32 Scooped Compartments	34.95
CX-ADL	Adjustable Compartments w/9 dividers	36.90
CX-ADL-DIV..	Extra Dividers f/ADL Box (Pkg. of 9 Ea.) ..	6.95
CX-4LR	4 Drawer Compartment Box Rack	135.96

Call Central Supply

**TOLL-FREE 1-800-444-8666
 FAX TOLL-FREE 1-800-342-7252**

Flambeau Poly Parts Bins



Wide front opening allows visibility and easy access.

Sizes for large and small storage needs. Standard width allows stacking of all sizes.


STACK OR HANG BIN SYSTEMS Perfect for organizing a workbench in the home, shop or garage. No other system offers the strength and durability of our high impact, copolymer bins. Bins are available in sizes for every large and small storage need. Standardized width permits stacking, even with different style bins.

Order No.	Description	WxDxH	Price
UT-12000	Poly Parts Bin (1 Liter)	5"x6-3/4"x3" ..	\$4.09
UT-24000	Poly Parts Bin (2 Liter)	5"x9"x4"	4.99
UT-48000	Poly Parts Bin (4 Liter)	5"x12"x6"	6.93

Dealer Schedule.....152

Flambeau Parts Cabinets

See-thru Drawers - Industrial Quality




These storage cabinets are lightweight, extra durable, and ideal for organizing small parts, tools, and fasteners. Designed for maximum storage flexibility and long lasting durability. Each cabinet features crystal clear see-thru drawers. Drawer stops prevent accidental spills. Easily mounted on walls or stacked. Color is gray. Drawer size: 1.375"x2"x5.25".

No.	Description	WxDxH	Each
UT-130.....	Parts Cabinets	12"x6.25"x11.25", 30 Drawer	\$30.80

Dealer Schedule.....152

FOLDING WORK CENTER

By Flambeau



TOOLS
NOT
INCLUDED


Working surface measures 24"x 48". Folds down to less than 4-1/2" from wall in seconds. Contains multiple storage areas. Includes two adjustable/removable clamps on work surface. Locking bolt & spring system holds up to 300 lbs. U.V. protected for outdoor use. Easy to assemble.

No.	Description	Each
UT-48240	Work Center	\$174.99

Dealer Schedule.....152

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Tuff Tainer Utility Boxes



These see-through boxes made of tough polypropylene, resists most common chemicals, gasoline, oils and plastics. Built to take abuse, with double hinges and "No-Spill" latches.

#2003 has 2 fixed & 15 removable dividers.

#3003 has 2 fixed & 9 removable dividers.


#4007 has 3 fixed & 12 removable dividers.

#5007 has 3 fixed & 18 removable dividers.

Description, LxWxH	Each
UT-2003 ... Tuff-Tainer Box, 7"x4-1/8"x1-1/2"	\$4.41
UT-3003 ... Tuff-Tainer Box, 9-1/8"x5"x1-1/4"	5.53
UT-4007 ... Tuff-Tainer Box, 11"x7-1/2"x1-3/4"	8.30
UT-5007 ... Tuff-Tainer Box, 14"x9"x2"	11.06

Dealer Schedule.....152

Tuff-Tainer Satchel Space Case



Comfortable carrying handle with draw-tight latches. 24 removable dividers makes from 8 to 32 compartments. Durable transparent lid for easy identification of contents.

Dimensions: 18-1/2"x13"x 3"

No.	Description	Each
UT-10320	Tuff-Tainer Space Case	\$47.85

Dealer Schedule.....152

Poly Parts Bags



Reclosable Zip-Lock
Heavy 4 Mil thickness


Sold in packages
of 100 each

Clear polyethylene reclosable bags are an economical, easy-to-use and versatile solution, whether you need to package, ship, display or protect your product.

Identify contents easily. White block accepts marker, pen, rubber stamp or grease pencil. FDA/USDA approved.

Order No.	Mil	Width	Height	Per C
PBZ-04-0304W	4	3"	4"	\$9.45
PBZ-04-0406W	4	4"	6"	12.25
PBZ-04-0609W	4	6"	9"	21.38


Dealer Schedule: Full Case of 1000 304
Package of 100 152

Ball-Foot Air Chuck

No. Price
PF2120..... Air Chuck, 1/4" NPTF \$5.90
Dealer Schedule.....152

Safety Blow Gun


Chrome plated, heavy walled, &
light weight. 1/4" NPTF.
Shipping wt. 8 oz.



No. Price
NS-1562 Safety Blow Gun, 1/4" NPTF \$11.21
Dealer Schedule.....152

TOOL BRUTE™

100% INDUSTRIAL QUALITY - MADE IN USA



Tool Brute™ Tool Boxes offer outstanding value and performance. High impact copolymer construction is dentproof, rust-proof, non-conductive and resists most common chemicals. The rounded corners won't nick or gouge surfaces. The tongue-and-groove design keeps water out while adding strength, and the solid brass hinge and latch pins won't rust or corrode. Plus, padlock tabs provide added security. Lift out tray helps keep things organized. Color: Gray

No. Description Price
UT-19800 ... Tool Brute 20, 20-1/4"x8-7/8"x8-3/8" ... \$38.57
Dealer Schedule.....152

Order On-Line:

www.centralsupplyandrubber.com

Order By Phone:

1-800-444-8666

By Fax: 402-341-0860


Golden Rod Slip-On Blow Gun

No. Price
106C... Blow Gun \$17.27

Dealer Schedule.....203


**Quick Connect Air Coupler**

1/4" NPT (Female)



No.	Price
H-715 Quick Connect Air Coupler, 1/4"	\$7.60
H-727 Air Nipple, 1/4" Male	2.98
H-728 Air Nipple, 1/4" Female	3.50


Dealer Schedule.....152

"DE-LUXE" AIR HOSE

For Service Stations, Garage, Implement Dealers, etc. 2-Ply Heavy Construction. 250 lbs. Working Pressure, 1/4" I.D. 25' With 1/4" Male N.P.T., Both Ends.

No.	Price
1425A 25' x 1/4", 2 Braid Air Hose	\$23.50

Dealer Schedule: 3 or more.....253 Less than 3.....152



Zerk Fitting Assortments

Zerk Fittings Packaged in a transparent plastic box with heavy duty hinges and snap-tight lid.
Box size 8-1/2" x 4-3/4" x 1-1/2".

#ZAM-060 Consists of

No.	Qty.	No.	Qty.
2106	10	2104	5
2107	10	2105	5
2108	10	2109	5
2103	5	2110	5
1911B	10	2111	5

No.	Price
ZA-100 Zerk Fitting Assortment (Dealer Net)	\$40.58
ZAM-060 . Metric Zerk Assortment (Dealer Net)	38.67

Small Zerk Fitting Assortments


Packaged in a plastic bag

#ZA-011 consists of 2 ea. 1610B, 1641B, 1728B,
1 ea. 1611B, 1613B, 1637B, 1743B, 1911B.

#ZA-016 consists of 2 ea. 1610B, 1611B, 1613B,
1637B, 1641B, 1728B, 1743B, 1911B.

No.	Description	Price
ZA-011	11 pc. Zerk Assortment	\$4.96
ZA-016	16 pc. Zerk Assortment	7.29
Dealer Schedule:	12 or more assorted	383
	7-11 assorted	203
	Less Than 7	152

METRIC ZERK FITTINGS



Pipe

No.	Thread	Length	Angle	Each
Z-2106	6mm	19/32"	Straight.....	\$.32
Z-2107	6mm	13/16"	45 Degree69
Z-2108	6mm	3/4"	90 Degree69
Z-2103	8mm	5/8"	Straight.....	.37
Z-2104	8mm	13/16"	45 Degree92
Z-2105	8mm	3/4"	90 Degree92
Z-2109	10mm	5/8"	Straight.....	.49
Z-2110	10mm	13/16"	45 Degree94
Z-2111	10mm	3/4"	90 Degree94

Dealer Schedule:	Packages of 25 each	152
	Broken Packages	201

Zerk Drive In Tool

For Straight Drive In Fittings




No.	Description	Price
L11485	Zerk Drive In Tool	\$13.75

Dealer Schedule.....152


Hydraulic Zerk Fittings

1/8" Pipe Thread Straight




No.	Length	Thread	Each
Z-1607B	1-1/4"	1/8" NPTM	\$1.40
Z-1610B	11/16"	1/8" NPTM	.37
Z-1618B	1"	1/8" NPT Female	.87
Z-1669B	1-3/4"	1/8" NPTM	1.88

1/8" Pipe Thread Angle




No.	Length	Angle	Each
Z-1611B	29/32"	30 Degree	\$.90
Z-1612B	27/32"	65 Degree	.68
Z-1613B	27/32"	90 Degree	.68
Z-1688B	29/32"	45 Degree	.69

1/4"-28 Taper Thread




No.	Length	Angle	Each
Z-1637B	13/16"	45 Degree	\$.63
Z-1641B	35/64"	Straight	.25
Z-1652B	11/16"	Straight	.33
Z-1911B	3/4"	90 Degree	.64

1/4" Pipe Thread --- Straight & Angle



No.	Length	Angle	Each
Z-1627B	7/8"	Straight	\$.94
Z-1629B	31/32"	65 Degree	1.60

Drive Fittings




No.	Drive Size	Length	Angle	Each
Z-1608B	5/16"	9/16"	Straight	\$.38
Z-1728B	3/16"	33/64"	Straight	.29
Z-1743B	1/4"	35/64"	Straight	.29
Z-1992B	3/16"	53/64"	45 Degree	1.56

Dealer Schedule:	Packages of 25 each	152
	Broken Packages	201

Plews

H-D Lever Action Barrel Pump

Zinc plated for maximum rust and corrosion resistance. Brass piston rings for multi-purpose usage. Pumps lubricants, agricultural and industrial chemicals, anti-freeze, and other non-corrosive fluids. Dispenses approx. 3/4 pint per stroke. Fits 15-55 gallon drums with 2" bung openings. **NOT for use with diesel exhaust fluid.**



No.	Price
GG-55-123 Lever Action Barrel Pump	\$61.00
Dealer Schedule.....152	



FIL-E-ZEE Grease Gun Filler

Fits full open head pails through 5 gallon size. Includes pump, pail cover, #107023 Follower Plate and one #80 Loader Nipple.

No.	Price
NS-328 .. Grease Gun Filler	\$73.75
Dealer Schedule.....152	

Grease Gun Hoses



Flexible Grease Hose for Hand-Operated Grease Guns Only.

No.	Description	Price
GGH-12	12" Grease Gun Hose	\$7.31
GGH-18	18" Grease Gun Hose	8.44
GGH-24	24" Grease Gun Hose	9.58
GGH-36	36" Grease Gun Hose	11.85
Dealer Schedule.....	152	


Plews Grease Gun Accessories



Curved Grease Pipe



Grease Gun Coupler



Bulk Filler Fitting
Used to convert
grease gun, not
equipped with filler
nipple, to filler type



Grease Injector Needle



No.	Description	Price
GG-05-030 .. Standard Grease Gun Coupler	\$3.60	
GG-05-034 .. Heavy-Duty Grease Gun Coupler	10.70	
GG-5852 .. Lincoln Grease Gun Coupler	8.45	
GG-05-061 .. 1/8" x 6" Curved Grease Pipe.....	4.80	
GG-05-047 .. Grease Gun Bulk Filler Fitting	3.45	
GG-05-037 .. Grease Injector Needle	4.75	
Dealer Schedule.....	152	

Plews Grease Guns

Model 30-300


Pistol-Matic Grease Gun

One-hand operation. three-way loading: cartridges, bulk, loader nipple. Gun takes all 14 oz. and 14-1/2 oz. cartridges. Coupler has ball check to prevent leakage and loss of pressure. Packaged in individual poly bag.



Model 30-449 Lever Action Grease Gun

10,000 PSI capability. Electrostatic coated. Packaged in individual poly bag with grease pipe and coupler.



Model 30-480 H-D "The Ultimate" Grease Gun

The toughest, most productive grease gun in the world today. Designed specifically for heavy-duty use and built to take extreme punishment. **Features:** 18-gauge steel barrel, Delivers twice the volume of grease per stroke compared to standard guns, Maintains pressure and grease flow on short strokes in confined spaces, Hydraulic coupler features non-drip seal to prevent leakage, Three-way loading, 10" pipe gets to hard-to-reach grease points.

No.	Description	Price
GG-30-300	Pistol-Matic Grease Gun	\$28.30
GG-30-449	Lever Action Grease Gun	20.70
GG-30-480	"Ultimate" Grease Gun	54.30
Dealer Schedule: 6 Or More Guns		203
Less Than 6 Guns		152




Multi-Purpose Lithium Grease


Long-lasting, hard-working formula delivers high performance in wide range of heavy-duty applications. Recommended for chassis, universal joints and other general-purpose applications around the home, farm or shop. Works best for lubricating rolling parts.

No.	Description	Price
GG-10625 ...	Lithium Grease, 14 oz. cartridge	\$5.05
Dealer Schedule: Package of 10		152 & 05
Less than 10		152

Grease Gun Swivel Extension



No.	Price
NS-48	360° Swivel Extension, 1/8" NPT
Dealer Schedule.....	152

"GoldenRod" Hydraulic Pump Oilers


Handles any oil that flows, from gasoline to heaviest oils. Delivers 1 to 150 drops per stroke as desired, no waste. Produces 250 pounds tip pressure. Welded steel construction. One piece natural grip steel handle. Diameter of base 3-1/2".

Dealer Schedule.....203

No.	Description	Price
120-C	1 Pint Pump Oiler	\$32.08
120-B	1-1/2 Pint Pump Oiler	33.17
120-A	1 Quart Pump Oiler	34.77
Note - - - Spout NOT Included.		
301012	12" Straight Spout	8.52
301013	10" Straight Spout	8.52
301014	8" Straight Spout	8.52
301015	12" Angle Spout	8.52
301016	10" Angle Spout	8.52
301017	8" Angle Spout	8.52
301024	10" Flexible Spout	8.52
301025	12" Flexible Spout	8.52
301026	15" Flexible Spout	8.52
120-1	Brass Spout Tip	4.41
120-4	Filler Cap	4.41
120-6	Thumb Lever	4.41

Gasoline Hose

(Grounded)



No.	Diam.	Length	Both Ends	Price
GH-1210	3/4"	10'	3/4" IPT	\$64.76
GH-1220	3/4"	20'	3/4" IPT	93.33
GH-1610	1"	10'	1" IPT	91.45
GH-1620	1"	20'	1" IPT	116.19

Dealer Schedule.....152

Gasoline Hose Nozzle

(3/4" Nozzle Pipe)

No.	Description	Price
NS-1538	Aluminum Gas Nozzle, 3/4" Inlet	\$32.00
NS-1539	Aluminum Gas Nozzle, 1" Inlet	32.00
Dealer Schedule.....152		

Suction Gun

Designed for draining and filling non-corrosive liquids. Barrel holds approx. one pint with 9" stroke. Features 12" plastic hose and durable corrosion resistant finish.

No.	Description	Price
GG-30-118	Suction Gun	\$18.60
Dealer Schedule.....152		

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

"GoldenRod" Pistol Oiler1/3 Pint Capacity
5" Straight Spout

No.	Price
600	\$12.99

Dealer Schedule 203

Highest quality small capacity pump oiler. For mechanics, home or farm. Seamless drawn steel body. Double seemed base. Unexcelled pump action. Baked copper bronze finish.

Pliers Grease Gun Holder


Holds any standard grease gun with approx. 2-1/2" tube.

No.	Price
GG-70-901 .. G-Gun Holder	\$9.00

Dealer Schedule 152

Central Utility Pans

Made of durable impact resistant rubberized plastic that will not break or crack even when used in cold weather. Slick non-stick finish. Used for feeding, oil changes, plants, pet dishes etc.



No.	Description	Price
UP-1	Utility Pan (1 Gallon)	\$5.25
UP-3	Utility Pan (3 Gallon)	6.60
Dealer Schedule.....152		

Polar Starting Fluid

Provides quick, smooth starting in all types of diesel and gasoline engines. (35% Ether)



No.	List Ea.
PSF-082 Starting Fluid, 11 oz.	\$4.20
PSF-081 Starting Fluid, 8 oz.	3.60

Discount: Case of 12 cans 253
Broken Case 102

GOLDENROD**BOWL TYPE FUEL FILTER**

For gasohol and diesel fuel on farm, in construction and light industrial use. 10 micron filtration at 5 gpm gravity flow with 24" head. 150 psi working pressure. 1" fittings. Alcohol resistant. Plastic see through bowl. Sediment drain valve. Shock and weather resistant. Zinc die cast top cap. 9-1/2" high x 4" diameter. Low cost replacement filter element with 366 square inches filtering surface.



No.	Description	Price
GR405	Golden Rod Fuel Filter	\$58.90
GR405-5	Filter Element	11.06
GR495-4	Container Bowl	29.48
GR470-7	Gasket	1.15
GR491	Filter Wrench	9.41

Dealer Schedule.....33/133

GOLDENROD**SPIN-ON FUEL FILTERS****Standard Spin-On Fuel Filter**

For use with gasoline, gasohol, microscopic particulars (10 microns) of rust, sand, dirt, scale, filtering surface. Working pressure up to 50 PSI. Maximum recommended flow rate: 12 GPM. Ideal for farm, construction, industrial, and service station use.

Water-Block Spin-On Filter

596

For use with gasoline and diesel fuels. Filters microscopic particles (10 microns)

and also absorbs and removes water from fuel. Restricts fuel flow as water is absorbed, signaling the need for an element change. 201 square inches of filtering surface. Maximum recommended flow rate: 12 GPM. Ideal for farm, construction, industrial, and service station use.

Top Cap

For use with D-L/GoldenRod Spin-On Fuel Filters. Heavy-duty zinc die-cast. Copper bronze baked on enamel. Fits standard one inch pipe fitting.

No.	Description	Price
GR595	Standard Filter w/Top Cap	\$43.20
GR596	Water-Block Filter w/Top Cap	53.32
GR595-5	Standard Replacement Canister	13.79
GR596-5	Water-Block Replacement Canister	26.57
GR570-3	Top Cap Only	27.40

Dealer Schedule.....33/133

PRICES SUBJECT TO CHANGE WITHOUT NOTICE


Anthes Weathercap

The weather cap opens with first slight pressure inside of the stack. Closes instantly when exhaust pressure stops. Full vertical opening will not block exhaust gases which can cause dangerous back pressure.

To install, simply tighten on bolt. No holes to drill, and no clamps needed.

Order No.	Type No.	Minimum Exhaust O.D.	Maximum Exhaust O.D.	Price
11003	2	1-1/2"	1-15/16"	\$13.37
11004	3	1-3/4"	1-15/16"	13.43
11005	4	2"	2-3/16"	14.20
11006	5	2-1/4"	2-7/16"	15.03
11007	6	2-1/2"	2-11/16"	15.28
11008	7	2-3/4"	2-15/16"	15.46
11009	8	3"	3-3/16"	15.74
11010	9	3-1/4"	3-7/16"	18.00
11011	10	3-1/2"	3-11/16"	18.63
11012	11	3-3/4"	3-15/16"	18.86
11013	12	4"	4-3/16"	19.51
11014	13	4-1/4"	4-7/16"	19.51
11015	14	4-1/2"	4-11/16"	22.46
11017	16	5"	5-3/16"	22.71


Dealer Schedule.....203

**MUFFLER CLAMPS**

All muffler clamps have heavy-duty 3/8" U-bolts. With nuts. Plain Finish

No.	Size	Price	No.	Size	Price
CL-150	1-1/2"	\$2.50	CL-250	2-1/2"	\$3.02
CL-162	1-5/8"	2.50	CL-275	2-3/4"	3.56
CL-175	1-3/4"	2.50	CL-300	3"	4.15
CL-178	1-7/8"	2.50	CL-350	3-1/2"	4.91
CL-200	2"	2.60	CL-400	4"	7.00
CL-212	2-1/8"	2.80	CL-500	5"	9.95
CL-225	2-1/4"	2.80			

Dealer Schedule.....152

DIAPHRAGM HAND PUMP


Fuel Pump with 8' hose and 2" threaded base

Fits 15 thru 55 gallon drums with 2" bung openings. Additively acting, diaphragm type pump for dispensing gasoline, diesel fuel and similar petroleum products. Steel aluminum telescoping tube assembly with neoprene seal. 8' hose with discharge nozzle. Delivers approximately 1 gallon per nine strokes.

No.	Price
NS-30A2.....Diaphragm Hand Pump	\$217.10

Dealer Schedule.....152

DELUXE SNOWCO UMBRELLA



Rugged Construction --- All steel to withstand shocks and bumps of hard usage. Shafts of 1-1/4" steel tubing: bows of oil tempered spring steel: all metal zinc coated to resist rust. Covers, 51" square, made of double stitched 8 oz. double filled duck. Corners reinforced with leather and provided with heavy steel grommets.

The deluxe umbrella gives protection against sun and wind never before afforded. It can be tilted to any angle and to any position --- front, back or either side --- without interfering with the operator, who always has plenty of room to sit or stand. Folds to one side when not in use.

No.	Description	Price
405-466	Red Umbrella, Less Bracket	\$127.10
405-467	White Umbrella, Less Bracket	127.10
405-468	Yellow Umbrella, Less Bracket	127.10
405-200	Universal Bracket	32.90
405-408	Blue Canvas Cover Only	49.80
405-411	Red Canvas Cover Only	49.80
405-412	White Canvas Cover Only	49.80
405-413	Yellow Canvas Cover Only	49.80

UMBRELLA REPAIR PARTS


No.	Ref.	Description	Price
405-125 1		Support Shaft	\$23.50
405-127 3		Curved Shaft w/Adj. Swivel Ball	37.25
405-128 4		Spring Wire Safety Clip	2.25
405-129 5		Swivel Ball Locking Handle	2.65
405-503 6		Frame Locking Set Screw	1.74
405-131 8		Frame Assembly	56.33
405-132 9		Center Tube with Spiders	8.05
405-133 ... 10 ...		Bow with Clevis	4.30
405-134 ... 11 ...		Push Rod Tube	5.40
405-135 ... 12 ...		Push Rod	2.58
405-136 ... 13 ...		Push Rod Locking Spring Clip	1.20
405-176		Push Rod Rivet40

BRACKET REPAIR PARTS

405-204 ... 18 ...	Plain Body Tube Clamp	2.10
405-205 ... 19 ...	Rod Clamp	1.30
405-206 ... 20 ...	Rod Brace (20")	4.40
405-207 ... 21 ...	Angle Clip	1.70

Call 1-800-444-8666

SNOWCO BUGGY TOPS




Sturdy 3-bow construction; plated metal parts; solid; top easily adjusted to variety of positions; widely adaptable; fender or axle mount.

No.	Description	Price
405-344	Fender Mounting Bracket	\$68.35
405-241	Axle Mounting Bracket	77.75

Note --- Brackets Fit Either 40" or 48" Buggy Top.

No.	Description	Price
405-474 ... 40"	Red Buggy Top, Less Bracket	\$152.50
405-475 ... 40"	White Buggy Top, Less Bracket	152.50
405-476 ... 40"	Yellow Buggy Top, Less Bracket	152.50
405-673 ... 48"	Red Buggy Top, Less Bracket	163.10
405-674 ... 48"	White Buggy Top, Less Bracket	163.10
405-677 ... 48"	Yellow Buggy Top, Less Bracket	163.10
405-580 ... 40"	Red Canvas Cover Only	50.90
405-581 ... 40"	White Canvas Cover Only	50.90
405-582 ... 40"	Yellow Canvas Cover Only	50.90
405-590 ... 48"	Red Canvas Cover Only	55.10
405-591 ... 48"	White Canvas Cover Only	55.10
405-592 ... 48"	Yellow Canvas Cover Only	55.10

HINSON-FEMCO TRACTOR UMBRELLA



For Tractors, Combines, Industrial and Self-Propelled Equipment to insure protection against Wind, Rain, Dust and Sun.

FEATURES: Metal parts are zinc-coated for long-lasting, maintenance-free service. Shafts are constructed of 1-1/4" heavy-duty steel tubing. Rigid framework for cover, to withstand farm and industrial use. Adaptable to all types of equipment. Tilting feature permits front, back, or side protection without operator interference.

Can be used with other existing brackets. Standard umbrella cover is 25% heavier than competitive brands. Umbrella covers are 54" wide with hems to prevent fraying. Furnished with heavy cotton duck (25% heavier than competitors) with reinforcing leather behind all corner grommets.

**Umbrella comes with mounting bracket.
Cover Must Be Ordered Separately!**

No.	Description	Price
HF-315022126	... Umbrella Frame, Less cover	\$70.00
HF-311022014	... Yellow Canvas Cover	44.30
HF-311022072	... Red Canvas Cover	44.30
HF-31102273 White Canvas Cover	44.30

Dealer Schedule.....152

Pigtail Step-in Electric Fence Post



42" length.

Super heavy duty 9/32" (7.1mm) Galvanized steel rod.

Designed to work with ALL wire, polywire, polytape and rope electric fences.

Sharpened post and step-in for easy insertion in hard ground.

Extended step-in fin design provides additional ground stability.

Reinforced crimped post-step for increased strength. Will not shear off when stepping into hard/frozen ground.

10,000 volt, ultraviolet resistant, insulation ensures fence won't short out.

No.	Description	List
P801 Pigtail Step-in Electric Fence Post	\$7.17
	Dealer Schedule.....	203



- Aluminum Electric Fence Wire
- No Rust - Light Weight
- Easy to Work With
- 14 gauge wire
- 1312'(1/4 mile) & 2624'(1/2 mile) Spools



No.	Description	List
DA-14AL1320 Alum. Fence Wire, 1/4 mile	\$90.00
DA-14AL2640 Alum. Fence Wire, 1/2 mile	162.50
	Dealer Schedule.....	203

HINSON-FEMCO SUNSHADE - PARTS



The Hinson-Femco metallic silver/white Sun-Shade canopy is heat and light reflective, providing insulating qualities. Actual tests show up to 30 degrees difference between the new silver/white canopy and the canvas or vinyl covers. That means real comfort for the operator!

Order No.	Description	Price
HF-303020064	... Fender Mounting Bracket	\$61.90
HF-318022083	... Yellow Canvas Cover	51.25
HF-318022067	... White Canvas Cover	51.25

Dealer Schedule.....152

GOLDEN ROD *Hired Hand* Barbed Wire Stretcher & Splicer



Wooden hook design allows for longer pulls without resetting.

No.	Description	Price
GR415 Hired Hand Fence Stretcher	\$87.39
GR415-5 Replacement Spring Set f/GR415	7.65
GR28 Small Spring f/GR405	2.40
GR29 Large Spring f/GR405	2.40

Dealer Schedule.....203

ELECTRIC FENCE POSTS

Order No.	Description	Price
SMV-38RB 3/8"x 48" Rebar Fence Post	\$1.89

Dealer Schedule.....152

Parmak Digital Electric Fence Tester

Reads up to 19.9 kilovolts. Matches performance meter on Parmak fence chargers. For use with low impedance fence chargers. Measures fence performance to help diagnose problems.



No.	Description	Price
813 Electric Fence Tester	\$45.06
	Dealer Schedule.....	203

PARMAK FINEST QUALITY ELECTRIC FENCERS

Solar-Pak 6 Volt Solar Powered Fencer

America's first solar-powered electric fencer is equipped with the latest state-of-the-art solar panel. Increased output, longer life. Eliminates the need of expensive battery replacement or inconvenient recharging. Solar-Pak will operate for 21 days in total darkness. Charges up to 25 miles of fence. Complete with sealed 6-volt Gel battery. U.L. Listed

No.	Price
DF-SP-LI	\$282.06




Solar-Pak 12 Volt Fencer


(Low Impedance)

Solar powered, uses free energy from the sun. Low impedance for maximum power, longer life, no operating costs. America's first solid state solar powered fencer. Features the latest state-of-the-art solar panel. Solar-Pak has all the great Magnum 12 features plus solar power. Complete with sealed 12 volt Gel battery. Weatherproof, portable outdoor model. Charges up to 30 miles U.L. Listed

No.	Price
MAG-12-SP	\$434.50



Multi-Power Mark-8



Low impedance for medium to large pastures - single or multi-wire high tensile fence. Advanced solid state circuitry featuring Parmak's exclusive built-in performance meter. Shocks through wet weeds and brush. Ideal for livestock & predator control. Furnished complete ready to plug into AC line. Fully warranted. 110-120 volts, AC. UL listed. Charges up to 30 miles of fence. Indoor installation.

No.	Price
MARK-8.....	\$200.35

12 Volt Battery Operated (Low Impedance)



12-V Battery Operated. Advanced solid state circuitry. New compact design. Equipped with performance meter that shows condition of fence. Low impedance - for livestock or predator control - medium to large pastures. Shocks through wet weeds and brush. Weatherproof, portable outdoor model. Use with 12 volt storage battery. Charges up to 30 miles. Complete with battery clamps. UL listed.

No.	Price
MAG-12UO	\$150.80

DEALER SCHEDULE THIS PAGE.....203

6 Volt Battery Operated

100% solid state, no moving parts. Low cost, high quality model for indoor installation. A model with which you can meet any price competition. Charges up to 10 miles of fence. Uses any type 6 volt battery. UL listed



No.	Price
S-1	\$66.05



Batteries For Parmak Solar-Pak Electric Fencers

Sealed, leak-proof, low internal resistance 9.5 A.H. Gel replacement battery


No.	Price
901	\$47.55
902	\$93.08

Special current taper chargers	
No.	Price
951	\$24.47
952	\$24.47

**PRICES AS OF
5/10/2021**

Replacement Solar Panels

Complete with steel back, battery case lid, and wire connectors.



#920 6-VOLT #960 12-VOLT

No.	Price
920	\$134.60
960	\$221.60

Fieldmaster



The all new low impedance model for small to medium pastures. Advanced solid state circuitry. Shocks through wet weeds & brush. Built-in operational light. For indoor installation. Charges up to 15 miles of fence UL listed.

No.	Price
FM3	\$172.92

Super Energizer Model

The most powerful Parmak model. Low Impedance designed specifically for large pastures - single or multi-wire high tensile fences. Advanced solid state circuitry featuring Parmak's exclusive built-in performance meter. Shocks through wet weeds and brush. Ideal for controlled grazing of livestock including sheep and predator control. For indoor installation. Charges over 50 miles of fence. UL listed



No.	Price
SE-5	\$227.10

DARE FENCING PRODUCTS

Electric Fence Energizers



Order No.	Description	Price
DA-DE400	1 joule, 25 mile - controls up to 25 acres of overgrown fence, 110V ...	\$192.50
DA-DS30075 joule, 20 mile - controls up to 75 acres of clean fence, 6V or 12V	181.90
DA-DS400	1 joule, 25 mile - controls up to 100 acres of overgrown fence, 12V	228.75

Round Post Insulators

For 1/4"- 9/16" diameter posts & 5/8" fiberglass T-posts

Order No.	Description	Per Pkg.
DA-WESTERN-RP25	1" screw-tight round post insulator, yellow, 25/pkg.	\$7.75

Wood Post Insulators



Order No.	Description	Per Pkg.
DA-1728-25	1" wood post insulator w/nails, yellow, 25/pkg.	\$4.00
DA-2285-25	Pinlock wood post insulator less nails, black, 25/pkg.	11.25
DA-2671-25	Wood post ring insulator, black, 25/pkg.	14.65
DA-SNUG-SWP-25	2" wood post insulator w/nails, yellow, 25/pkg.	6.15
DA-WOODEX-5WP10...	5" ext. wood post insulator w/nails, yellow, 10/pkg.	7.25
DA-3003	Power driver for wood post ring insulator (use with electric drill), 1/pkg.	7.50

Studded T-Post Insulators

For 1.25 & 1.33 lb. per ft. steel T-posts




Order No.	Description	Per Pkg.
DA-2027	T-post topper safety cap insulator, yellow, 10/pkg.	\$10.90
DA-2550-25.....	Pinlock, black, 25/pkg.	11.90
DA-SNUG-RT-25	3" reversed, yellow, 25/pkg.	13.90
DA-SNUG-STP-25	Standard clip-on, yellow, 25/pkg. ..	6.15
DA-SNUG-X5TP-25	5" extension, yellow, 25/pkg.	14.40

Studded T-Post Fastening Clips



For 1.25 and 1.33 lb. per ft. steel T-posts

Order No.	Description	Per Pkg.
DA-440	Used to fasten fence or barbed wire to T-posts, 11 gauge galv. wire, 25/pkg.	\$2.20



U-Post and Chain Link Fence Insulators



For 1-3/4" to 2-1/8" wide u-posts

Order No.	Description	Per Pkg.
DA-1362-10	5" extension "essex" bracket insulator for T-post, U-post, and chain link fence, w/cotter pin and screw, 10/pkg.	\$10.65
DA-SNUG-SU-25 ..	1" u-post and chain link fence insulator, yellow, 25/pkg.	10.15

DARE FENCING PRODUCTS



**Porcelain
Line Insulators**



**Tubular Corner Post
and End Post Insulator**

Order No.	Description	Per Pkg.
DA-16-25	Std. size single groove porcelain insulator, white, 25/pkg.	\$7.85
DA-2799-25	Heavy-Duty porcelain insulator with lag bolt, white, 25/pkg.	60.65

**Porcelain and Plastic
Corner and End Insulators**



Order No.	Description	Per Pkg.
DA-1752-10	Molded high strength polymer donut style, suitable for high tensile fence, black, 10/pkg.	\$7.40
DA-2210-10	Double U end and corner insulator, high strength polymer, suitable for high tensile fence, black, 10/pkg.	11.40
DA-2356-10	H.D. porcelain, donut style, white, 10/pkg. (Not Pictured)	8.35



Equine Polywire

400 meter white polyethylene cord woven of U-resistant polyethylene and strands of stainless steel wire



Order No.	Description	Price
DA-3177	Equine Polywire, 400 meter, white	\$63.50

High Tensile Fence Supplies and Accessories



Order No.	Description	Price
DA-1701	Strainer handle for use with DA-1703 strainer, tension measuring scale on handle, zinc plated	\$9.00
DA-1703	Wire Strainer / tightener, heavy cast clog w/ spring loaded latch, zinc plated	4.65
DA-1713	Tension measuring spring, keeps wire taut during temperature changes, hot dip galvanized	8.75
DA-2290	9" wire cutting pliers w/ hardened jaws for cutting high tensile	37.25
DA-2420	Wire dereeler / spinning jenny w/ brake pad to prevent over-running, adjusts to fit 17" to 24" I.D. coils	94.50

DARE FENCING PRODUCTS

Splicing Equipment - Sleeves, taps and tools


2083




2154



SPLICING SLEEVES



FENCE TAP



Order No.	Description	Price
DA-2083	Split bolt / line tap, used to connect hook-up or grounding wire to fence - this is not a splice, 10 / pkg.	\$20.00
DA-2154	Four slot hand crimping tool for use w/DP 1-2 thru DP 4-5 sleeves and DPT 3-4 & DPT 4-5 fence taps, 21" OAL	92.25
DA-DP 1-2/100	Splicing sleeve for 14-1/2 & 15-1/2 ga. smooth wire, 100 / pkg.	18.40
DA-DP 2-3/100	Splicing sleeve for 12-1/2 ga. smooth wire, 100 / pkg.	21.25
DA-DP 3-4/100	Splicing sleeve for 10 & 11 ga. smooth wire, 14-1/2 & 15-1/2 ga. barbed wire, 100 / pkg.	67.00
DA-DP 4-5/100	Splicing sleeve for 9 ga. smooth wire, 12-1/2 & 13-1/2 ga. barbed wire, 100 / pkg.	82.50
DA-DPT 3-4/10	Fence tap used to connect 12-1/2 - 14 ga. fence wire to 12 - 14 ga. hook-up wire, 10 / pkg.	5.71

Miscellaneous Fencing Accessories


1360



2199



3001

482-3
483-4

485-1



Order No.	Description	Price
DA-1360	Multi-light graduated electric fence tester shows how many volts are at the charger or on the fence. The voltages are marked on the case from 600 to 7000 volts	\$16.75
DA-2199	Double throw electric fence switch for outdoor use, install several in each electric fence to switch off areas for testing and to allow repairs	15.15
DA-221	Single throw electric fence switch (same description as double throw switch) (Not Pictured)	12.75
DA-3001	10-1/2" fencing pliers w/ hammerhead, wire cutter and staple puller. (Will not cut high tensile wire)	17.00
DA-483-3	3 prong weed chopper to fit weed chopper-type electric fences	20.65
DA-483-4	4 prong weed chopper to fit weed chopper-type electric fences	21.25
DA-485-1	1 amp fencer fuse, 1/4" x 1-1/4", 5/pkg.	2.90
DA-WW-1	Hand-held wire and polytape winder, capacity = 22 lbs. of steel wire or 1/4 mile of polywire or tape, includes spool	26.65
DA-EFS-1	Extra poly spool for DA-WW-1 winder, 4" wide x 6-1/2" O.D. (Not Pictured)	7.25

DARE LIVESTOCK TANK FLOAT VALVES

Universal farm tank watering valves convert tanks or barrels into automatic stock waterers. Requires little attention and keeps open tanks filled with fresh water. Adjustable to several heights, they are easily installed by hanging plated brackets over edge of tank. Brackets for Poly tanks included as well. Designed to operate from gravity flow or up to 70 PSI.

Order No.	Description	Price
DA-798	300 g.p.h. plastic housed float valve	\$14.75
DA-1780	300 g.p.h. aluminum housed float valve	24.40
DA-1800*	300 g.p.h. aluminum housed, non-siphoning float valve	32.40
DA-2175*	300 g.p.h. plastic housed, non-siphoning float valve	23.50
DA-1041	Replacement Float Ass'y	6.00

*Complies with basic anti-siphoning regulations.



1780



798




1800



2175

MARADYNE Cab Heaters



MODELS 5001 & 8100 (12 Or 24 Volt)

Popular heater for truck, tractor, cab, etc. Provides windshield defrosting with optional defroster kit. Air enters top, heated air exits thru three adjustable doors on front and two 1-3/4" defroster holes. Mounting studs & water hose connectors at rear.

MODEL 5001 SPECIFICATIONS

12,500 BTU per hour output*. 130 CFM heater air capacity. 35 CFM defroster air capacity. Power requirements: 1.5A @ 12V, 7.5A @ 24V. 6-7/8" high, 6-7/8" wide, 7-1/4" deep.

MODEL 8100 SPECIFICATIONS

Same basic design as model 5001, except higher output and slightly larger size. 20,000 BTU per hour output*. 250 CFM heater air capacity. 60 CFM defroster air capacity. Power requirements: 5A @ 12V, 2.5A @ 24V. 8-1/8" high, 8-1/2" wide, 8-1/8" deep.

* All heaters are rated at 150 degrees F. temperature differential: 180 degrees water temperature. 30 degrees ambient air temperature.

A Complete Heater Requires:

1 Heater 11" w/3' Harness, 1 Installation Kit

No.	Description	Price
MH-5001-12	Heater Only (12 Volt)	\$181.82
MH-5001-24	Heater Only (24 Volt)	225.20
MH-8100-12	Heater Only (12 Volt)	281.00
MH-8100-24	Heater Only (24 Volt)	281.00
MH-64006	Installation Kit w/5/8" x12' Hose	85.25
MH-5670004	Switch Kit w/3' wire harness	50.35
MH-601-70	Defroster Kit	98.78


PARTS FOR HEATERS (12 & 24 Volt)

MH-61316 356, 5001 Core Assembly	169.50
MH-60339G1	. 556, 8100 Core Assembly	139.80
MH-60000G2	. 356, 5001 Fan Assembly	15.30
MH-60590G3	. 556, 8100 Fan Assembly	15.30
MH-61319 5000 Fan Assembly	11.70
MH-62321G1	. 3 Spd. Switch Only (12V & 24V) ...	14.21
MH-4670215	.. 3 Spd. 12V Motor Only	97.50
MH-4670216	.. 3 Spd. 24V Motor Only	97.50
MH-53005 356 Motor 12V (Old Style)	73.50
MH-62005 556 Motor 12V (Old Style)	79.00
MH-62006 556 Motor 24V (Old Style)	86.10
MH-61661G2	. 556 Switch 12V & 24V (Old Style)	35.60

Dealer Schedule.....152

HEATER HOSE


Sold Only In
25 ft. Lengths



Can be used on the following: cars, trucks, tractors and combines. Remains flexible at low temperature. Available in 5/8", 22 lbs. per 100 ft. and 3/4", 26 lbs. per 100 ft.

No.	Per Ft.	
HH-581 5/8" x 1 Braid Heater Hose	\$1.51
HH-341 3/4" x 1 Braid Heater Hose	1.91

Dealer Schedule.....203



WORM DRIVE HOSE CLAMPS

Sold Only In Full Packages!



No.	Min. Dia.	Max. Dia.	Band Width	Pkg. Qty.	Each
HC-04	1/4"	5/8"	5/16"	10	\$.79
HC-06	5/16"	29/32"	5/16"	10	.79
HC-08	7/16"	29/32"	1/2"	10	.80
HC-10	9/16"	1-1/16"	1/2"	10	.83
HC-12	11/16"	1-1/4"	1/2"	10	.86
HC-16	3/4"	1-1/2"	1/2"	10	.86
HC-20	13/16"	1-3/4"	1/2"	10	.86
HC-24	1-1/16"	2"	1/2"	10	.86
HC-28	1-5/16"	2-1/4"	1/2"	10	.92
HC-32	1-9/16"	2-1/2"	1/2"	10	.92
HC-36	1-13/16"	2-3/4"	1/2"	10	1.16
HC-40	2-1/16"	3"	1/2"	10	2.10
HC-48	2-9/16"	3-1/2"	1/2"	10	2.32
HC-64	3-9/16"	4-1/2"	1/2"	10	2.60

Dealer Schedule: Full Package 504



Lower Radiator Hose Heaters

Caution: Not recommended for any engine unless specifically listed in application guide. Do not use on flexible wire reinforced hose.



WARNING: Do not use on lower hose which enters the engine lower than the highest point of the hose.

Fast easy installation. Thermostatically controlled. Cords permanently attached for best electrical connection. Includes two gear type hose clamps.

No.	Hose Dia.	Watts	Volts	Price
K-14500	1-1/4"	600	120	\$52.20
K-14600	1-1/2"	600	120	52.20
K-14700	1-3/4"	600	120	52.20
K-14800	2"	600	120	56.10

Dealer Schedule....See Next Page For KATS Schedule

Magnetic Heaters



K-1160



K-1153

Applications include: Oil Pan, intake manifold, battery holder or engine block. Snowblowers, chain saws, snowmobiles, or other small engines. May be used for warming hydraulic systems or thawing frozen locks, pipes, gutters, livestock feeders, etc. **The Magnum** features two powerful magnets and an expanded heating surface. It can be used in many of the same applications as Handi-Heat, plus its larger size makes it ideal for use on trucks, diesels and farm machinery. Cord 4 ft.

No.	Heating Area	Watts	Volts	Price
K-1153	3-3/4" x 2-1/4"	200	110	\$71.95
K-1160	5" x 4"	300	110	112.25

No.	Description	Size	Price
K-22500	Pad Style Battery Heater, 60W	8" x 11.5" x 5"	\$26.10
K-24100	Hot Pad Oil Pan Heater, 100W	10" x 10" x 5"	41.25
K-24150	Hot Pad Oil Pan Heater, 150W	15" x 10" x 5"	48.50
K-24250	Hot Pad Oil Pan Heater, 250W	25" x 10" x 5"	103.60
K-24500	Hot Pad Oil Pan Heater, 500W	5.5" x 8.5" x 5"	126.15



Tank-Type Engine Heaters



Circulate warmed engine coolant through engine. Preheating engines means instant starting, longer life and better service. Faster defroster and heater action. Thermostatically controlled external type. Fits most liquid cooled engines. Equipped with check valve. All connections are 5/8" & 3/4".

Cooling

No.	System Capacity	Watts	Volts	Price
K-13080	Up to 18 Quarts	500	120	\$108.90
K-13100	16 to 25 Quarts	1000	240	108.90
K-13150	26 to 40 Quarts	500	120	125.40
K-13200	41 to 60 Quarts	2000	120	190.35
K-1225	Over 50 Quarts	2500	240	122.00



Use as Oil Pan heater,
Transmission Pan heater



Frost Plug Engine Heaters



No.	Old #	Model Application	Watts	Plug Size	Price
John Deere					
K-11409	K4FR	50, 60, 70, 730, A, B, D, G	400	3/4" NPT	\$46.75
K-30602		All tractors since 1976 with large hex plug outside engine	1000	1-5/8" NPT	163.30
K-30603	K10J	4230, 4430, 4630, 6030, 7020, 7250 (w/ Smooth Bore Frost Plug Hole) 3020, 4000, 4320, 4520, 4620, 4640, 6404, 6466, 6619	1000	2" Rd.	80.40
Ford					
K-10609	K7FR	(1968-1970 3000, 4000, 5000, 8000, 9000)	600	1-3/4" Rd.	32.70
K-10610	K7GR	(1971 & Newer 3000, 4000, 5000, 7000, 8000, 9000)	600	1-1/2" Rd.	32.70
IHC					
K-10603	K6L	(All 460, 660, 706, TD62, TD92), (1963-1967 806, 1206), (1964 & Later 504 (153G & 188D)), (1964 & Later 606 (221G & 236D))	600	1-5/8" Rd.	32.70
K-30108		830	1000	2-1/4" Rd.	102.40
K-30501	IH1	966, 1066, 1086, 1466	750	1-1/4" Rd.	54.30
K-30502		966, 1066, 1086, 1466	1250	1-1/4" Rd.	81.55
Massey Ferguson					
K-10603	K6L	All 445P, 333, 444, 555, 88 (40HV)	600	1-5/8" Rd.	32.70
K-30501	IH1	All 35, 50, 150, 203, 205, 235, 2135, 2200 (AD3-152), 175, 180, 265 (AD4-236), 1100, 1105, 1130, 1135 (A6-354)	750	1-1/4" Rd.	54.30
K-11409	K4FR	90, 1080, 1085, 285 (A4-300), 65, 302, 304, 165, 255, 365, 3165, (AD4-203)	400	3/4" NPT	46.75
K-28216		Replacement Cord, 5 ft. long, for #K-11409			28.80
K-28500		Replacement Cord, 5 ft. long, for #K-30501			27.18

DEALER SCHEDULE ON KAT'S HEATERS: 1 TO 4.....152 5 TO 11.....203 12 OR MORE.....253
(Quantities May Be Assorted)

Femco Custom Fit Weatherbrakes

Custom Fit: Tailored to the make and model of tractors listed for a tight fit.

Windshield: Rigid, clear vinyl with heavy steel frame, no loose gaps to let in cold or wind.

Windshield is plate polished, wrinkle and distortion free for maximum visibility.

Reinforced Vinyl Laminate: Vinyl is resistant to ripping and rotting. It is sewn with nylon thread using double lock seams in stress areas.

Installation: Fewer pieces and precision tooled metal parts that slip easily into place. No special tools needed.

*A Convenient Way to
Stay Out of the Wind & Cold!*



Order No.

ALLIS CHALMERS (With/Without 2 Post ROPS)

Order No.	Front Windshield Only	Front & Side Windshield Assy
307020900+ WD & WD45 (Rear Entry)	305021225	305021251
307021122 D-17 (1958-59-60-61 & 62 Gas)	305021225	305021252
307021186 D-17 Series III & IV (Gas & Diesel)	305021225	305021243
307021412 170 & 175 (Gas & Diesel)	305021225	305021252
307021422 190, 190XT & 200 (Gas, Diesel & LPG)	305021225	305021252

CASE (With/Without 2 Post ROPS)

307021338 930, 931(Diesel), 940, 941 (Gas & LPG) (Serial #8253501 and up), 1030, 1031 Diesel	305021225	305021252
307021341 731, 731c, 831, 831c (Diesel), 741, 741c, 841, 841c (Gas), 730 & 830 (serial #8253501 & up)	305021225	305021252
307021432 770, 870, 970, 1070, 1170, 1175 Row Crop (Gas & Diesel)	305021225	305021282
307021485 1490, 1690 Low Platform, Upright Exhaust	305021226	305021231
307052286 C Series (Black Vinyl)	305021226	305021231
307052287 CX Series (Black Vinyl)	305021226	305021231

CASE IH (With/Without 2 Post ROPS)

307022104 5120, 5130, 5140 (Maxxum) (with/without loader)	305021226	305021279
---	-----------------	-----------------

CASE/DAVID BROWN (With/Without 2 Post ROPS)

307021451 880, 885, 990, 995, 4600 (1965 to Date)	305021226	305021256
---	-----------------	-----------------

+ Rear Entry Models

ROPS = Roll Over Protection System

(Continued on the next page.)

Femco Custom Fit Weatherbrakes

		Front Windshield Only	Front & Side Windshield Assy
Order No.			
CENTURY / BRANSON (With/Without 2 Post ROPS)			
307022150	2028, 2535, 3035, 3040, 3045, Branson: 2910i, 3820i, 4220i, 4720i, BL20A loader, 3510i BL10A	305021226	305022183
JOHN DEERE (With/Without 2 Post ROPS (Unless Indicated))			
307020982+	50, 60, 70, 520, 620, 720 (Distillate & Gas) Rear Entry	305021225	305021251
307021094+	530, 630, 730 (LPG, GAS, Diesel) With electric starter Rear Entry	305021225	305021251
307021317+	2510, 2520, 3010, 3020, 4000, 4010, 4020, (2510, 2520 requires kit#1278 to install rear entry) (NOT 4010 2003 model year)	305021225	305021251
307021425	4520, 4620 (Gas, Diesel, LPG)	305021225	305021252
307021436	2510, 2520, 3010, 3020, 4000, 4010, 4020, 4320 (2510, 2520 requires kit#1278 to install) (NOT 4010 Compact 2003 model year)	305021225	305021252
307021443	4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4430, 4440, 4450, 4455, 4555, 4630, 4640, 4650, 4755 (For Tractors WITHOUT 4-Post ROPS and rigid steering columns only)	305021225	305021252
307021470	820, 830, 920, 1020, 1140, 1840, 2050, 1120, 1520, 1530, 2020, 2030, 2120, 2630 (RU, HU, LU) 1030, 1630, 1830 & 1976 Models; 2040, 2240, 2440 & 2640 New Generation Models; 1140, 1840, 2050, 2150, 2155, 2350, 2355, 2550, 2555, 2750, 2755 Low Platform Models; Canadian 1130; Will not fit 140 series loaders	305021225	305021243
307021471	1050	305021225	305021282
307021475	2840, 2940, 2950 (2955 with rigid steering only) Canadian 3130, 3140	305021225	305021282
307021476	2750 2755 High Platform	305021225	305021252
307021477	850, 950 Up or Down Exhaust & Power Steering	305021225	305021282
307021482	650, 750 Up Exhaust Only, not w/loader	305021225	305021282
307022008	655,755, 855	305021226	305021235
307022022	2955, 3150, 4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4430, 4440, 4450, 4455, 4555, 4630, 4640, 4650, 4755 (ALL WITH 4-POST ROPS & JD CANOPY RE 19445)	CALL	CALL
307022097	870 970 1070 (With/Without loader)	305021225	305021282
307022125	5200, 5300, 5400, 5500 (2WD or 4WD w/wo JD 500 series loader) 5210, 5310, 5410 (NOT 5510 or 20 series)	305021226	305021231
307022131	6200, 6300 & 6400 High & Low Platform (Not 10 or 20 Series)	305021226	305022183
307022141	4200, 4300, 4400, 4500, 4600, 4700 & 10 series	305021226	305022183
307022143	JD Advantage Series 6405, 6605, 7405(BLK)	305021226	305022183
307022146	2210 Black Vinyl Only (NOT the 2305)	305021226	305022183
307022147	JD 4100 (Blk Vinyl Only) Not 4110 or 4105	305021226	305022183
307022161	5320, 5220 (Not Narrow Series), Blk Vinyl, Up/Down Exhaust (Not high platform, works on straddle mount) Year 2005 or older only	305021226	305022183
307022176	JD 3120, 3320, 3520, 3720 (w/wo 300x loader)	305021226	305022183
307022529	JD 5103, 5203, 5303 & 5403 (Not 5603)	305021226	305022183
FORD (With/Without 2 Post ROPS)			
307020914	8N (Not on Jubilee)	305021225	305021252
307021080	600, 800 (All) 2000, 4000 All Purpose 1964 & Prior	305021225	305021252
307021457	2000, 2100, 2600, 3000, 3100, 3600, 4000SU, 4600SU, All Purpose 1965 & Up	305021225	305021274
307021458	5000, 5100, 5600 (LA-1), 6600 (EA-1), 7000, 7100, 7600 (FA-1) All Purpose	305021225	305021271
307021459	4000, 4100, 4600 (DA-1 All Purpose) (NOT Power Shift)	305021225	305021271
307021467	6700, 7700, TW10, TW20 (Flat Deck or Row Crop)	305021225	305021260
307022101	1720, 1920, (w/wo loader) (Not w/shuttle trans)	305021226	305021279
307022121	5640, 6640, 7740 (S, SL) w/wo 7411 loader(Low Platform only)	305021226	305022183
307022136	3430, 3930, 4630, 5030 (w/wo loader ,shell or high top fenders)	305021226	305022183
307022142	TC25/25D, TC29/29D, TC33/33D, TC35/35D, TC40/40D, TC45/45D (w/wo loader) Not DA,DX OK	305021226	305022183
307022145	TN65, 70, 75, JX65, (Not JX75)	305021226	305022183
307022178	TL80A, TL90A, TL100A W/WO LOADER	305021226	305022183

+ Rear Entry Models

ROPS = Roll Over Protection System

(Continued on the next page.)

Femco Custom Fit Weatherbrakes

Order No.

Front Windshield Only	Front & Side Windshield Assy
-----------------------------	---------------------------------------

INTERNATIONAL (With/Without 2 Post ROPS)

307021012+	H & Super H, M& Super M, MD & Super MD, Super MTA, MDTA & Super MDTA, 300, 350, 400, 450 (Diesel & Gas)	305021225	305021251
307021072+	F460, F560 (Gas & Diesel& LPG)	305021225	305021251
307021331	F706, F806, F1206 (Gas, Diesel, LPG) Not Flat Fenders	305021225	305021252
307021421	F544, F656, F666, F686, Hy-Dro 70, 86 Includes Hydrostatic & Hi-Clear (Gas & Diesel)	305021225	305021252
307021429	F756, F826, F856, F1026, F1256, F1456, Includes Hydrostatic (Gas & Diesel)	305021225	305021282
307021439	F766, F966, F1066, F1466, F1566, Hydro100 Includes Hydrostatic (Gas & Diesel) Not 4-Post ROPS	305021225	305021282
307021440	I-454, I-464, I-574 ,I-674 Includes Hydrostatic (Gas & Diesel)	305021225	305021233
307022005	I-484, I-584, I-684, I784, H84, 884, 485, 585, 685, 885, 895 (Not 695)	305021225	305021282

LAWN & GARDEN UNIVERSAL

307022003	Fits 16 to 19 HP Must have flat fenders & footrests. Single brake pedal. No levers or boxes on fenders. Not the JD 318, 332, 400 Series	305021226	305021234
-----------------	---	-----------------	-----------

MASSEY FERGUSON (With/Without 2 Post ROPS)

307021187	50, 60 (Matic Row Crop or Hi-Arch) (Gas, Diesel, LPG)	305021225	305021252
307021370	165 Row Crop & Std w/upright exhaust front of manifold (Gas, Diesel) Flat fenders only	305021225	305021252
307021455	255, 265, 275, 285 (Gas, Diesel, up or down exhaust)	305021225	305021271
307022000	240, 250	305021226	305021279
307022095	362, 375, 383, 390, 398 w/wo loader up exhaust only on left side	305021226	305022184
307022124	1125, 1140, 1145, 1240, 1250, 1260, 1433V, 1440V, 1433, 1440, 1429 (w/wo loader 1246) AGCO ST35x, ST40x, ST35 w/ L serial# & up, Challenger MT265, MT275, MT285 (w/wo loader) Not isolated deck, Not 1155/1455	305021226	305022183
307022172	AGCO GT series (307425330 Agco#)	305021226	305022183
307022173	MT295, MT297, MF1445, MF1455 & ST45 (307425331)	305021226	305022183
307022174	Fits 431,461 (Agco # 307425333)	305021226	305022183
307022175	MF1533, 1540, 1635,1643, 1648, 1652, 1655, 1660 AGCO ST34A, ST41A, Challenger MT265B, MT275B, MT285B (w/wo ML40B loader)	305021226	305022183

MINNEAPOLIS MOLINE, OLIVER, WHITE, COCKSHUTT (With/Without 2 Post ROPS)

307021081+	Oliver 77, 88, 770, 880. Cockshutt 700 (Row Crop)(G&D)	305021225	305021251
307021325	Oliver & Cockshutt 1750,1800, Series C, 1850, 1950 Row Crop (G&D) (Adj. Steering Wheel)	305021225	305021252
307021460	Oliver & Cockshutt 1550, 1555, 1600, 1650, 1655; White 2-70; Minn. Moline-G-550, G-750 (Std. & fuel top fenders)	305021225	305021252
307021461	Oliver & Cockshutt 1755, 1855,1955(Row Crop); White 2-85, 2-105; Min.Moline G850, G940 (Std. & Fuel top fenders)	305021225	305021282
307022103	White 60 & 80 HP American Series (w/wo loader)	305021226	305021231

KUBOTA (With/Without 2 Post ROPS)

307552123	L2900, L3010, L3300, L3410, L3600, L3710, L4200, L4310, L4610, Grand L Series(Works w/Kubota loader ONLY) Orange	305021226	305022183
307022144	M4900, M5700, M6800, M8200, M9000, M5700SD N, M8500SDNB (With Kubota Loader ONLY)	305021226	305022183
307022185	"B" Series: B7410, B7510, B7610, B7800, B2630	305021226	305022183
307022186	"BX" Series: BX1500, BX1830, BX2230, BX2350, not BX23, Not BX24	305021226	305022183

ZETOR (With/Without 2 Post ROPS)

307872151	3320, 3340, 4320, 4340, 6320, 6340,7320,7340 (Black Vinyl)	305021226	305022183
307872152	3321, 3341, 4321, 4341, 6321, 6341, 7321, 7341 (Black Vinyl)	305021226	305022183

+ Rear Entry Models

ROPS = Roll Over Protection System

DUO-GRIP TIRE CHAINS

For off road use only!

Factory Warranty is void if used
on concrete or solid surfaces.



Laclede Tractor Tire Chains



Roadmaster TIRE CHAINS

Tire		List	Use
Chain No.	Wt.	Per Set	Cross
DUO-214	-- 116	\$713.42	-- DUO-292
DUO-218	-- 152	803.00	-- DUO-293
DUO-226	-- 122	644.61	-- DUO-292
DUO-225	-- 109	670.52	-- DUO-293
DUO-229	-- 132	697.40	-- DUO-293
DUO-240	-- 143	879.45	-- DUO-295
DUO-242	-- 152	802.97	-- DUO-294
DUO-246	-- 181	943.52	-- DUO-294
DUO-250	-- 158	971.63	-- DUO-295
DUO-252	-- 173	1064.00	-- DUO-295
DUO-254	-- 196	1205.25	-- DUO-296
DUO-260	-- 164	1008.51	-- DUO-296
DUO-262	-- 170	1045.39	-- DUO-297
DUO-263	-- 143	842.48	-- DUO-297
DUO-264	-- 135	717.90	-- DUO-298
DUO-266	-- 187	988.07	-- DUO-297
DUO-268	-- 171	903.47	-- DUO-298
DUO-270	-- 203	1058.30	-- DUO-297
DUO-271	-- 190	1162.35	-- DUO-298
DUO-272	-- 225	1383.57	-- DUO-298
DUO-273	-- 209	1272.77	-- DUO-298
DUO-276	-- 259	1592.82	-- DUO-299
DUO-277	-- 261	1605.10	-- DUO-298
DUO-282	-- 270	1691.74	-- DUO-302

DUO-Grip CROSS CHAINS

Cross	Chain No.	of	List
Chain No.	Size	Links	Each
DUO-292	9/0	----- 9	\$41.20
DUO-293	9/0	----- 10	43.30
DUO-294	9/0	----- 11	44.70
DUO-295	9/0	----- 12	49.10
DUO-296	9/0	----- 13	57.40
DUO-297	9/0	----- 14	57.20
DUO-298	9/0	----- 17	62.80
DUO-299	9/0	----- 19	82.70
DUO-302	9/0	----- 22	81.00

Roadmaster CROSS CHAINS

Cross	Chain No.	of	List
Chain No.	Size	Links	Each
RM-6434	9/0	----- 11	12.58
RM-6445	9/0	----- 14	18.45
RM-7420	9/0	----- 16	21.40
RM-7426	9/0	----- 19	24.10
RM-9562	11/0	----- 17	39.80

Tire		List	Use
Chain No.	Wt.	Per Set	Chain No.
RM-0822	---- 68	\$409.88	-- RM-6434
RM-0829	---- 56	337.54	-- RM-6434
RM-0832	---- 73	446.19	-- RM-6434
RM-0836	---- 86	518.39	-- RM-6445
RM-0838	---- 99	596.71	-- RM-6445
RM-0846	---- 120	597.75	-- RM-6445
RM-0850	---- 79	476.16	-- RM-6445
RM-0852	---- 94	548.55	-- RM-6445
RM-0856	---- 104	627.04	-- RM-6445
RM-0858	---- 108	650.96	-- RM-7420
RM-0862	---- 126	664.32	-- RM-6445
RM-0859	---- 114	699.17	-- RM-7420
RM-0866	---- 144	724.77	-- RM-7420
RM-0869	---- 122	735.00	-- RM-7420
RM-0874	---- 127	765.93	-- RM-7426
RM-0876	---- 133	819.72	-- RM-7426
RM-0877	---- 142	715.45	-- RM-7426
RM-0879	---- 151	766.52	-- RM-7426
RM-0883	---- 167	994.80	-- RM-9562
RM-0884	---- 181	1093.35	-- RM-9562
RM-0885	---- 191	1181.54	-- RM-9562
RM-0887	---- 211	1229.85	-- RM-9562
RM-0889	---- 222	1356.56	-- RM-9562
RM-0894	---- 250	1465.02	-- RM-9562

Dealer Schedule:

1 Pair.....203 2-3 Pair.....203 & 101
4 Pair Or More.....604 Cross Chains.....203

ALL COMPLETE TIRE CHAINS

ARE SHIPPED FREIGHT PRE-PAID.

CROSS CHAINS ARE FREIGHT PRE-PAID IF ORDERED
WITH COMPLETE CHAINS.

Laclede Tractor Tire Chain Fit Chart

Tire Size	Roadmaster	DUO Grip	Tire Size	Roadmaster	DUO Grip	Tire Size	Roadmaster	DUO Grip
7.2-24	RM-0832	N.A.	12.4-24	RM-0838	DUO-229	14.9-28	RM-0869	DUO-252
8.3-24	RM-0822	N.A.	12.4-28	RM-0838	DUO-218	14.9-30	RM-0876	DUO-252
9.5-16	RM-0829	N.A.	12.4-36	RM-0862	DUO-232	14.9-38	N.A.	DUO-254
9.5-24	RM-0832	DUO-214	12.4-38	RM-0862	DUO-232	15-19.5	RM-0836	----- N.A.
9.5-28	RM-0836	DUO-214	12.4-40	RM-0866	----- N.A.	15.5-38	RM-0879	DUO-254
9.5-32	RM-0838	DUO-226	12.4-42	RM-0866	----- N.A.	16.9-24	RM-0874	DUO-260
9.5-36	RM-0862	DUO-218	12.4-48	----- N.A.	DUO-259	16.9-26	RM-0876	DUO-262
9.5-38	RM-0862	DUO-218	12.5/80-18	RM-0832	----- N.A.	16.9-28	RM-0876	DUO-262
10-16.5	RM-0829	----- N.A.	13.6-16	RM-0850	----- N.A.	16.9-30	RM-0877	DUO-266
10.5/80-18	RM-0822	DUO-225	13.6-24	RM-0858	DUO-240	16.9-30	RM-0885	DUO-266
11-38	----- N.A.	DUO-246	13.6-26	RM-0858	DUO-240	16.9-32	----- N.A.	DUO-266
11.2-24	RM-0836	DUO-214	13.6-28	RM-0859	DUO-242	16.9-34	RM-0879	DUO-270
11.2-28	RM-0838	DUO-226	13.6-36	RM-0866	DUO-246	16.9-38	----- N.A.	DUO-272
11.2-32	RM-0846	DUO-218	13.6-38	RM-0866	DUO-246	17.5-24	RM-0874	DUO-263
11.2-34	RM-0846	DUO-224	13.9-36	----- N.A.	DUO-242	17.5L-24	RM-0874	DUO-263
11.2-36	RM-0846	DUO-224	14.9-24	RM-0859	DUO-240	18.4-16.1	----- N.A.	DUO-264
11.2-38	RM-0862	----- N.A.	14.9-26	RM-0869	DUO-250	18.4-24	RM-0883	DUO-268
12-16.5	RM-0822	DUO-225	380/85R24	RM-0859	----- N.A.	18.4-26	RM-0883	DUO-271
						18.4-28	RM-0884	DUO-271
								420/85-R30 RM-0885 ----- N.A.

NOTE: Because the dimensions of Agricultural and Industrial Tires vary between Tire Manufacturers and tread design profiles, it is recommended that you pre-fit chains prior to use. These chains may be designed to fit the largest tire profile within the tire size.



Laclede Grader & Equipment Tire Chains

ALL COMPLETE TIRE CHAINS ARE SHIPPED FREIGHT PRE-PAID.

CROSS CHAINS ARE FREIGHT PRE-PAID IF ORDERED WITH COMPLETE CHAINS.

Tire Sizes	Grader Chain No.	Wt. -----	List Per Set. -----	Use Grader Cross Chain -----
13.00-24, 13.00-25, 14.00-20, 14.00-21, 15.5-25 -----	GE-2612	110	\$717.40	GE-6630
14.00-24, 14.00-25 -----	GE-2615	125	809.60	GE-6630
16.00-20, 16.00-21, 17.5-25 -----	GE-2624	157	1273.40	GE-6640
16.00-24, 16.00-25 -----	GE-2627	181	1479.60	GE-6940
20.5-25 -----	GE-2633	198	1564.20	GE-6650
18.00-24, 18.00-25, 18.00-26 -----	GE-2636	211	1420.20	GE-6650
23.5-25 -----	GE-2645	328	3152.80	GE-6660
26.5-25, 30.5R32, 710/70R38, 755/70R25, 800/65R32 -----	GE-2657	419	3558.20	GE-6670

NEW PRICES AS OF 10/20/2020

**Fax Toll-Free
1-800-342-7252**

Grader & Equipment Cross Chains

Cross Chain No.	Chain Size	No. of Links	List Each
GE-6630 -----	9/0 (3/8")	17	\$21.20
GE-6640 -----	11/0 (7/16")	15	42.90
GE-6650 -----	11/0 (7/16")	19	51.00
GE-6660 -----	14/0 (.531)	20	100.20
GE-6670 -----	14/0 (.531)	23	113.00

Dealer Schedule: 1 Pair.....203 2-3 Pair.....203 & 101 4 Pair Or More.....604 Cross Chains.....203

Bead Breaker

A revolutionary hand tool that makes the dismounting of tires quick and easy.

Applies up to 5 tons of pressure on the bead.
Portable and small enough to fit into a tool box.
Simple to operate and comes fully assembled.

Construction uses:

backhoes, loaders and graders, skid steer loaders,
trucks (tube type and tubeless)

Farm uses:

tractor tires (front & rear),
implements (manure spreaders, wagons& grain carts)

Other applications:

all terrain vehicles, four wheel drive vehicles, fork lifts &
industrial mine tires, wheelbarrows and more



No.	Description	Wt.	List
MK11	Bead Breaker	9.9 lbs.	\$258.70

Dealer Schedule.....102

Laclede Swivel Cross Chain Hook



NOTE --- Most competitive brands of cross chains WILL NOT FIT Laclede Swivel hooks. But Laclede Swivel hooks and cross chains CAN BE USED as replacement on most other brands of tractor chain.

No.	Each
7990-451-25	Cross Chain Swivel Hook \$4.60
Dealer Schedule.....	103

Laclede Welded Side Chain

Sold In Standard Lengths Only!

Polished Non-Hardened



No.	Size	Wt. Per C/Ft.	Per Ft.
2256-500-02	7/0 (5/16")	66 lbs.	\$4.90
2263-512-02	9/0 (3/8")	104 lbs.	5.65
2269-512-02	11/0 (7/16")	140 lbs.	8.22

Standard Length 25'

Dealer Schedule.....103

Laclede Tire Chain Repair Pliers



Order No. Each
7017-302-23

Tire Chain Repair Pliers \$305.70

Dealer Schedule.....103

All Laclede items on This Page Are Freight Pre-Paid
If Ordered With Complete Tire Chains.




Laclede Cross Chain End Hooks

Order No.	Size	Description	Each
7901-290-02	3/8"	H.D. Truck Chain Hook	\$2.10
7901-320-02	13/32" ...	Tractor Chain Hook	2.60
7901-317-02	7/16"	Roadmaster Hook	4.60
Dealer Schedule.....103			

Laclede Hardened Cross Chain

Sold In Standard 25' Lengths Only!




Order No.	Size	Wt. Per C/Ft.	Price Per Ft.
2563-500-25	9/0 (3/8" Round)	1.15 lbs.	\$9.88
2569-502-25	11/0 (7/16" Round)	1.80 lbs.	16.64

2964-512-25


9/0 (3/8" Straight) 160 lbs. 18.90

Dealer Schedule.....103

Laclede Side Chain Fasteners



For DUO & Swivel




For Roadmaster

Order No.	Each
7015-310-02	Fastener f/Swivel & DUO
6804-714-02	Fastener f/Roadmaster

Dealer Schedule.....103

**Shipping Over 95%
Of Our Orders
The Same Day!**

Weather Station



Outdoor, Rain/Wind/Temperature. Single unit mounts outdoors and indicated temperature, wind speed, wind direction, and actual rainfall as collected in glass measuring tube. Cumulative rainfall up to 20 inches can be marked with pointer. Wind chill chart included. Approx. Dimensions (HxHxD) 5" x 5" x 1-1/2"

No.	Price
1283 Weather Station	\$9.90
1284 Rain Gauge Vial Only	1.56

Dealer Schedule:
1 to 5.....152 6 or more.....203
Rain Gauge Vial.....152


Purolator Polyfiber

Air Filters premium quality

Purolator Polyfiber filters are produced using specially developed polyester fibers bonded together to form an interlocking pattern of tiny lint and dust traps. Dust loading is accompanied by a uniform buildup in resistance. Media is designed to minimize surface loading.

The Purolator Polyfiber frame is constructed of heavy duty kraft board. Purolator's monobond seal provides a strong unitized bond for residential, commercial, or light industrial use.

Purolator Polyfiber filters provide superior performance where large quantities of lint and dust predominate. Rugged construction has made this an industry leader as a pre-filter for higher velocity systems.




Stock Sizes: 16x20x1, 16x25x1, 20x25x1

Sold In Cartons Of 12 Only!
Call for availability of other sizes!

No.	Each
P312-(Specify HxWx1) .. Polyfiber Air Filter	\$2.99

Dealer Schedule.....152

Visit Us On The Web:
www.centralsupplyandrubber.com




"E-Z READ" Jumbo Rain Gauge

Gauge is 21" tall and its 1-3/4" clear plastic tube has brilliant yellow markings with a 2 color float. Can be read from a distance of up to 50 feet! Molded from high impact plastics and a U-V protected tube for long life. Comes completely assembled with instructions and screws for easy mounting.

No.	Price
RG-1 E-Z READ Jumbo Rain Gauge	\$16.50

Dealer Schedule: 1 to 11.....182 12 or more.....123

RURAL MAIL BOX & FAN MAILER



Mail boxes are molded in one piece from top-grade copolymer materials. Interior strut construction for years of use and reliability. Assembled with pre-drilled holes for mounting. Color: Black. Standard #1 size Dimensions: 20"x7"x10".

Fan Mailer box is white with black base and lid. Red and Black Nebraska "Huskers" Logo or Purple Kansas State "Wildcat" Logo on both sides. Extender tray makes for easier mail retrieval and allow box to be further from the curb to reduce damage from maintenance vehicles.

Model	Description	Price
UT-R4501BL	Standard #1 Rural Mail Box	\$21.56
UT-TRD-UONE	"Huskers" Fan Mailer	33.98
UT-TRD-KSU	"Wildcat" Fan Mailer	33.98
UT-EZM-10	Extender Tray f/Mail Box	12.32

Dealer Schedule.....152

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Centralize with Central!
Call: 1-800-444-8666

Hypro ROLLER PUMPS



Model	Description	Price
N4101LC	Pump, Ni-Resist, Less Coupling	\$360.36


Series 4000

4 Roller Pump.
Pressures to 150 PSI
Output at 50 PSI.

Series 4001
1800 RPM=8 GPM.
Series 4101
2600 RPM=7 GPM.
Ports=3/4" NPTF.
Shaft=5/8" O.D.

Model	Description	Price
C5320R	2 GPM @ 1800 RPM	Solid

Model	Description	Price
C5330R	3 GPM @ 1800 RPM	Solid




Series 6500

6 Roller Pump.
Pressures to 300 PSI
Output at 50 PSI.
540 RPM=8.1 GPM.
1000 RPM=16.4 GPM.
Ports=3/4" NPTF.
Shaft=5/8" O.D.

For 540 RPM & 1000 RPM Tractor PTO

No.	Description	Price
N6500	Pump (Ni-Resist), Less Coupler ...	\$493.78
1321-0008	Quick Coupler, 1000 RPM	65.13



Series 7700

7 Roller Pump
Pressures to 200 PSI.
Output at 50 PSI:
540 RPM=12.5 GPM
Ports= 3/4" NPTF
Shaft=15/16" O.D.

No.	Description	Price
C7700	Pump Less Coupler	\$291.02
3430-0219	Parts Kit	65.43

(Parts Kit Contains: 7 #1002-0004 poly rollers,
1 #1720-0014 O-ring for end plate, 2 #2112-0003 Viton seals)


DEALER SCHEDULE:
Pumps.....253 Couplers and Parts.....33/133

Hypro Piston Pump Series 5300

The Small Twin

Outputs to 3gpm -
Pressures to 500 psi -
Speeds to 1800 rpm

Economical Pumps
for Portable Car
Wash Units.
Excellent Pump for
Low Cost



HIGH PRESSURE PERFORMANCE

Model	Output	Shaft	Price
C5320R	2 GPM @ 1800 RPM	Solid	\$505.34
C5330R	3 GPM @ 1800 RPM	Solid	505.34


Repair Kits Available.

Dealer Schedule.....253

SNAP HITCH PUMP ADAPTER

1-3/8 x 6 spline Snap Hitch to Round Bore.

Round Bore
with Keyway
and Set Screw.




Order No.	Spline	Rd. Bore	Keyway	Price
114-1000	1-3/8 x 6	5/8	3/16	\$62.08
114-1200	1-3/8 x 6	3/4	3/16	62.08
114-1400	1-3/8 x 6	7/8	3/16 & 1/4	67.08
114-1500	1-3/8 x 6	15/16	1/4	62.08
114-1600	1-3/8 x 6	1	1/4	62.08
115-1000	1-3/8 x 21	5/8	3/16	66.30
115-1200	1-3/8 x 21	3/4	3/16	66.30
115-1400	1-3/8 x 21	7/8	3/16 & 1/4	71.38
115-1500	1-3/8 x 21	15/16	1/4	66.30
115-1600	1-3/8 x 21	1	1/4	66.30

Dealer Schedule.....203

**Centralize
with
Central Supply!**

Rely on Central Supply For Fast Order Shipment!

CENTRIFUGAL PUMP REPAIR KIT
ACE

Mounts directly on
tractor PTO.
Ace 10-groove belt
drive.

PORTS:
1-1/4" Suction
1" Discharge

Ace PTO mounted belt drive centrifugal pump with belt and shaft guard installed.

GREATER CAPACITY FOR AGITATION

Straight centrifugal pump with pulleys and belts arranged for direct mounting on 1-3/8" PTO shaft. 600 & 1000 R.P.M. Pressure to 60 PSI --- Output to 75 G.P.M.

No.	Repair Kit	Price
RK-PTOC-600-10	Includes belt, seal, O-Ring Gasket	\$121.34
RK-PTOC-1000-10	Includes belt, seal, O-Ring Gasket	121.34

Dealer Schedule.....33/133


**ACE HYDRAULIC
MOTOR DRIVEN
CENTRIFUGAL
PUMP REPAIR KIT**

For ACE 204, 210, 410 Hydraulic Pumps.

No.	Price
RK-BAC-HYD	Hyd. Motor Repair Kit

Dealer Schedule.....253

*Centralize
with
Central Supply!*

DELEVAN TURBO 90 PUMP

The high volume Turbo 90 pump was designed specifically for pumping wettable powders and suspensions. Capacities up to 60 GPM at 30 PSI (90 GPM at 0 PSI). It was also designed for direct drive from


a 1000 RPM PTO shaft, which means it operates at much slower speeds than centrifugal pumps.

Longer life for seals and other wearing parts. Self-flushing seal cavities virtually eliminate chances for clogging.

Ports: 1-1/2" IPTF, Specification: 50 GPM at 30 PSI,
Shaft: 15/16" Diameter, Seal: Viton.

No.	Description	Price
35992	1-3/4" 1000 RPM Quick Coupler	\$159.00
28455-1	Repair Kit (Face Seals)	159.00
28455-2	Repair Kit (Lip Seals)	55.86

Dealer Schedule: Pumps.....253 Parts.....33/133

**PRESSURE GAUGES****Standard
Gauge
Damper**


Pressure Gauges
2-1/2" Dial, 1/4" MPT

Order No.	Ref.	Description	Price
GL25-(specify) ... A		Lower Aluminum Connection (1/4"), (Specify - 100, 200, 400, 600 PSI)	\$17.50
2404-0047		Damper Gauge	13.15


Dealer Schedule.....203

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.


ELECTRIC OPERATED SOLENOID VALVES.....



No. 144-1
For Planters



No. 144-2
For Discs & Incorporators



No. 144-3
For Boom Sprayers

The No. 144 Directo Valve is specifically designed for agricultural spray boom control. It is activated by the vehicle's 12 volt DC electrical system. This permits remote locating on the sprayer and allows quick and convenient control of the spray boom.

10 GPM flow rate with 5PSI pressure drop.

Terminals can be located at any of four positions of 90 degrees apart.

Coil can be removed without removing valve from line.

Valve can be manually actuated.


Coil cover, straps, and bottom plate are epoxy painted steel.

No.	Price
144-1 1 Section, 3/4"	\$177.62
144-2 2 Section, 3/4"	359.83
144-3 3 Section, 3/4"	542.08

Dealer Schedule.....152

MODEL RC-10


12V DC Electric Pressure Regulator



FEATURES

- *Remote controlled pressure regulator permits operation from inside the tractor cab.
- *Valve is operated by a two-way electrical switch connected to any 12 Volt (DC) power source.
- *Valve cycle from open-to-closed is 30 seconds. Any setting in between can be precisely achieved by jogging the switch forward and backward.
- *Energy consumption is extremely low (10 milliamps.) and only when settings are being changed.

RC-1 REMOTE CONTROL SYSTEM



RC UNITS INCLUDE:
Monitor, butterfly, valve & wiring. 144 solenoids are NOT included with below kits. Order Separately

No. Solinoids Price
RC-10N-1 One \$273.00

Dealer Schedule.....203

FEATURES

- *Constant "eyes-front" monitoring of sprayer pressure.
- *Simple "finger-tip control" of sprayer pressure with mounted switch.
- *Quick disconnect in system wiring harness permits permanent installation of monitor & control Module in tractor cab and permanent mounting of Control Unit on sprayer.
- *Simple "do-it-yourself" installation.
- *Complete - nothing else to buy - operates on any 12 volt system.

DELEVAN NYLON MANIFOLD



With 3/4" NPTF inlet, eight 1/2" NPTF outlets and 1/4" NPTF gauge outlet.

No. Price
36516-3 Nylon Manifold \$23.75

Dealer Schedule.....152

Call Toll-Free

1-800-444-8666


Fax Toll-Free

1-800-342-7252

SPRAYING SYSTEMS

Tee Valve

for selective control of multiple section boom sprayers



With handle in down position, selection is made of any of the seven indexed valve positions to control operation of any combination of boom sections. Handle is raised to open the valve - - - and lower again for shut-off. TeeValve has auxiliary ports for pressure gauge, pressure relief valve and spray gun connections. Body made of aluminum with stainless steel and other corrosion resistant parts. For pressures up to 300 psi.

No.	Price
17H-SPK Repair Kit	\$41.17
(Repair Kit includes: Cotter, Rivet, Washer, Tip, Screws, Gasket, Packing, Seat.)	

Dealer Schedule.....152

PRESSURE RELIEF VALVES

to control desired pressure settings in spray lines for assuring more uniform rates of chemical application

Model 8460
Diaphragm Type Relief Valves
Offer maximum corrosion resistance to all farm chemicals since diaphragm seals off operating parts from liquid flow. Special diaphragm material remains resilient, assures chatter-free, responsive pressure control. Dual stainless steel internal springs.



Pressure Up To 300 PSI

No.	Price
8460-1/2 Nylon	\$72.62

Dealer Schedule.....203

**Rely on Central Supply
For Fast Order Shipment!**

MODEL FMK PTO-BELT DRIVE KIT

Mounts Pump On John Deere 1000 RPM Front PTO Shaft



PTO belt Drive Includes:
Brackets, sheaves, belts and cap screws, nuts washers etc. for mounting on tractor.

FACTS ABOUT JOHN DEERE FRONT PTO

The front PTO is available only on John Deere tractors. Front PTO operates at 1000 RPM. Both front and rear PTO may be used at the same time, but do not have to be operated at the same speeds.

No.	Each
FMK-28-2M Polyflex Belt (2 Required)	\$39.00

Dealer Schedule.....33/133




Belts for Model #CPK Centrifugal Sprayer Pump Kit

**FOR USE ON
International Harvester
PTO Driven-Cyclo Planter**

No.	Each.
CPK-28-2 Polyflex Belt (2 Required)	\$39.00

Dealer Schedule.....33/133





Directo Valve

FEATURES: Large capacity 12.5 GPM at 5 psi pressure drop. Maximum pressure of 150 psi. One-piece valve body with mounting flange for 1/4" bolts. Built-in 1/4" slots blind gauge connection.

No.	Description	Price
6B	One Unit DirectoValve, Poly	\$58.41

Dealer Schedule.....203

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



Diaphragm Check Valve Nozzles

These Diaphragm TeeJet Nozzles Provide Quick Positive Shut-Off and are Recommended For Flow Rates Up To 3 GPM And Pressures Up To 125 PSI.

No.	Ref.	Description	Price
13430	A	1/4" with Lock Nut	\$16.80
13434	B	3/8" Nylon 1 Barb	3.70
13437	B	1/2" Nylon 1 Barb	3.70
13435	C	3/8" Nylon 2 Barb	3.70
13438	C	1/2" Nylon 2 Barb	3.70
13436	D	3/8" Nylon 3 Barb	3.70
13439	D	1/2" Nylon 3 Barb	3.70

Dealer Schedule.....203



Remove end cap for horizontal mounting



Jet Agitator

Includes Four Sizes of Nozzles

Tank Mounted Venturi Type

Order No.	Description	Price
3371-0019	Jet Agitator with 4 orifices	\$8.83
	Dealer Schedule.....	152

Nylon Elbow To Fit 3371-0019 Agitator




No.	Barb	Price
ELF3412	1/2"	\$1.89
ELF3458	5/8"	2.36
ELF3434	3/4"	2.36

3/4" IPTF x BARB Dealer Schedule 152

Spray Nozzle Components & Accessories



Type 7450 Compact
Double Swivel Nozzle



Type 8600-2 Nylon
Double Swivel Nozzle

Brass No.	Inlet	Price
7450B-2T	1/8"	\$14.66
7450-2T	1/4"	14.66

Nylon No.	Inlet	Price
8600-2-18T	1/8"	\$11.70
8600-2-14T	1/4"	11.70

Note - Prices Do Not Include Tip,
Strainer Assembly & Cap.


Dealer Schedule.....203

Nozzle Blanks



No.	Type	Price
3942-BR	Brass	\$.33

Dealer Schedule.....203



AGITATOR TEE

The agitator tee along with a 1-1/4"x3/4" Dbl. threaded bushing will fit into the bottom of the polyolefin tanks.

No.		Price
T34-TEE	3/4" MPT x 3/4" FPT	\$8.10
BDT114-34	1-1/4" x 3/4" Double Threaded Bushing	12.25
	Dealer Schedule	152

Nozzle Cap Adapter

for attaching drop pipes or pipe extensions. Specify choice of 1/8", 1/4" & 3/8" NPT female outlet connections.



No.	Type	Price
4676-BR	Brass	\$3.19
4676-NY	Nylon	2.62

Dealer Schedule.....203

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



TeeJet**Spray Nozzle Components & Accessories**

Winged Cap
Can be hand tightened

#18032 Winged Cap

\$1.30

Tip NOT Included

**TYPICAL
TeeJet
ASSEMBLIES****TEEJET SPLIT - EYELET BODY ASSEMBLIES****Part No.**

TeeJet	Size	Material	Price
7421-BR12	1/2"	Brass	\$12.20
7421-NY12	1/2"	Nylon	6.05
7421-BR34	3/4"	Brass	12.20
7421-BR100	1"	Brass	12.20

Note -- Cap & Tip NOT Included.

TeeJet Body Only.

7417-BR	Body Only	Brass	4.40
7418-R	Gasket	Rubber	1.95

TEEJET ASSEMBLIES**Male Bodies**

1336-BR	1/8" MPT	Brass	2.63
1322-BR	1/4" MPT	Brass	2.63
8028-NY	1/4" MPT	Nylon	1.88

**Female Bodies**

1335-BR	1/8" FPT	Brass	2.63
1321-BR	1/4" FPT	Brass	2.63
8029-NY	1/4" FPT	Nylon	1.82

**Caps**

8027-NY	Standard	Nylon	.35
---------	----------	-------	-----

**Strainer****Mesh**

5053-BR50	50	Brass	2.51
5053-BR100	100	Brass	2.51
8079-NY50	50	Nylon	.72
8079-NY100	100	Nylon	.72
2930-50	50 Screen Only		.45
2930-100	100 Screen Only		.45

**Check Valve Strainer**

4193-BR50	50	Brass	5.68
4193-BR100	100	Brass	5.68


**Slotted Strainer**

4514-NY25	25	Nylon	1.10
-----------	----	-------	------

DEALER SCHEDULE THIS PAGE.....403

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

FloodJet



The FloodJet and Nozzles produce a very wide deflector type spray pattern.

Round orifice minimizes clogging.

Lower spraying pressures produce coarse particles minimizing drift. As shown here, nozzles may be mounted vertically or horizontally.

Spray overlap can be varied by raising or lowering boom - and by rotating boom.



(TKSS) FloodJet
Nozzle 1/4-3/4"

Gallons per acre based on 40" Spacing

TYPE	Liquid Pressure in PSI	Capacity in GPM	Gallons per acre based on 40" Spacing								
			4 MPH	5 MPH	6 MPH	8 MPH	10 MPH	12 MPH	14 MPH	16 MPH	20 MPH
TK-SS1 (100 Mesh)	10	.10	3.7	3.0	2.5	1.9	1.5	1.2	1.1	.93	.74
	20	.14	5.3	4.2	3.5	2.6	2.1	1.8	1.5	1.3	1.1
	30	.17	6.4	5.1	4.3	3.2	2.6	2.1	1.8	1.6	1.3
	40	.20	7.4	5.9	5.0	3.7	3.0	2.5	2.1	1.9	1.5
TK-SS1.5 (50 Mesh)	10	.15	5.6	4.5	3.7	2.8	2.2	1.9	1.6	1.4	1.1
	20	.21	7.9	6.3	5.3	3.9	3.2	2.6	2.3	2.0	1.6
	30	.26	9.7	7.7	6.4	4.8	3.9	3.2	2.8	2.4	1.9
	40	.30	11.1	8.9	7.4	5.6	4.5	3.7	3.2	2.8	2.2
TK-SS2 (50 Mesh)	10	.20	7.4	5.9	5.0	3.7	3.0	2.5	2.1	1.9	1.5
	20	.28	10.5	8.4	7.0	5.3	4.2	3.5	3.0	2.6	2.1
	30	.36	12.9	10.3	8.6	6.4	5.1	4.3	3.7	3.2	2.6
	40	.40	14.9	11.9	9.9	7.4	5.9	5.0	4.2	3.7	3.0
TK-SS2.5 (50 Mesh)	10	.25	9.3	7.4	6.2	4.6	3.7	3.1	2.7	2.3	1.9
	20	.35	13.1	10.5	8.8	6.6	5.3	4.4	3.8	3.3	2.6
	30	.43	16.1	12.3	10.7	8.0	6.4	5.4	4.6	4.0	3.2
	40	.50	18.6	14.9	12.4	9.5	7.4	6.2	5.3	4.6	3.9
TK-SS3 (50 Mesh)	10	.30	11.1	8.9	7.4	5.6	4.5	3.7	3.2	2.8	2.2
	20	.42	15.8	12.6	10.5	7.9	6.3	5.3	4.6	3.9	3.2
	30	.52	19.3	15.4	12.9	9.7	7.7	6.4	5.5	4.8	3.9
	40	.60	22	17.8	14.9	11.1	8.9	7.4	6.4	5.6	4.5
TK-SS4	10	.40	14.9	11.9	9.9	7.4	5.9	5.0	4.2	3.7	3.0
	20	.57	21	16.8	14.0	10.5	8.4	7.0	6.0	5.3	4.2
	30	.69	26	21	17.2	12.9	10.3	8.6	7.4	6.4	5.1
	40	.80	30	24	19.6	14.9	11.9	9.9	8.5	7.4	5.9
TK-SS5	10	.50	18.6	14.9	12.4	9.3	7.4	6.2	5.3	4.6	3.7
	20	.71	26	21	17.5	13.1	10.5	8.8	7.5	6.6	5.3
	30	.87	32	26	21	16.1	12.9	10.7	9.2	8.0	6.9
	40	1.0	37	30	25	18.6	14.9	12.4	10.6	9.3	7.4
TK-SS7.5	10	.75	28	22	18.6	13.9	11.1	9.3	8.0	7.0	5.6
	20	1.1	39	32	26	19.7	15.8	13.1	11.3	9.8	7.9
	30	1.3	48	39	32	24	19.3	16.1	13.8	12.1	9.7
	40	1.5	56	45	37	28	22	18.6	15.9	13.9	11.1
TK-SS10	10	1.0	37	30	25	18.6	14.9	12.4	10.6	9.3	7.4
	20	1.4	53	42	35	26	21	17.5	15.0	13.1	10.5
	30	1.7	64	51	43	32	26	21	18.4	16.1	12.9
	40	2.0	74	59	50	37	30	25	21	18.6	14.9
TK-SS15	10	1.5	56	45	37	28	22	18.6	15.9	13.9	11.1
	20	2.1	79	63	53	39	32	26	23	19.7	15.8
	30	2.6	96	77	64	48	39	32	28	24	19.3
	40	3.0	111	89	74	56	45	37	32	28	22
TK-SS20	10	2.0	74	59	50	37	30	25	21	18.6	14.9
	20	2.8	105	84	70	53	42	35	30	26	21
	30	3.5	128	103	86	64	51	43	37	32	26
	40	4.0	149	119	99	74	59	50	42	37	30
TK-SS30	10	3.0	111	89	74	56	45	37	32	28	22
	20	4.2	158	126	105	79	63	53	45	39	32
	30	5.2	193	154	129	96	77	64	55	48	39
	40	6.0	223	178	149	111	89	74	64	56	45

Order No.	Price
TKBR-(Specify No.) ... Brass Flood Jet Tip	\$7.81
TKSS-(Specify No.) ... Stainless Steel Flood Jet Tip	15.01
TKVS-(Specify No.) ... Visi-Flow Flood Jet Tip	13.52

NYGLASS FLOODING TIPS

Numbers Interchange With Other Leading Nozzle Tip Manufacturers. See The Table Above For Tip Specifications.

Tip No.	Description	Price
FT02.5	NYGLASS Tip	\$1.20
FT03	NYGLASS Tip	1.20
FT05	NYGLASS Tip	1.20
FT07.5	NYGLASS Tip	1.20
FT10	NYGLASS Tip	1.20
FT15	NYGLASS Tip	1.20
FT20	NYGLASS Tip	1.20

Call Toll-Free 1-800-444-8666

Tips Only For All Standard Nozzles

Tip Number*	Cap. Gal. Per Acre	Material Types
730077	5	Brass
730116	7.5	Brass
730385	25	Brass
730462	30	Brass
730616	40	Brass
8001	6.4	Brass, Stainless Steel
80015	9.7	Brass, Stainless Steel, Visi-Flow
8002	12.9	Stainless Steel, Visi-Flow
8003	19	Brass, Stainless Steel, Visi-Flow
8004	26	Brass, Stainless Steel
8005	32	Brass, Stainless Steel
8006	39	Brass, Stainless Steel
8008	52	Brass, Stainless Steel
8001E	4.3	Brass, Stainless Steel
80015E	6.4	Brass
8002E	8.6	Brass, Stainless Steel
8003E	12.9	Brass, Stainless Steel, Visi-Flow
8004E	17.2	Brass, Stainless Steel
8005E	21	Brass, Stainless Steel
8006E	26	Brass, Stainless Steel
8008E	34	Brass, Stainless Steel

NOTE - Letter "E" designates Pre-Emergence Brand Type.
NOTE - Capacity figured at 4 mph, 30 psi, 30" row spacing.

Prices For The Above Tips

Tip Type	Price
Brass Tips	\$4.83
S. Steel Tips	14.21
Visi-Flow Tips	7.08


* To Order Specify Number and Material Type.

Tip Number	Cap. Gal. Per Acre	Description	Price
150015	6.4	Brass Double Outlet	\$10.36
15002	8.6	Brass Double Outlet	10.36
15003	12.9	Brass Double Outlet	10.36
15004	17.2	Brass Double Outlet	10.36
15006	25.8	Brass Double Outlet	10.36
15009	38.7	Brass Double Outlet	10.36
3942-BR		Brass Blank (Disc)	.33

NOTE - Capacity figured at 4 mph, 30 psi, 30" row spacing.

FLOOD TIP ADAPTER

Tough corrosion resistant nylon.
Easy change over from flat spray to flood tip in field.
Cuts down on wind drift.
Low initial cost.




No.	Price
100FTA ... Flood Tip Adapter	\$3.20


DEALER SCHEDULE THIS PAGE.....403

Wide Angle ConeJet Spray Tips

For livestock & poultry cooling



No.	GPM	Price
T2W	1.7	\$6.17
T3W	2.6	6.17



Vari-Spacing Pipe Clamps

Boom Clamps
(Square & Round)
For Use With Hose
Connections

No.	Description	Price
VSCR-34	3/4" Round Pipe, Steel	\$5.17
VNYR-34	3/4" Round Pipe, Nylon	2.05
VSCR-10	1" Round Pipe, Steel	5.17
VSCR-125	1-1/4" Round Pipe, Steel	8.67
VSCS-10	1" Square Pipe, Steel	5.95




Gate Valves

Non-Rising Stem
Solid Wedge Celecon

No.	IPTF	Price
2004	1-1/4"	36.80
2006	2"	58.30

BALL VALVES




Precision Injection Molded.
Large Flow Ports.
Quarter Turn On-Off.
Low Initial Cost.
Furnished With Grease Fitting.
Wiping Action Of Ball On Seals Prevents Deposit Build-Up.
Viton Seals Standard

No.	IPTF	Price
H120.....	1/2"	\$11.61
H100.....	1"	18.31
H150.....	1-1/2"	47.00

DEALER SCHEDULE THIS PAGE.....203

TeeJet Vari-Spacing Nozzles



Note: Prices do not include tip, strainer assembly & cap.

No.	Size	Description	Price
DHC-38	3/8"	Nylon "T" Connector	\$1.20
DHC-12	1/2"	Nylon "T" Connector	1.38
DHC-34	3/4"	Nylon "T" Connector	2.32
SHC-38	3/8"	Nylon "L" Connector	1.20
SHC-12	1/2"	Nylon "L" Connector	1.38
SHC-34	3/4"	Nylon "L" Connector	2.32
DHC-38-BR	3/8"	Brass "T" Connector	12.04
DHC-12-BR	1/2"	Brass "T" Connector	9.11
SHC-38-BR	3/8"	Brass "L" Connector	12.04
SHC-12-BR	1/2"	Brass "L" Connector	9.11
TL		Nylon Lock Nut29

Fused Bronze Filter



#9106 Fused Bronze Filter - - - Brass with fused bronze filter element equivalent to 300 mesh screen. For use with extra low capacity TeeJet Tips.


No.	Price
9106	Filter



Nylon
Single
Hose
Connection

3/8" & 1/2"

3 BARB NOZZLE BODY



No. 3838D

Size	Price
3/8"	\$1.20

No. 3812D

Size	Price
1/2"	\$1.38

No.	Desc.	Price
T38CN ...	3/8" Barb	\$1.63
T12CN ...	1/2" Barb	2.08
T34CN ...	3/4" Barb	3.00

Straight Compression Stop Valve



These inexpensive celcon valves are excellent throttling valves for low volume centrifugal systems

No.	IPTF	Price
900-12	1/2"	\$8.00
900-34	3/4"	8.35

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE



XR TeeJet

EXTENDED RANGE
FLAT SPRAY TIPS
with VisiFlo color coding

LOWER PRESSURE:

Excellent spray distribution
Larger droplets for better drift control
Longer wearing

HIGHER PRESSURE:


Excellent spray distribution
Smaller droplets for good coverage
Excellent canopy penetration

IDEAL FOR AUTOMATIC SPRAYER CONTROLS


The patented design automatically compensates for changes in pressure actuated by today's automatic sprayer control systems. When the sprayer control drops pressure as you slow down, the tip maintains the necessary spray overlap. The same feature compensates for abrupt changes in boom height caused by rough or uneven terrain. Result: less skips.

Features:


Excellent spray distribution over a wide range of pressures (15-60 psi).
Idea for rigs equipped with sprayer controllers.
Reduces drift at lower pressures, better coverage at higher pressures.



CONVENTIONAL TIPS
Spray skips with standard flat spray tips when boom is tilted or bounced.



XR TEEJET TIPS
Wider coverage of XR TeeJet spray patterns minimize spray skips . . . even at low pressures.



*Adjust spray height in the field to overlap approximately 30% of each edge of pattern.

SUGGESTED MINIMUM SPRAY HEIGHT	
SPRAY ANGLE	SPRAY HEIGHT 20' SPACING
80°	17-19"
110°	10-12"

SEE p. 2 FOR A COMPLETE TABLE OF SPRAY HEIGHTS AND COVERAGES

HOW TO ORDER:

SPECIFY TIP NO.


Examples:

XR 8002VS—Stainless Steel with VisiFlo color coding


TIP COLOR	TIP NO. (Strainer Screen Size)		Liquid Pressure in PSI	Capacity 1 Nozzle in GPM	Capacity 1 Nozzle in oz./min.	GALLONS PER ACRE 20' SPACING				GALLONS PER ACRE 30' SPACING			
	80° SERIES	110° SERIES				5 MPH	6 MPH	7 MPH	8 MPH	5 MPH	6 MPH	7 MPH	8 MPH
Orange	XR8001 (100 Mesh)	XR11001 (100 Mesh)	15 20 30 40 60	.06 .07 .09 .10 .12	8 9 11 13 15	3.6 4.2 5.1 5.9 7.3	3.0 3.5 4.3 5.0 6.1	2.6 3.0 3.7 4.2 5.2	2.3 2.6 3.2 3.7 4.6	2.4 2.8 3.4 4.0 4.9	2.0 2.3 2.9 3.3 4.0	1.7 2.0 2.5 2.8 3.5	1.5 1.8 2.1 2.5 3.0
Green	XR80015 (100 Mesh)	XR110015 (100 Mesh)	15 20 30 40 60	.08 .11 .13 .15 .18	12 14 17 19 23	5.5 6.3 7.7 8.9 10.9	4.5 5.3 6.4 7.4 9.1	3.9 4.5 5.5 6.4 7.8	3.4 4.2 4.8 5.6 6.8	3.6 4.2 5.1 5.9 7.3	3.0 3.5 4.3 5.0 6.1	2.6 3.0 3.7 4.2 5.2	2.3 2.6 3.2 3.7 4.6
Yellow	XR8002 (50 Mesh)	XR11002 (50 Mesh)	15 20 30 40 60	.12 .14 .17 .20 .25	15 18 22 26 32	7.3 8.4 10.3 11.9 14.6	6.1 7.0 8.6 9.9 12.1	5.2 6.0 7.4 8.5 10.4	4.5 5.3 6.4 7.4 9.1	4.8 5.6 6.9 7.9 9.7	4.0 4.7 5.7 6.6 8.1	3.5 4.0 4.9 5.7 6.9	3.0 3.5 4.3 5.0 6.1
Blue	XR8003 (50 Mesh)	XR11003 (50 Mesh)	15 20 30 40 60	.18 .21 .26 .30 .37	23 27 33 38 47	10.9 12.6 15.4 17.8 22	9.1 10.5 12.9 14.9 18.2	7.8 9.0 11.0 12.7 15.6	6.8 7.9 9.7 11.1 13.6	7.3 8.4 10.3 11.9 14.6	6.1 7.0 8.6 9.9 12.1	5.2 6.0 7.4 8.5 10.4	4.5 5.3 6.4 7.4 9.1
Red	XR8004 (50 Mesh)	XR11004 (50 Mesh)	15 20 30 40 60	.24 .28 .35 .40 .49	31 36 45 51 63	14.5 16.8 21 24 29	12.1 14.0 17.2 19.8 21	10.4 12.0 14.7 17.0 21	9.1 10.5 12.9 14.9 18.2	9.7 11.2 13.7 15.8 19.4	8.1 9.3 11.4 13.2 16.2	6.1 7.0 8.6 10.4 13.9	6.1 7.0 8.6 9.9 12.1
Brown	XR8005 (50 Mesh)	XR11005 (50 Mesh)	15 20 30 40 60	.31 .35 .43 .50 .61	40 45 55 64 78	18.2 21 26 30 36	15.2 17.5 21.4 25 30	13.0 15.0 17.2 18.6 26	11.4 13.1 16.1 18.6 21	12.1 14.0 17.2 19.8 24	10.1 11.2 13.7 15.8 20	8.7 9.8 11.4 13.2 17.3	7.6 8.8 10.7 12.4 15.2
Gray	XR8006 (50 Mesh)	XR11006 (50 Mesh)	15 20 30 40 60	.37 .42 .52 .60 .74	47 54 67 77 95	22 25 31 36 44	18.2 21 26 30 36	15.6 18.0 22 25 31	13.6 15.8 19.3 22 27	14.5 16.8 19.2 24 29	12.1 14.0 17.2 19.8 24	10.4 12.0 14.7 17.0 21	9.1 10.5 12.9 14.9 18.2
White	XR8008 (50 Mesh)	XR11008 (50 Mesh)	15 20 30 40 60	.49 .57 .69 .80 .98	63 73 88 102 125	29 34 41 48 58	24 28 34 40 49	21 24 29 34 42	18.2 22 26 30 36	19.4 16.8 21 24 30	16.2 18.7 23 26 32	10.4 12.0 14.7 17.0 21	9.1 10.5 12.9 14.9 18.2

**Now! - - Change Spray Tips
Hand-Twist Quick**

**THE
Quick TeeJet
SYSTEM**



FOR USE WITH DRY BOOMS



The QJ series low profile design allows maximum protection against damage. Available with single and double hose shanks for 3/8, 1/2 and 3/4" I.D. hose. Drip free shut-off. Opens at 10 psi. Standard diaphragm is EPDM with Viton optional. Maximum operating pressure 125 psi with optional 300 psi when used with high pressure Quick TeeJet Caps.

For Complete Assembly Order (1) Nozzle Body, (2) Clamp and (3) Cap and Gasket Set. Order Tips Separately.

ADAPTERS FOR RETROFITTING

Permit usage of Quick TeeJet caps and TeeJet tips with standard TeeJet Nozzle Bodies.


QJT-NYB Quick TeeJet Adapter with 11/16"-16 TeeJet thread.



QJT8360-NYB Diaphragm Check Valve Quick TeeJet Body sub-assembly with 11/16"-16 TeeJet thread. Drip free shut-off.

(4)

TYPICAL USE




No.	Description	Price
QJT-NYB	Bodies using 8027 cap	\$4.91
QJT-8360-NYB ...	Bodies using 8027 cap	18.80

Retrofit Adapters are used with Standard TeeJet Nozzle Bodies and Clamps. Order 4 Retrofit Adapter and 3 Cap & Gasket Set (see above). Order Tips Separately.

Quick TeeJet NOZZLE BODY SUB-ASSEMBLIES


Quick TeeJets are carefully constructed in a reinforced design that utilizes extra tough nylon and Celon....weather and chemical resistant materials that withstand toughest field conditions...Easy to install on any boom system. Auto-align of flat spray tips.

FOR DRY BOOMS		Price
No.	Description	
22251-311-500NYB	1/2" Single hose shank	\$9.37
22251-311-750NYB	3/4" Single hose shank	9.37
22252-312-375NYB	3/8" Double hose shank	9.37
22252-312-500NYB	1/2" Double hose shank	9.37
22252-312-750NYB	3/4" Double hose shank	9.37
18635	Quick TeeJet nozzle body only.	
18638-111-500NYB	3/8" Single hose shank	4.57
18639-111-500NYB	1/2" Single hose shank	4.57
18636-112-375NYB	3/8" Double hose shank	4.57
18639-112-500NYB	1/2" Double hose shank	4.57
18637-113-375NYB	3/8" Triple hose shank	4.57
18640-113-500NYB	1/2" Triple hose shank	4.57
QJ111	Vari-Spacing Quick TeeJet clamp -- For Above	
QJ111-RD (Specify)	1/2, 3/4 or 1" Rd. clamp	3.00
QJ111-RD-114	1-1/4" Round clamp	4.38
QJ111-SQ (Specify)	3/4 or 1" Square clamp	3.00
QJ111-SQ114	1-1/4" Square clamp	3.00




CAP & GASKET SET	FOR USE WITH TIPS	Price
A..... 25612-NYR-(Color)-CELR	Standard tips smaller than 8010 (Smaller Capacities) LP (Brass) 8001 thru 8004	
	One Spray plane direction ... LP (SS) 8001 thru 8005, XR 8001 thru 8008	\$1.39

**Call Toll-Free
1-800-444-8666
Fax Toll-Free
1-800-342-7252**




*STANDARD WITH COLOR/CODE..... YELLOW (6). AVAILABLE WITH.... (1) BLACK, (2) WHITE, (3) RED, (4) BLUE, (5) GREEN, (6) YELLOW, (7) BROWN, (8) ORANGE


DEALER SCHEDULE.....403

HIGH QUALITY NYLON FITTINGS**NYLON ELBOWS**

No.	IPTM	Barb	Each
EL1412	1/4"	.1/2"	\$.86
EL1438	1/4"	.3/8"	.92
EL3838	3/8"	.3/8"	1.00
EL3812	3/8"	.1/2"	.92
EL1238	.1/2"	.3/8"	.92
EL1212	.1/2"	.1/2"	.92
EL1258	.1/2"	.5/8"	1.17
EL1234	.1/2"	.3/4"	1.17
EL3438	.3/4"	.3/8"	1.12
EL3412	.3/4"	.1/2"	1.17
EL3458	.3/4"	.5/8"	1.17
EL3434	.3/4"	.3/4"	1.20
EL3410	.3/4"	1"	1.30
EL1012	1"	.1/2"	1.72
EL1034	1"	.3/4"	1.55
EL1010	1"	1"	1.55
EL1141	1-1/4"	1"	2.80
EL114	1-1/4"	1-1/4"	2.95
EL112	1-1/2"	1-1/2"	4.10

**NYLON INSERT TEES
Three Hose Barbs**

No.	1	2	3	Price
3HB-14	1/4"	1/4"	1/4"	\$.85
3HB-38	3/8"	3/8"	3/8"	.97
3HB-3812	1/2"	1/2"	3/8"	.97
3HB-12	1/2"	1/2"	1/2"	.95
3HB-58	5/8"	5/8"	5/8"	.98
3HB-3412	1/2"	1/2"	3/4"	2.95
3HB-34	3/4"	3/4"	3/4"	1.15
3HB-100	1"	1"	1"	1.43
3HB-114	1-1/4"	1-1/4"	1-1/4"	3.28
3HB-112	1-1/2"	1-1/2"	1-1/2"	3.94
3HB-200	2"	2"	2"	11.50

**NYLON
Hex Center Close Nipples**


No.	IPTM	IPTM	Each
M-1400	1/4"	1/4"	\$.47
M-3800	3/8"	.3/8"	.52
M-1200	1/2"	.1/2"	.53
M-3400	3/4"	.3/4"	.80
M-1000	1"	1"	1.10
M-1140	1-1/4"	1-1/4"	2.10
M-1120	1-1/2"	1-1/2"	3.46
M-2000	2"	2"	4.21

**NYLON
Hose Coupling**

No.	IPTM	GHTM	Each
HC1434	1/4"	.1/4"	\$.98
HC3834	3/8"	.3/4"	.70
HC1234	1/2"	.3/4"	.70
HC3434	3/4"	.3/4"	.81

**NYLON
Hose Mender**

No.	Barb	Barb	Each
SHM1400	1/4"	.1/4"	\$.46
SHM3800	3/8"	.3/8"	.52
SHM1200	1/2"	.1/2"	.54
SHM5800	.5/8"	.5/8"	.60
SHM3400	.3/4"	.3/4"	.81
SHM1000	1"	1"	1.03
SHM114	1-1/4"	1-1/4"	1.97
SHM112	1-1/2"	1-1/2"	3.06
SHM200	2"	2"	8.90


**NYLON
Street Elbows**

Female Taper Pipe Thread
Male Taper Pipe Thread

No.	IPTF	IPTM	Each
SE12	1/2"	.1/2"	\$2.50
SE34	3/4"	.3/4"	3.60
SE100	1"	1"	7.30
SE114	1-1/4"	1-1/4"	9.18
SE112	1-1/2"	1-1/2"	9.45
SE200	2"	2"	11.50


**NYLON TEE
Female Taper
Pipe Threads**

No.	IPTF	IPTF	IPTF	Price
TT12	1/2"	1/2"	1/2"	\$3.63
TT34	3/4"	3/4"	3/4"	4.55
TT100	1"	1"	1"	8.14
TT114	1-1/4"	1-1/4"	1-1/4"	11.21
TT112	1-1/2"	1-1/2"	1-1/2"	12.62
TT200	2"	2"	2"	17.23

**NYLON Thread Caps-Female NPT-GHT**

No.	Price
N3400.....GHTF Cap	\$.72
CP3400.....IPTF Cap88

**NYLON
Hose Fittings
Male Pipe Thread**



No.	IPTM	Barb	Each
A1414	1/4"	1/4"	\$.48
A1438	1/4"	3/8"	.56
A1412	1/4"	1/2"	.52
A3814	3/8"	1/4"	.52
A3838	3/8"	3/8"	.52
A3812	3/8"	1/2"	.52
A1214	1/2"	1/4"	.57
A1238	1/2"	3/8"	.61
A1212	1/2"	1/2"	.66
A1258	1/2"	5/8"	.61
A1234	1/2"	3/4"	.72
A3438	3/4"	3/8"	.70
A3412	3/4"	1/2"	.70
A3458	3/4"	5/8"	.75
A3434	3/4"	3/4"	.80
A3410	3/4"	1"	1.03
A1034	1"	3/4"	1.26
A1010	1"	1"	1.26
A1114	1"	1-1/4"	1.76
A1141	1-1/4"	1"	1.86
A114	1-1/4"	1-1/4"	2.25
A114-112	1-1/4"	1-1/2"	2.26
A112-114	1-1/2"	1-1/4"	2.25
A112	1-1/2"	1-1/2"	2.60
A200	2"	2"	3.65

**NYLON
Hose Couplings**




No.	GHTM	Barb	Each
D3438	3/4"	3/8"	\$.78
D3412	3/4"	1/2"	.76
D3458	3/4"	5/8"	.76
D3434	3/4"	3/4"	.78

**Nylon Nuts
GHTF & IPTF**

No.	Size	Each
B3400	3/4" GHTF Nut Only	\$.57
B3500	3/4" IPTF Nut Only	.99


Barbs For GHTF Or IPTF Nuts

No.	Barb	Price
C1400	1/4"	\$.40
C3800	3/8"	.40
C1200	1/2"	.40
C5800	5/8"	.48
C3400	3/4"	.48




**NYLON
Reducer Bushings**

No.	Male	Female	Each
RB3814	3/8"	1/4"	\$1.23
RB1238	1/2"	3/8"	1.20
RB3414	3/4"	1/4"	1.30
RB3412	3/4"	1/2"	1.35
RB1034	1"	3/4"	1.70
RB114-34	1-1/4"	3/4"	3.28
RB114-1	1-1/4"	1"	3.28
RB112-114	1-1/2"	1-1/4"	3.00
RB200-112	2"	1-1/2"	3.28
RB212-200	2-1/2"	2"	6.93
RB300-200	3"	2"	10.30




**Female Taper Pipe Thread
And
Male Garden Hose Thread**

No.	MGHT	FPT	Each
G3412	3/4"	1/2"	\$2.43
G3434	3/4"	3/4"	1.95




**Male Taper Pipe Thread
And
Female Garden Hose Thread**

No.	FGHT	MPT	Each
H3434	3/4"	3/4"	\$1.95



**Male Garden Hose Thread
And
Female Garden Hose Thread**


No.	MGHT	FGHT	Each
I3434	3/4"	3/4"	\$2.40



**Female Garden Hose Thread
And
Female Taper Pipe Thread**

No.	FGHT	FPT	Each
J3412	3/4"	1/2"	\$2.40

High Quality Chemical Resistant Agricultural Spray Hose



No.	Size	Pressure Range	Reel	Per C/Ft.
SH-04-2	1/4" x 2 Spiral	225 500'-700' ..		\$193.00
SH-06-2	3/8" x 2 Spiral	200 500'-700' ..		216.00
SH-08-2	1/2" x 2 Spiral	200 500'-700' ..		282.00
SH-10-2	5/8" x 2 Spiral	200 500'-700' ..		292.00
SH-12-2	3/4" x 2 Spiral	200 500'-700' ..		302.00
SH-16-4	1" x 4 Spiral	200 250'-400' ..		322.00
SH-20-4	1-1/4" x 4 Spiral	200 250'-400' ..		632.50
SH-24-4	1-1/2" x 4 Spiral	200 250'-400' ..		637.00

Dealer Schedule:	1' To 50' 102
	51' To Less Than A Full Reel 203
	Full Reel Or More 33/133

Flexible Plastic E.V.A. Tubing

Applying all NH₃ and Liquid Fertilizer Solutions

No.	Size	Reel Size	Per C/Ft.
EVA-04	1/4"	500'	\$91.00
EVA-06	3/8"	500'	134.25
EVA-08	1/2"	500'	155.70
EVA-10	5/8"	500'	216.59
EVA-12	3/4"	250'	282.80
EVA-16	1"	100'	358.00

Dealer Schedule:	1' to 50' 102
	51' To Less Than A Full Reel 203
	Full Reel Or More 33/133

PVC Clear Tubing - FDA Grade



Transparent tubing permits visual inspection of flow. Extremely flexible even at 0° F. Excellent flow characteristics. Chemical resistant. Packaged in 100 foot lengths.

No.	I.D.	O.D.	Wall	PSI*	Per C/Ft.
2T10-0608	3/8"	1/2"	1/16"	45	\$28.10
2T10-0812**	1/2"	3/4"	1/8"	45	78.70
2T10-1014	5/8"	7/8"	1/8"	45	94.40
2T10-1216**	3/4"	1"	1/8"	45	101.20
2T10-1620	1"	1-1/4"	1/8"	45	141.63

*Maximum working pressure at room temperature.

** Frequently used as drop tubes on granular applicators.

Dealer Schedule:

Full Package.....	153	Broken Package.....	203
-------------------	-----	---------------------	-----

POLYPROPYLENE OPW KAMLOCK COUPLINGS

Polypropylene items should operate within the following temperatures.

0 Degrees F Pressure Should Not Exceed 100 PSI.
100 Degrees F Pressure Should Not Exceed 125 PSI.
150 Degrees F Pressure Should Not Exceed 70 PSI.



No.	Size	Price	No.	Size	Price
KL-075A	3/4"	\$6.20	KL-075B	3/4"	\$15.05
KL-100A	1"	6.70	KL-100B	1"	18.55
KL-150A	1-1/2"	7.55	KL-150B	1-1/2"	21.40
KL-200A	2"	8.70	KL-200B	2"	25.25



No.	Size	Price	No.	Size	Price
KL-075C	3/4"	\$15.05	KL-075D	3/4"	\$15.05
KL-100C	1"	18.55	KL-100D	1"	18.55
KL-150C	1-1/2"	21.40	KL-150D	1-1/2"	21.40
KL-200C	2"	25.25	KL-200D	2"	25.25



No.	Size	Price	No.	Size	Price
KL-075E	3/4"	\$6.70	KL-075F	3/4"	\$6.70
KL-100E	1"	7.55	KL-100F	1"	7.55
KL-150E	1-1/2"	7.85	KL-150F	1-1/2"	7.85
KL-200E	2"	10.10	KL-200F	2"	10.10



No.	Size	Price	No.	Size	Price
KL-075DP	3/4"	\$6.50	KL-075DC	3/4"	\$15.05
KL-100DP	1"	6.60	KL-100DC	1"	18.00
KL-150DP	1-1/2"	7.25	KL-150DC	1-1/2"	21.40
KL-200DP	2"	9.80	KL-200DC	2"	25.25

Dealer Schedule.....403




Nylon Plugs

Style TPS -Square Head-NPT

No.	IPTM	Price	No.	IPTM	Price
NP-002	1/8"	\$.46	NP-100	1"91
NP-004	1/4"52	NP-104	1-1/4"	1.65
NP-006	3/8"50	NP-108	1-1/2"	2.20
NP-008	1/2"54	NP-200	2"	2.96
NP-012	3/4"72			

Dealer Schedule.....103

LINE STRAINERS


Repair Parts

SPECIFICATIONS: Strainer made from tough corrosion resistant nylon. Stainless steel screens in 40 or 80 mesh. Strainers easily cleaned without tools. High capacity - - - minimum pressure drop. Hypalon gasket. Screen ends soldered dipped. Working pressure 100 PSI.

Install strainer on suction side of roller pumps and piston pumps. Install strainer on discharge side of centrifugal pumps.

Order No.	Ports	Mesh	Price
PKNS-34040	3/4"	40	\$16.50
PKNS-34080	3/4"	80	16.75
PKNS-10040	1"	40	16.50
PKNS-10080	1"	80	16.75
PKNS-11440	1-1/4"	40	40.80
PKNS-11240	1-1/2"	40	40.80

"B" Replacement Screens

BNS-341-40	3/4" & 1" Screen (40 Mesh)	4.60
BNS-341-80	3/4" & 1" Screen (80 Mesh)	4.85

"C" Cover Gasket

CNS-341R	3/4" & 1" Gasket (Rubber)	2.55
CNS-341V	3/4" & 1" Gasket (Viton)	3.90

DEALER SCHEDULE: Whole Goods.....203 Parts.....152

Suction Strainers

**TYPE 7130
SUCTION STRAINERS**



No.	Barb	Mesh	Price
7130-2	3/4"	40	\$45.20
7130-4	5/8"	80	45.20




Nylon

7130-7	3/4"	40	14.89
--------	------	----	-------

DEALER SCHEDULE: Strainers.....203

PVC Tubing / Hose Cutter



Features: Cast Alloy Construction, Chrome Plated High Carbon Steel Blade, Exclusive Angle Cutting Feature, Locking Handle For Safety, Capacity 1/8" to 1-5/8"

No.	Description	Price
GH-119	PVC Tubing/Hose Cutter	\$33.50

Dealer Schedule.....402


**ALL PRICES ARE SUBJECT
TO CHANGE WITHOUT NOTICE.**

Call Toll-Free 1-800-444-8666


**Centralize
With
Central!**

GunJet SPRAY GUNS

Series #143



3/4" F.G.H.T. connection and mounting ring.




Heavy duty spray gun for livestock, orchard and field spot spraying and all related uses. Designed for pressures up to 800 PSI. Spray adjustable from straight stream through full cone spray. Complete selection of capacity ranges, with special hardened stainless steel orifice disc tips. Choice of trigger action or turn-handle control.

Order No.	Ref.	Description	Price
143-D6	2	Orifice Disc, S-Steel	\$1.48
143-10566	3	Nozzle Housing, Alum.	17.18
143-10571	5	Guide Vane, Alum.	7.82
143-6943	6	Gasket, Alum. (2 Req'd)	1.46
143-5882	11	Hand Grip Stud, Plated	10.62
143-5883	12	Packing Washer, Alum.	1.46
143-5811	14	Packing Screw, Alum.	3.27
143-5994	16	Hand Grip, Poly. Chloride	9.05
143-SPK		Parts Kit (Ref. 2A, 4, 13)	28.50



**GunJet #43 Hand Gun
Heavy Duty Type Trigger Control**
For pressure up to 800 p.s.i.




As trigger is drawn back, valve moves from shut-off position to initial wide angle cone spray to continuously narrower cone sprays to final straight stream. Knurled ring is adjustable to stop trigger at any desire position.

No.	Ref.	Description	Price
43H-D	2	Orifice Disc	\$1.50
43H-4743*	3	Gasket, Nylon	1.45
43H-6492	10	Inlet Body	28.67
43H-6602*	12	Packing	3.36

* Included In Repair Kit

Series #23



Flow Rates Up To 5 GPM
Pressures From 250 To 1000 PSI
Pistol Grip With Trigger Lock

Designed so that only inlet body, cap and spray tip are touched by spray chemicals. Supplied in choice of brass or stainless steel 1/4" NPS (M) inlet connection. Strong Aluminum alloy handle. Teflon valve seat and packing and packing and stainless steel valve stem. For use with TeeJet spray tip or adjustable ConeJet and MuliteeJets.

No.	Description	Price
23HBR	Brass Gun, with cap, less tip	\$68.71
23L-7676-24	Gun for Riding Sprayer, less tip	112.19
5500X3	Adjustable Tip, Stream to Cone	18.83
23L-7676-SPK	Parts Kit	16.80

#23 Hand Gun Extension Tubing




No.	Description	Price
7715-18	18" Extension	\$14.52
7715-24	24" Extension	15.68
7715-36	36" Extension	19.86

#23 Hand Gun Extension Swivel Adapters



No.	Description	Price
1414F	1/4" IPTF x 1/4" IPTF	\$4.06
1438F	1/4" IPTF x 3/8" IPTF	5.36



GunJet #18AL -- Length 20" -- Weight 1 lb., Aluminum 1/4" NPT (F) Inlet Connection.

No.	Ref.	Description	Price
5798-NY*	10	Seat, Nylon	\$5.78

DEALER SCHEDULE THIS PAGE:
Complete Guns.....203
Repair Parts.....152

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

G&G

Aetna

Elston Gopher-Getter

Drives Roller Chain

Pioneer

HUB CITY

IPTCI

DARE

Kondex

Neapco


**National
Seals**

***SPRAY-ON
Products***


Central Supply & Rubber Company

Toll-Free: 1-800-444-8666 Fax: 1-800-342-7252



Visit Our Web Site at: www.centralsupplyandrubber.com





KATS Engine
Heaters




Vise-Grip Tools




Plews
Grease
Guns




Tire
Chains




Electric
Fences
Parmak
Dare




Fasteners




U-joint




Gearing




Equipment
Jacks



Drill Bits




Hitch Pins



Wheel
Hubs


506-3192
50603192




Pipe
Fittings




Hydraulic Cylinders



Parker/Pioneer Hyd. Couplers



Elston
Gopher
Getter



Hydraulic Hose